

- Aimi, A., Mori, D., Hiraki, K. I., Takahashi, T., Shan, Y. J., Shirako, Y., ... & Inaguma, Y. (2014). High-Pressure Synthesis of A-Site Ordered Double Perovskite $\text{CaMnTi}_2\text{O}_6$ and Ferroelectricity Driven by Coupling of A-Site Ordering and the Second-Order Jahn–Teller Effect. *Chemistry of Materials*, *26*(8), 2601-2608.
- Affleck, L., & Leach, C. (2005). Microstructures of BaTiO_3 based PTC thermistors with Ca, Sr and Pb additions. *Journal of the European Ceramic Society*, *25*(12), 3017-3020.
- Ahmed, M. A., Ateia, E., Salah, L. M., & El-Gamal, A. A. (2005). Structural and electrical studies on La^{3+} substituted Ni–Zn ferrites. *Materials chemistry and physics*, *92*(2-3), 310-321.
- Akhtar, M. N., Hussain, T., Khan, M. A., & Ahmad, M. (2018). Structural, magnetic, dielectric and high frequency response of synthesized rare earth doped bismuth nano garnets (BIG). *Results in Physics*, *10*, 784-793.
- Azcondo, M. T., de Paz, J. R., Boulahya, K., Ritter, C., García-Alvarado, F., & Amador, U. (2015). Complex magnetic behaviour of $\text{Sr}_2\text{CoNb}_{1-x}\text{Ti}_x\text{O}_6$ ($0 \leq x \leq 0.5$) as a result of a flexible microstructure. *Dalton Transactions*, *44*(8), 3801-3810.
- Ashima, A., Sanghi, S., Agarwal, A., & Reetu, R. (2012). Rietveld refinement, electrical properties and magnetic characteristics of Ca-Sr substituted barium hexaferrites. *Journal of alloys and compounds*, *513*, 436-444.
- Anupama, A. V., Keune, W., & Sahoo, B. (2017). Thermally induced phase transformation in multi-phase iron oxide nanoparticles on vacuum annealing. *Journal of Magnetism and Magnetic Materials*, *439*, 156-166.

- Arora, A., & Narang, S. B. (2016). Structural and dielectric properties of co-substituted M-type barium hexaferrite. *Journal of Materials Science: Materials in Electronics*, 27(10), 10157-10162.
- Ahmed, M. A., El Hiti, M. A., El Nimr, M. K., & Amer, M. A. (1996). The ac electrical conductivity for Co-substituted SbNi ferrites. *Journal of magnetism and magnetic materials*, 152(3), 391-395.
- Ahmed, T. T., Rahman, I. Z., & Rahman, M. A. (2004). Study on the properties of the copper substituted NiZn ferrites. *Journal of Materials Processing Technology*, 153, 797-803.
- Almeida, R. M., Paraguassu, W., Pires, D. S., Correa, R. R., & de Araujo Paschoal, C. W. (2009). Impedance spectroscopy analysis of BaFe₁₂O₁₉ M-type hexaferrite obtained by ceramic method. *Ceramics International*, 35(6), 2443-2447.
- Ahmed, A. I., Siddig, M. A., Mirghni, A. A., Omer, M. I., & Elbadawi, A. A. (2015). Structural and optical properties of Mg_{1-x}Zn_xFe₂O₄ nano-ferrites synthesized using co-precipitation method. *Advances in Nanoparticles*, 4(02), 45.
- Ashiq, M. N., Asi, A. S., Farooq, S., Najam-ul-Haq, M., & Rehman, S. (2017). Magnetic and electrical properties of M-type nano-strontium hexaferrite prepared by sol-gel combustion method. *Journal of Magnetism and Magnetic Materials*, 444, 426-431.
- Anbarasu, V., Gazzali, P. M., Karthik, T., Manigandan, A., & Sivakumar, K. (2013). Effect of divalent cation substitution in the magnetoplumbite structured BaFe₁₂O₁₉ system. *Journal of Materials Science: Materials in Electronics*, 24(3), 916-926.
- Bhalla, A.S., Guo, R. and Roy, R. (2000). The perovskite structure – a review of its role in ceramic science and technology. *Materials Research Innovations*, 4, 3–26.

Bobnar, V., Hrovat, M., Holc, J., & Kosec, M. (2009). All-ceramic lead-free percolative composite with a colossal dielectric response. *Journal of the European Ceramic Society*, 29(4), 725-729.

Boukenter, A., Duval, E., & Rosenberg, H. M. (1988). Raman scattering in amorphous and crystalline materials: a study of epoxy resin and DGEBA. *Journal of Physics C: Solid State Physics*, 21(15), L541.

Bakonyi, I., Kiss, L. F., Varga, E., & Varga, L. K. (2005). Magnetic properties of metastable Zr–Ni and Hf–Ni alloys around the paramagnetic-ferromagnetic transition. *Physical Review B*, 71(1), 014402.

Battle, P. D., Gibb, T. C., & Jones, C. W. (1988). The structural and magnetic properties of SrMnO₃: A reinvestigation. *Journal of Solid State Chemistry*, 74(1), 60-66.

Buzinaro, M. A. P., Ferreira, N. S., Cunha, F., & Macêdo, M. A. (2016). Hopkinson effect, structural and magnetic properties of M-type Sm³⁺-doped SrFe₁₂O₁₉ nanoparticles produced by a proteic sol–gel process. *Ceramics International*, 42(5), 5865-5872.

Bammannavar, B. K., & Naik, L. R. (2009). Electrical properties and magnetoelectric effect in (x)Ni_{0.5}Zn_{0.5}Fe₂O₄+(1-x)BPZT composites. *Smart materials and structures*, 18(8), 085013.

Behera, P., & Ravi, S. (2017). Influence of Al substitution on structural, dielectric and magnetic properties of M-type barium hexaferrite. *Journal of Superconductivity and Novel Magnetism*, 30(6), 1453-1461.

Bueno, P.R., Rib of multi-walled carbon nanotubes/Mn-Cu-Zr substituted strontium hexaferrite nanocomposites. *Mater. Res. Bull.* 83, 379–386 (2016)

Barbier, T., Autret-Lambert, C., Honstrette, C., Gervais, F., & Lethiecq, M. (2012). Dielectric properties of hexagonal perovskite ceramics prepared by different routes. *Materials Research Bulletin*, 47(12), 4427-4432.

Binder, K. U. R. T., & Hohenberg, P. (1976). Monte Carlo and series expansion investigations of magnetic surfaces. *IEEE Transactions on Magnetism*, 12(2), 66-74.

Cheng, Z., & Lin, J. (2010). Layered organic–inorganic hybrid perovskites: structure, optical properties, film preparation, patterning and templating engineering. *CrystEngComm*, 12(10), 2646-2662.

Chourasia, R., & Shrivastava, O. P. (2011). Structure refinement of polycrystalline orthorhombic yttrium substituted calcium titanate: $\text{Ca}_{1-x}\text{Y}_x\text{TiO}_{3+\delta}$ ($x = 0.1-0.3$). *Bulletin of Materials Science*, 34(1), 89-95.

Chen, C. H., Kwo, J., & Hong, M. (1988). Microstructures of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ superconducting thin films grown on a SrTiO_3 (100) substrate. *Applied physics letters*, 52(10), 841-843.

Chang, B. T., Campet, G., Claverie, J., Hagenmuller, P., & Goodenough, J. B. (1983). Sensitization of polycrystalline SrTiO_3 photoanodes by mechanical polishing. *Journal of Solid State Chemistry*, 49(2), 247-255.

- Chiodelli, G., Massarotti, V., Capsoni, D., Bini, M., Azzoni, C. B., Mozzati, M. C., & Lupotto, P. (2004). Electric and dielectric properties of pure and doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ perovskite materials. *Solid state communications*, 132(3-4), 241-246.
- Cao, H. C., Bischoff, E., Sbaizero, O., Rühle, M., Evans, A. G., Marshall, D. B., & Brennan, J. J. (1990). Effect of Interfaces on the Properties of Fiber-Reinforced Ceramics. *Journal of the American Ceramic Society*, 73(6), 1691-1699.
- Cao, W., & Gerhardt, R. (1990). Calculation of various relaxation times and conductivity for a single dielectric relaxation process. *Solid State Ionics*, 42(3-4), 213-221.
- Cullity, B. D., & Graham, C. D. (2009). Introduction to Magnetic Materials, A John Wiley & Sons. *New Jersey*.
- Collin, R. E. (2007). *Foundations for microwave engineering*. John Wiley & Sons.
- Coutinho, P. V., Cunha, F., & Barrozo, P. (2017). Structural, vibrational and magnetic properties of the orthoferrites LaFeO_3 and YFeO_3 : A comparative study. *Solid State Communications*, 252, 59-63.
- Cai, Z., Goodrich, T. L., Sun, B., Chen, Z., Harris, V. G., & Ziemer, K. S. (2010). Epitaxial growth of barium hexaferrite film on wide bandgap semiconductor 6H-SiC by molecular beam epitaxy. *Journal of Physics D: Applied Physics*, 43(9), 095002.
- Cho, H. S., & Kim, S. S. (1999). M-hexaferrites with planar magnetic anisotropy and their application to high-frequency microwave absorbers. *IEEE Transactions on magnetics*, 35(5), 3151-3153.

Carp, O., Barjega, R., Segal, E., & Brezeanu, M. (1998). Nonconventional methods for obtaining hexaferrites: II. Barium hexaferrite. *Thermochimica Acta*, 318(1-2), 57-62.

Cao, H., Lu, P., Yu, Z., Chen, J., & Wang, S. (2014). Electronic and magnetic properties of vanadium doped AlN nanosheet under in-plane biaxial strains. *Superlattices and Microstructures*, 73, 113-120.

Choudhary, H. K., Kumar, R., Pawar, S. P., Bose, S., & Sahoo, B. (2020). Effect of microstructure and magnetic properties of Ba-Pb-hexaferrite particles on EMI shielding behavior of Ba-Pb-hexaferrite-polyaniline-wax nanocomposites. *Journal of Electronic Materials*, 49(3), 1618-1629.

Choudhary, H. K., Kumar, R., Anupama, A. V., & Sahoo, B. (2018). Effect of annealing temperature on the structural and magnetic properties of Ba-Pb-hexaferrite powders synthesized by sol-gel auto-combustion method. *Ceramics International*, 44(8), 8877-8889.

Choudhary, H. K., Pawar, S. P., Kumar, R., Anupama, A. V., Bose, S., & Sahoo, B. (2017). Mechanistic insight into the critical concentration of barium hexaferrite and the conductive polymeric phase with respect to synergistically electromagnetic interference (EMI) shielding. *ChemistrySelect*, 2(2), 830-841.

Choudhary, H. K., Sahoo, B., Pawar, S. P., & Bose, S. (2017). Microwave absorption property of hydrothermal synthesized RGO/PbFe₁₂O₁₉ nanocomposite. *Asian Journal For Convergence In Technology (AJCT)*, 3.

Choudhary, H. K., Pawar, S. P., Bose, S., & Sahoo, B. (2018, May). EMI shielding performance of lead hexaferrite/polyaniline composite in 8-18 GHz frequency range. In *AIP Conference Proceedings* (Vol. 1953, No. 1, p. 120061). AIP Publishing LLC.

- Chauhan, C. C., Jotania, R. B., & Jotania, K. R. (2012). Conductivity and dielectric properties of M-type barium magnesium hexaferrite powder. *International Journal of Advanced Engineering Research and Studies*, 1, 25.
- Chawla, S. K., Mudsainiyan, R. K., Meena, S. S., & Yusuf, S. M. (2014). Sol-gel synthesis, structural and magnetic properties of nanoscale M-type barium hexaferrites $\text{BaCo}_x\text{Zr}_x\text{Fe}_{(12-2x)}\text{O}_{19}$. *Journal of Magnetism and Magnetic Materials*, 350, 23-29.
- Chang, S., Kangning, S., & Pengfei, C. (2012). Microwave absorption properties of Ce-substituted M-type barium ferrite. *Journal of magnetism and magnetic materials*, 324(5), 802-805.
- Chen, R. H., Yen, C. C., Shern, C. S., & Fukami, T. (2006). Impedance spectroscopy and dielectric analysis in KH_2PO_4 single crystal. *Solid State Ionics*, 177(33-34), 2857-2864.
- Dyre, J. C., & Schröder, T. B. (2000). Universality of ac conduction in disordered solids. *Reviews of Modern Physics*, 72(3), 873.
- Du, L., Du, Y., Li, Y., Wang, J., Wang, C., Wang, X., ... & Han, X. (2010). Surfactant-Assisted Solvothermal Synthesis of $\text{Ba}(\text{CoTi})_x\text{Fe}_{12-2x}\text{O}_{19}$ Nanoparticles and Enhancement in Microwave Absorption Properties of Polyaniline. *The Journal of Physical Chemistry C*, 114(46), 19600-19606.
- Dutta, D. P., Mandal, B. P., Mukadam, M. D., Yusuf, S. M., & Tyagi, A. K. (2014). Improved magnetic and ferroelectric properties of Sc and Ti codoped multiferroic nano BiFeO_3 prepared via sonochemical synthesis. *Dalton Transactions*, 43(21), 7838-7846.

Dutta, D. P., Mandal, B. P., Naik, R., Lawes, G., & Tyagi, A. K. (2013). Magnetic, ferroelectric, and magnetocapacitive properties of sonochemically synthesized Sc-doped BiFeO₃ nanoparticles. *The Journal of Physical Chemistry C*, 117(5), 2382-2389.

Dutta, D. P., Jayakumar, O. D., Tyagi, A. K., Girija, K. G., Pillai, C. G. S., & Sharma, G. (2010). Effect of doping on the morphology and multiferroic properties of BiFeO₃ nanorods. *Nanoscale*, 2(7), 1149-1154.

El-Hilo, M., Pfeiffer, H., O'Grady, K., Schüppel, W., Sinn, E., Görnert, P., ... & Chantrell, R. W. (1994). Magnetic properties of barium hexaferrite powders. *Journal of magnetism and magnetic materials*, 129(2-3), 339-347.

Elliott, S. R. (1994). Frequency-dependent conductivity in ionically and electronically conducting amorphous solids. *Solid State Ionics*, 70, 27-40.

El Shater, R. E., El-Ghazzawy, E. H., & El-Nimr, M. K. (2018). Study of the sintering temperature and the sintering time period effects on the structural and magnetic properties of M-type hexaferrite BaFe₁₂O₁₉. *Journal of Alloys and Compounds*, 739, 327-334.

Fouskova, A., & Cross, L. E. (1970). Dielectric properties of bismuth titanate. *Journal of Applied Physics*, 41(7), 2834-2838.

Fu, Y. P., Lin, C. H., & Pan, K. Y. (2003). Strontium hexaferrite powders prepared by a microwave-induced combustion process and some of their properties. *Journal of alloys and compounds*, 349(1-2), 228-231.

Giaquinta, D. M., & Zur Loye, H. C. (1994). Structural predictions in the ABO₃ phase diagram. *Chemistry of materials*, 6(4), 365-372.

Galasso, F. S. (2013). *Structure, properties and preparation of perovskite-type compounds: international series of monographs in solid state physics* (Vol. 5). Elsevier.

Gautam, P., Yadava, S. S., Khare, A., & Mandal, K. D. (2017). Dielectric and magnetic studies of $0.5\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$ - $0.5\text{Bi}_3\text{LaTi}_3\text{O}_{12}$ nano-composite ceramic synthesized by semi-wet route. *Ceramics International*, 43(3), 3133-3139.

George, S., & Sebastian, M. T. (2008). Effect of sintering temperature on the percolation threshold and the dielectric properties $\text{Ca}[(\text{Li}_{1/3}\text{Nb}_{2/3})_{1-x}\text{Ti}_x]\text{O}_3$ - δ -Ag composite. *Composites science and technology*, 68(12), 2461-2467.

George, S., Santha, N. I., & Sebastian, M. T. (2009). Percolation phenomenon in barium samarium titanate-silver composite. *Journal of Physics and Chemistry of Solids*, 70(1), 107-111.

George, S., James, J., & Sebastian, M. T. (2007). Giant permittivity of a bismuth zinc niobate-silver composite. *Journal of the American Ceramic Society*, 90(11), 3522-3528.

Grumann, M., Balakrishnan, G., Tomy, C. V., & Paul, D. M. (1994). Superconducting properties of $\text{Ba}(\text{Pb},\text{Bi})\text{O}_3$ single crystals and melt-processed $(\text{Ba}, \text{K})\text{BiO}_3$. *Physica C: Superconductivity*, 226(3-4), 288-292.

Gerhardt, R. (1994). Impedance and dielectric spectroscopy revisited: distinguishing localized relaxation from long-range conductivity. *Journal of Physics and Chemistry of Solids*, 55(12), 1491-1506.

Gerhardt, R., & Nowick, A. S. (1986). Grain-boundary effect in ceria doped with trivalent cations: I, electrical measurements. *Journal of the American ceramic society*, 69(9), 641-646.

Ghosh, M., Ghosh, S., Seibt, M., Rao, K. Y., Peretzki, P., & Rao, G. M. (2016). Ferroelectric origin in one-dimensional undoped ZnO towards high electromechanical response. *Cryst. Eng. Comm.* 18(4), 622-630.

Goya, G. F., Berquo, T. S., Fonseca, F. C., & Morales, M. P. (2003). Static and dynamic magnetic properties of spherical magnetite nanoparticles. *Journal of applied physics*, 94(5), 3520-3528.

Gunanto, Y. E., Izaak, M. P., Silaban, S. S., & Adi, W. A. (2018, May). Synthesis and Characterization of Barium-Hexaferrite-Based Nanocomposite on X-Band Microwave. In *IOP Conference Series: Materials Science and Engineering* (Vol. 367, p. 012040).

Gordani, G. R., Ghasemi, A., & Saidi, A. (2014). Enhanced magnetic properties of substituted Sr-hexaferrite nanoparticles synthesized by co-precipitation method. *Ceramics International*, 40(3), 4945-4952.

George, M., Nair, S. S., Malini, K. A., Joy, P. A., & Anantharaman, M. R. (2007). Finite size effects on the electrical properties of sol-gel synthesized CoFe_2O_4 powders: deviation from Maxwell-Wagner theory and evidence of surface polarization effects. *Journal of Physics D: Applied Physics*, 40(6), 1593.

Gordani, G. R., Ghasemi, A., & Saidi, A. (2014). Enhanced magnetic properties of substituted Sr-hexaferrite nanoparticles synthesized by co-precipitation method. *Ceramics International*, 40(3), 4945-4952.

Gul, I. H., & Maqsood, A. (2008). Structural, magnetic and electrical properties of cobalt ferrites prepared by the sol-gel route. *Journal of Alloys and Compounds*, 465(1-2), 227-231.

- Gul, I. H., Maqsood, A., Naeem, M., & Ashiq, M. N. (2010). Optical, magnetic and electrical investigation of cobalt ferrite nanoparticles synthesized by co-precipitation route. *Journal of alloys and compounds*, 507(1), 201-206.
- Huang, J., Cao, Y., Hong, M., & Du, P. (2008). Ag–Ba_{0.75}Sr_{0.25}TiO₃ composites with excellent dielectric properties. *Applied Physics Letters*, 92(2), 022911.
- Han, F., Deng, J., Liu, X., Yan, T., Ren, S., Ma, X., ... & Liu, L. (2017). High-temperature dielectric and relaxation behavior of Yb-doped Bi_{0.5}Na_{0.5}TiO₃ ceramics. *Ceramics International*, 43(7), 5564-5573.
- Heffner, R. H., Sonier, J., MacLaughlin, D. E., Nieuwenhuys, G. J., Uemura, Y. J., Luke, G. M., & Cheong, S. W. (2000). Evidence for a distributed ferromagnetic transition in (La, Ca) MnO₃. *Physica B: Condensed Matter*, 289, 61-64.
- Hibst, H. (1988). Magnetic pigments for recording information. *Journal of magnetism and magnetic materials*, 74(2), 193-202.
- Harris, V. G., Geiler, A., Chen, Y., Yoon, S. D., Wu, M., Yang, A., ... & Patton, C. E. (2009). Recent advances in processing and applications of microwave ferrites. *Journal of Magnetism and Magnetic Materials*, 321(14), 2035-2047.
- Hussain, S., Shah, N. A., Maqsood, A., Ali, A., Naeem, M., & Syed, W. A. A. (2011). Characterization of Pb-doped Sr-ferrites at room temperature. *Journal of superconductivity and novel magnetism*, 24(4), 1245-1248.

Hoque, N. A., Thakur, P., Biswas, P., Saikh, M. M., Roy, S., Bagchi, B., ... & Ray, P. P. (2018). Biowaste crab shell-extracted chitin nanofiber-based superior piezoelectric nanogenerator. *Journal of Materials Chemistry A*, 6(28), 13848-13858.

Haijun, Z., Zhichao, L., Chenliang, M., Xi, Y., Liangying, Z., & Mingzhong, W. (2003). Preparation and microwave properties of Co-and Ti-doped barium ferrite by citrate sol-gel process. *Materials chemistry and physics*, 80(1), 129-134.

Hong, X., Xie, Y., Wang, X., Li, M., Le, Z., Gao, Y., ... & Ling, Y. (2015). A novel ternary hybrid electromagnetic wave-absorbing composite based on BaFe_{11.92}(LaNd)_{0.04}O₁₉-titanium dioxide/multiwalled carbon nanotubes/polythiophene. *Composites Science and Technology*, 117, 215-224.

Hamad, M. A., El-Sayed, A. H., Hemedat, O. M., & Tawfik, A. (2016). Strong coercivity reduction and high initial permeability in NiCoP coated BaFe₁₂O₁₉-polystyrene bilayer composite. *Materials Research Express*, 3(3), 036104.

Iwahara, H., Esaka, T., Uchida, H., & Maeda, N. (1981). Proton conduction in sintered oxides and its application to steam electrolysis for hydrogen production. *Solid State Ionics*, 3, 359-363.

Iwahara, H., Uchida, H., Ono, K., & Ogaki, K. (1988). Proton conduction in sintered oxides based on BaCeO₃. *Journal of the Electrochemical Society*, 135(2), 529.

Iqbal, M. J., Ashiq, M. N., Hernández-Gómez, P., Muñoz, J. M. M., & Cabrera, C. T. (2010). Influence of annealing temperature and doping rate on the magnetic properties of Zr-Mn substituted Sr-hexaferrite nanoparticles. *Journal of alloys and compounds*, 500(1), 113-116.

Iqbal, M. J., & Farooq, S. (2010). Suitability of $\text{Sr}_{0.5}\text{Ba}_{0.5-x}\text{Ce}_x\text{Fe}_{12-y}\text{Ni}_y\text{O}_{19}$ co-precipitated nanomaterials for inductor applications. *Journal of alloys and compounds*, 493(1-2), 595-600.

Issa, B., Obaidat, I. M., Albiss, B. A., & Haik, Y. (2013). Magnetic nanoparticles: surface effects and properties related to biomedicine applications. *International journal of molecular sciences*, 14(11), 21266-21305.

Ishiwata, S., Tokunaga, Y., Taguchi, Y., & Tokura, Y. (2011). High-pressure hydrothermal crystal growth and multiferroic properties of a perovskite YMnO_3 . *Journal of the American Chemical Society*, 133(35), 13818-13820.

Johnsson, M., & Lemmens, P. (2008). Perovskites and thin films—crystallography and chemistry. *Journal of physics: condensed matter*, 20(26), 264001.

Jiles, D. C. (1990). Review of magnetic methods for nondestructive evaluation (Part 2). *NDT international*, 23(2), 83-92.

Jasrotia, R., Singh, V. P., Kumar, R., Singha, K., Chandel, M., & Singh, M. (2019). Analysis of Cd^{2+} and In^{3+} ions doping on microstructure, optical, magnetic and mÖssbauer spectral properties of sol-gel synthesized BaM hexagonal ferrite based nanomaterials. *Results in Physics*, 12, 1933-1941.

Jotania, R. B., Khomane, R. B., Chauhan, C. C., Menon, S. K., & Kulkarni, B. D. (2008). Synthesis and magnetic properties of barium–calcium hexaferrite particles prepared by sol–gel and microemulsion techniques. *Journal of Magnetism and Magnetic Materials*, 320(6), 1095-1101.

- Keith, M. L., & Roy, R. (1954). Structural relations among double oxides of trivalent elements. *American Mineralogist: Journal of Earth and Planetary Materials*, 39(1-2), 1-23.
- Khare, A., Yadava, S. S., Mandal, K. D., & Mukhopadhyay, N. K. (2016). Effect of sintering duration on the dielectric properties of $0.9\text{BaTiO}_3\text{-}0.1\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ nanocomposite synthesized by solid state route. *Microelectronic Engineering*, 164, 1-6.
- Kim, J. H., Kim, K. B., & Noh, S. H. (1997). New density-independent model for measurement of grain moisture content using microwave techniques. *Journal of Electrical Engineering and Information Science*, 2(4), 72-78
- Klein, C., Dutrow, B., 2008. *Manual of Mineral Science*, 23rd edition. John Wiley & Sons, New York 456–467 (519–534).
- Köseoğlu, Y., Bay, M., Tan, M., Baykal, A., Sözeri, H., Topkaya, R., & Akdoğan, N. (2011). Magnetic and dielectric properties of $\text{Mn}_{0.2}\text{Ni}_{0.8}\text{Fe}_2\text{O}_4$ nanoparticles synthesized by PEG-assisted hydrothermal method. *Journal of Nanoparticle Research*, 13(5), 2235-2244.
- Kodama, R. H., Makhlof, S. A., & Berkowitz, A. E. (1997). Finite size effects in antiferromagnetic NiO nanoparticles. *Physical Review Letters*, 79(7), 1393.
- Ketov, S. V., Yagodkin, Y. D., Lebed, A. L., Chernopyatova, Y. V., & Khlopkov, K. (2006). Structure and magnetic properties of nanocrystalline $\text{SrFe}_{12}\text{O}_{19}$ alloy produced by high-energy ball milling and annealing. *Journal of Magnetism and Magnetic Materials*, 300(1), e479-e481.

Kools, F., Morel, A., Grössinger, R., Le Breton, J. M., & Tenaud, P. (2002). LaCo-substituted ferrite magnets, a new class of high-grade ceramic magnets; intrinsic and microstructural aspects. *Journal of magnetism and magnetic materials*, 242, 1270-1276.

Kubo, O., Ido, T., Yokoyama, H., & Koike, Y. (1985). Particle size effects on magnetic properties of $\text{BaFe}_{12-2x}\text{Ti}_x\text{Co}_x\text{O}_{19}$ fine particles. *Journal of Applied Physics*, 57(8), 4280-4282.

Koops, C. G. (1951). On the dispersion of resistivity and dielectric constant of some semiconductors at audiofrequencies. *Physical Review*, 83(1), 121.

Kumar, A., Yadava, S. S., Gautam, P., Khare, A., & Mandal, K. D. (2019). Magnetic and dielectric studies of barium hexaferrite ($\text{BaFe}_{12}\text{O}_{19}$) ceramic synthesized by chemical route. *Journal of Electroceramics*, 42(1-2), 47-56.

Kumar, S., Supriya, S., & Kar, M. (2017). Correlation between temperature dependent dielectric and DC resistivity of Cr substituted barium hexaferrite. *Materials Research Express*, 4(12), 126302.

Kumar, A., Yadava, S. S., Gautam, P., Khare, A., Singh, L., & Mandal, K. D. (2019). Dielectric and magnetic properties of $\text{BaFe}_{11.7}\text{Ni}_{0.3}\text{O}_{19}$ (BHNF) ceramic synthesized by chemical route. *Journal of the Australian Ceramic Society*, 55(4), 1187-1194.

Kishimoto, M., Kitahata, S., & Amemiya, M. (1987). Effect of magnetic anisotropy of Ba-ferrite particles on squareness of perpendicular recording media. *Journal of Applied Physics*, 61(8), 3875-3877.

- Khare, A., Yadava, S. S., Gautam, P., Kumar, A., Mukhopadhyay, N. K., & Mandal, K. D. (2018). Dielectric properties of nanocomposite based on bismuth copper titanate. *Journal of the Australian Ceramic Society*, 54(1), 139-147.
- Kannan, Y. B., Saravanan, R., Srinivasan, N., & Ismail, I. (2017). Effect of sintering on dielectric and AC conductivity properties of $\text{Ni}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ nano ferrite particles. *Journal of the Australian Ceramic Society*, 53(2), 577-581.
- Kaur, P., Chawla, S. K., Meena, S. S., Yusuf, S. M., Pubby, K., & Narang, S. B. (2017). Modulation of physico-chemical, magnetic, microwave and electromagnetic properties of nanocrystalline strontium hexaferrite by Co-Zr doping synthesized using citrate precursor sol-gel method. *Ceramics International*, 43(1), 590-598.
- Kimura, T., Kawamoto, S., Yamada, I., Azuma, M., Takano, M., & Tokura, Y. (2003). Magnetocapacitance effect in multiferroic BiMnO_3 . *Physical Review B*, 67(18), 180401.
- Kanai, T., Ohkoshi, S. I., Nakajima, A., Watanabe, T., & Hashimoto, K. (2001). A ferroelectric ferromagnet composed of $(\text{PLZT})_x(\text{BiFeO}_3)_{1-x}$ solid solution. *Advanced Materials*, 13(7), 487-490.
- Khare, A., Yadava, S. S., Gautam, P., Mukhopadhyay, N. K., & Mandal, K. D. (2017). Effect of sintering on the dielectric properties of $0.5 \text{BaTiO}_3-0.5 \text{Bi}_{2/3}\text{Cu}_{1/3}\text{Ti}_4\text{O}_{12}$ nanocomposite synthesized by solid state route. *Journal of Materials Science: Materials in Electronics*, 28(7), 5523-5530.
- Khare, A., Kumar, A., Jaiswar, S., Mukhopadhyay, N. K., & Mandal, K. (2018). Dielectric studies of CCTO-based nanocomposite ceramic synthesized by a solid state route. *International Journal of Materials Research*, 109(10), 916-921.

Kodama, R. H. (1999). Magnetic nanoparticles. *Journal of magnetism and magnetic materials*, 200(1-3), 359-372.

Leapman, R. D., Grunes, L. A., & Fejes, P. L. (1982). Study of the L 23 edges in the 3 d transition metals and their oxides by electron-energy-loss spectroscopy with comparisons to theory. *Physical Review B*, 26(2), 614.

Lytle, F. W. (1964). X-ray diffractometry of low-temperature phase transformations in strontium titanate. *Journal of Applied Physics*, 35(7), 2212-2215.

Limpichaipanit, A., & Ngamjarurojana, A. (2017). Effect of Li and Bi co-doping and sintering temperature on dielectric properties of PLZT9/65/35 ceramics. *Ceramics International*, 43(5), 4450-4455.

Ledermann, N., Muralt, P., Baborowski, J., Forster, M., & Pellaux, J. P. (2004). Piezoelectric $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ thin film cantilever and bridge acoustic sensors for miniaturized photoacoustic gas detectors. *Journal of Micromechanics and Microengineering*, 14(12), 1650.

Leret, P., Fernandez, J. F., De Frutos, J., & Fernandez-Hevia, D. (2007). Nonlinear I–V electrical behaviour of doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics. *Journal of the European Ceramic Society*, 27(13-15), 3901-3905.

Liu, C., Zou, B., Rondinone, A. J., & Zhang, Z. J. (2000). Chemical control of superparamagnetic properties of magnesium and cobalt spinel ferrite nanoparticles through atomic level magnetic couplings. *Journal of the American Chemical Society*, 122(26), 6263-6267.

Li, F. S., Wang, L., Wang, J. B., Zhou, Q. G., Zhou, X. Z., Kunkel, H. P., & Williams, G. (2004). Site preference of Fe in nanoparticles of ZnFe_2O_4 . *Journal of Magnetism and Magnetic Materials*, 268(3), 332-339.

Li, C. J., Wang, B., & Wang, J. N. (2012). Magnetic and microwave absorbing properties of electrospun $\text{Ba}_{(1-x)}\text{La}_x\text{Fe}_{12}\text{O}_{19}$ nanofibers. *Journal of Magnetism and Magnetic Materials*, 324(7), 1305-1311.

Lu, P., Zhang, X., Cao, H., Yu, Z., Cai, N., Gao, T., & Wang, S. (2014). Vanadium doping on magnetic properties of H-passivated ZnO nanowires. *Journal of Materials Science*, 49(8), 3177-3182.

Li, Z. W., Ong, C. K., Yang, Z., Wei, F. L., Zhou, X. Z., Zhao, J. H., & Morrish, A. H. (2000). Site preference and magnetic properties for a perpendicular recording material: $\text{BaFe}_{12-x}\text{Zn}_{x/2}\text{Zr}_{x/2}\text{O}_{19}$ nanoparticles. *Physical Review B*, 62(10), 6530.

Lu, P., Zhang, X., Cao, H., Yu, Z., Cai, N., Gao, T., & Wang, S. (2014). Vanadium doping on magnetic properties of H-passivated ZnO nanowires. *Journal of Materials Science*, 49(8), 3177-3182.

Liu, X., Zhong, W., Yang, S., Yu, Z., Gu, B., & Du, Y. (2002). Structure and magnetic properties of La^{3+} -substituted strontium hexaferrite particles prepared by sol-gel method. *physica status solidi (a)*, 193(2), 314-319.

Matthias, B. T. (1949). New ferroelectric crystals. *Physical Review*, 75(11), 1771.

Mattheiss, L. F. (1972). Energy Bands for KNiF_3 , SrTiO_3 , KMoO_3 , and KTaO_3 . *Physical Review B*, 6(12), 4718.

Mitsui, T., & Westphal, W. B. (1961). Dielectric and X-Ray Studies of $\text{Ca}_x\text{Ba}_{1-x}\text{TiO}_3$ and $\text{Ca}_x\text{Sr}_{1-x}\text{TiO}_3$. *Physical Review*, 124(5), 1354.

Macdonald, J. R. (1987). Impedance spectroscopy and its use in analyzing the steady-state AC response of solid and liquid electrolytes. *Journal of electroanalytical chemistry and interfacial electrochemistry*, 223(1-2), 25-50.

McCurrie, T. F. (1999). Asian gangs: A research note. *Journal of gang research*, 6(2), 47-52.

Matsumoto, M., Ebisuya, M., Kanomata, T., Note, R., Yoshida, H., & Kaneko, T. (2002). Magnetic properties of Heusler type $\text{Ni}_{2+x}\text{Mn}_{1-x}\text{Ga}$. *Journal of magnetism and magnetic materials*, 239(1), 521-523.

Melagiriappa, E., & Jayanna, H. S. (2009). Structural and magnetic susceptibility studies of samarium substituted magnesium–zinc ferrites. *Journal of alloys and compounds*, 482(1-2), 147-150.

Mallick, K. K., Shepherd, P., & Green, R. J. (2007). Dielectric properties of M-type barium hexaferrite prepared by co-precipitation. *Journal of the European Ceramic Society*, 27(4), 2045-2052. (A)

Maswadeh, Y., Mahmood, S. H., Awadallah, A., & Aloqaily, A. N. (2015, October). Synthesis and structural characterization of nonstoichiometric barium hexaferrite materials with Fe: Ba ratio of 11.5–16.16. In *IOP Conference Series: Materials Science and Engineering*; IOP Publishing Ltd.: Philadelphia, PA, USA.

Martinez, B., Obradors, X., Balcells, L., Rouanet, A., & Monty, C. (1998). Low temperature surface spin-glass transition in $\gamma\text{-Fe}_2\text{O}_3$ nanoparticles. *Physical Review Letters*, 80(1), 181.

Mu, C., Zhang, H., He, Y., Shen, J., & Liu, P. (2009). Influence of dc bias on the dielectric relaxation in Fe-substituted $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics: grain boundary and surface effects. *Journal of Physics D: Applied Physics*, 42(17), 175410.

Mubarak, T. H., Mahmood, O. A., & Hamakhan, Z. J. (2018). Structural, Magnetic and Electrical Properties. *International Journal of Applied Engineering Research*, 13(8), 6369-6379.

Martirosyan, K. S., Galstyan, E., Hossain, S. M., Wang, Y. J., & Litvinov, D. (2011). Barium hexaferrite nanoparticles: synthesis and magnetic properties. *Materials Science and Engineering: B*, 176(1), 8-13.

Mosleh, Z., Kameli, P., Poorbaferani, A., Ranjbar, M., & Salamati, H. (2016). Structural, magnetic and microwave absorption properties of Ce-doped barium hexaferrite. *Journal of Magnetism and Magnetic Materials*, 397, 101-107.

Mahmood, S. H., Aloqaily, A. N., Maswadeh, Y., Awadallah, A., Bsoul, I., Awawdeh, M., & Juwhari, H. (2015). Effects of heat treatment on the phase evolution, structural, and magnetic properties of Mo-Zn doped M-type hexaferrites. In *Solid State Phenomena* (Vol. 232, pp. 65-92). Trans Tech Publications Ltd.

Mallick, K. K., Shepherd, P., & Green, R. J. (2007). Magnetic properties of cobalt substituted M-type barium hexaferrite prepared by co-precipitation. *Journal of Magnetism and Magnetic Materials*, 312(2), 418-429.

Mendoza-Suarez, G., Rivas-Vazquez, L. P., Corral-Huacuz, J. C., Fuentes, A. F., & Escalante-Garcia, J. I. (2003). Magnetic properties and microstructure of $\text{BaFe}_{11.6-2x}\text{Ti}_x\text{M}_x\text{O}_{19}$ (M= Co, Zn, Sn) compounds. *Physica B: Condensed Matter*, 339(2-3), 110-118.

- Molaeia, M.J., Ataiea, A., Raygan, S., Rahimpour, M.R., Picken, S.J., Tichelaar, F.D., Lagarra, E., Plazola, E.: Magnetic property enhancement and characterization of nano-structured barium ferrite by mechano-thermal treatment. *Mater. Charact.* 63, 83–89 (2012)
- Molaei, M.J., Ataie, A., Raygan, S., Picken, S.J., Mendes, E., Tichelaar, F.D.: Synthesis and characterization of BaFe₁₂O₁₉/ Fe₃O₄ and BaFe₁₂O₁₉/Fe/ Fe₃O₄ magnetic nano-composites. *Powder Technol.* 221, 292–295 (2012)
- Mahmood, S.H., Aloqaily, A.N., Maswadeh, Y., Awadallah, A., Bsoul, I., Awawdeh, M., Juwhari, H.: Effects of heat treatment on the phase evolution, structural, and magnetic properties of Mo-Zn doped M-type hexaferrite. *Solid State Phenom.* 232, 65–92 (2015)
- Mahmood, S.H., Aloqaily, A.N., Maswadeh, Y., Awadallah, A., Bsoul, I., Juwahi, H.: Structural and magnetic properties of MoZn substituted (BaFe_{12-4x}Mo_xZn_{3x}O₁₉) M-type hexaferrite. *Mat. Sci. Res. India.* 11(1), 09–20 (2014)
- Mandal, S. K., Singh, S., Dey, P., Roy, J. N., Mandal, P. R., & Nath, T. K. (2017). Temperature and frequency dependence of AC electrical properties of Zn and Ni doped CoFe₂O₄ nanocrystals. *Philosophical Magazine*, 97(19), 1628-1645.
- Macdonald, J. R., & Johnson, W. B. *Fundamentals of Impedance Spectroscopy*, in *Impedance Spectroscopy: Theory, Experiment, and Applications*, John Wiley & Sons Inc, Hoboken, 2005
- Mohammed, J., Suleiman, A. B., Hafeez, H. Y., Sharma, J., Bhadu, G. R., Godara, S. K., & Srivastava, A. K. (2018). Effect of heat-treatment on the magnetic and optical properties of Sr_{0.7}Al_{0.3}Fe₁₁Mn_{0.6}O₁₉. *Materials Research Express*, 5(8), 086106.

- Mudsainiyan, R. K., Chawla, S. K., Meena, S. S., Sharma, N., Singh, R., & Das, A. (2014). Cations distribution and magnetic properties of Co–Zr doped BaCo_xZr_xFe (12– 2x) O₁₉ prepared via citrate precursor sol–gel route. *Ceramics International*, *40*(10), 16617-16626.
- Mantese, J. V., Micheli, A. L., Dungan, D. F., Geyer, R. G., Baker-Jarvis, J., & Grosvenor, J. (1996). Applicability of effective medium theory to ferroelectric/ferrimagnetic composites with composition and frequency-dependent complex permittivities and permeabilities. *Journal of applied physics*, *79*(3), 1655-1660.
- Małeckı, J. G., Palion, J., Oboz, M., & Groń, T. (2014). Bimetallic thiocyanate bridged Co (II)–Hg (II) polymers with pyrazole and imidazole ligands. *Polyhedron*, *73*, 81-86.
- Nakada, M., Ohashi, K., Lebedev, M., & Akedo, J. (2003). Electro-optical properties of (Pb, La)(Zr,Ti)O₃ films prepared by aerosol deposition method. *Japanese journal of applied physics*, *42*(9S), 5960.
- Nedkov, I., & Tailhades, P. (Eds.). (2004). *Nanoscale magnetic oxides and bio-world*. Heron Press.
- Nakamura, T., & Hankui, E. (2003). Control of high-frequency permeability in polycrystalline (Ba, Co)-Z-type hexagonal ferrite. *Journal of Magnetism and Magnetic Materials*, *257*(2-3), 158-164.
- Nie, Z., Lin, Y., & Wang, F. (2015). Low-temperature sintering of ZnO–TiO₂ ceramics. *Journal of Engineering Materials and Technology*, *137*(3).
- Özgür, Ü., Alivov, Y., & Morkoç, H. (2009). Microwave ferrites, part 1: fundamental properties. *J. Mater. Sci. Mater. Electron.* *20*(9), 789-834.

- Özgür, Ü., Alivov, Y., & Morkoç, H. (2009). Microwave ferrites, part 2: passive components and electrical tuning. *Journal of Materials Science: Materials in Electronics*, 20(10), 911-952.
- Onreabroy, W., Papato, K., Rujijanagul, G., Pengpat, K., & Tunkasiri, T. (2012). Study of strontium ferrites substituted by lanthanum on the structural and magnetic properties. *Ceramics International*, 38, S415-S419.
- Okutan, M., Basaran, E., Bakan, H. I., & Yakuphanoglu, F. (2005). AC conductivity and dielectric properties of Co-doped TiO₂. *Physica B: Condensed Matter*, 364(1-4), 300-305.
- Pena, M. A., and J. L. G. Fierro. "Chemical structures and performance of perovskite oxides." *Chemical reviews* 101.7 (2001): 1981-2018.
- Pertosa, P., Hollinger, G., & Michel-Calendini, F. M. (1978). Covalency effects in transition-metal perovskitelike compounds: Partial densities of p and d states and photoelectron valence-band spectra. *Physical Review B*, 18(10), 5177.
- Pozar, D. M. (2009). *Microwave engineering*. John Wiley & sons.
- Pullar, R. C. (2012). Hexagonal ferrites: a review of the synthesis, properties and applications of hexaferrite ceramics. *Progress in Materials Science*, 57(7), 1191-1334.
- Pankov, V. V., Pernet, M., Germi, P., & Mollard, P. (1993). Fine hexaferrite particles for perpendicular recording prepared by the coprecipitation method in the presence of an inert component. *Journal of magnetism and magnetic materials*, 120(1-3), 69-72.

Pfeiffer, H., Chantrell, R. W., Görnert, P., Schüppel, W., Sinn, E., & Rösler, M. (1993). Properties of barium hexaferrite powders for magnetic recording. *Journal of magnetism and magnetic materials*, 125(3), 373-376.

Prasad, N. V., Prasad, G., Bhimasankaram, T., Suryanarayana, S. V., & Kumar, G. S. (2001). Synthesis, impedance and dielectric properties of $\text{LaBi}_5\text{Fe}_2\text{Ti}_3\text{O}_{18}$. *Bulletin of Materials Science*, 24(5), 487-495.

Pan, H. (2014). Electronic and magnetic properties of vanadium dichalcogenides monolayers tuned by hydrogenation. *The Journal of Physical Chemistry C*, 118(24), 13248-13253.

Pereira, F. M. M., Santos, M. R. P., Sohn, R. S. T. M., Almeida, J. S., Medeiros, A. M. L., Costa, M. M., & Sombra, A. S. B. (2009). Magnetic and dielectric properties of the M-type barium strontium hexaferrite ($\text{Ba}_x\text{Sr}_{1-x}\text{Fe}_{12}\text{O}_{19}$) in the RF and microwave (MW) frequency range. *Journal of Materials Science: Materials in Electronics*, 20(5), 408-417.

Patil, S. P., Sanadi, K. R., & Helavi, V. B. (2017). Impact of Ni Substitution on Structural, Electrical and Thermoelectrical Properties of Zinc Aluminium Chromites Synthesized by sol-gel Route and their Photocatalytic Investigation. *Materials Research*, 20(6), 1445-1453.

Pubby, K., Narang, S. B., Chawla, S. K., & Kaur, P. (2017). Microwave absorption properties of cobalt-zirconium doped strontium hexaferrites in ku-frequency band. *Journal of Superconductivity and Novel Magnetism*, 30(12), 3465-3470.

Patel, S., Sharma, D., Singh, A., & Vaish, R. (2016). Enhanced thermal energy conversion and dynamic hysteresis behavior of Sr-added $\text{Ba}_{0.85}\text{Ca}_{0.15}\text{Ti}_{0.9}\text{Zr}_{0.1}\text{O}_3$ ferroelectric ceramics. *Journal of Materiomics*, 2(1), 75-86.

- Rabuffetti, F. A., & Brutchey, R. L. (2014). Complex perovskite oxide nanocrystals: low-temperature synthesis and crystal structure. *Dalton Trans.*, 43(39), 14499–14513.
- Roth, R. S. (1957). Classification of Perovskite and Other ABO₃-Type Compounds. *Journal of Research of the National Bureau of Standards*, 58, 75-88.
- Rahmati Kalkhoran, B. (2004). Microstructural studies on the reoxidation behavior of Nb-doped SrTiO₃ ceramics.
- Richerson, D. W. (1992). Dielectric, Magnetic, Optical Behavior. *Modern Ceramic Engineering: Properties, Processing and Use in Design*. New York: Marcel Dekker, 300-302.
- Rosenberg, H. M. "The solid state", Third Edition, Oxford University press Inc., (1988)
- Ramanujachary, K. V., Collins, B. T., Greenblatt, M., Gerhardt, R., & Rietman, E. A. (1988). Dielectric investigation of the sliding charge-density wave in Tl_{0.3}MoO₃. *Physical Review B*, 38(11), 7243.
- Rashad, M. M., & Ibrahim, I. A. (2012). Structural, microstructure and magnetic properties of strontium hexaferrite particles synthesised by modified coprecipitation method. *Materials Technology*, 27(4), 308-314.
- Ram, S. (1989). Crystallisation of BaFe₁₂O₁₉ hexagonal ferrite with an aid of B₂O₃ and the effects on microstructure and magnetic properties useful for permanent magnets and magnetic recording devices. *Journal of magnetism and magnetic materials*, 82(1), 129-150.
- Rostami, M., Moradi, M., Alam, R. S., & Mardani, R. (2016). Characterization of magnetic and microwave absorption properties of multi-walled carbon nanotubes/Mn-Cu-Zr substituted strontium hexaferrite nanocomposites. *Materials Research Bulletin*, 83, 379-386.

- Roshanaei, K. (2017). Controlled synthesis and photocatalytic activities of barium hexaferrite nanoparticles and examine decolorization methyl orange on liver of rats. *Journal of Materials Science: Materials in Electronics*, 28(6), 4537-4544.
- Respaud, M., Broto, J. M., Rakoto, H., Fert, A. R., Thomas, L., Barbara, B., ... & Osuna, J. (1998). Surface effects on the magnetic properties of ultrafine cobalt particles. *Physical Review B*, 57(5), 2925.
- Singh, L., Rai, U. S., & Mandal, K. D. (2013). Dielectric, modulus and impedance spectroscopic studies of nanostructured $\text{CaCu}_{2.70}\text{Mg}_{0.30}\text{Ti}_4\text{O}_{12}$ electro-ceramic synthesized by modified sol-gel route. *Journal of Alloys and Compounds*, 555, 176-183.
- Soomro, S. A., Gul, I. H., Khan, M. Z., Naseer, H., & Khan, A. N. (2017). Dielectric properties evaluation of $\text{NiFe}_2\text{O}_4/\text{MWCNTs}$ nanohybrid for microwave applications prepared via novel one step synthesis. *Ceramics International*, 43(5), 4090-4095.
- Salame, P. H., Prakash, O., & Kulkarni, A. R. (2016). Colossal dielectric constant and extremely low loss in T-type $\text{La}_2\text{CuO}_{4-\delta}$ ceramics. *Ceramics International*, 42(11), 13207-13214.
- Singh, L., Yadava, S. S., Woo, W. S., Rai, U. S., Mandal, K. D., Sin, B. C., & Lee, Y. (2016). Structural, impedance, and modulus spectroscopic studies on $\text{Y}_{2/3}\text{Cu}_3\text{Ti}_{3.95}\text{In}_{0.05}\text{O}_{12}$ polycrystalline material prepared by flame synthesis method. *Applied Spectroscopy Reviews*, 51(7-9), 735-752.
- Söderlind, F., Selegård, L., Nordblad, P., Uvdal, K., & Käll, P. O. (2009). Sol-gel synthesis and characterization of polycrystalline GdFeO_3 and $\text{Gd}_3\text{Fe}_5\text{O}_{12}$ thin films. *Journal of sol-gel science and technology*, 49(2), 253-259.

Stefaniuk, I., Matkovskii, A., Rudowicz, C., Suchocki, A., Wilamowski, Z., Lukasiewicz, T., & Galazka, Z. (2006). Electron paramagnetic resonance studies of cobalt and rare-earth impurity ions in $YAlO_3$. *Journal of Physics: Condensed Matter*, 18(19), 4751.

Schenck, J. F. (2005). Physical interactions of static magnetic fields with living tissues. *Progress in biophysics and molecular biology*, 87(2-3), 185-204.

Song, Q., & Zhang, Z. J. (2004). Shape control and associated magnetic properties of spinel cobalt ferrite nanocrystals. *Journal of the American Chemical Society*, 126(19), 6164-6168.

Sivakumar, M., Gedanken, A., Zhong, W., Du, Y. W., Bhattacharya, D., Yeshurun, Y., & Felner, I. (2004). Nanophase formation of strontium hexaferrite fine powder by the sonochemical method using $Fe(CO)_5$. *Journal of Magnetism and Magnetic Materials*, 268(1-2), 95-104.

Sharma, P., Verma, A., Sidhu, R. K., & Pandey, O. P. (2003). Influence of Nd^{3+} and Sm^{3+} substitution on the magnetic properties of strontium ferrite sintered magnets. *Journal of alloys and compounds*, 361(1-2), 257-264.

Singhal, S., Namgyal, T., Singh, J., Chandra, K., & Bansal, S. (2011). A comparative study on the magnetic properties of $MFe_{12}O_{19}$ and $MAFe_{11}O_{19}$ (M= Sr, Ba and Pb) hexaferrites with different morphologies. *Ceramics International*, 37(6), 1833-1837.

Sankaranarayanan, V. K., Pankhurst, Q. A., Dickson, D. P. E., & Johnson, C. E. (1993). Ultrafine particles of barium ferrite from a citrate precursor. *Journal of magnetism and magnetic materials*, 120(1-3), 73-75.

- Sudakar, C., Subbanna, G. N., & Kutty, T. R. N. (2003). Wet chemical synthesis of multicomponent hexaferrites by gel-to-crystallite conversion and their magnetic properties. *Journal of magnetism and magnetic materials*, 263(3), 253-268.
- Shafi, K. V. P. M., & Gedanken, A. (1999). Sonochemical approach to the preparation of barium hexaferrite nanoparticles. *Nanostructured Materials*, 12(1-4), 29-34.
- Sharma, P., Rocha, R. A., De Medeiros, S. N., & Paesano Jr, A. (2007). Structural and magnetic studies on barium hexaferrites prepared by mechanical alloying and conventional route. *Journal of Alloys and Compounds*, 443(1-2), 37-42.
- Shirk, B. T., & Buessem, W. R. (1969). Temperature dependence of M_s and K_1 of $BaFe_{12}O_{19}$ and $SrFe_{12}O_{19}$ single crystals. *Journal of Applied Physics*, 40(3), 1294-1296.
- Sharma, S., Yadav, S. S., Singh, M. M., & Mandal, K. D. (2014). Impedance spectroscopic and dielectric properties of nanosized $Y_{2/3}Cu_3Ti_4O_{12}$ ceramic. *Journal of Advanced Dielectrics*, 4(04), 1450030.
- Singh, L., Yadava, S. S., Sin, B. C., Rai, U. S., Mandal, K. D., & Lee, Y. (2016). Comparative Dielectric and Ferroelectric Characteristics of $Bi_{0.5}Na_{0.5}TiO_3$, $CaCu_3Ti_4O_{12}$, and $0.5Bi_{0.5}Na_{0.5}TiO_3-0.5CaCu_3Ti_4O_{12}$ Electroceramics. *Journal of Electronic Materials*, 45(6), 2662-2672.
- Soman, V. V., Nanoti, V. M., & Kulkarni, D. K. (2013). Dielectric and magnetic properties of Mg-Ti substituted barium hexaferrite. *Ceramics International*, 39(5), 5713-5723.

- Sözeri, H., Deligöz, H., Kavas, H., & Baykal, A. (2014). Magnetic, dielectric and microwave properties of M–Ti substituted barium hexaferrites (M= Mn^{2+} , Co^{2+} , Cu^{2+} , Ni^{2+} , Zn^{2+}). *Ceramics International*, 40(6), 8645-8657.
- Soman, V. V., Nanoti, V. M., Kulkarni, D. K., & Soman, V. V. (2014). Effect of substitution of Zn-Ti on magnetic and dielectric properties of $\text{BaFe}_{12}\text{O}_{19}$. *Physics Procedia*, 54, 30-37.
- Sözeri, H. (2009). Simple recipe to synthesize single-domain $\text{BaFe}_{12}\text{O}_{19}$ with high saturation magnetization. *Journal of magnetism and magnetic materials*, 321(18), 2717-2722.
- Shirtcliffe, N. J., Thompson, S., O’Keefe, E. S., Appleton, S., & Perry, C. C. (2007). Highly aluminium doped barium and strontium ferrite nanoparticles prepared by citrate auto-combustion synthesis. *Materials research bulletin*, 42(2), 281-287.
- Song, S., Song, Q., Li, J., Mudinepalli, V. R., & Zhang, Z. (2014). Characterization of submicrometer-sized NiZn ferrite prepared by spark plasma sintering. *Ceramics International*, 40(5), 6473-6479.
- Singh, L., Rai, U. S., & Mandal, K. D. (2011). Preparation and characterization of nanostructured $\text{CaCu}_{2.90}\text{Zn}_{0.10}\text{Ti}_4\text{O}_{12}$ ceramic. *Nanomaterials and nanotechnology*, 1, 20.
- Singh, L., Rai, U. S., Mandal, K., Sin, B. C., Lee, S. I., & Lee, Y. (2014). Dielectric, AC-impedance, modulus studies on $0.5\text{BaTiO}_3 \cdot 0.5\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ nano-composite ceramic synthesized by one-pot, glycine-assisted nitrate-gel route. *Ceramics International*, 40(7), 10073-10083.

Singh, L., Kim, I. W., Sin, B. C., Woo, S. K., Hyun, S. H., Mandal, K. D., & Lee, Y. (2015). Combustion synthesis of nano-crystalline $\text{Bi}_{2/3}\text{Cu}_3\text{Ti}_{2.90}\text{Fe}_{0.10}\text{O}_{12}$ using inexpensive TiO_2 raw material and its dielectric characterization. *Powder Technology*, 280, 256-265.

Samad, R., Asokan, K., & Want, B. (2019). Dielectric and magnetic properties of rare-earth-doped cobalt ferrites and their first-order reversal curve analysis. *Applied Physics A*, 125(8), 503.

Subramanian, M. A., & Sleight, A. W. (2002). $\text{ACu}_3\text{Ti}_4\text{O}_{12}$ and $\text{ACu}_3\text{Ru}_4\text{O}_{12}$ perovskites: high dielectric constants and valence degeneracy. *Solid state sciences*, 4(3), 347-351.

Sardjono, P., Muljadi, S., & Djauhari, N. R. (2016, August). Microstructure, physical properties, and magnetic flux density analysis of permanent magnet $\text{BaFe}_{12}\text{O}_{19}$ using milling and sintering preparation methods. In *Journal of Physics Conference Series* (Vol. 739, No. 1, pp. 012-089).

Singh, L., Rai, U. S., Mandal, K. D., & Rai, A. K. (2013). Effect of processing routes on microstructure, electrical and dielectric behavior of Mg-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ electro-ceramic. *Applied Physics A*, 112(4), 891-900.

Slimani, Y., Selmi, A., Hannachi, E., Almessiere, M. A., Baykal, A., & Ercan, I. (2019). Impact of ZnO addition on structural, morphological, optical, dielectric and electrical performances of BaTiO_3 ceramics. *Journal of Materials Science: Materials in Electronics*, 30(10), 9520-9530.

Singh, L., Kim, I. W., Sin, B. C., Ullah, A., Woo, S. K., & Lee, Y. (2015). Study of dielectric, AC-impedance, modulus properties of $0.5 \text{Bi} \cdot 0.5 \text{Na} \cdot 0.5 \text{TiO}_3 \cdot 0.5 \text{CaCu}_3\text{Ti}_4\text{O}_{12}$

nano-composite synthesized by a modified solid state method. *Materials Science in Semiconductor Processing*, 31, 386-396.

Tuichai, W., Somjid, S., Putasaeng, B., Yamwong, T., Chompoosor, A., Thongbai, P., Amornkitbamrung, V., & Maensiri, S. (2013). Dramatically enhanced non-Ohmic properties and maximum stored energy density in ceramic-metal nanocomposites: $\text{CaCu}_3\text{Ti}_4\text{O}_{12}/\text{Au}$ nanoparticles. *Nanoscale research letters*, 8(1), 494.

Takagi, H., Sakata, K., & Takenaka, T. (1993). Electrostrictive properties of Pb $(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ -based relaxor ferroelectric ceramics. *Japanese journal of applied physics*, 32(9S), 4280.

Tartaj, P., & Morales, M. P. (2011). Gonzalez---Carreño, T., Veintemillas---Verdaguer, S. & Serna, C. J. The Iron Oxides Strike Back: From Biomedical Applications to Energy Storage Devices and Photoelectrochemical Water Splitting. *Adv. Mater*, 23, 5243-5249.

Tran, N., Kim, D. H., & Lee, B. W. (2018). Influence of Fabrication Conditions on the Structural and the Magnetic Properties of Co-doped $\text{BaFe}_{12}\text{O}_{19}$ Hexaferrites. *Journal of the Korean Physical Society*, 72(6), 731-736.

Tanwar, K., Gyan, D. S., Gupta, P., Pandey, S., & Kumar, D. (2018). Investigation of crystal structure, microstructure and low temperature magnetic behavior of Ce^{4+} and Zn^{2+} co-doped barium hexaferrites ($\text{BaFe}_{12}\text{O}_{19}$). *RSC advances*, 8(35), 19600-19609.

Taher, Y. B., Oueslati, A., Maaloul, N. K., Khirouni, K., & Gargouri, M. (2015). Conductivity study and correlated barrier hopping (CBH) conduction mechanism in diphosphate compound. *Applied Physics A*, 120(4), 1537-1543.

- Trivedi, H., Shvartsman, V. V., Lupascu, D. C., Medeiros, M. S., Pullar, R. C., Kholkin, A. L., ... & Shur, V. Y. (2015). Local manifestations of a static magnetoelectric effect in nanostructured BaTiO₃-BaFe₁₂O₉ composite multiferroics. *Nanoscale*, 7(10), 4489-4496.
- Ulrich, R. K., & Schaper, L. W. (2003). Dielectric materials for integrated capacitors. *Integrated passive component technology. IEEE Press, Wiley, Hoboken, NJ*, 75-97.
- Vasala, S., & Karppinen, M. (2015). A₂B'B''O₆ perovskites: a review. *Progress in solid state chemistry*, 43(1-2), 1-36.
- Valenzuela, R. (2005). *Magnetic ceramics* (Vol. 4). Cambridge university press.
- Warner, T. E. (2012). *Synthesis, properties and mineralogy of important inorganic materials*. John Wiley & Sons.
- Wood, E. A. (1951). Polymorphism in potassium niobate, sodium niobate, and other ABO₃ compounds. *Acta Crystallographica*, 4(4), 353-362.
- Weng, C. M., Tsai, C. C., Sheen, J., Hong, C. S., Chu, S. Y., Chen, Z. Y., & Su, H. H. (2017). Low-temperature-sintered CuF₂-doped NKN ceramics with excellent piezoelectric and dielectric properties. *Journal of Alloys and Compounds*, 698, 1028-1037.
- Wakino, K., Murata, M., & Tamura, H. (1986). Far Infrared Reflection Spectra of Ba (Zn, Ta)O₃BaZrO₃ Dielectric Resonator Material. *Journal of the American Ceramic Society*, 69(1), 34-37.
- Wolf, W. P. (1961). Ferrimagnetism. *Reports on Progress in Physics*, 24(1), 212.

Wang, M. L., Shih, Z. W., & Lin, C. H. (1993). Reaction mechanism producing barium hexaferrites from goethite and barium hydroxide by hydrothermal method. *Journal of crystal growth*, 130(1-2), 153-161.

Wang, K. F., Liu, J. M., & Ren, Z. F. (2009). Multiferroicity: the coupling between magnetic and polarization orders. *Advances in Physics*, 58(4), 321-448.

Wang, T., Hu, J., Yang, H., Jin, L., Wei, X., Li, C., ... & Lin, Y. (2017). Dielectric relaxation and Maxwell-Wagner interface polarization in Nb₂O₅ doped 0.65BiFeO₃-0.35BaTiO₃ ceramics. *Journal of Applied Physics*, 121(8), 084103.

Waqar, M., Rafiq, M.A., Mirza, T.A., Khalid, F.A., Khaliq, A., Anwar, M.S., Saleem, M.: Synthesis and properties of nickel doped nanocrystalline barium hexaferrite ceramic materials. *Appl. Phys. A*. 124(4), 286–293 (2018)

Willard, M. A., Daniil, M., & Kniping, K. E. (2012). Nanocrystalline soft magnetic materials at high temperatures: A perspective. *Scripta Materialia*, 67(6), 554-559.

Walther, T., Straube, U., Köferstein, R., & Ebbinghaus, S. G. (2016). Hysteretic magnetoelectric behavior of CoFe₂O₄-BaTiO₃ composites prepared by reductive sintering and reoxidation. *Journal of Materials Chemistry C*, 4(21), 4792-4799.

Xu, P., Han, X., Zhao, H., Liang, Z., & Wang, J. (2008). Effect of stoichiometry on the phase formation and magnetic properties of BaFe₁₂O₁₉ nanoparticles by reverse micelle technique. *Materials Letters*, 62(8-9), 1305-1308.

Xie, Y., Hong, X., Yu, C., Li, M., Huang, Y., Gao, Y., ... & Lai, Q. (2013). Preparation and magnetic properties of poly (3-octyl-thiophene)/BaFe_{11.92}(LaNd)_{0.04}O₁₉-titanium

dioxide/multiwalled carbon nanotubes nanocomposites. *Composites science and technology*, 77, 8-13.

Xu, H., Zhang, W., Peng, B., & Zhang, W. (2011). Properties of barium hexa-ferrite thin films dependent on sputtering pressure. *Applied Surface Science*, 257(7), 2689-2693.

Xie, Y., Zhao, J., Le, Z., Li, M., Chen, J., Gao, Y., ... & Ling, Y. (2014). Preparation and electromagnetic properties of chitosan-decorated ferrite-filled multi-walled carbon nanotubes/polythiophene composites. *Composites science and technology*, 99, 141-146.

Yadava, S. S., Khare, A., Gautam, P., Singh, L., Lee, Y., & Mandal, K. D. (2016b). Dielectric, ferroelectric and magnetic properties of hexagonal $\text{Ba}_6\text{Y}_2\text{Ti}_4\text{O}_{17}$ (BYTO) perovskite derived from semi wet route. *RSC Advances*, 6(106), 104941-104948.

Yang, S., Zhang, H., Zhang, S. W., & Zhang, B. P. (2011). Electrical properties tailoring in Ni-particle-dispersed $(\text{Ba}_{0.95}\text{Ca}_{0.05})(\text{Ti}_{0.96}\text{Zr}_{0.04})\text{O}_3$ composites. *Materials Chemistry and Physics*, 126(3), 729-733.

Yamanaka, S., Fujikane, M., Hamaguchi, T., Muta, H., Oyama, T., Matsuda, T., Kobayashi, S. I., & Kurosaki, K. (2003). Thermophysical properties of BaZrO_3 and BaCeO_3 . *Journal of Alloys and Compounds*, 359(1), 109-113.

Yadava, S. S., Singh, L., Sharma, S., Mandal, K. D., & Singh, N. B. (2016). Effect of temperature on the dielectric and ferroelectric properties of a nanocrystalline hexagonal $\text{Ba}_4\text{YMn}_3\text{O}_{11.5-\delta}$ ceramic synthesized by a chemical route. *RSC Advances*, 6(72), 68247-68253.

Yasemian, A. R., Kashi, M. A., & Ramazani, A. (2019). Hyperthermia properties of $\text{Ni}_x\text{Fe}_{3-x}\text{O}_4$ nanoparticles: a first-order reversal curve investigation. *Journal of Materials Science: Materials in Electronics*, 30(24), 21278-21287.

You, J. H., Choi, S., Park, S. Y., & Yoo, S. I. (2019). Enhanced microwave absorption properties of Zn-substituted Y-type hexaferrites. *Journal of Magnetism and Magnetic Materials*, 491, 165640.

Yadava, S. S., Khare, A., Gautam, P., Kumar, A., & Mandal, K. D. (2017). Dielectric, ferroelectric and magnetic study of iron doped hexagonal $\text{Ba}_4\text{YMn}_3\text{O}_{11.5-\delta}$ (BYMO) and its dependence on temperature as well as frequency. *New Journal of Chemistry*, 41(11), 4611-4617.

Yadava, S. S., Singh, L., Ji, M., Kumar, A., Mandal, K. D., & Lee, Y. (2018). Dielectric and magnetic properties of Nb substituted hexagonal $\text{Ba}_6\text{Y}_2\text{Ti}_4\text{O}_{17}$ (BYTO) perovskite oxides. *Journal of Materials Science: Materials in Electronics*, 29(15), 13389-13396.

Zhi, J., Chen, A., Zhi, Y., Vilarinho, P. M., & Baptista, J. L. (1999). Incorporation of yttrium in barium titanate ceramics. *Journal of the American Ceramic Society*, 82(5), 1345-1348.

Zhang, Q., Cagin, T., & Goddard, W. A. (2006). The ferroelectric and cubic phases in BaTiO_3 ferroelectrics are also antiferroelectric. *Proceedings of the National Academy of Sciences*, 103(40), 14695-14700.

Zhang, X., Duan, Y., Guan, H., Liu, S., & Wen, B. (2007). Effect of doping MnO_2 on magnetic properties for M-type barium ferrite. *Journal of magnetism and magnetic materials*, 311(2), 507-511.

Zhao, W., Zhang, Q., Tang, X., & Cheng, H. (2005). Synthesis of nonstoichiometric M-type barium ferrite nanobelt by spark plasma sintering method. *Chinese Science Bulletin*, 50(13), 1404-1408.

Zhao, J., Yu, J., Xie, Y., Le, Z., Hong, X., Ci, S., ... & Wen, Z. (2016). Lanthanum and neodymium doped barium ferrite-TiO₂/MCNTs/poly (3-methyl thiophene) composites with nest structures: preparation, characterization and electromagnetic microwave absorption properties. *Scientific reports*, 6, 20496.

Zhao, J., Xie, Y., Guan, D., Hua, H., Zhong, R., Qin, Y., ... & Chen, J. (2015). BaFe₁₂O₁₉-chitosan Schiff-base Ag (I) complexes embedded in carbon nanotube networks for high-performance electromagnetic materials. *Scientific reports*, 5, 12544.

Zhang, H., Zhou, J., Wang, Y., Li, L., Yue, Z., & Gui, Z. (2002). Microstructure and magnetic characteristics of low-temperature-fired modified Z-type hexaferrite with Bi₂O₃/additive. *IEEE transactions on magnetics*, 38(4), 1797-1802.

Zhao, J., Xie, Y., Li, M., Xu, F., Le, Z., Qin, Y., ... & Ling, Y. (2014). Preparation of magnetic-conductive Mn_{0.6}Zn_{0.4}Fe₂O₄-CNTs/PANI nanocomposites through hydrothermal synthesis coupled with in situ polymerization. *Composites science and technology*, 99, 147-153.