

Contents

List of Figures	x
List of Tables	xv
List of Abbreviations	xvii
List of Symbols	xx
Abstract	xxiii
1 Introduction	1
1.1 Background	2
1.2 Challenges	7
1.3 Motivation	11
1.4 Objectives of the Thesis	15
1.5 Thesis Contributions	16
1.6 Thesis Organization	18
2 Literature Review	21
2.1 Multi-hop Data Routing Over Static IoT Network	22
2.1.1 Traditional Approaches	22
2.1.2 Machine Learning Based Approaches	25
2.2 Multi-hop Data Routing Over Dynamic IoT Network	27
2.2.1 Traditional Approaches	27
2.2.2 Machine Learning Based Approaches	31
2.3 Node Fault Detection/Prediction Over IoT Network	35
2.3.1 Traditional Fault Detection Approaches	35
2.3.2 Machine Learning-Based Fault Detection	37
2.4 Small-World Phenomenon in IoT Network	38

2.4.1	Summary	39
3	Energy-Efficient and QoS-Aware Data Routing in Node Fault Prediction-Based IoT Networks	41
3.1	Introduction	41
3.2	Network Model and Problem Formulation	44
3.2.1	Problem Formulation	47
3.3	Proposed Method	49
3.3.1	Node Fault Prediction Using LOF Framework	50
3.3.2	Optimal Data Routing Using Q-learning	54
3.4	Measurement Models	60
3.4.1	Node Fault Prediction Measurement Model	60
3.4.2	Throughput Ratio Measurement Model	62
3.4.3	Data Latency Measurement Model	62
3.4.4	Energy Consumption Measurement Model	64
3.5	Performance Analysis	65
3.5.1	Experimental Conditions	65
3.5.2	Node Fault Prediction Analysis	66
3.5.3	Quality-of-Service Analysis	68
3.5.4	Energy-Efficiency Analysis	70
3.6	Conclusions	74
4	OptRISQL: Towards Performance Improvement of Time-Varying IoT Networks Using Q-Learning	75
4.1	Network Model and Problem Formulation	78
4.1.1	Network Model	78
4.1.2	Problem Formulation	81
4.2	Proposed Method	83
4.2.1	Q-Learning Based Multi-hop Data Routing Strategy	83
4.2.2	Q-Table Update	86
4.2.3	Proposed Algorithm	89
4.3	Measurement Models	90
4.3.1	Data Latency Measurement Model	90
4.3.2	Energy Consumption Measurement Model	92
4.3.3	Data Throughput Measurement Model	93
4.3.4	Interference Measurement Model	93
4.4	Performance Evaluation	94

4.4.1	Experimental Setup	95
4.4.2	Energy-Efficiency Analysis	96
4.4.3	Quality of Service (QoS)	99
4.5	Conclusions	102
5	Energy-Aware and QoS-Enhanced Routing with Node Fault Prediction for Consumer IoT Networks Using ML Frameworks	105
5.1	Network Model and Problem Formulation	108
5.1.1	Network Model	108
5.1.2	Problem Formulation	111
5.2	Node Fault Prediction And Data Routing In Time Varying IoT network	114
5.2.1	Node Fault Prediction Using ADF Framework	114
5.2.2	Data Routing Using Actor-Critic RL	119
5.3	Measurement Models For Node Fault Prediction, Energy-Efficiency and QoS	125
5.3.1	Node Fault Prediction Measurement Model	125
5.3.2	Throughput Ratio Measurement Model	126
5.3.3	Data Latency Measurement Model	126
5.3.4	Energy Consumption Measurement Model	128
5.4	Performance Evaluation	129
5.4.1	Experimental Conditions	129
5.4.2	Node Fault Prediction Analysis	130
5.4.3	Quality-of-Service Analysis	133
5.4.4	Energy efficiency Analysis	136
5.4.5	Sensitivity and Convergence Analysis	139
5.4.6	Complexity analysis of proposed Hybrid ML framework	142
5.5	Conclusions	143
6	Node Fault Prediction Assisted Small-World IoT Networks Using ML Frameworks: Towards Performance Improvement	145
6.1	Preliminary of Small-World Phenomena	147
6.1.1	Average Path Length (APL):	148
6.1.2	Average Clustering Coefficient (ACC):	148
6.2	Network Model	149
6.3	Node-Fault Prediction Assisted Data Routing over SW-IoT Network	149
6.3.1	RL Framework for Introduction of SWC	150
6.3.2	ML Framework for Node Fault Prediction & Data Routing	152

6.3.3	Experimental Set-Up	154
6.3.4	Measurement Models	155
6.3.5	State-of-the-art Methods	155
6.3.6	Numerical Results	157
6.4	Performance Evaluation	158
6.4.1	Quality-of-Service Analysis	158
6.5	Conclusions	160
7	Conclusions and Future Directions	161
7.1	Conclusions	161
7.2	Future Works	164
	List of Publications	167
	Bibliography	169