

# TABLE OF CONTENTS

<b>Thesis Certificates</b>	<b>ii</b>
<b>Acknowledgements</b>	<b>v</b>
<b>Table of Contents</b>	<b>vii</b>
<b>List of Figures</b>	<b>xvii</b>
<b>List of Tables</b>	<b>xxix</b>
<b>Nomenclatures</b>	<b>xxxv</b>
<b>Preface</b>	<b>xli</b>
<b>Chapter 1 Introduction</b>	<b>1</b>
1.1    CO <sub>2</sub> Emissions, consequences and its solution	1
1.2    Sources of CO <sub>2</sub>	5
1.3    Various carbon-capturing techniques	6
1.3.1    Pre-combustion technique	7
1.3.2    Post-combustion technique	10
1.3.3    Oxy-combustion technique	12
1.3.4    Comparison in between various CO <sub>2</sub> capture technologies for CCS	15
1.4    Various available CO <sub>2</sub> capture methodologies	20
1.4.1    Absorption	23
1.4.1.1    Physical absorption	23
1.4.1.2    Chemical absorption	26
1.4.1.2.1    Amine solvent chemistry	28
1.4.1.2.1.1    The primary and secondary amines	30
1.4.1.2.1.1.1    Hindered amine	30
1.4.1.2.1.2    Tertiary amine	31

---

---

1.4.1.2.1.3	Cyclic amine	31
1.4.1.2.1.4	Ammonia solution	32
1.4.1.2.1.5	Salt solution	33
1.4.1.2.1.6	Various amine blends	34
1.4.1.2.1.7	CO <sub>2</sub> absorption mechanism	36
1.4.2	Adsorption	37
1.4.2.1	Classification of adsorption	37
1.4.2.1.1	Physical adsorption	37
1.4.2.1.2	Chemical adsorption	38
1.4.2.2	Regeneration strategies	39
1.4.2.2.1	Pressure swing adsorption (PSA)	39
1.4.2.2.2	Temperature swing adsorption (TSA)	40
1.4.2.2.3	Electrical swing adsorption (ESA)	40
1.4.3	Membrane technology	41
1.4.3.1	Facilitated membrane separation	43
1.4.3.2	Non-facilitated membrane separation	43
1.4.3.3	Mixed-matrix membrane separation	44
1.4.3.4	Gas membrane contractor separation	45
1.4.4	Cryogenic separation	45
1.4.5	Microalgae process	46
1.5	Novel biphasic phase-changing solvents for CO <sub>2</sub> capture	48
1.5.1	Advantages and disadvantages of biphasic solvents	52
1.5.2	Concept of lipophilic amine solvents	53
1.5.3	DMX <sup>TM</sup> process	55
1.5.4	Solvent screening and their selection	56

---

---

1.6	Research progress of biphasic amine solvents	58
1.6.1	Development of phase splitting-agent	58
1.6.2	Designing of the multistage phase separation process	60
1.7	Investigations performed by various researchers on biphasic solvents	62
	References	76
	<b>Chapter 2 Literature Review and Objectives</b>	95
2.1	Amine solvents for CO <sub>2</sub> capture	95
2.2	Screening of tertiary amine for post-combustion CO <sub>2</sub> capture	97
2.3	2-Dimethylaminoethanol (DMAE) tertiary amine for CO <sub>2</sub> capture	107
2.4	Research gap / scope of the present work	115
2.5	Objective of the research work	116
	References	117
	<b>Chapter 3 Novel aqueous amine blend of 2-(Butylamino)ethanol and 2-Dimethylaminoethanol for CO<sub>2</sub> capture: Equilibrium CO<sub>2</sub> loading, RSM optimization, desorption study, characterization and toxicity assessment</b>	125
	Abstract	125
3.1	Introduction	126
3.2	Experimental section	132
3.2.1	Chemicals and instruments used	132
3.2.2	Analytical techniques for characterization	135
3.2.3	Description of the CO <sub>2</sub> absorption setup	135
3.2.4	CO <sub>2</sub> absorption experiment	137
3.2.5	Description and investigation of CO <sub>2</sub> desorption setup	141
3.2.6	Heat duty and regeneration efficiency calculation	143
3.2.7	Study of heat of CO <sub>2</sub> absorption ( $\Delta H_{\text{abs}}$ )	144

---

---

3.2.8	pH measurement of amine blend	145
3.2.9	Designing of experiments	146
3.2.10	Toxicity assessment	146
3.3	Reaction mechanism and characterization	148
3.3.1	Reaction chemistry of the amine blend system (BAE + DMAE + H <sub>2</sub> O + CO <sub>2</sub> )	148
3.3.2	Fourier transform infrared spectroscopy (FTIR analysis)	150
3.3.3	Nuclear magnetic resonance spectroscopy (NMR analysis)	150
3.4	Results and discussion	151
3.4.1	Experimental setup validation	151
3.4.2	Equilibrium CO <sub>2</sub> loading of the novel aqueous amine blend	153
3.4.2.1	Temperature effect on equilibrium CO <sub>2</sub> loading for the BAE+DMAE novel aqueous amine blend	156
3.4.2.2	CO <sub>2</sub> partial pressure effect on equilibrium CO <sub>2</sub> loading for the BAE+DMAE novel aqueous amine blend	158
3.4.2.3	Activator's mole fraction effect on equilibrium CO <sub>2</sub> loading for the BAE+DMAE novel aqueous amine blend	158
3.4.2.4	Solution concentration effect on equilibrium CO <sub>2</sub> loading for the BAE+DMAE novel aqueous amine blend	160
3.4.2.5	Absorption time effect on equilibrium CO <sub>2</sub> loading for the BAE+DMAE novel aqueous amine blend	161
3.4.3	Developing an empirical model for the novel aqueous amine blend of BAE+DMAE	161
3.4.4	Study of CO <sub>2</sub> desorption results	163
3.4.5	Heat duty and regeneration efficiency investigation	165
3.4.6	Investigation on heat of CO <sub>2</sub> absorption ( $\Delta H_{\text{abs}}$ )	167
3.4.7	Effect of pH on various amine blend samples	169

---

---

3.4.8	FTIR investigations	170
3.4.9	<sup>13</sup> C NMR investigation of species in the novel aqueous amine blend	172
3.4.10	Study of toxicity level of BAE and DMAE	177
3.4.11	Optimization by using response surface methodology (RSM) – a statistical approach	179
3.4.11.1	RSM approach for establishing the correlation between factors and the final response	181
3.4.11.2	Empirical model validation through RSM software	186
3.4.11.3	Experimental runs validation by quadratic model	186
3.4.11.4	Investigation of ANOVA results	187
3.4.11.5	RSM modeling	190
3.4.11.6	Investigation on 3-D surfaces and contour graphs	193
3.4.11.7	Optimum value prediction and its validation by the RSM	199
3.5	Conclusions	204
	References	207
<b>Chapter 4 Post-combustion CO<sub>2</sub> absorption-desorption performance of novel aqueous binary amine blend of Hexamethylenediamine (HMDA) and 2-Dimethylaminoethanol</b>		221
	Abstract	221
4.1	Introduction	222
4.2	Experimental section	228
4.2.1	Chemicals and equipment	228
4.2.2	Experimental description of CO <sub>2</sub> absorption setup	229
4.2.3	CO <sub>2</sub> absorption experiments	229
4.2.4	Experimental setup validation	230
4.2.5	CO <sub>2</sub> desorption setup description	232

---

---

4.2.6	pH measurement	232
4.2.7	Density measurement	232
4.2.8	$^{13}\text{C}$ NMR characterization	233
4.2.9	FTIR characterization	234
4.2.10	Heat duty and regeneration efficiency	235
4.2.11	$\text{CO}_2$ absorption and desorption rate	236
4.2.12	Heat of $\text{CO}_2$ absorption ( $\Delta H_{\text{abs}}$ )	237
4.2.13	Designing of experimental runs by RSM software	238
4.2.14	Toxicity analysis	238
4.3	Chemical reactions of the novel amine blend system (HMDA + DMAE + $\text{H}_2\text{O}$ + $\text{CO}_2$ )	239
4.4	Results and discussion	242
4.4.1	Equilibrium $\text{CO}_2$ loading for the novel HMDA+DMAE amine blend	242
4.4.1.1	Effect of temperature on equilibrium $\text{CO}_2$ loading for novel aqueous HMDA+DMAE amine blend	243
4.4.1.2	Effect of $\text{CO}_2$ partial pressure on equilibrium $\text{CO}_2$ loading for novel aqueous HMDA+DMAE amine blend	246
4.4.1.3	Effect of mole fraction of HMDA on equilibrium $\text{CO}_2$ loading for novel aqueous HMDA+DMAE amine blend	247
4.4.1.4	Effect of solution concentration on equilibrium $\text{CO}_2$ loading for novel aqueous HMDA+DMAE amine blend	248
4.4.1.5	Effect of time on equilibrium $\text{CO}_2$ loading for novel aqueous HMDA+DMAE amine blend	249
4.4.2	An empirical model development for the novel aqueous amine blend of HMDA+DMAE	250
4.4.3	Investigation of $\text{CO}_2$ desorption results	252
4.4.4	Effect of $\text{CO}_2$ loading on pH	255

---

---

4.4.5	Thermophysical property: Density estimation	257
4.4.6	Study of $^{13}\text{C}$ NMR results	259
4.4.7	Study of FTIR results	262
4.4.8	Heat duty and regeneration efficiency results	263
4.4.9	Investigation of $\text{CO}_2$ absorption and desorption rates	266
4.4.10	Study of $\Delta H_{\text{abs}}$ results	270
4.4.11	Response surface methodology (RSM) – a statistical tool for optimization	272
4.4.11.1	Algorithm for implementing RSM for the novel HMDA+DMAE amine blend	272
4.4.11.2	RSM implementation in the present experimental work	273
4.4.11.3	Experimental investigation of RSM study	274
4.4.11.4	Establishing the relationship between the factors and the final response	275
4.4.11.5	Authentication of an empirical model by RSM-CCD approach	278
4.4.11.6	Selection of quadratic model and its authentication	278
4.4.11.7	Study of ANOVA results	279
4.4.11.8	Experimental modeling by RSM–CCD approach	282
4.4.11.9	Analysis of 3-D surfaces and contour graphs	285
4.4.11.10	Optimum value prediction and its validation by the RSM	291
4.4.12	Toxicity assessment for the novel amine blend	296
4.5	Conclusions	298
	References	301
<b>Chapter 5 Post-combustion capture of <math>\text{CO}_2</math> using novel aqueous Triethylenetetramine and 2-Dimethylaminoethanol amine blend: Equilibrium <math>\text{CO}_2</math> loading-empirical model and optimization, <math>\text{CO}_2</math> desorption, absorption heat, and <math>^{13}\text{C}</math> NMR analysis</b>		<b>321</b>

---

---

Abstract	321
5.1 Introduction	322
5.2 Materials and methods	325
5.2.1 Chemicals and equipment used	325
5.2.2 Description of the experimental setup	328
5.2.3 CO <sub>2</sub> absorption investigation	328
5.2.4 CO <sub>2</sub> desorption investigation	329
5.2.5 Heat of CO <sub>2</sub> absorption ( $\Delta H_{\text{abs}}$ )	329
5.2.6 Response surface methodology (RSM) - statistical optimization approach	330
5.3 Reaction mechanism and its validation	330
5.3.1 Reaction chemistry of aqueous amine blend of TETA+DMAE+CO <sub>2</sub> system	330
5.3.2 Nuclear magnetic resonance (NMR) spectroscopy	332
5.4 Results and discussion	332
5.4.1 Validation of the experimental setup	332
5.4.2 Equilibrium CO <sub>2</sub> loading of the aqueous amine blend	333
5.4.2.1 Effect of mole fraction of activator (TETA) in the aqueous amine blend (TETA+DMAE) on equilibrium CO <sub>2</sub> loading	336
5.4.2.2 Effect of total concentration of aqueous amine blend of TETA+DMAE on equilibrium CO <sub>2</sub> loading	338
5.4.2.3 Effect of CO <sub>2</sub> partial pressure on equilibrium CO <sub>2</sub> loading	339
5.4.2.4 Effect of temperature on equilibrium CO <sub>2</sub> loading for the aqueous amine blend of TETA+DMAE	339
5.4.3 Development of an empirical model for the TETA+DMAE aqueous amine blend	340
5.4.4 CO <sub>2</sub> desorption analysis	341

---

---

5.4.5	Heat of CO <sub>2</sub> absorption	346
5.4.6	<sup>13</sup> C NMR spectral analysis	348
5.4.7	Response surface methodology (RSM) analysis	350
5.4.7.1	Development and analysis of equilibrium CO <sub>2</sub> loading as a final response using response surface methodology	350
5.4.7.2	RSM generated model and its validation	353
5.4.7.3	Analysis of 3-D surfaces and contour graphs	357
5.4.7.4	Prediction of the optimum value and its verification by the RSM software	362
5.5	Conclusions	363
	References	365
	<b>Chapter 6 Overall Conclusion and Future Recommendations</b>	<b>375</b>
6.1	Overall conclusion	375
6.2	Future recommendations	377
	<b>Appendix - A</b>	<b>379</b>
	<b>Appendix - B</b>	<b>391</b>
	<b>List of Publications</b>	<b>411</b>