

REFERENCES

- [1] World Steel Association, 2018.
- [2] A. Ghosh, A. Chatterjee, Iron Making and Steel Making, PHI Learning Private Limited, New delhi, India, 2012.
- [3] R.C. Gupta, Theory and Experiments in Ferrous Metallurgy, 1st ed., PHI Learning Press, New delhi, 2015.
- [4] Indian Minerals Yearbook 2018 (Part- III : MINERAL REVIEWS), 2018.
- [5] M. Shamsuddin, Physical Chemistry of Metallurgical Processes, 1st ed., John Wiley and Sons, Inc., Hoboken, New Jersey, 2016.
- [6] A.A. Bates, Fundamentals of Ferrous Metallurgy, 1st ed., American Society of Metal Course, USA, 1946.
- [7] R.H. Tupkary, V.R. Tupkary, An Introduction to Modern Steel Making, 2012.
- [8] D. Majumdar, A First Course in Iron and Steelmaking, n.d.
- [9] J. Pal, S. Ghorai, D. Bandyopadhyay, S. Ghosh, Performance Assessment of Partially Pre-fused Synthetic Flux in Basic Oxygen Steel Making, *J. Iron Steel Res. Int.* 22 (2015) 916–923. [https://doi.org/10.1016/S1006-706X\(15\)30090-X](https://doi.org/10.1016/S1006-706X(15)30090-X).
- [10] J. Pal, C. Arunkumar, Y. Rajshekhar, G. Das, M.C. Goswami, T. Venugopalan, Development on Iron Ore Pelletization Using Calcined Lime and MgO Combined Flux Replacing Limestone and Bentonite, *ISIJ Int.* 54 (2014) 2169–2178. <https://doi.org/10.2355/isijinternational.54.2169>.
- [11] E.M. Levin, C.R. Robbins, H.F. McMurdie, Phase Diagrams for Ceramists, 2nd ed., American Ceramic Society, Columbus Ohio, 1969.
- [12] D. Paswan, Reduction and Strengthening Behaviour of fluxed iron ore pellets, Banaras Hindu University, 2012.
- [13] S.N. Mishra, Studies on composite pre-reduced iron ore pellets, 1992.
- [14] T. Sharma, Swelling Characteristics of iron ore pellets, 1987.
- [15] R.C. Gupta, Studies on production of sponge iron (Lump-gas based), 1975.
- [16] M. Naseri Seftjani, J. Schenk, D. Spreitzer, M. Andreas Zarl, Slag Formation during Reduction of Iron Oxide Using Hydrogen Plasma Smelting Reduction., *Mater. (Basel, Switzerland)*. 13 (2020). <https://doi.org/10.20944/preprints202001.0337.v1>.
- [17] A.K. Mandal, S. Pramanik, O.P. Sinha, Effect of Exposure Time , Lining Material and Plasma Gas on the Extraction of Aluminium from Waste by Smelting Reduction, *Trans. Indian Inst. Met.* 72 (2019) 1181–1186. <https://doi.org/10.1007/s12666-019-01602-6>.
- [18] M.N. Seftjani, J. Schenk, Reaction Kinetics of molten iron oxides reduction using hydrogen, *La Metall. Ital.* (2019) 1–11.
- [19] M.N. Seftjani, J. Schenk, Thermodynamic of Liquid Iron Ore Reduction by Hydrogen Thermal Plasma, *Metals (Basel)*. 8 (2018) 1–17. <https://doi.org/10.3390/met8121051>.
- [20] A. Bizhanov, I. Kurunov, Y. Dalmia, B. Mishra, S. Mishra, Blast Furnace Operation with 100 % Extruded Briquettes Charge, *ISIJ Int.* 55 (2015) 175–182.
- [21] K.C. Sabat, P. Rajput, R.K. Paramguru, B. Bhoi, B.K. Mishra, Reduction of Oxide Minerals by Hydrogen Plasma : An Overview, *Plasma Chem Plasma Process.* 34 (2014) 1–23. <https://doi.org/10.1007/s11090-013-9484-2>.

- [22] J. Pal, S. Ghorai, M.C. Goswami, D. Ghosh, D. Bandyopadhyay, S. Ghosh, Behavior of fluxed lime iron oxide pellets in hot metal bath during melting and refining, *Int. J. Miner. Metall. Mater.* 20 (2013) 329–337. <https://doi.org/10.1007/s12613-013-0731-6>.
- [23] J. Pal, S. Ghorai, D.P. Singh, M.C. Goswami, D. Bandyopadhyay, D. Ghosh, Dissolution characteristics of CO₂-treated fluxed pellets in hot metal bath, *Miner. Process. Extr. Metall. Rev.* 32 (2011) 229–246. <https://doi.org/10.1080/08827508.2010.530717>.
- [24] C. Brodrick, Desulphurization of pig iron using calcium carbide based reagents, in: 7th Int. Heavy Miner. Conf. ‘What next’, South. African Inst. Min. Metall. 2009., 2009: pp. 141–146.
- [25] J. Kijac, M. Borgon, Desulphurization of steel and pig iron, *Metalurgija.* 47 (2008) 347–350.
- [26] S.K. Dutta, A.B. Lele, N.K. Pancholi, Studies on direct reduced iron melting in induction furnace, *Trans. Indian Inst. Met.* 57 (2004) 467–473.
- [27] M.C. Goswami, S. Prakash, S.B. Sarkar, Kinetics of smelting reduction of fluxed composite iron ore pellets, *Steel Res.* 70 (1999) 41–46. <https://doi.org/10.1002/srin.199905598>.
- [28] K. Sadrnezhaad, Direct Reduced Iron: An Advantageous Charge Material For Induction Furnaces, *J. Eng. Repub. Iran.* 3 (1990) 37–47.
- [29] A. Majumder, B.K. Sarkar, M.G. Dastidar, D. Rajib, Study on reduction kinetics of iron ore sinter using coke dust, *Int. J. Metall. Mater. Sci. Eng.* 8 (2018) 19–26.
- [30] F.O. Boechat, L. Tomas, R.M. De Carvalho, S. Jung, L.M. Tavares, Amenability of Reduced Iron Ore Pellets to Mechanical Degradation, *ISIJ Int.* 58 (2018) 1028–1033.
- [31] M.K. Mohanty, S. Mishra, B. Mishra, S. Sarkar, Effect of Basicity on the Reduction Behavior of Iron Ore Pellets, *Arab. J. Sci. Eng.* 43 (2018) 5989–5998. <https://doi.org/10.1007/s13369-018-3107-4>.
- [32] A. babu kotta, S. kumar Karak, M. Kumar, Characterization of iron ore pellets with dextrin added organic binders under different time and temperature conditions, in: *Natl. Conf. Process. Charact. Mater.*, 2017: pp. 1–13. <https://doi.org/10.1088/1742-6596/755/1/011001>.
- [33] J. Yu, Y. Han, Y. Li, P. Gao, W. Li, Mechanism and Kinetics of the Reduction of Hematite to Magnetite with CO – CO₂ in a Micro-Fluidized Bed, *Minerals.* 7 (2017) 1–12. <https://doi.org/10.3390/min7110209>.
- [34] S. Dwarapudi, C. Sekhar, I. Paul, K. Modi, A.R. Pal, U. Chakraborty, B.K. Das, Effect of Fluxing Agents on the Quality and Microstructure of Hematite Pellets, *Int. J. Metall. Eng.* 6 (2017) 18–30. <https://doi.org/10.5923/j.ijmee.20170601.03>.
- [35] M. Meraj, S. Pramanik, J. Pal, Role of MgO and Its Different Minerals on Properties of Iron Ore Pellet, *Trans. Indian Inst. Met.* 69 (2016) 1141–1153. <https://doi.org/10.1007/s12666-015-0676-8>.
- [36] N.A. El-hussiny, I.A. Nafeaa, M.G. Khalif, S.S. Abdel-Rahim, M.E.H. Shalabi, Sintering of the pellets of Egyptian iron ore with lime and reduction of its via hydrogen International Journal of Scientific..., *Int. J. Sci. Eng. Res.* 7 (2016) 1044–1053.
- [37] A.K. Mandal, O.P. Sinha, Characterization of Fluxed Iron Ore Pellets as Compared to Feed Material for Blast Furnace, *J. Progress. Res. Chem.* 2 (2015) 74–82.
- [38] A. Kempainen, K. Ohno, M. Iljana, O. Mattila, T. Paananen, E.-P. Heikkinen, T.

- Maeda, K. Kunitomo, T. Fabritius, Softening Behaviors of Acid and Olivine Fluxed Iron Ore Pellets in the Cohesive Zone of a Blast Furnace, *ISIJ Int.* 55 (2015) 2039–2046.
- [39] D. Guo, M. Hu, C. Pu, B. Xiao, Z. Hu, S. Liu, X. Wang, X. Zhu, Kinetics and mechanisms of direct reduction of iron ore-biomass composite pellets with hydrogen gas, *Int. J. Hydrogen Energy.* 40 (2015) 4733–4740. <https://doi.org/10.1016/j.ijhydene.2015.02.065>.
- [40] F. Chen, Y. Mohassab, S. Zhang, H.Y. Sohn, Kinetics of the Reduction of Hematite Concentrate Particles by Carbon Monoxide Relevant to a Novel Flash Ironmaking Process, *Metall. Mater. Trans. B.* 46 (2015) 1716–1728. <https://doi.org/10.1007/s11663-015-0345-7>.
- [41] J.O. Park, S.M. Jung, Effect of Slag Composition on Reaction Kinetics of Carbon Composite Agglomerate in the Temperature Range of 1273 K to 1573 K (1000 °C to 1300 °C), *Metall. Mater. Trans. B.* 46 (2015) 1207–17. <https://doi.org/10.1007/s11663-015-0296-z>.
- [42] J.P.S.G. De Alencar, V.G. De Resende, L.F.A. De Castro, Effect of Temperature on Morphology of Metallic Iron and Formation of Clusters of Iron Ore Pellets, *Metall. Mater. Trans. B Process Metall. Mater. Process. Sci.* 47 (2016) 85–88. <https://doi.org/10.1007/s11663-015-0471-2>.
- [43] J.W. Cha, D.Y. Kim, S.M. Jung, Distribution Behavior of Phosphorus and Metallization of Iron Oxide in Carbothermic Reduction of High-Phosphorus Iron Ore, *Metall. Mater. Trans. B.* 46 (2015) 2165–2179. <https://doi.org/10.1007/s11663-015-0399-6>.
- [44] N.A. El-Husseiny, A. El-amir, F.M. Mohamed, S.T. Abdel-rahim, M.E.H. Shalabi, Kinetics-of-direct-reduction-of-El-Baharia-Iron-ore-El-Gedida-Oasis-Egypt-briquette-via-Hydrogen, *Int. J. Sci. Eng. Res.* 6 (2015) 1018–1027.
- [45] N. Saleh, S. Rochani, Study On Basicity In Direct Reduced Iron Smelting, *Indones. Min. J.* 18 (2015) 59–70.
- [46] Q.J. Gao, F.M. Shen, X. Jiang, G. Wei, H.Y. Zheng, Gas-solid reduction kinetic model of MgO-fluxed pellets, *Int. J. Miner. Metall. Mater.* 21 (2014) 12–17. <https://doi.org/10.1007/s12613-014-0859-z>.
- [47] M. Iljana, A. Kemppainen, T. Paananen, O. Mattila, E. Pisilä, M. Kondrakov, T. Fabritius, Effect of adding limestone on the metallurgical properties of iron ore pellets, *Int. J. Miner. Process.* 141 (2015) 34–43. <https://doi.org/10.1016/j.minpro.2015.06.004>.
- [48] A. Gul, A. A.Sirkeci, F. Boylu, G. Guldun, F. Burat, Improvement Of Mechanical Strength Of Iron Ore Pellets Using Raw And Activated Bentonites As Binders, *Physicochem. Probl. Miner. Process.* 51 (2015) 23–36.
- [49] N.A.S. Webster, M.I. Pownceby, I.C. Madsen, A.J. Studer, J.R. Manuel, J.A. Kimpton, Fundamentals of Silico-Ferrite of Calcium and Aluminum (SFCA) and SFCA-I Iron Ore Sinter Bonding Phase Formation: Effects of CaO:SiO₂ Ratio, *Metall. Mater. Trans. B.* 45 (2014) 2097–2105. <https://doi.org/10.1007/s11663-014-0137-5>.
- [50] J. Pal, S. Ghorai, M.C. Goswami, S. Prakash, T. Venugopal, Development of Pellet-Sinter Composite Agglomerate for Blast Furnace, *ISIJ Int.* 54 (2014) 620–627.
- [51] K.M.K. Sinha, T. Sharma, Rrduction of Iron Ore Pellets by Statistical Design of Experiments, *Int. J. Eng. Res. Sci. Technol.* 3 (2014) 1–8.

- [52] K.M.K. Sinha, T. Sharma, D.D. Haldar, Reduction of iron ore pellets with non-coking coal, *Int. J. Eng. Adv. Technol.* 3 (2014) 30–33.
- [53] F. Shen, Q. Gao, X. Jiang, G. Wei, H. Zheng, Effect of magnesia on the compressive strength of pellets, *Int. J. Miner. Metall. Mater.* 21 (2014) 431–437. <https://doi.org/10.1007/s12613-014-0926-5>.
- [54] Y. Man, J. Feng, Q. Ge, F. Li, Effect of particle size on reduction behavior in iron ore-coal composite pellets, *J. Chem. Pharm. Res.* 6 (2014) 2484–2490.
- [55] A. Ghosh, Kinetics of Reduction of Iron Oxide in Mixtures of Oxide and Carbon : A Critical Appraisal, *Trans. Indian Inst. Met.* 66 (2013) 71–77. <https://doi.org/10.1007/s12666-012-0228-4>.
- [56] A. Sarkar, A.K. Mandal, O.P. Sinha, Pelletisation Behavior of Fluxed Iron Ore Pellets of Varying Basicities Made with Waste Fines, *Int. J. Sci. Eng. (IJSE)* 5 (2013) 9–14. <https://doi.org/10.12777/ijse.5.2.9-14>.
- [57] H. Park, V. Sahajwalla, Influence of CaO-SiO₂-Al₂O₃ ternary oxide system on the reduction behavior of carbon composite pellet: Part I. reaction kinetics, *Metall. Mater. Trans. B Process Metall. Mater. Process. Sci.* 44 (2013) 1379–1389. <https://doi.org/10.1007/s11663-013-9955-0>.
- [58] T. Umadevi, N.F. Lobo, S. Desai, P.C. Mahapatra, R. Sah, M. Prabhu, Optimization of Firing Temperature for Hematite Pellets, *ISIJ Int.* 53 (2013) 1673–1682. <https://doi.org/10.2355/isijinternational.53.1673>.
- [59] R. Sah, S.K. Dutta, Kinetic Studies of Iron Ore – Coal Composite Pellet Reduction by TG – DTA, *Trans. Indian Inst. Met.* 64 (2011) 583–591. <https://doi.org/10.1007/s12666-011-0065-x>.
- [60] T. Umadevi, P. Kumar, N.F. Lobo, M. Prabhu, P.C. Mahapatra, M. Ranjan, Influence of Pellet Basicity (CaO / SiO₂) on Iron Ore Pellet Properties and Microstructure, *ISIJ Int.* 51 (2011) 14–20.
- [61] F.A.N. Xiao-hui, G.A.N. Min, J. Tao, Y. Li-shun, C. Xu-ling, Influence of flux additives on iron ore oxidized pellets, *J. Cent. South Univ. Technol.* 17 (2010) 732–737. <https://doi.org/10.1007/s11771>.
- [62] H. Chuang, W. Hwang, S. Liu, Effects of Basicity and FeO Content on the Softening and Melting Temperatures of the CaO-SiO₂-MgO-Al₂O₃ Slag System, *Mater. Trans.* 50 (2009) 1448–1456. <https://doi.org/10.2320/matertrans.MRA2008372>.
- [63] M. Kumar, S.K. Patel, Assessment of Reduction Behavior of Hematite Iron Ore Pellets in Coal Fines for Application in Sponge Ironmaking, *Miner. Process. Extr. Metall. Rev. An Int. J.* 30 (2009) 240–259.
- [64] M. Kumar, S. Jena, S.K. Patel, Characterization of Properties And Reduction Behavior of Iron Ores for Application in Sponge Iron Making, *Miner. Process. Extr. Metall. Rev.* 29 (2008) 118–129.
- [65] A.A. El-Geassy, M.I. Nasr, M.H. Khedr, K.S. Abdel-Halim, Reduction Behaviour of Iron Ore Fluxed Pellets under Load at 1023-1273 K, *ISIJ Int.* 44 (2004) 462–469. <https://doi.org/10.2355/isijinternational.44.462>.
- [66] K. Mondal, H. Lorethova, E. Hippo, T. Wiltowski, S.B. Lalvani, Reduction of iron oxide in carbon monoxide atmosphere - Reaction controlled kinetics, *Fuel Process. Technol.* 86 (2004) 33–47. <https://doi.org/10.1016/j.fuproc.2003.12.009>.
- [67] R.C. Gupta, A.A. Shaik, DRI Apparent Density and Its Strength, *ISIJ Int.* 45 (2005) 408–409.

- [68] R.C. Gupta, J.P. Gautam, The Effect of Additives and Reductants on the Strength of Reduced Iron Ore Pellets, *ISIJ Int.* 43 (2003) 1913–1918.
- [69] Q. Wang, Z. Yang, W. Tian, J. Sun, Reduction kinetics of iron ore-coal pellet during fast heating, *Iron Mak. Steel Mak.* 25 (1998) 443.
- [70] N. Nargin, S. Aydm, K. Segen, F. Dikec, Reduction of iron ore pellets with domestic lignite coal in a rotary tube furnace, *Int. J. Miner. Process.* 43 (1995) 49–59.
- [71] S.N. Misra, R.C. Gupta, Development of Firing Schedule to Prepare CompositePre-reduced (CPR) Pellets, *ISIJ Int.* 34 (1994) 468–475.
- [72] L.H. Hsieh, J.A. Whiteman, Effect of Raw Material Composition on the Mineral Phases in Lime-fluxed Iron Ore Sinter, *ISIJ Int.* 33 (1993) 462–473.
- [73] S.K. Dey, B. Jana, A. Basumallick, Kinetics and Reduction Characteristics of Hematite-noncoking Coal Mixed Pellets under Nitrogen Gas Atmosphere, *ISIJ Int.* 33 (1993) 735–739. <https://doi.org/10.2355/isijinternational.33.735>.
- [74] R. Haque, H.S. Ray, A. Mukherjee, Reduction of Iron Ore Fines by Coal Fines in a Packed Bed and Fluidized Bed ApparatusA Comparative Study, *Metall. Trans. B.* 24 (1993) 511–520.
- [75] A.K. Ray, K.K. Prasad, P.K. Sen, A model for the isothermal reduction of iron ore with coal char, *Solid State Ionics.* 50 (1992) 217–226.
- [76] S. Chakravorty, G. V. Reddy, T. Sharma., "Direct reduction of iron ore by noncoking coals of different compositions, *Trans. Indian Inst. Met.* 44 (1991) 1–7.
- [77] S.C. Panigrahy, B.C. Jena, M. Rigaud, Characterization of Bonding and Crystalline Phases in Fluxed Pellets Using Peat Moss and Bentonite as Binders, *Metall. Trans. B.* 21 (1990) 463–474.
- [78] J.K. Wright, K.M. Bowling, A.L. Morrison, Reduction of Hematite Pellets with Carbonized Coal in a Static Bed *, *Trans. ISIJ.* 21 (1981) 149–155.
- [79] C.E. Seaton, J.S. Foster, J. Velasco, Reduction Kinetics of Hematite and Magnetite Pellets Containing Coal Char *, *Trans. ISIJ.* 23 (1983) 490–496.
- [80] M.C. Abraham, A. Ghosh, Kinetics of Reduction of Iron Oxides and Ores by Carbon, *Ironmak. Steelmak.* 6 (1979) 14–23.
- [81] R.J. Fruehan, The Rate of Reduction of Iron Oxides by Carbon, *Metall. Trans. B.* 8 (1977) 279–286.
- [82] N.S. Srinivasan, A.K. Lahiri, Studies on the Reduction of Hematite by Carbon, *Metall. Trans. B.* 8 (1977) 175–176.
- [83] Y.K. Rao, The kinetics of reduction of hematite by carbon, *Metall. Trans.* 2 (1971) 1439–1447. <https://doi.org/10.1007/bf02913373>.
- [84] R.H. Tupkary, V.R. Tupkary, *An Introduction to Modern Iron Making*, 2012.
- [85] R.C. Gupta, *Fuels, Furnaces and refractories*, n.d.
- [86] B. O.Fernando, C.R. M.de, T. luis Marcelo, Simulation and mechanical degradation of iron ore pellets in direct reduction furnace, *Kona Powder Part.* 35 (2018) 216–225.
- [87] U. Leimalm, S. Forsmo, A. Dahlstedt, L.S. Ökvist, B. Björkman, Blast furnace pellet textures during reduction and correlation to strength, *ISIJ Int.* 50 (2010) 1396–1405. <https://doi.org/10.2355/isijinternational.50.1396>.
- [88] A. Ghosh, *Textbook of Material Science and Metallurgical Thermodynamics*, n.d.
- [89] M. Kumar, S.K. Patel, Characteristics of indian non-coking coals and iron ore reduction by their chars for directly reduced iron production, *Miner. Process. Extr. Metall. Rev.* 29 (2008) 258–273. <https://doi.org/10.1080/08827500801997902>.

- [90] F. Habashi, *Kinetics of Metallurgical processes*, n.d.
- [91] A. Mishra, S. Gautam, T. Sharma, Effect of operating parameters on coal gasification, *Int. J. Coal Sci. Technol.* 5 (2018) 113–125. <https://doi.org/10.1007/s40789-018-0196-3>.
- [92] R.K. Dishwar, A.K. Mandal, O.P. Sinha, Studies on Highly-Fluxed Iron Ore Pellets Hardened at 1100-1200°C, *Metall. Mater. Trans. B.* (2019). <https://doi.org/10.1007/s1163-019-01506-2>.
- [93] J.K. Ahmad, Inhibition of Reoxidation of Direct Reduced Iron (DRI) or Sponge Iron, *Int. J. Mater. Sci. Appl.* 4 (2015) 7. <https://doi.org/10.11648/j.ijmsa.s.2015040201.12>.
- [94] Z. Ahmad, *Principal of Corrosion Engineering and Corrosion Control*, n.d.
- [95] WSO, *World Steel Statistics*, 2018.
- [96] F.P. Edneral, *Electrometallurgy of Steel and Ferroalloys*, n.d.
- [97] A.K. Mandal, R.K. Dishwar, O.P. Sinha, Behavior of an indigenously fabricated transferred arc plasma furnace for smelting studies, *Plasma Sci. Technol.* 20 (2018) 1–10. <https://doi.org/10.1088/2058-6272/aa9cde>.