

List of Figures

2.1	Taxonomy of Information Diffusion Models [1]	19
2.2	Taxonomy of the IM Approaches [2, 3]	27
2.3	Taxonomy of the Context-aware IM Approaches [3]	45
3.1	An Automaton Learning in LA using a Probabilistic Environment	83
3.2	The Work Flow Diagram of the Proposed Algorithm LAPSO-IM	93
3.3	A Running Example Graph	93
3.4	The Working Example of LAPSO-IM when $pop = 5$	98
3.5	The Variation of the Fitness Value on Distinct Swarm Population	101
3.6	Iteration Number I_{max}	103
3.7	Inertia Weight δ	103
3.8	Learning Factors a and b	103

3.9	The Variation of the Fitness Value with Distinct Linear reward-penalty ($a_r = b_p$) Values	103
3.10	The Influence Spread Comparison in Various Datasets under IC Model	105
3.11	The Influence Spread Comparison in Various Datasets under WC Model	106
3.12	The Influence Spread Comparison in Various Datasets under LT Model	107
3.13	The Running Time Comparison in Various Datasets under IC Model	110
3.14	The Running Time Comparison in Various Datasets under WC Model	111
3.15	The Running Time Comparison in Various Datasets under LT Model	112
4.1	The Proposed C2IM Framework	125
4.2	The C2IM Overview using an Example Network	126
4.3	A Running Example	137
4.4	Distribution of Various Measures over Δ in Email-Eu-core Dataset	142
4.5	Influence Spread Comparison in Various Datasets under LT Model	143

4.6	Influence Spread Comparison in Various Datasets under IC Model	144
4.7	The Running Time Comparison in Various Datasets under LT Model	147
4.8	The Running Time Comparison in Various Datasets under IC Model	148
5.1	The Proposed MIM2 Framework	158
5.2	Example Graph of Twitter Network: Follower (FN) Network with Three Type of Interaction Networks (Retweet (RTN), Reply(REN), and Mention (MEN) Networks)	159
5.3	The Coupling of Networks	161
5.4	A Running Example	172
5.5	The Working of Seed Selection Process in MIM2 Framework	172
5.6	The Final Seed Nodes	175
5.7	The Comparison of Coupling Schemes over MIM2 Influence Spread for $m = 1$	177
5.8	The Comparison of Influence Spread over IM2 Framework for $m = 1$ under Traditional Diffusion Models	179

5.9	The Comparison of the Influence Spread over MIM Framework for Different Number of Product m under IC Model	181
5.10	The Comparison of the Influence Spread of MIM2 Framework for Different Number of Product m under IC Model	182
5.11	The Comparison of the Running Time of MIM2 Framework for Different Number of Product m	183
6.1	The Working of CD Algorithm using An Example Graph .	200
6.2	Safe Zone Predicted with Average Isolability Metric Corresponding to τ and θ Ranges over Mean Value of Ratios in Different Datasets	210
6.3	Safe Zone Predicted with External Density Metric Corresponding to τ and θ Ranges over Mean Value of Ratios in Different Datasets	211
6.4	Safe Zone Predicted with Coverage Metric Corresponding to τ and θ Ranges over Mean Value of Ratios in Different Datasets	212
6.5	Safe Zone Predicted with Cluster Count Metric Corresponding to τ and θ Ranges over Mean Value of Ratios in Different Datasets	213

6.6	Safe Zone Predicted with Modularity Metric Corresponding to τ and θ Ranges over Mean Value of Ratios in Different Datasets	214
6.7	Safe Zone Predicted with AUPR Metric Corresponding to τ and θ Ranges over Mean Value of Ratios in Different Datasets	222
6.8	Safe Zone Predicted with Recall Metric Corresponding to τ and θ Ranges over Mean Value of Ratios in Different Datasets	223
6.9	Safe Zone Predicted with AUC Metric Corresponding to τ and θ Ranges over Mean Value of Ratios in Different Datasets	224
6.10	Safe Zone Predicted with Precision Metric Corresponding to τ and θ Ranges over Mean Value of Ratios in Different Datasets	225