

Table of contents

CERTIFICATE	i
DECLARATION BY THE CANDIDATE	ii
COPYRIGHT TRANSFER CERTIFICATE	iii
ACKNOWLEDGEMENTS	vii
Table of contents	ix
List of figures	xvii
List of tables	xxi
List of notations and abbreviations used in software programs	xxv
List of acronyms	xxxiii
ABSTRACT	xxxv
1. Chapter 1: Introduction	1
1.1. Introduction	1
1.1.1. Historical development of water storage systems	1
1.1.2. Importance of elevated water tanks	2
1.1.3. Government initiatives for water supply in India	3
1.2. Classification of water tanks	4
1.2.1. Classification based on location of water tank with respect to the ground level	4
1.2.2. Classification based on material used for the construction	5
1.2.3. Classification based on geometrical shape of tanks	5
1.2.4. Classification based on the capacity of the tanks	6
1.2.5. Selection of tanks for this study	6
1.3. Load acting on water tanks	8
1.4. Components of Elevated water tanks	9
1.5. Properties of shells	12
1.5.1. Top and Bottom dome	12
1.5.2. Cylindrical shells	14
1.5.3. Conical shells	15
1.6. Methods of analysis of water tanks	16
1.7. Analysis of Intze and circular RCC water tank body	18
1.7.1. Analysis of Intze water tank body (container)	18
1.7.2. Analysis of circular water tank body	21
1.8. Design of conventional Intze and circular RCC water tank body	24
1.8.1. Indian standard code of practice for water tanks	25
1.8.2. Design criteria as per IS 3370:2021	28
1.9. Analysis and design of staging of water tanks	31

1.9.1. Analysis of column and braces	31
1.9.2. Wind analysis	33
1.9.3. Seismic analysis	36
1.9.4. Design of staging	38
1.9.5. Design columns and bracings	40
1.10. Foundation for water tanks	41
1.10.1. Analysis and design of foundation	42
1.10.2. Design of foundation beam	44
1.10.3. Design of annular raft	45
1.11. Major concerns regarding conventional tanks	47
1.11.1. Failure analysis of conventional water tanks	47
1.11.2. Post-construction leakage: A precursor to escalated maintenance costs and abandonment	48
1.12. Bridging the Gap: Hybrid water tanks address conventional tank challenges	49
1.13. Hybrid water tanks	51
1.13.1. Major differences between hybrid and conventional tanks	52
1.14. Ferrocement	53
1.14.1. Properties of Ferrocement	54
1.14.2. Practical applications of Ferrocement	54
1.14.3. Using ferrocement as lining for RCC tanks	56
1.14.4. Constituents of ferrocement	57
1.15. Aims and objectives	60
1.16. Layout of the thesis	61
2. Chapter 2: Literature review	65
2.1. Introduction	65
2.2. Comprehensive RCC tank design: Analysis, Standards, Failure, Seismic assessment, and Soil interaction	66
2.2.1. Analysis and design studies	67
2.2.2. Seismic studies	68
2.2.3. Soil-structure interaction (SSI) studies	71
2.2.4. Failure studies	72
2.2.5. Cost optimization studies	76
2.3. Understanding the properties of ferrocement	78
2.4. Exploring the versatile applications of ferrocement	85
2.5. RCC Structures enhanced by ferrocement integration	88
2.6. Research gaps	92
2.7. Scope and objective	94
3. Chapter 3: Material and methods	97
3.1. General	97

3.2. Design process and software development for conventional Intze water tanks	99
3.2.1. Module I: Input and dimensioning of tanks	99
3.2.2. Module II: Analysis of RCC tank body	103
3.2.2.1. Stiffnesses and member forces for all joints	103
3.2.2.2. Defining stiffness matrix	111
3.2.2.3. Calculations of forces acting on members	113
3.2.2.4. Calculation of reinforcement and checks under limit state of serviceability & application of heuristic optimization	114
3.2.3. Module III- Design of members of tank	115
3.2.3.1. General Steps for the calculation of reinforcement	116
3.2.3.2. Crack width calculations	117
3.2.3.3. Design of the top dome	118
3.2.3.4. Design of the top ring beam	119
3.2.3.5. Design of the cylindrical wall	119
3.2.3.6. Design of the Middle ring beam	121
3.2.3.7. Design of the conical dome	122
3.2.3.8. Design of the Bottom dome	124
3.2.3.9. Design of the Main girder beam	124
3.2.4. Module IV: Staging configurations and lateral analysis of tanks	127
3.2.5. Module V-Staging design	133
3.2.6. Module VI-Foundation design	137
3.2.7. Module VII-Estimation and costing	141
3.2.8. Application of software program for CWT I and CWT II Intze tanks	142
3.3. Hybrid design – Detailed concept note on design of hybrid Intze tanks and Software development	143
3.3.1. Design of RCC water tank elements (container) for hybrid tanks	144
3.3.2. Design of ferrocement lining	145
3.3.2.1. Strain calculation in RCC tank body	146
3.3.2.2. Basic of ferrocement lining design and assumptions	147
3.3.2.3. Basic mechanisms & modeling for uncracked tensile member	148

3.3.2.4.	Crack spacing and width in ferrocement	149
3.3.2.5.	Theory of bending in ferrocement linings	150
3.3.2.6.	Secondary check for crack width for ferrocement linings	151
3.3.3.	Design of staging and foundation	152
3.3.4.	Software development of hybrid tanks	152
3.3.4.1.	Major changes in Hybrid software program	152
3.3.4.2.	Details of software module for hybrid Intze tanks	154
3.4.	Development of the software for conventional circular water tanks	159
3.4.1.	Software modules for the conventional circular water tanks	159
3.4.2.	Module I: Input and dimensioning of tanks	161
3.4.2.1.	Input required	161
3.4.2.2.	Calculations of member dimensions for the desired capacity of tanks	162
3.4.2.3.	Member properties for water tank design-	163
3.4.3.	Module II: Analysis of RCC tank body	164
3.4.3.1.	Determination of stiffnesses and member forces	164
3.4.3.2.	Defining stiffness matrix for circular tanks	165
3.4.3.3.	Calculation of forces acting on the members	166
3.4.3.4.	Calculations of reinforcement and checks under serviceability and application of heuristic optimization	167
3.4.4.	Module III- Design of members of tank	167
3.4.5.	Module IV-VII	168
3.4.6.	Application of software program for CWT I and CWT II circular water tanks	168
3.5.	Design details and development of the software for hybrid circular water tanks	170
3.5.1.	Design of RCC water tank elements (container)	170
3.5.2.	Design of ferrocement lining	171
3.5.3.	Major differences in the software program of conventional and hybrid circular tanks	171
3.5.4.	Details of the software modules	173
3.6.	Validation of software program	175
4.	Chapter 4: Comparative study of hybrid and conventional Intze tanks	177
4.1.	Introduction	177

4.2. Application & comparison criteria's	179
4.2.1. Cost efficiency parameters	180
4.2.2. Structural efficiency parameters	180
4.3. Results and discussions: Comparative study of HWT and CWT I Intze type tanks	182
4.3.1. Cost comparison of hybrid & conventional tanks-	182
4.3.2. Cost of ferrocement lining	183
4.3.3. Comparison of Cost of tank body and Total cost of tank in both Hybrid and Conventional type I Intze tank	185
4.3.4. Comparison of cost of steel and concrete in both Hybrid and Conventional type I tanks	186
4.3.5. Material consumption	187
4.3.6. Deflection of tanks	188
4.3.7. Seismic and wind analysis of Hybrid and Conventional designs	189
4.3.8. Crack width calculations	190
4.3.9. Comparative analysis of annular raft footing	191
4.3.10. Concluding remarks	192
4.4. Result and discussion: Comparative study of HWT with CWT II Intze tanks	193
4.4.1. Cost comparison of Hybrid & Conventional tanks-	193
4.4.2. Comparison of cost of tank body and total cost of tank in both HWT and CWT II-	195
4.4.3. Cost of ferrocement lining	196
4.4.4. Comparison of cost of steel and concrete in both HWT and CWT II	196
4.4.5. Material consumption	197
4.4.6. Deflection of tanks	198
4.4.7. Seismic and wind analysis of HWT and CWT II Intze tanks	199
4.4.8. Crack widths calculation	201
4.4.9. Comparative analysis of annular raft footing	202
4.4.10. Concluding remarks	203
4.5. Result and discussion: Comparative study of HWT with CWT II Intze tanks	204

4.5.1. Cost comparison of Hybrid & Conventional tanks	204
4.5.2. Comparative analysis of RCC member sizes between HWTs, CWT I and CWT II	205
4.5.3. Cost of ferrocement lining	207
4.5.4. Comparison of Cost of tank body and Total cost of the tank in both HWT, CWT I, and CWT II	208
4.5.5. Material consumption	209
4.5.6. Deflection	210
4.5.7. Seismic and wind analysis of HWT, CWT I and CWT II	211
4.5.8. Comparative analysis of annular raft footing	212
4.5.9. Crack width calculations	212
4.5.10. Conclusive remarks	213
5. Chapter 5: Comparative study of elevated hybrid and conventional circular tanks	215
5.1. Introduction	215
5.2. Application and comparison criteria for parametric study	215
5.3. Result and discussions: Parametric study of hybrid circular tanks	216
5.3.1. 100 kL hybrid circular tanks	218
5.3.2. 150 kL hybrid circular tanks	218
5.3.3. 200 kL hybrid circular tanks	218
5.3.4. 250 kL hybrid circular tanks	219
5.3.5. 300 kL hybrid circular tanks	219
5.3.6. Checking the feasibility of 400 – 600 kL hybrid circular or general elevated circular tanks	219
5.3.7. Concluding remarks	220
5.4. Application and comparison criteria for comparative study	222
5.5. Results and discussions: Comparative study of hybrid and Conventional (type I) Elevated Circular type tanks	224
5.5.1. Cost comparison of Hybrid & Conventional tanks	224
5.5.2. Cost of ferrocement lining	225
5.5.3. Comparison of cost of tank body and total cost of tank in both HWT and CWT I Circular tanks	227
5.5.4. Material consumption	229
5.5.5. Deflection of tanks	230
5.5.6. Seismic and wind analysis of Hybrid and Conventional designs	231
5.5.7. Crack width calculations	232
5.5.8. Comparative analysis of annular raft footing	233
5.5.9. Concluding remarks	234

5.6. Result and comparative study: Comparative analysis of HWT and CWT II	
Circular tanks	235
5.6.1. Cost comparison of HWT and CWT II	235
5.6.2. Cost of ferrocement lining	236
5.6.3. Comparison of Cost of tank body vs total cost of tank for both HWT and CWT I circular tanks	237
5.6.4. Material consumption	238
5.6.5. Deflection of tanks	240
5.6.6. Seismic and wind analysis of Hybrid and Conventional designs	241
5.6.7. Crack width calculations	242
5.6.8. Comparative analysis of annular raft footing	243
5.6.9. Conclusive remarks	244
6. Chapter 6: Comparative analysis of cost-effectiveness and structural integrity of hybrid vs. conventional water tanks in 16 Indian urban centers	245
6.1. Introduction	245
6.2. Application & comparison criteria	247
6.2.1. Application criteria	247
6.2.2. Comparison criteria	249
6.3. Results and discussion: Comparing 600 kL hybrid and conventional Intze water tanks	250
6.3.1. Cost comparison of hybrid and conventional tanks	250
6.3.2. Cost of ferrocement lining	251
6.3.3. Material utilization	252
6.3.4. Deflection and crack widths	253
6.3.5. Structural performance under wind and seismic loadings	255
6.3.6. Concluding remarks	259
6.4. Results and discussions: Comparing 150 kL hybrid and conventional circular water tanks	260
6.4.1. Cost comparison of hybrid & conventional circular tanks	260
6.4.2. Cost of ferrocement lining	261
6.4.3. Material utilization	261
6.4.4. Deflection and crack widths	263
6.4.5. Structural performance under wind and seismic loadings	265
6.4.6. Concluding remarks	268
7. Chapter 7: Conclusions and future scope	269
7.1. Introduction	269

7.2. Original contributions of this work	270
7.3. Comparative study of HWT and CWT I Intze type tanks	275
7.4. Comparative study of HWT and CWT II Intze type tanks	277
7.5. Comparative study of HWT, CWT I and CWT II Intze tanks	279
7.6. Parametric study of hybrid circular water tanks	281
7.7. Comparative study of hybrid and conventional type I Elevated circular type tanks	282
7.8. Comparative study of HWT and CWT II circular type tanks	284
7.9. Comparative study of 600 kL HWT and CWT II Intze tanks across 16 major Indian cities	285
7.10. Comparative study of 150 kL Hybrid and Conventional (Type II) Circular tanks across 16 major Indian Cities	288
7.11. Major findings and recommendations	291
7.12. Future scope of study	294
References	295
Annexure A- Design of the ferrocement lining	319
Annexure B- Manual design of 600 kL Hybrid Intze tank	323
Annexure C- Manual design of 200 kL Hybrid Circular tank	343
Annexure D- Software output for 600 kL Hybrid Intze tank	351
Annexure E- Software output for 200 kL Hybrid Circular tank	369
Annexure F- Detail drawings of HWTs	375
List of Publications	387