

# Bibliography

- [1] Abualrub, T., Aydin, N., and Seneviratne, P. (2012). On  $\theta$ -cyclic codes over  $\mathbb{F}_2 + v\mathbb{F}_2$ . *Australas. J. Combin.*, 54:115–126.
- [2] Ali, S., Alali, A. S., Jeelani, M., Kurulay, M., Öztas, E. S., and Sharma, P. (2023). On the construction of quantum and LCD codes from cyclic codes over the finite commutative rings. *Axioms*, 12(4):367.
- [3] Ali, S., Mohammad, G., Jeelani, Khan, N., and Sharma, P. (2022). On quantum and LCD codes over the ring  $\mathbb{F}_q + v\mathbb{F}_q + v^2\mathbb{F}_q$ . *Quantum Inf. Process.*, 21(9):306.
- [4] Aly, S. A., Klappenecker, A., and Sarvepalli, P. K. (2007). On quantum and classical BCH codes. *IEEE Trans. Inform. Theory*, 53(3):1183–1188.
- [5] Ashikhmin, A. and Knill, E. (2001). Nonbinary quantum stabilizer codes. *IEEE Trans. Inform. Theory*, 47(7):3065–3072.
- [6] Ashraf, M., Khan, N., and Mohammad, G. (2021). New quantum and LCD codes over the finite field of odd characteristic. *Int. J. Theor. Phys.*, 60(6):2322–2332.
- [7] Ashraf, M. and Mohammad, G. (2015). Construction of quantum codes from cyclic codes over  $\mathbb{F}_p + v\mathbb{F}_p$ . *Int. J. Inf. Coding Theory*, 3(2):137–144.
- [8] Ashraf, M. and Mohammad, G. (2016). Quantum codes from cyclic codes over  $\mathbb{F}_q + u\mathbb{F}_q + v\mathbb{F}_q + uv\mathbb{F}_q$ . *Quantum Inf. Process.*, 15:4089–4098.

- [9] Aydin, N., Liu, P., and Yoshino, B. (2021). A database of quantum codes. *arXiv preprint arXiv:2108.03567*. <http://quantumcodes.info/Home/>.
- [10] Bag, T., Ashraf, M., Mohammad, G., and Upadhyay, A. K. (2019a). Quantum codes from  $(1 - 2u_1 - 2u_2 - \dots - 2u_m)$ -skew constacyclic codes over the ring  $\mathbb{F}_q + u_1\mathbb{F}_q + \dots + u_{2m}\mathbb{F}_q$ . *Quantum Inf. Process.*, 18:1–15.
- [11] Bag, T., Dinh, H. Q., Upadhyay, A. K., Bandi, R., and Yamaka, W. (2020). Quantum codes from skew constacyclic codes over the ring  $\mathbb{F}_q[u, v]/\langle u^2 - 1, v^2 - 1, uv - vu \rangle$ . *Discrete Math.*, 343(3):111737.
- [12] Bag, T., Dinh, H. Q., Upadhyay, A. K., and Yamaka, W. (2019b). New non-binary quantum codes from cyclic codes over product rings. *IEEE Commun. Lett.*, 24(3):486–490.
- [13] Berlekamp, E. R. (1968). *Algebraic coding theory*. McGraw-Hill.
- [14] Bhardwaj, S., Goyal, M., and Raka, M. (2024). New quantum codes from constacyclic codes over a general non-chain ring. *Discrete Math. Algorithms Appl.*, 16(06):2350072.
- [15] Bhardwaj, S. and Raka, M. (2020). Skew constacyclic codes over a non-chain ring  $\mathbb{F}_q[u, v]/\langle f(u), g(v), uv - vu \rangle$ . *Appl. Algebra Eng. Commun. Comput.*, 31:173–194.
- [16] Bierbrauer, J. and Edel, Y. (2000). Quantum twisted codes. *J. Comb. Des.*, 8(3):174–188. <https://www.mathi.uni-heidelberg.de/~yves/Matritzen/QT BCH/QT BCHIndex.html>.
- [17] Bosma, W., Cannon, J., Playoust, C., and Steel, A. (1999). Solving problems with magma. *School of Mathematics and Statistics, University of Sydney, Australia*. <https://magma.maths.usyd.edu.au/magma/>.

- 
- [18] Boucher, D., Geiselmann, W., and Ulmer, F. (2007). Skew-cyclic codes. *Appl. Algebra Eng. Commun. Comput.*, 18:379–389.
- [19] Boucher, D. and Ulmer, F. (2011). A note on the dual codes of module skew codes. In *IMA International Conference on Cryptography and Coding*, pages 230–243. Springer.
- [20] Boulanouar, R., Batoul, A., and Boucher, D. (2021). An overview on skew constacyclic codes and their subclass of LCD codes. *Adv. Math. Commun.*, 15(4):611–632.
- [21] Brun, T., Devetak, I., and Hsieh, M.-H. (2006). Correcting quantum errors with entanglement. *Science*, 314(5798):436–439.
- [22] Calderbank, A. R., Rains, E. M., Shor, P. W., and Sloane, N. J. A. (1998). Quantum error correction via codes over  $\text{GF}(4)$ . *IEEE Trans. Inform. Theory*, 44(4):1369–1387.
- [23] Cannon, J., Bosma, W., Fieker, C., and Steel, A. (2006). Handbook of magma functions. *Edition*, 2(13):4350. <https://magma.maths.usyd.edu.au/magma/>.
- [24] Carlet, C. and Guilley, S. (2016). Complementary dual codes for countermeasures to side-channel attacks. *Adv. Math. Commun.*, 10(1):131–150.
- [25] Chen, B., Ling, S., and Zhang, G. (2015). Application of constacyclic codes to quantum MDS codes. *IEEE Trans. Inf. Theory*, 61(3):1474–1484.
- [26] Chen, X., Zhu, S., and Kai, X. (2018). Entanglement-assisted quantum mds codes constructed from constacyclic codes. *Quantum Inf. Process.*, 17(10):273.
- [27] Dertli, A., Cengellenmis, Y., and Eren, S. (2015). Quantum codes over  $\mathbb{F}_2 + u\mathbb{F}_2 + v\mathbb{F}_2$ . *Palestine J. of Math.*, 4:547–552.

- 
- [28] Dinh, H. Q., Bag, T., Abdukhalikov, K., Pathak, S., Upadhyay, A. K., Bandi, R., and Chinnakum, W. (2023). On a class of skew constacyclic codes over mixed alphabets and applications in constructing optimal and quantum codes. *Cryptogr. Commun.*, 15(1):171–198.
- [29] Dinh, H. Q., Bag, T., Upadhyay, A. K., Ashraf, M., Mohammad, G., and Chinnakum, W. (2020a). Quantum codes from a class of constacyclic codes over finite commutative rings. *J. Alg. Appl.*, 19(12):2150003.
- [30] Dinh, H. Q., Bag, T., Upadhyay, A. K., Bandi, R., and Chinnakum, W. (2020b). On the structure of cyclic codes over  $\mathbb{F}_qRS$  and applications in quantum and LCD codes constructions. *IEEE Access*, 8:18902–18914.
- [31] Dinh, H. Q., Bag, T., Upadhyay, A. K., Bandi, R., and Tansuchat, R. (2021). A class of skew cyclic codes and application in quantum codes construction. *Discrete Math.*, 344(2):112189.
- [32] Dummit, D. S. and Foote, R. M. (2004). *Abstract algebra*, volume 3. Wiley Hoboken.
- [33] Durgun, Y. (2020). On LCD codes over finite chain rings. *Bull. Korean Math. Soc.*, 57(1):37–50.
- [34] Fang, W., Fu, F.-W., Li, L., and Zhu, S. (2020). Euclidean and hermitian hulls of mds codes and their applications to EAQECCs. *IEEE Trans. Inform. Theory*, 66(6):3527–3537.
- [35] Gallian, J. (2021). *Contemporary abstract algebra*. Chapman and Hall/CRC.
- [36] Gao, J. and Wang, Y. (2018a). Quantum codes derived from negacyclic codes. *Int. J. Theor. Phys.*, 57:682–686.

- 
- [37] Gao, J. and Wang, Y. (2018b).  $u$ -constacyclic codes over  $\mathbb{F}_p + u\mathbb{F}_p$  and their applications of constructing new non-binary quantum codes. *Quantum Inf. Process.*, 17:1–9.
- [38] Gao, J., Zhang, Y., Liu, Y., and Fu, F.-W. (2023). New mds EAQECCs derived from constacyclic codes over  $\mathbb{F}_{q^2} + v\mathbb{F}_{q^2}$ . *Discrete Math.*, 346(9):113513.
- [39] Gao, Y., Gao, J., and Fu, F.-W. (2019). Quantum codes from cyclic codes over the ring  $\mathbb{F}_q + v_1\mathbb{F}_q + \cdots + v_r\mathbb{F}_q$ . *Appl. Algebra Eng. Commun. Comput.*, 30(2):161–174.
- [40] Grassl, M., Beth, T., and Roetteler, M. (2004). On optimal quantum codes. *Int. J. Quantum Inf.*, 2(01):55–64.
- [41] Guenda, K., Jitman, S., and Gulliver, T. A. (2018). Constructions of good entanglement-assisted quantum error correcting codes. *Des. Codes Cryptogr.*, 86:121–136.
- [42] Gursoy, F., Siap, I., and Yildiz, B. (2014). Construction of skew cyclic codes over  $\mathbb{F}_q + v\mathbb{F}_q$ . *Adv. Math. Commun.*, 8(3).
- [43] Hammons, A. R., Kumar, P. V., Calderbank, A. R., Sloane, N. J., and Solé, P. (1994). The  $\mathbb{Z}_4$ -linearity of kerdock, preparata, goethals, and related codes. *IEEE Trans. Inform. Theory*, 40(2):301–319.
- [44] Hu, L., Yue, Q., and He, X. (2020). A new method for constructing EAQEC MDS codes. *Quantum Inf. Process.*, 20:103.
- [45] Hu, P. and Liu, X. (2023). EAQEC codes from two distinct constacyclic codes. *Quantum Inf. Process.*, 22(2):100.
- [46] Huffman, W. C., Kim, J.-L., and Solé, P. (2021). *Concise encyclopedia of coding theory*. Chapman and Hall/CRC.

- 
- [47] Irwansyah, Barra, A., Muchtadi-Alamsyah, I., Muchlis, A., and Suprijanto, D. (2018). Skew-cyclic codes over  $B_k$ . *J. Appl. Math. Comput.*, 57(1-2):69–84.
- [48] Irwansyah, A. B., Dougherty, S. T., Muchlis, A., Muchtadi-Alamsyah, I., Solé, P., Suprijanto, D., and Yemen, O. (2016).  $\Theta_S$ -cyclic codes over  $A_k$ . *Int. J. Comput. Math. Comput. Syst. Theory*, 1(1):14–31.
- [49] Islam, H. and Prakash, O. (2019). Quantum codes from the cyclic codes over  $\mathbb{F}_p[u, v, w]/\langle u^2 - 1, v^2 - 1, w^2 - 1, uv - vu, vw - wv, wu - uw \rangle$ . *J. Appl. Math. Comput.*, 60:625–635.
- [50] Islam, H. and Prakash, O. (2020). New quantum codes from constacyclic and additive constacyclic codes. *Quantum Inf. Process.*, 19:1–17.
- [51] Islam, H. and Prakash, O. (2022). Construction of LCD and new quantum codes from cyclic codes over a finite non-chain ring. *Cryptogr. Commun.*, 14(1):59–73.
- [52] Islam, H., Prakash, O., and Verma, R. K. (2022). New quantum codes from constacyclic codes over the ring  $R_{k,m}$ . *Adv. Math. Commun.*, 16(1).
- [53] Jitman, S., Ling, S., and Udomkavanich, P. (2011). Skew constacyclic codes over finite chain rings. *Adv. Math. Commun.*, 6(1):39–63.
- [54] Ketkar, A., Klappenecker, A., Kumar, S., and Sarvepalli, P. K. (2006). Nonbinary stabilizer codes over finite fields. *IEEE Trans. Inform. Theory*, 52(11):4892–4914.
- [55] Koroğlu, M. E. and Siap, I. (2017). Quantum codes from a class of constacyclic codes over group algebras. *Malaysian J. Math. Sc.*, 11(2):289–301.
- [56] Li, J. (2014). Skew cyclic codes over ring  $\mathbb{F}_p + v\mathbb{F}_p$ . *J. Electron. (China)*, 31:227–231.

- 
- [57] Li, J., Gao, J., Fu, F.-W., and Ma, F. (2020).  $\mathbb{F}_q R$ -linear skew constacyclic codes and their application of constructing quantum codes. *Quantum Inf. Process.*, 19:1–23.
- [58] Li, J., Gao, J., and Wang, Y. (2018). Quantum codes from  $(1 - 2v)$ -constacyclic codes over the ring  $\mathbb{F}_q + u\mathbb{F}_q + v\mathbb{F}_q + uv\mathbb{F}_q$ . *Discrete Math. Algorithms Appl.*, 10(04):1850046.
- [59] Lin, L., Zhang, Y., Hou, X., and Gao, J. (2023). New MDS EAQECCs from constacyclic codes over finite non-chain rings. *Quantum Inf. Process.*, 22(6):250.
- [60] Ling, S. and Xing, C. (2004). *Coding theory: a first course*. Cambridge university press.
- [61] Liu, H. and Liu, X. (2020). New EAQEC codes from cyclic codes over  $\mathbb{F}_q + u\mathbb{F}_q$ . *Quantum Inf. Process.*, 19(3):85.
- [62] Liu, J. and Liu, X. (2023).  $l$ -lcp of codes and their applications to EAQEC codes. *Quantum Inf. Process.*, 22(5):186.
- [63] Liu, X. and Liu, H. (2015). LCD codes over finite chain rings. *Finite Fields Their Appl.*, 34:1–19.
- [64] Lu, L., Li, R., Guo, L., Ma, Y., and Liu, Y. (2018). Entanglement-assisted quantum MDS codes from negacyclic codes. *Quantum Inf. Process.*, 17(3):69.
- [65] Luo, G. and Cao, X. (2019). Two new families of entanglement-assisted quantum MDS codes from generalized reed–solomon codes. *Quantum Inf. Process.*, 18(89):012320.
- [66] Ma, F., Gao, J., and Fu, F.-W. (2018). Constacyclic codes over the ring  $\mathbb{F}_q + v\mathbb{F}_q + v^2\mathbb{F}_q$  and their applications of constructing new non-binary quantum codes. *Quantum Inf. Process.*, 17(6).

- 
- [67] Ma, F., Gao, J., and Fu, F.-W. (2019). New non-binary quantum codes from constacyclic codes over  $\mathbb{F}_q[u, v]/\langle u^2 - 1, v^2 - v, uv - vu \rangle$ . *Adv. Math. Commun.*, 13(3):421–434.
- [68] Massey, J. L. (1964). Reversible codes. *Inf. Control*, 7(3):369–380.
- [69] Massey, J. L. (1992). Linear codes with complementary duals. *Discrete Math.*, 106:337–342.
- [70] Ore, O. (1933). Theory of non-commutative polynomials. *Ann. Math.*, pages 480–508.
- [71] Özen, M., Tuğba Özzaim, N., and İnce, H. (2019). Skew quasi-cyclic codes over  $\mathbb{F}_q + v\mathbb{F}_q$ . *J. Algebra Appl.*, 18(04):1950077.
- [72] Peterson., W. W. (1961). *Error-Correcting Codes*. MIT Press, Cambridge, Massachusetts.
- [73] Peterson, W. W. and Weldon, E. J. Jr, c. (1972). *Error-Correcting Codes*. MIT Press, Cambridge, Massachusetts, 2nd edition.
- [74] Prakash, O., Islam, H., Patel, S., and Solé, P. (2021). New quantum codes from skew constacyclic codes over a class of non-chain rings  $R_{e,q}$ . *Int. J. Theor. Phys.*, 60:3334–3352.
- [75] Prakash, O., Verma, R. K., and Singh, A. (2023). Quantum and LCD codes from skew constacyclic codes over a finite non-chain ring. *Quantum Inf. Process.*, 22(5):200.
- [76] Prange, E. (1957). Cyclic error correcting codes in two symbols. Technical report, TN-57-103, Air Force Cambridge Research Labs, Bedford, Massachusetts.

- 
- [77] Prange, E. (1958). Some cyclic error-correcting codes with simple decoding algorithm. Technical report, TN-58-156, Air Force Cambridge Research Labs, Bedford, Massachusetts.
- [78] Prange, E. (1959a). An algorithm for factoring  $x^n - 1$  over a finite field. Technical report, TN-59-175, Air Force Cambridge Research Labs, Bedford, Massachusetts.
- [79] Prange, E. (1959b). The use of coset equivalence in the analysis and decoding of groups codes. Technical report, TN-59-164, Air Force Cambridge Research Labs, Bedford, Massachusetts.
- [80] Qian, J. (2013). Quantum codes from cyclic codes over  $\mathbb{F}_2 + v\mathbb{F}_2$ . *J. Inf. Compt. Science.*, 10(6):1715–1722.
- [81] Qian, J., Ma, W., and Guo, W. (2009). Quantum codes from cyclic codes over finite ring. *Int. J. Quantum Inf.*, 7(06):1277–1283.
- [82] Qian, J. and Zhang, L. (2019). Constructions of new entanglement-assisted quantum mds and almost MDS codes. *Quantum Inf. Process.*, 18:1–12.
- [83] Rains, E. M. (1999). Quantum codes of minimum distance two. *IEEE Trans. Inform. Theory*, 45(1):266–271.
- [84] Sendrier, N. (2004). Linear codes with complementary duals meet the Gilbert-Varshamov bound. *Discrete Math.*, 285(1-3):345–347.
- [85] Shannon, C. E. (1948). A mathematical theory of communication. *Bell Syst. Tech. J.*, 27(3):379–423.
- [86] Sharma, A. and Chauhan, V. (2019). Skew multi-twisted codes over finite fields and their galois duals. *Finite Fields Their Appl.*, 59:297–334.

- 
- [87] Shor, P. W. (1995). Scheme for reducing decoherence in quantum computer memory. *Phys. Rev. A.*, 52(4):R2493.
- [88] Siap, I., Abualrub, T., Aydin, N., and Seneviratne, P. (2011). Skew cyclic codes of arbitrary length. *Int. J. Inf. Coding Theory*, 2(1):10–20.
- [89] Steane, A. M. (1996). Simple quantum error-correcting codes. *Phys. Rev. A.*, 54(6):4741.
- [90] The Sage Developers (2023). *SageMath, the Sage Mathematics Software System (Version 9.5)*. <https://www.sagemath.org>.
- [91] ur Rehman, N., Azmi, M., and Mohammad, G. (2023). New quantum and LCD codes from cyclic codes over a finite non-chain ring. *Rep. Math. Phys.*, 91(2):237–250.
- [92] Verma, R. K., Prakash, O., Islam, H., and Singh, A. (2022). New non-binary quantum codes from skew constacyclic and additive skew constacyclic codes. *Eur. Phys. J. Plus*, 137(2):213.
- [93] Verma, R. K., Prakash, O., and Singh, A. (2020). Quantum codes from skew constacyclic codes over  $\mathbb{F}_{p^m} + v\mathbb{F}_{p^m} + v^2\mathbb{F}_{p^m}$ . In *2020 Algebraic and Combinatorial Coding Theory (ACCT)*, pages 156–161. IEEE.
- [94] Verma, R. K., Prakash, O., Singh, A., and Islam, H. (2023). New quantum codes from skew constacyclic codes. *Adv. Math. Commun.*, 17(4):900–919.
- [95] Wang, Y., Kai, X., Sun, Z., and Zhu, S. (2021). Quantum codes from hermitian dual-containing constacyclic codes over  $\mathbb{F}_{q^2} + v\mathbb{F}_{q^2}$ . *Quantum Inf. Process.*, 20(3):1–17.

- [96] Wilde, M. M. and Brun, T. A. (2008). Optimal entanglement formulas for entanglement-assisted quantum coding. *Phys. Rev. A.—Atomic, Molecular, and Optical Physics*, 77(6):064302.
- [97] Yang, X. and Massey, J. L. (1994). The condition for a cyclic code to have a complementary dual. *Discrete Math.*, 126(1-3):391–393.
- [98] Yao, T., Shi, M., and Solé, P. (2015). Skew cyclic codes over  $\mathbb{F}_q + u\mathbb{F}_q + v\mathbb{F}_q + uv\mathbb{F}_q$ . *J. Algebra Comb. Discrete Struct. Appl.*, 2:163–168.



# List of Publications

1. **Pradeep Rai**, Bhupendra Singh & Ashok Ji Gupta: On quantum and LCD codes from the cyclic codes over the ring  $\mathbb{F}_q[u, v, w]/\langle u^3 - u, v^2 - v, w^2 - w, uv, vu, uw, wu, vw - wv \rangle$ . J. Appl. Math. Comput. 70(2), 1241–1262 (2024).  
<https://doi.org/10.1007/s12190-024-02002-w>
2. **Pradeep Rai**, Bhupendra Singh & Ashok Ji Gupta: Quantum and LCD codes from Skew Constacyclic Codes over a General Class of Non-chain Rings. Quantum Inf. Proc. 23(7), 1-58 (2024).  
<https://doi.org/10.1007/s11128-024-04478-8>
3. **Pradeep Rai**, Bhupendra Singh & Ashok Ji Gupta: Skew cyclic codes over  $\mathbb{F}_q[u_1, u_2, \dots, u_r]/\langle u_i^3 - u_i, u_i u_j - u_j u_i \rangle_{i,j=1}^r$ . Palestine J. Math., 13 (Special Issue III), 216-229 (2024)
4. **Pradeep Rai**, Bhupendra Singh & Ashok Ji Gupta: EAQECCs from constacyclic codes a general class of non-chain rings (communicated)