

REFERENCES

References

Alexeev, V. L., Sharma, A. C., Goponenko, A. V., Das, S., Lednev, I. K., Wilcox, C. S., and Asher, S. A., High ionic strength glucose-sensing photonic crystal, *Analytical chemistry*, 75(10), 2316-2323, 2003.

Altman, D. G., Comparing groups-categorical data, *Practical statistics for medical research*, 1, 261-5. 1991.

American Diabetes Association, Diagnosis and Classification of diabetes mellitus, *Diabetes Care*, 37(1), S14-S80, 2014.

Amir, O., Weinstein, D., Zilberman, S., Less, M., Perl-Treves, D., Primack, H., Weinstein, A., Gabis, E., Fikhte, B. and Karasik, A., Continuous noninvasive glucose monitoring technology based on “occlusion spectroscopy”, *Journal of diabetes science and technology*, 1(4), 463-469, 2007.

Antila P., Occurrence of certain trace elements in cow’s milk, Helsinki, Finland, 1973.

Armitage, P., Berry, G., Matthews, J.N.S., Statistical methods in medical research, 4th ed. *Blackwell Science*, 2002.

Arridge, S. R., Cope, M., and Delpy, D. T., The theoretical basis for the determination of optical pathlengths in tissue: temporal and frequency analysis, *Physics in medicine and biology*, 37(7), 1531, 1992.

Assendelft O. W., Spectrophotometry of Hemoglobin Derivates, *Royal Vangorcum Ltd., Assen*, 1970.

Auses, J. P., Cook, S. L., and Maloy, J. T., Chemiluminescent enzyme method for glucose, *Analytical Chemistry*, 47(2), 244-249, 1975.

Badugu, R., Lakowicz, J. R., and Geddes, C. D., Noninvasive continuous monitoring of physiological glucose using a monosaccharide-sensing contact lens, *Analytical chemistry*, 76(3), 610-618, 2004.

Badugu, R., Lakowicz, J. R., and Geddes, C. D., Boronic acid fluorescent sensors for monosaccharide signaling based on the 6-methoxyquinolinium heterocyclic nucleus: progress toward noninvasive and continuous glucose monitoring, *Bioorganic & medicinal chemistry*, 13(1), 113-119, 2005.

Bartle, Robert G., Sherbert, Donald, R., Introduction to real analysis (4th ed.), *John Wiley & Sons*, ISBN 978-0-471-43331-6, 2011.

References

- Barman, I., Singh, G. P., Dasari, R. R., and Feld, M. S., Turbidity-corrected Raman spectroscopy for blood analyte detection, *Analytical chemistry*, 81(11), 4233-4240, 2009.
- Bashkatov, Alexey N., and Genina, Elina A., Measurement of Glucose Diffusion Coefficients in Human Tissues, Valery V. Tuchin (editor.), Handbook of Optical Sensing of Glucose in Biological Fluids and Tissues, CRC Press, Taylor & Francis Group, 6000 Broken Sound Parkway NW, Suite 300 Boca Raton, FL33487-2742, 587-622, 2009.
- Beck, G. C., Akgun, N., Rück, A., and Steiner, R., Design and characterisation of a tissue phantom system for optical diagnostics, *Lasers in Medical Science*, 13(3), 160-171, 1998.
- Beckers, Ingeborg, Spectral response of glucose: spectral response within optical window of tissue, *ANDOR an Oxford Instruments company*, 2013.
- Bin Zainul Abidin M. T., Rosli M. K. R., Shamsuddin S. A., Madzhi N. K, Abdullah Md., Initial Quantitative Comparison of 940 nm and 950 nm Infrared Sensor Performance for Measuring Glucose Non-invasively, *Proc. of the IEEE International Conference on Smart Instrumentation, Measurement and Applications (ICSIMA)*, Kuala Lumpur, Malaysia, 25-27, November, 2013.
- Birnbaum, Y., Luo, H., Nagai, T., Fishbein, M.C., Peterson, T.M., Li, S., Kricsfeld, D., Porter, T.R. and Siegel, R.J., Noninvasive in vivo clot dissolution without a thrombolytic drug recanalization of thrombosed iliofemoral arteries by transcutaneous ultrasound combined with intravenous infusion of microbubbles, *Circulation*, 97(2), 130-134, 1998.
- Bland, J. M., and Altman, D., Statistical methods for assessing agreement between two methods of clinical measurement, *The lancet*, 327(8476), 307-310, 1986.
- Bland, J. M., and Altman, D. G., Measuring agreement in method comparison studies, *Statistical methods in medical research*, 8(2), 135-160, 1999.
- Bland, J. M., and Peacock, J., *Statistical questions in evidence-based medicine*, Oxford University Press, 2000.
- Bloomgarden, Z. T., Treatment issues in type 1 diabetes, *Diabetes care*, 25(1), 230-238, 2002.

References

- Bockle, S., Rovati L., and Ansari, R. R., Polarimetric glucose sensing using the Brewster-reflection off-eye lens: theoretical analysis, *Proc. SPIE*, 4624, 160–164, 2002.
- Bolin, F. P., Preuss, L. E., Taylor, R. C., and FERENCE, R. J., Refractive index of some mammalian tissues using a fiber optic cladding method, *Applied optics*, 28(12), 2297-2303, 1989.
- Bremer, C., Ntziachristos, V., and Weissleder, R., Optical-based molecular imaging: contrast agents and potential medical applications, *European radiology*, 13(2), 231-243, 2003.
- Burmeister, J. J., Chung, H., and Arnold, M. A., Phantoms for noninvasive blood glucose sensing with near infrared transmission spectroscopy, *Photochemistry and photobiology*, 67(1), 50-55, 1998.
- Caduff, A., Talary, M. S., Mueller, M., Dewarrat, F., Klisic, J., Donath, M., Heinemann, L. and Stahel, W. A., Non-invasive glucose monitoring in patients with type 1 diabetes: a multi sensor system combining sensors for dielectric and optical characterisation of skin, *Biosensors and Bioelectronics*, 24(9), 2778-2784, 2009.
- Caduff, A., Mueller, M., Megej, A., Dewarrat, F., Suri, R. E., Klisic, J., Donath, M., Zakharov, P., Schaub, D., Stahel, W. A., and Talary, Mark S., Characteristics of a multisensor system for non invasive glucose monitoring with external validation and prospective evaluation, *Biosensors and Bioelectronics*, 26, 3794–3800, 2011.
- Cameron, B. D., and Li, Y., Polarization-based diffuse reflectance imaging for noninvasive measurement of glucose, *Journal of diabetes science and technology*, 1(6), 873-878, 2007.
- Cefalu, W. T., Concept, strategies, and feasibility of noninvasive insulin delivery, *Diabetes care*, 27(1), 239-246, 2004.
- Chen, W., Ma, Z., An, L., and Xu, K., Applying the floating-reference method to improve the precision of noninvasive blood glucose measurement, In *Biomedical Optics (BiOS) 2007*, International Society for Optics and Photonics, 64450M-64450M, February, 2007.
- Chernova, S. P., Pravdin, A. B., and Tuchin, V. V., Polarized collimated transmittance of tissue like phantom. In *BiOS'97, Part of Photonics West*, International Society for Optics and Photonics, 230-234, 1997.

References

- Chernova, S. P., Pravdin, A. B., Sinichkin, Y. P., Kochubey, V. I., Tuchin, V. V., and Vari, S. G., Correlation of fluorescence and reflectance spectra of tissue phantoms with their structure and composition, *In BiOS'99 International Biomedical Optics Symposium*, International Society for Optics and Photonics, 294-300, April, 1999.
- Cheong, W. F., Prahl, S. A., and Welch, A. J., A review of the optical properties of biological tissues, *IEEE journal of quantum electronics*, 26(12), 2166-2185, 1990.
- Cheong, W. F., "Summary of optical properties," in *Optical-Thermal Response of Laser-Irradiated Tissue*, A. J. Welch, Ed., Append. Chap. 8, Plenum Press, New York, 1995.
- Cho, O. K., Kim, Y. O., Mitsumaki, H., and Kuwa, K., Noninvasive measurement of glucose by metabolic heat conformation method, *Clinical Chemistry*, 50(10), 1894-1898, 2004.
- Chowdhury, Md. Koushik, Noninvasive blood glucose measurement using modulated ultrasound and infrared light, Doctoral Dissertation, Ph.D. thesis, *School of Biomedical Engineering, Indian Institute of Technology (Banaras Hindu University), Varanasi*, 2015.
- Clarke, W. L., Cox, D., Gonder-Frederick, L. A., Carter, W., and Pohl, S. L., Evaluating clinical accuracy of systems for self-monitoring of blood glucose, *Diabetes care*, 10(5), 622-628, 1987.
- Clement, S., Braithwaite, S. S., Magee, M. F., Ahmann, A., Smith, E. P., Schafer, R. G., and Hirsch, I. B., Management of diabetes and hyperglycemia in hospitals, *Diabetes care*, 27(2), 553-591, 2004.
- Cletus, B., Wavelength Tuneable Frequency Domain Photon Migration Spectrometer for Tissue-Like Media, Doctoral Dissertation, Ph.D. thesis, *University of Waikato, Hamilton, New Zealand*, 2010.
- Coakley, W. T., Ultrasonic separations in analytical biotechnology, *Trends in biotechnology*, 15(12), 506-511, 1997.
- Cohen, G., Contrast-Detail-Dose Analysis of Six Different Computed Tomographic Scanners, *Journal of computer assisted tomography*, 3(2), 197-203, 1979.
- Collins, P.M., *Carbohydrates*, Chapman and Hall, London, (1987).
- Contag, C. H., and Bachmann, M. H., Advances in in vivo bioluminescence imaging of gene expression, *Annual review of biomedical engineering*, 4(1), 235-260, 2002.

References

- Cooper, C. E., Elwell, C. E., Meek, J. H., Matcher, S. J., Wyatt, J. S., Cope, M., and Delpy, D. T., The noninvasive measurement of absolute cerebral deoxyhemoglobin concentration and mean optical path length in the neonatal brain by second derivative near infrared spectroscopy, *Pediatric research*, 39(1), 32-38, 1996.
- Cote, G. L., Noninvasive Optical Glucose Sensing-An Overview, *Journal of Clinical Engineering*, 22(4), 253, 1997.
- Cornbleet, P. J., and Gochman, N., Incorrect least-squares regression coefficients in method-comparison analysis, *Clinical chemistry*, 25(3), 432-438, 1979.
- Cubeddu, R., D'Andrea, C., Pifferi, A., Taroni, P., Torricelli, A., and Valentini, G., Effects of the Menstrual Cycle on the Red and Near-infrared Optical Properties of the Human Breast, *Photochemistry and photobiology*, 72(3), 383-391, 2000.
- Cunningham, D. D., and Stenken J. A. (Eds), *In vivo glucose sensing*, John Wiley & Sons, 174, 2009.
- D'Auria, S., Herman, P., Rossi, M., and Lakowicz, J. R., The fluorescence emission of the apo-glucose oxidase from *Aspergillus niger* as probe to estimate glucose concentrations, *Biochemical and biophysical research communications*, 263(2), 550-553, 1999.
- Danaei, G., Finucane, M. M., Lu, Y., Singh, G. M., Cowan, M. J., Paciorek, C. J., Lin, J. K., Farzadfar, F., Khang, Y. H., Stevens, G. A. and Rao, M., National, regional, and global trends in fasting plasma glucose and diabetes prevalence since 1980: systematic analysis of health examination surveys and epidemiological studies with 370 country-years and 2.7 million participants, *The Lancet*, 378(9785), 31-40, 2011.
- Daneman, Denis, Type 1 diabetes, *The Lancet* 367(9513), 847-858, 2006.
- Delpy, D. T., Cope, M., van der Zee, P., Arridge, S. R., Wray, S., and Wyatt, J. S., Estimation of optical pathlength through tissue from direct time of flight measurement, *Physics in medicine and biology*, 33(12), 1433, 1988.
- Dingari, N. C., Barman, I., Singh, G. P., Kang, J. W., Dasari, R. R., and Feld, M. S., Investigation of the specificity of Raman spectroscopy in non-invasive blood glucose measurements, *Analytical and bioanalytical chemistry*, 400(9), 2871-2880, 2011.
- Drexler, B., Davis, J. L., and Schofield, G., Diaphanography in the diagnosis of breast cancer, *Radiology*, 157(1), 41-44, 1985.

References

Driver, I., Feather, J. W., King, P. R., and Dawson, J. B., The optical properties of aqueous suspensions of Intralipid, a fat emulsion, *Physics in medicine and biology*, 34(12), 1927, 1989.

Drezek, R., Sokolov, K., Utzinger, U., Boiko, I., Malpica, A., Follen, M., and Richards-Kortum, R., Understanding the contributions of NADH and collagen to cervical tissue fluorescence spectra: modeling, measurements, and implications, *Journal of biomedical optics*, 6(4), 385-396, 2001.

Duck, F. A., *Physical Properties of Tissue, a Comprehensive Reference Book*, Academic, Press Inc., San Diego, 1990.

Durkin, A. J., Jaikumar, S., and Richards-Kortum, R., Optically dilute, absorbing, and turbid phantoms for fluorescence spectroscopy of homogeneous and inhomogeneous samples, *Applied Spectroscopy*, 47(12), 2114-2121, 1993.

Ebert, B., Sukowski, U., Grosenick, D., Wabnitz, H., Moesta, K. T., Licha, K., Kai Licha, Becker, Andreas, Semmler, Wolfhard, Schlag, Peter M. and Rinneberg, H., Near-infrared fluorescent dyes for enhanced contrast in optical mammography: phantom experiments, *Journal of biomedical optics*, 6(2), 134-140, 2001.

Eggs, B. R. *et al.*, *Biosensors: An introduction*, John Wiley & Sons Ltd and E.G. Teubner, 1st ed., 1996.

Enejder, A. M. K., Seccina, T. G., Oh, J., Hunter, M., Shih, W. C., Sasic, S., Horowitz, G. L., and Feld, M. S., Raman spectroscopy for noninvasive glucose measurements, *Journal of Biomedical Optics*, 10(3), 031114-0311149, 2005.

Esenaliev, R., Karabutov, A., Tittel, F., Fornage, B., Thomsen, S., Stelling, C., and Oraevsky, A., Laser optoacoustic imaging for breast cancer diagnostics: limit of detection and comparison with X-ray and ultrasound imaging, *Proc. SPIE* 2979, 71–82, 1997.

Facchinetti, A., Sparacino, G., and Cobelli, C., Reconstruction of glucose in plasma from interstitial fluid continuous glucose monitoring data: role of sensor calibration, *Journal of diabetes science and technology*, 1(5), 617-623, 2007.

Fang, M., Grant, P. S., McShane, M. J., Sukhorukov, G. B., Golub, V. O., and Lvov, Y. M., Magnetic bio/nanoreactor with multilayer shells of glucose oxidase and inorganic nanoparticles, *Langmuir*, 18(16), 6338-6344, 2002.

Feng, S., Yuan, K., and Ye, D., Precision of glucose measurement in Intralipid suspensions with optical coherence tomography, In *Information Technology and*

References

Applications in Biomedicine, 2008, ITAB 2008, International Conference on IEEE, 510-513, May, 2008.

Flock, S. T., Wilson, B. C., and Patterson, M. S., Total attenuation coefficients and scattering phase functions of tissues and phantom materials at 633 nm, *Medical Physics*, 14(5), 835-841, 1987.

Flock, S. T., Jacques, S. L., Wilson, B. C., Star, W. M., and van Gemert, M. J., Optical properties of Intralipid: a phantom medium for light propagation studies, *Lasers in surgery and medicine*, 12(5), 510-519, 1992.

Friebel, M., Do, K., Hahn, A., and Mu, G., Optical properties of circulating human blood in the wavelength range 400–2500 nm, *Journal of biomedical optics*, 4(1), 36-46, 1999.

Fujimoto, J. G., Pitris, C., Boppart, S. A., and Brezinski, M. E., Optical coherence tomography: an emerging technology for biomedical imaging and optical biopsy, *Neoplasia*, 2(1), 9-25, 2000.

Gabbay, R. A., and Sivarajah, S., Optical coherence tomography-based continuous noninvasive glucose monitoring in patients with diabetes, *Diabetes technology & therapeutics*, 10(3), 188-193, 2008.

Ginsberg, B. H., An overview of minimally invasive technologies, *Clinical Chemistry*, 38(9), 1596-1600, 1992.

Goldstein, D. E., Little, R. R., Lorenz, R. A., Malone, J. I., Nathan, D., Peterson, C. M., and Sacks, D. B., Tests of glycemia in diabetes, *Diabetes care*, 27(7), 1761-1773, 2004.

Gratton, E., Fantini, S., Franceschini, M. A., Gratton, G., and Fabiani, M., Measurements of scattering and absorption changes in muscle and brain, *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 352(1354), 727-735, 1997.

Greenslade T. B., Experiments with ultrasonic transducers, *Physical Teacher*, 32 392-397, October, 1994.

Grossweiner, L. I., Optical dosimetry in photodynamic therapy, *Lasers in surgery and medicine*, 6(5), 462-466, 1986.

Gryczynski, Z., Gryczynski, I., and Lakowicz, J. R., [2] Fluorescence-sensing methods, *Methods in enzymology*, 360, 44-75, 2003.

References

Guevara, E., and Gonzalez, F. J., Joint optical-electrical technique for noninvasive glucose monitoring, *Revista Mexicana De Fisica*, 56(5), 430-434, 2010.

Harris, D. C., *Quantitative Chemical Analysis, 4th Edition*; W. H. Freeman and Company: New York, 1995.

Harman-Boehm, I., Gal, A., Raykhman, A. M., Zahn, J. D., Naidis, E., and Mayzel, Y., Noninvasive glucose monitoring: a novel approach, *Journal of diabetes science and technology*, 3(2), 253-260, 2009.

Harman-Boehm, I., Gal, A., Raykhman, A. M., Naidis, E., and Mayzel, Y., Noninvasive glucose monitoring: increasing accuracy by combination of multi-technology and multi-sensors, *Journal of diabetes science and technology*, 4(3), 583-595, 2010.

Hariri, A., and Wang, L. Y., Identification and low-complexity regime-switching insulin control of type I diabetic patients, *Journal of Biomedical Science and Engineering*, 4(04), 297, 2011.

Heise, H. M., Non-invasive monitoring of metabolites using near infrared spectroscopy: state of the art, *Hormone and metabolic research=Hormon-und Stoffwechselforschung=Hormones et metabolisme*, 28(10), 527-534, 1996.

Heise, H. M, Bittner, A., and Marbach, R, Clinical chemistry and near infrared spectroscopy: technology for non-invasive glucose monitoring, *Journal of Near Infrared Spectroscopy*, 6,349–359, 1998.

Heise, H. M., In vivo assay of glucose, *Encyclopedia of Analytical Chemistry: Instrumentation and Applications*, 56-83, 2000.

Henry, C., Getting under the skin: implantable glucose sensors, *Analytical chemistry*, 70(17), 594A-598A, 1998.

Henry, C. M., Noninvasive glucose monitoring, *Chemical & Engineering news*, 80 (36), 41-43, 2002.

Hebden, J. C., Advances in optical imaging of the newborn infant brain, *Psychophysiology*, 40(4), 501-510, 2003.

Hidalgo, J. I., Colmenar M. J., Risco-M. J. L., Maqueda E., Botella M., Rubio J. A., Infante A. C., Garnica O., and Lanchares J., Clarke and Parkes error grid analysis of diabetic glucose models obtained with evolutionary computation, *In Proceedings of*

References

the 2014 conference companion on Genetic and evolutionary computation companion (GECCO Comp '14), ACM, New York, NY, USA, 1305-1312, 2014.

Iiya Fine, Glucose correlation with light scattering patterns, Chapter 9, Valery V. Tuchin (Editor.), *Handbook of Optical Sensing of Glucose in Biological Fluids and Tissues*, CRC Press, Taylor & Francis Group, 6000 Broken Sound Parkway NW, Suite 300 Boca Raton, FL 33487-2742, 237-280, 2009.

ISO 15197. In vitro diagnostic test systems--requirements for blood glucose monitoring systems for self-testing in managing diabetes mellitus, Geneva, Switzerland: *International Organization for Standardization*, 2003.

ISO 15197. In vitro diagnostic test systems--requirements for blood glucose monitoring systems for self-testing in managing diabetes mellitus. Geneva, Switzerland: *International Organization for Standardization*; 2006.

ISO 15197. In vitro diagnostic test systems--requirements for blood glucose monitoring systems for self-testing in managing diabetes mellitus. Geneva, Switzerland: *International Organization for Standardization*; 2013.

Jacques, S. L., Laser-tissue interactions, photochemical, photothermal, and photomechanical, *The Surgical clinics of North America*, 72 (3), 531-558, 1992.

Jacques, S. L., Tissue Optics Short Course Notes, SPIE's Photonics West, San Jose, 1997.

Jelen, Bill, Excel 2013 In Depth, *Que Publishing*, 2013.

Jeon, K. J., Hahn, S., Hwang, I. D., and Yoon, G., Factor analysis for comparing NIR reflection and transmittance for noninvasive glucose measurement, In *Biomedical Optics 2004*, International Society for Optics and Photonics, 113-120, July, 2004.

Jeon, K. J., Hwang, I. D., Hahn, S., and Yoon, G., Comparison between transmittance and reflectance measurements in glucose determination using near infrared spectroscopy, *Journal of biomedical optics*, 11(1), 014022-014022, 2006.

Jiang, S., Pogue, B. W., McBride, T. O., Doyley, M. M., Poplack, S. P., and Paulsen, K. D., Near-infrared breast tomography calibration with optoelastic tissue simulating phantoms, *Journal of electronic imaging*, 12(4), 613-620, 2003.

Kakuta, N., Arimoto, H., Momoki, H., Li, F., and Yamada, Y., Temperature measurements of turbid aqueous solutions using near-infrared spectroscopy, *Applied optics*, 47(13), 2227-2233, 2008.

References

Karagiannes, J. L., Zhang, Z., Grossweiner, B., and Grossweiner, L. I., Applications of the 1-D diffusion approximation to the optics of tissues and tissue phantoms, *Applied optics*, 28(12), 2311-2317, 1989.

Khalil, O. S., Spectroscopic and clinical aspects of noninvasive glucose measurements, *Clinical Chemistry*, 45(2), 165-177, 1999.

Khalil, O. S., Non-invasive glucose measurement technologies: an update from 1999 to the dawn of the new millennium, *Diabetes Technology & Therapeutics*, 6(5), 660-697, 2004.

Kinnunen, M. T., Popov, A. P., Plucinski, J., Myllyla, R. A., and Priezhev, A. V., Measurements of glucose content in scattering media with time-of-flight technique: comparison with Monte Carlo simulations, In *Saratov Fall Meeting 2003: Optical Technologies in Biophysics and Medicine V*, International Society for Optics and Photonics, 181-191, August, 2004.

Kinnunen, M., and Myllyla, R., Effect of glucose on photoacoustic signals at the wavelengths of 1064 and 532 nm in pig blood and intralipid, *Journal of Physics D: Applied Physics*, 38(15), 2654, 2005.

Kinnunen, M., Zhao, Z., and Myllyla, R., Glucose-induced changes in the optical properties of Intralipid, *Optics and spectroscopy*, 101(1), 54-59, 2006.

Kinnunen, M., and Myllyla, R., Comparative study of optical coherence tomography, photoacoustic technique, and time-of-flight technique in phantom measurements, In *Saratov Fall Meeting 2005: Optical Technologies in Biophysics and Medicine VII*, International Society for Optics and Photonics, 616304-616304, August, 2006^a.

Kinnunen, M., Myllyla, R., Jokela, T., and Vainio, S., In vitro studies toward noninvasive glucose monitoring with optical coherence tomography, *Applied optics*, 45(10), 2251-2260, 2006.

Kinnunen, M., and Myllyla, R., Frequency spectrum analysis of pulsed photoacoustic signals in Intralipid, In *Advanced Laser Technologies 2007*, International Society for Optics and Photonics, 702215-702215, September, 2007^a.

Kinnunen, M., and Myllyla, R., Measuring changes in the scattering properties of Intralipid at different depths with optical coherence tomography, In *Saratov Fall Meeting 2006: Coherent Optics of Ordered and Random Media VII*, International Society for Optics and Photonics, 65360N-65360N, July, 2007.

References

King, L. V., On the acoustic radiation pressure on spheres, In *Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, The Royal Society, 147, 861, 212-240, 1934.

Kirillin, M. Y., Priezhev, A. V., Kinnunen, M., Alarousu, E., Zhao, Z., Hast, J. T., and Myllyl, R. A., Glucose sensing in aqueous Intralipid suspension with an optical coherence tomography system: experiment and Monte Carlo simulation, In *Biomedical Optics*, 2004.

Kirschner, K. N., and Woods, R. J., Solvent interactions determine carbohydrate conformation, *Proceedings of the National Academy of Sciences*, 98(19), 10541-10545, 2001.

Klonoff, D. C., Lias, C., Vigersky, R., Clarke, W., Parkes, J. L., Sacks, D. B., Kirkman, M. S., Kovatchev, B., Aurand, L., Benson, C., and Bernhardt, P., The surveillance error grid, *Journal of diabetes science and technology*, 8(4), 658-672, 2014.

Kohl, M., Essenpreis, M., Bocker, D., and Cope, M., Influence of glucose concentration on light scattering in tissue-simulating phantoms, *Optics letters*, 19(24), 2170-2172, 1994.

Kohl, M., Essenpreis, M., and Cope, M., The influence of glucose concentration upon the transport of light in tissue-simulating phantoms, *Physics in medicine and biology*, 40(7), 1267, 1995.

Konig, K., Multiphoton microscopy in life sciences, *Journal of Microscopy*, 200(2), 83-104. 2000.

Kost, G. J., Tran, N. K., Louie, R. F., Gentile, N. L., and Abad, V. J., Assessing the performance of handheld glucose testing for critical care, *Diabetes technology & therapeutics*, 10(6), 445-451, 2008.

Kramer, K. E., Improving the robustness of multivariate calibration models for the determination of glucose by near-infrared spectroscopy, *Theses and Dissertations*, 99, 2005.

Krouskop, T. A., Wheeler, T. M., Kallel, F., Garra, B. S., and Hall, T., Elastic moduli of breast and prostate tissues under compression, *Ultrasonic imaging*, 20(4), 260-274, 1998.

References

- Krouwer, J. S., and Monti, K. L., A simple, graphical method to evaluate laboratory assays, *European journal of clinical chemistry and clinical biochemistry*, 33(8), 525-528, 1995.
- Krouwer, J. S., Why Bland–Altman plots should use X, not $(Y+ X)/2$ when X is a reference method, *Statistics in medicine*, 27(5), 778-780, 2008.
- Kulkarni, O. C, Mandal, P., Das, S. S., and Banerjee, S., A Feasibility study on Noninvasive Blood Glucose Measurement Using Photoacoustic Method, *4th International Conference on Bioinformatics and Biomedical Engineering (iCBBE)*, 1-4, 18-20 June, 2010.
- Lam, Chak Hing, Clinical evaluation of noninvasive blood glucose measurement by using Near Infrared spectroscopy via inter and intra subject analysis, PhD Thesis, *School of Nursing, The Hong Kong Polytechnic University*, Hong Kong, 1-53, September, 2008.
- Lee, S., Nayak, V., Dodds, J., Pishko, M., and Smith, N. B., Glucose measurements with sensors and ultrasound, *Ultrasound in medicine & biology*, 31(7), 971-977, 2005.
- Li, D., Meaney, P. M., Tosteson, T. D., Jiang, S., Kerner, T. E., McBride, T. O., Pogue, B.W., Hartov, A., and Paulsen, K. D., Comparisons of three alternative breast modalities in a common phantom imaging experiment, *Medical physics*, 30(8), 2194-2205, 2003.
- Li, B. Y., Kasemsumran, S., Hu, Y., Liang, Y. Z., and Ozaki, Y., Comparison of performance of partial least squares regression, secured principal component regression, and modified secured principal component regression for determination of human serum albumin, γ -globulin and glucose in buffer solutions and in vivo blood glucose quantification by near-infrared spectroscopy, *Analytical and bioanalytical chemistry*, 387(2), 603-611, 2007^a.
- Li, X., He, Y., Li, Z., and Li, H., Noninvasive measurement of glucose concentration using OCT based on the extended Huygens-Fresnel principle, In *Fifth International Conference on Photonics and Imaging in Biology and Medicine*, International Society for Optics and Photonics, 65340E-65340E, May, 2007.
- Li, L. N., Li, Q. B., and Zhang, G. J., A weak signal extraction method for human blood glucose noninvasive measurement using near infrared spectroscopy, *Journal of Infrared, Millimeter, and Terahertz Waves*, 30(11), 1191-1204, 2009.
- Li, J., Iorga, A., Sharma, S., Youn, J.Y., Partow-Navid, R., Umar, S., Cai, H., Rahman, S. and Eghbali, M., Intralipid, a clinically safe compound, protects the heart

References

against ischemia-reperfusion injury more efficiently than cyclosporine-A, *The Journal of the American Society of Anesthesiologists*, 117(4), 836-846, 2012.

Libnau, F.O., Structure of water and anomeric components of glucose resolved by evolving latent projections of infrared spectroscopic profiles, Doctoral Thesis, Department of Chemistry University of Bergen, 1994.

Lipson, J., Bernhardt, J., Block, U., Freeman, W.R., Hofmeister, R., Hristakeva, M., Lenosky, T., McNamara, R., Petrasek, D., Veltkamp, D., and Waydo, S., Requirements for calibration in noninvasive glucose monitoring by Raman spectroscopy, *Journal of diabetes science and technology*, 3(2), 233-241, 2009.

Linford, J., Shalev, S., Bews, J., Brown, R., and Schipper, H., Development of a tissue-equivalent phantom for diaphanography, *Medical physics*, 13(6), 869-875, 1986.

Liu, R., Gu, X. Y., and Xu, K. X., Research on the background correction in the non-invasive sensing of glucose by near-infrared spectroscopy, *Guang pu xue yu guang pu fen xi= Guang pu*, 28(8), 1772-1775, 2008.

Liu, R., He, B., Xu, K., and Yang, Y., Data correction method based on the floating reference point for the noninvasive glucose sensing, In *SPIE BiOS: Biomedical Optics*, International Society for Optics and Photonics, 71860O-71860O, February, 2009.

Losoya-Leal, A., Camacho-Leon, S., Dieck- Assad, V., and Martinez-Chapa, SO, State of the art and new perspectives in non-invasive glucose sensors, *Revista Mexicana De Ingenieria Biomedica*, 33(1), 41-52, 2012.

Lynn, C. J., Saidi, I. S., Oelberg, D. G., and Jacques, S. L., Gestational age correlates with skin reflectance in newborn infants of 24–42 weeks gestation, *Neonatology*, 64(2-3), 69-75, 1993.

Malchoff, C. D., Shoukri, K., Landau, J. I., and Buchert, J. M., A novel noninvasive blood glucose monitor, *Diabetes Care*, 25(12), 2268-2275, 2002.

Mang, T. S., McGinnis, C., Liebow, C., Nseyo, U. O., Crean, D. H., and Dougherty, T. J., Fluorescence detection of tumors early diagnosis of microscopic lesions in preclinical studies, *Cancer*, 71(1), 269-276, 1993.

Marbach, R., A new method for multivariate calibration, *Journal of Near Infrared Spectroscopy*, 13(5), 241, 2005.

References

Marshall, W. J., *Illustrated Textbook of Clinical Chemistry*, Gower Medical, London, (1989).

McMurry, John E., *Organic Chemistry* (2nd ed.), Brooks/Cole, ISBN 0534079687, 866, 1988.

Mehrubeoglu, M., Kehtarnavaz, N., Rastegar, S., and Wang, L., Effect of molecular concentrations in tissue-simulating phantoms on images obtained using diffuse reflectance polarimetry, *Optics express*, 3(7), 286-297, 1998.

Mendelson, Y., and Kent, J.C., An in vitro tissue model for evaluating the effect of carboxyhemoglobin concentration on pulse oximetry, *Biomedical Engineering, IEEE Transactions on*, 36(6), 625-627, 1989.

Mendelson, Y., Pulse oximetry: theory and applications for noninvasive monitoring, *Clinical chemistry*, 38(9), 1601-1607, 1992.

Merritt, S., Gulsen, G., Chiou, G., Chu, Y., Deng, C., Cerussi, A. E., Durkin, A.J., Tromberg, B.J., and Nalcioglu, O., Comparison of water and lipid content measurements using diffuse optical spectroscopy and MRI in emulsion phantoms, *Technology in cancer research & treatment*, 2(6), 563-569, 2003.

Minh, T. D., Oliver, S. R., Ngo, J., Flores, R., Midyett, J., Meinardi, S., Carlson, M. K., Rowland, F. S., Blake, D. R. and Galassetti, P.R., Noninvasive measurement of plasma glucose from exhaled breath in healthy and type 1 diabetic subjects, *American Journal of Physiology-Endocrinology and Metabolism*, 300(6), E1166-E1175, 2011.

Mohammadi, L. B., Klotzbuecher, T., Sigloch, S., Welzel, K., Goddel, M., Pieber, T. R., and Schaupp, L., In vivo evaluation of a chip based near infrared sensor for continuous glucose monitoring, *Biosensors and Bioelectronics*, 53, 99-104, 2014.

Myllyla, Risto, Zhao, Zuomin and Kinnunen, Matti, Pulsed Photoacoustic Techniques and Glucose Determination in Human Blood and Tissue, Chapter 14, Valery V. Tuchin (Editor), *Handbook of Optical Sensing of Glucose in Biological Fluids and Tissues*, CRC Press, Taylor & Francis Group, 6000 Broken Sound Parkway NW, Suite 300 Boca Raton, FL 33487-2742, 419-455, 2009.

Newman, J. D., and Turner, A. P., Home blood glucose biosensors: a commercial perspective, *Biosensors and Bioelectronics*, 20(12), 2435-2453, 2005.

Ntziachristos, V., Tung, C. H., Bremer, C., and Weissleder, R., Fluorescence molecular tomography resolves protease activity in vivo, *Nature medicine*, 8(7), 757-761, 2002.

References

Okada, E., Tanigawa, Y., Yamada, Y., Firbank, M., and Delpy, D. T., Investigation of the direct and indirect signal contribution of brain haematoma in near infrared spectroscopy, *OSA TOPS Adv. Opt. Imaging Photon Migrat*, 1998.

Oliver, N. S., Toumazou, C., Cass, A. E. G. and Johnston, D. G., Glucose sensors: a review of current and emerging technology, *Diabetic Medicine*, 26, 197–210, 2009.

Olsen, J. B., and Sager, E. M., Subjective evaluation of image quality based on images obtained with a breast tissue phantom: comparison with a conventional image quality phantom, *The British journal of radiology*, 68(806), 160-164, 1995.

Oraevsky, A. A., Jacques, S. L., and Tittel, F. K., Measurement of tissue optical properties by time-resolved detection of laser-induced transient stress, *Applied Optics*, 36(1), 402-415, 1997.

Ozaki, Y., Shinzawa, H., Maruo, K., In Vivo Nondestructive Measurement of Blood Glucose by Near-Infrared Diffuse-Reflectance Spectroscopy, Chapter 8, Valery V. Tuchin (Editor), Handbook of Optical Sensing of Glucose in Biological Fluids and Tissues, *CRC Press, Taylor & Francis Group*, 6000 Broken Sound Parkway NW, Suite 300 Boca Raton, FL 33487-2742, 419-455, 2009.

Pai, P. P., Sanki, P. K., Sarangi, S., and Banerjee, S., Modelling, verification, and calibration of a photoacoustics based continuous non-invasive blood glucose monitoring system, *Review of Scientific Instruments*, 86(6), 064901, 2015.

Papazoglou, T. G., Liu, W. Q., and Manolopoulos, A., Influence of medium's optical properties on laser-induced fluorescence measurements: experimental study on solutions and a gel model of biological significance, In *International Symposium on Biomedical Optics Europe'94*, International Society for Optics and Photonics, 322-328, 1995.

Pandey, Megha C., and Joshi A. K., Non-Invasive Optical Blood Glucose Measurement, *International Journal of Engineering Research and Applications (IJERA)*, 3(4), 129-131, Jul-Aug, 2013.

Patterson, M. S., Chance, B., and Wilson, B. C., Time resolved reflectance and transmittance for the noninvasive measurement of tissue optical properties, *Applied optics*, 28(12), 2331-2336, 1989.

Patterson, M. S., Wilson, B. C., and Wyman, D. R., The propagation of optical radiation in tissue I, Models of radiation transport and their application, *Lasers in Medical Science*, 6(2), 155-168, 1991.

References

Parkes, J. L., Slatin S. L., Pardo, S., and Ginsberg, B. H., A new consensus error grid to evaluate the clinical significance of inaccuracies in the measurement of blood glucose, *Diabetes Care*, 23(8), 1143–1148, 2000.

Passing, H., and Bablok, W., A new biometrical procedure for testing the equality of measurements from two different analytical methods, Application of linear regression procedures for method comparison studies in clinical chemistry, Part I., *Clinical Chemistry and Laboratory Medicine*, 21(11), 709-720, 1983.

Petersson, F., Nilsson, A., Holm, C., Jonsson, H., and Laurell, T., Separation of lipids from blood utilizing ultrasonic standing waves in microfluidic channels, *Analyst*, 129(10), 938-943, 2004.

Pfutzner, A., Klonoff, D. C., Pardo, S., and Parkes, J. L., Technical aspects of the Parkes error grid, *Journal of Diabetes Science and Technology*, 7(5), 1275-1281, 2013.

Picard, J., and Meek, T., Lipid emulsion to treat overdose of local anaesthetic: the gift of the glob, *Anaesthesia*, 61(2), 107-109, 2006.

Pogue, B. W., and Patterson, M. S., Review of tissue simulating phantoms for optical spectroscopy, imaging and dosimetry, *Journal of biomedical optics*, 11(4), 041102-041102, 2006.

Popov, A. P., Priezhev, A. V., and Myllyla, R., Glucose content monitoring with time-of-flight technique in aqueous Intralipid solution imitating human skin: Monte Carlo simulation, In *European Conference on Biomedical Optics 2005*, International Society for Optics and Photonics, 586214-586214, June, 2005.

Popov, A. P., Bykov, A. V., Toppari, S., Kinnunen, M., Priezhev, A. V., and Myllyla, R., Glucose sensing in flowing blood and intralipid by laser pulse time-of-flight and optical coherence tomography techniques, *Selected Topics in Quantum Electronics, IEEE Journal of*, 18(4), 1335-1342, 2012.

Prahl, S. A., Vitkin, I. A., Bruggemann, U., Wilson, B. C., and Anderson, R. R., Determination of optical properties of turbid media using pulsed photothermal radiometry, *Physics in medicine and biology*, 37(6), 1203, 1992.

Pravdin, A. B., Chernova, S. P., Papazoglu, T. G., and Tuchin, V. V., Tissue Phantoms, Chapter 5 in *Handbook of Optical Biomedical Diagnostics*, V. V. Tuchin (ed.), SPIE Press, Bellingham, WA, PM107, 311– 352, 2002.

References

- Quan, K. M., Christison, G. B., MacKenzie, H. A., and Hodgson, P., Glucose determination by a pulsed photoacoustic technique: an experimental study using a gelatin-based tissue phantom, *Physics in medicine and biology*, 38(12), 1911, 1993.
- Radel, S., Brandstetter, M., and Lendl, B., Observation of particles manipulated by ultrasound in close proximity to a cone-shaped infrared spectroscopy probe, *Ultrasonics*, 50(2), 240-246, 2010.
- Raghu, B., Practical Biochemistry for Medical Students, Jaypee Brother Publishers, 2003.
- Ramchandani N., and Heptulla, A. R., New technologies for diabetes: a review of the present and the future, *International Journal of Pediatric Endocrinology*, 28, 1-10, 2012.
- Robinson, M. R., Eaton, R. P., Haaland, D. M., Koepp, G. W., Thomas, E. V., Stallard, B. R., and Robinson, P. L., Noninvasive glucose monitoring in diabetic patients: a preliminary evaluation, *Clinical Chemistry*, 38(9), 1618-1622, 1992.
- Royston, D. D., Poston, R. S., and Prah, S. A., Optical properties of scattering and absorbing materials used in the development of optical phantoms at 1064 nm, *Journal of biomedical optics*, 1(1), 110-116, 1996.
- Saidi, I. S., Jacques, S. L., and Tittel, F. K., Monitoring neonatal bilirubinemia using an optical patch, In *OE/LASE'90, 14-19 Jan., Los Angeles, CA*, International Society for Optics and Photonics, July, 569-578, 1990.
- Sankaran, V., Walsh Jr, J. T., and Maitland, D. J., Polarized light propagation in biologic tissue and tissue phantoms, In *Saratov Fall Meeting'99*, International Society for Optics and Photonics, 54-62, 2000.
- Sathyam, U. S., and Prah, S. A., Limitations in measurement of subsurface temperatures using pulsed photothermal radiometry, *Journal of biomedical optics*, 2(3), 251-261, 1997.
- Sayeed, F. A., Johnson, H. W., Sukumaran, K. B., Raihle, J. A., Mowles, D. L., Stelmach, H. A., and Majors, K. R., Stability of Liposyn II fat emulsion in total nutrient admixtures, *American Journal of Health-System Pharmacy*, 43(5), 1230-1235, 1986.
- Schechter, Eric, Handbook of Analysis and Its Foundations, Absolute Values, *Academic Press*, ISBN 0-12-622760-8, 259-263, 1997.

References

- Seltzer, S. E., Swensson, R. G., Judy, P. F., and Nawfel, R. D., Size Discrimination in Computed Tomographic Images Effects of Feature Contrast and Display Window, *Investigative radiology*, 23(6), 455-462, 1988.
- Sevick-Muraca, E. M., Houston, J. P., and Gurfinkel, M., Fluorescence-enhanced, near infrared diagnostic imaging with contrast agents, *Current opinion in chemical biology*, 6(5), 642-650, 2002.
- Se-yuen, M., Wave experiments using low-cost 40 kHz ultrasonic transducers, *Physics Education*, 38(5), 441, 2003.
- Shah, N., Cerussi, A., Eker, C., Espinoza, J., Butler, J., Fishkin, J., Hornung, R., and Tromberg, B., Noninvasive functional optical spectroscopy of human breast tissue, *Proceedings of the National Academy of Sciences*, 98(8), 4420-4425, 2001.
- Sharma, J. K., *Business Statistics*, Pearson Education India, Second Edition, 454, 2012.
- Sherwood, M. J., Warchal, M. E., and Chen, S. T., A new reagent strip (Visidex) for determination of glucose in whole blood, *Clinical chemistry*, 29(3), 438-446, 1983.
- Shcherbakov, M. V., Brebels, A., Shcherbakova, N. L., Tyukov, A. P., Janovsky, T. A., and Kamaev, V. A. E., A survey of forecast error measures, *World Applied Sciences Journal*, 24, 171-176, 2013.
- Shih, W. C., Quantitative biological Raman spectroscopy for non-invasive blood analysis (Doctoral dissertation, Massachusetts Institute of Technology), 2007.
- So, C. F., Choi, K. S., Wong, T. K., and Chung, J., Recent advances in noninvasive glucose monitoring, *Medical devices: evidence and research*, 2012(5), 45-52, 2012.
- Solanki, J., Sen, P., Andrews, J. T., and Thareja, K. K., Cyclic Correlation of Diffuse Reflected Signal with Glucose Concentration and Scatterer Size. *arXiv preprint arXiv:1201.4730*, 2012^a.
- Solanki, J., Sen, P., Andrews, J. T., and Thareja, K. K., Blood glucose monitoring in human subjects using optical coherence tomography, *Journal of Optics*, 41(3), 127-133, 2012.
- Srivastava, A., Chowdhury Md., K., Sharma, S., and Sharma, N., Blood glucose monitoring using non invasive optical method: design limitations and challenges, *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, 2(1), 615-620, 2013.

References

- Srivastava, Anuj, Chowdhury Md., Koushik, Sharma, Shiru, and Sharma, Neeraj, *In-vitro* measurement of glucose concentration in human blood plasma mixed intralipid phantom samples by using modulated ultrasound and infrared light, *British Biotechnology Journal*, 13(1), 1-14, 2016.
- Star, W. M., Marijnissen, J. P. A., and Van Gemert, M. J. C., Light dosimetry in optical phantoms and in tissues: I, Multiple flux and transport theory, *Physics in medicine and biology*, 33(4), 437, 1988.
- Stewart, T. C., and Kleyle, R. M., Statistical comparison of blood glucose as determined by several test-strip procedures and by a hexokinase procedure, *Clinical chemistry*, 29(1), 132-135, 1983.
- Sterenborg, H. J. C. M., Thomsen, S., Jacques, S. L., Duvic, M., Motamedi, M., and RF WAGNER, J. R., In vivo fluorescence spectroscopy and imaging of human skin tumors, *Dermatologic surgery*, 21(9), 821-822, 1995.
- Suchkova, V., Siddiqi, F. N., Carstensen, E. L., Dalecki, D., Child, S., and Francis, C. W., Enhancement of fibrinolysis with 40-kHz ultrasound, *Circulation*, 98(10), 1030-1035, 1998.
- Suchkova, V. N., Baggs, R. B., and Francis, C. W., Effect of 40-kHz ultrasound on acute thrombotic ischemia in a rabbit femoral artery thrombosis model enhancement of thrombolysis and improvement in capillary muscle perfusion, *Circulation*, 101(19), 2296-2301, 2000.
- Sukowski, U., Schubert, F., Grosenick, D., and Rinneberg, H., Preparation of solid phantoms with defined scattering and absorption properties for optical tomography, *Physics in medicine and biology*, 41(9), 1823, 1996.
- Suzuki, K., Yamashita, Y., Ohta, K., Kaneko, M., Yoshida, M., and Chance, B., Quantitative measurement of optical parameters in normal breasts using time-resolved spectroscopy: in vivo results of 30 Japanese women, *Journal of Biomedical Optics*, 1(3), 330-334, 1996.
- Tamada, J. A., Garg, S., Jovanovic, L., et al., Noninvasive glucose monitoring: comprehensive clinical results, *Cygnus Research Team, JAMA*, 282, 1839-1844, 1999.
- Tenhunen, J., Kopola, H., and Myllyla, R., Non-invasive glucose measurement based on selective near infrared absorption; requirements on instrumentation and spectral range, *Measurement*, 24(3), 173-177, 1998.

References

Ter Haar, G., and Wyard, S. J., Blood cell banding in ultrasonic standing wave fields: a physical analysis, *Ultrasound in medicine & biology*, 4(2), 111-123, 1978.

Tirtariyadi, Ryan, Optical Glucometer Interface-Developing a Data Collecting System for Near-Infrared Bio-sensing Applications, *Electrical & Biomedical Engineering Project Report, McMaster University, Canada*, 2009.

Thennadil, S. N., Rennert, J. L., Wenzel, B. J., Hazen, K. H., Ruchti, T. L., and Block, M. B., Comparison of glucose concentration in interstitial fluid, and capillary and venous blood during rapid changes in blood glucose levels, *Diabetes technology & therapeutics*, 3(3), 357-365, 2001.

“The fourth edition of the IDF diabetes atlas”, *International Diabetes Federation*, 2009.

Trinder, P., Determination of glucose in blood using glucose oxidase with an alternative oxygen acceptor, *Annals of Clinical Biochemistry: An international journal of biochemistry in medicine*, 6(1), 24-27, 1969.

Troy, T., Jekic-McMullen, D., Sambucetti, L., and Rice, B., Quantitative comparison of the sensitivity of detection of fluorescent and bioluminescent reporters in animal models, *Molecular imaging*, 3(1), 9-23, 2004.

Tuchin, V. V., and Tuchin, V., *Tissue optics: light scattering methods and instruments for medical diagnosis*, Bellingham: SPIE press, Vol. 13, 2007.

Tuchin V.V (ed.), Handbook of Optical Sensing of Glucose in Biological Fluids and Tissues, *CRC Press, Taylor & Francis Group, London*, 2009.

Tuchin, V. V., Bashkatov, A. N., Genina, E. A., Kochubey, V. I., Lychagov, V. V., Portnov, S. A., and Trunina, N. A., Finger tissue model and blood perfused skin tissue phantom, In *SPIE BiOS, 78980Z-78980Z*, International Society for Optics and Photonics, 2011.

Tura, A., Maran, A., and Pacini, G., Non-invasive glucose monitoring: assessment of technologies and devices according to quantitative criteria, *Diabetes research and clinical practice*, 77(1), 16-40, 2007.

Turner, A. P., Chen, B., and Piletsky, S. A., In vitro diagnostics in diabetes: meeting the challenge. *Clinical chemistry*, 45(9), 1596-1601, 1999.

Urban, M. W., Silva, G. T., Fatemi, M., and Greenleaf, J. F., Multi frequency vibro-acoustography, *Medical Imaging, IEEE Transactions on*, 25(10), 1284-1295, 2006.

References

Urban, M. W., Fatemi, M., and Greenleaf, J. F., Modulation of ultrasound to produce multi-frequency radiation force, *The Journal of the Acoustical Society of America*, 127(3), 1228-1238, 2010.

Vaddiraju, S., Burgess, D. J., Tomazos, I., Jain, F. C., and Papadimitrakopoulos, F., Technologies for continuous glucose monitoring: current problems and future promises, *Journal of diabetes science and technology*, 4(6), 1540-1562, 2010.

Valgimigli, F., Lucarelli, F., Scuffi, C., Morandi, S., and Sposato, I., Evaluating the clinical accuracy of GlucoMen[®] Day: a novel microdialysis-based continuous glucose monitor, *Journal of diabetes science and technology*, 4(5), 1182-1192, 2010.

Van Staveren, H. J., Moes, C. J., van Marie, J., Prahl, S. A., and Van Gemert, M. J., Light scattering in Intralipid-10% in the wavelength range of 400–1100 nm, *Applied optics*, 30(31), 4507-4514, 1991.

Vashist, Sandeep Kumar, Non-invasive glucose monitoring technology in diabetes management: A review, *Analytica Chimica Acta*, 750, 16-27, 2012.

Voigt, J., Wendelken, M., Driver, V., and Alvarez, O. M., Low-frequency ultrasound (20-40 kHz) as an adjunctive therapy for chronic wound healing a systematic review of the literature and meta-analysis of eight randomized controlled trials, *The international journal of lower extremity wounds*, 10(4), 190-199, 2011.

Wagnieres, G., Cheng, S., Zellweger, M., Utke, N., Braichotte, D., Ballini, J. P., and van den Bergh, H., An optical phantom with tissue-like properties in the visible for use in PDT and fluorescence spectroscopy, *Physics in medicine and biology*, 42(7), 1415, 1997.

Walenta, S., Schroeder, T., and Mueller-Klieser, W., Metabolic mapping with bioluminescence: basic and clinical relevance. *Biomolecular engineering*, 18(6), 249-262, 2002.

Ward, *Electrical Engineering Science*, 141–142, McGraw-Hill, 1971.

Waterworth, M. D., Tarte, B. J., Joblin, A. J., Van Doorn, T., and Niesler, H. E., Optical transmission properties of homogenised milk used as a phantom material in visible wavelength imaging, *Australasian physical & engineering sciences in medicine/supported by the Australasian College of Physical Scientists in Medicine and the Australasian Association of Physical Sciences in Medicine*, 18(1), 39-44, 1995.

Watkins, Peter J., ABC of Diabetes, (Fifth Edition), London: BMJ Books, 2003.

References

Watmough, D. J., Diaphanography: mechanism responsible for the images, *Acta Radiologica: Oncology*, 21(1), 11-15, 1982.

Waynant, R. W., and Chenault, V. M., Overview of non-invasive fluid glucose measurement using optical techniques to maintain glucose control in diabetes mellitus, *LEOS newsletter*, 12(2), 3-6, 1998.

Weinberg, G. L., VadeBoncouer, T., Ramaraju, G. A., Garcia-Amaro, M. F., and Cwik, M. J., Pretreatment or resuscitation with a lipid infusion shifts the dose-response to bupivacaine-induced asystole in rats, *The Journal of the American Society of Anesthesiologists*, 88(4), 1071-1075, 1998.

Weiss, R., Yegorchikov, Y., Shusterman, A., and Raz, I., Noninvasive continuous glucose monitoring using photoacoustic technology-results from the first 62 subjects, *Diabetes technology & therapeutics*, 9(1), 68-74, 2007.

Wentholt, I. M. E., Hart, A. A. M., Hoekstra, J. B. L., and Devries, J. H., How to assess and compare the accuracy of continuous glucose monitors?, *Diabetes technology & therapeutics*, 10(2), 57-68, 2008.

Wild, S., Roglic, G., Green, A., Sicree, R., and King, H., Global prevalence of diabetes estimates for the year 2000 and projections for 2030, *Diabetes care*, 27(5), 1047-1053, 2004.

Wilson, B. C., Muller, P. J., and Yanch, J. C., Instrumentation and light dosimetry for intra-operative photodynamic therapy (PDT) of malignant brain tumours, *Physics in medicine and biology*, 31(2), 125, 1986.

Wilson, B. C., and Jacques, S. L., Optical reflectance and transmittance of tissues: principles and applications, *Quantum Electronics, IEEE Journal of*, 26(12), 2186-2199, 1990.

Wilson, G. S., Zhang, Y., Reach, G., Moatti-Sirat, D., Poitout, V., Thevenot, D. R., Lemonnier, F and Klein, J. C., Progress toward the development of an implantable sensor for glucose, *Clinical Chemistry*, 38(9), 1613-1617, 1992.

Wolf, M., Keel, M., Dietz, V., von Siebenthal, K., Bucher, H. U., and Baenziger, O., The influence of a clear layer on near-infrared spectrophotometry measurements using a liquid neonatal head phantom, *Physics in medicine and biology*, 44(7), 1743, 1999.

Wyman, D. R., Patterson, M. S., and Wilson, B. C., Similarity relations for the interaction parameters in radiation transport, *Applied optics*, 28(24), 5243-5249, 1989.

References

www.dreamstime.com/stock-illustration-diabetes-complications-affected-organs-affects-nerves-kidneys-eyes-vessels-heart-skin-image62041410, DOA: January, 2016.

www.fresenius-kabi.co.in/products_parenteral_lipid.asp, DOA: February, 2016.

www.nzytech.com/files/brochures/AK0016_DGlucose%20GODPOD,%20UV%20method.pdf?37c385, DOA: December, 2015.

Ya, Liu, Ying, Yang, Ting, Sun, and Xingjiang, Li, Production of L-malate from glucose with *Rhizopusoryzae*, *Res. J. Biotech*, 9(6), 70-80, 2014.

Yadav, J., Rani, A., Singh, V., and Murari, B.M., Near-infrared LED based non-invasive blood glucose sensor, *2014 International Conference on Signal Processing and Integrated Networks (SPIN)*, 591-594, 20-21, Feb, 2014.

Yang, Y., Chen, W., Shi, Z., and Xu, K., Reference point of floating-reference method for blood glucose sensing, *Chinese Optics Letters*, 8(4), 421-424, 2010.

Ye, K., and Schultz, J. S., Genetic engineering of an allosterically based glucose indicator protein for continuous glucose monitoring by fluorescence resonance energy transfer, *Analytical chemistry*, 75(14), 3451-3459, 2003.

Yeh, S J, Hanna, C. F., Kantor S., et al., Differences in thermal optical response between intact diabetic and nondiabetic human skin, *Proc. SPIE*, 4958, 213–224, 2003.

Yoon, Gilwon, Statistical Analysis for Glucose Prediction in Blood Samples by Infrared Spectroscopy, Chapter 4, Valery V. Tuchin (Editor), *Handbook of Optical Sensing of Glucose in Biological Fluids and Tissues*, CRC Press, Taylor & Francis Group, 6000 Broken Sound Parkway NW, Suite 300 Boca Raton, FL 33487-2742, 97-114, 2009.

Yosioka, K., and Kawasima, Y., Acoustic radiation pressure on a compressible sphere, *Acta Acustica united with Acustica*, 5(3), 167-173, 1955.

Zemansky, M W, *Heat and Thermodynamics: an Intermediate Textbook*, 5th edition, McGraw Hill Kogakusha, Tokyo, 1968.

Zhang, W., Liu, R., W., Zheng, J., and Xu, K., Net analyte signal with floating reference theory in non-invasive blood glucose sensing by near-infrared spectroscopy, *Chinese Optics Letters*, 10(8), 083002, 2012.

References

Zhang, M., Determination of Glucose-Concentration of Turbid Sample by Optical Coherence Tomography at 1550nm Wavelength, In *Advanced Materials Research*, Trans Tech Publications, 677, 368-372, March, 2013.

Zhao, Z., and Myllyla, R. A., Photoacoustic blood glucose and skin measurement based on optical scattering effect, *Saratov Fall Meeting 2001*, International Society for Optics and Photonics, 153-157, July, 2002^a.

Zhao, Z., Pulsed Photoacoustic Techniques and Glucose Determination in Human Blood and Tissue, Doctoral thesis, *University of Oulu, Finland*, 2002.

Zhao, Z., and Myllyla, R., Scattering photoacoustic study of weakly-absorbing substances in aqueous suspensions, In *Journal de Physique IV (Proceedings)* EDP sciences, 137, 385-390, November, 2006.

Zhu, L., Lin, J., Xie, W., and Li, H., New optical method for noninvasive blood glucose measurement by optical ultrasonic modulation, In *Photonics Asia 2010* International Society for Optics and Photonics, 784525-784525, November, 2010.

Zhu, L., Lin, J., Lin, B., and Li, H., Noninvasive blood glucose measurement by ultrasound-modulated optical technique, *Chinese Optics Letters*, 11(2), 021701, 2013.

Zilberman, S., Kononenko, A., Weinstein, A., Gabis, E., and Karasin, A., Improved system for noninvasive glucose monitoring at home, *EASD poster*, 932, 2009.