

References

- [1] M. J. Faber, K. M. van der Zwaag, W. G. V. dos Santos, H. R. d. O. Rocha, M. E. V. Segatto, and J. A. L. Silva, “A theoretical and experimental evaluation on the performance of lora technology,” *IEEE Sensors Journal*, 2020, vol. 20, no. 16, pp. 9480–9489.
- [2] S. I. Mirzadeh, M. Farajtabar, A. Li, N. Levine, A. Matsukawa, and H. Ghasemzadeh, “Improved knowledge distillation via teacher assistant,” in *Proc. AAAI*, 2020, pp. 5191–5198.
- [3] G. Hinton, O. Vinyals, and J. Dean, “Distilling the knowledge in a neural network,” *arXiv preprint arXiv:1503.02531*, 2015.
- [4] H. Zhao, X. Sun, J. Dong, C. Chen, and Z. Dong, “Highlight every step: Knowledge distillation via collaborative teaching,” *IEEE Transactions on Cybernetics*, 2020, pp. 1–12.
- [5] G. Zhou, Y. Fan, R. Cui, W. Bian, X. Zhu, and K. Gai, “Rocket launching: A universal and efficient framework for training well-performing light net,” in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 32, no. 1, 2018.
- [6] E. Sannara, F. PORTET, P. LALANDA, and V. German, “A federated learning aggregation algorithm for pervasive computing: Evaluation and comparison,” in *Proc. IEEE PerCom*, 2021, pp. 1–10.
- [7] S. Wang, T. Tuor, T. Salonidis, K. K. Leung, C. Makaya, T. He, and K. Chan, “Adaptive federated learning in resource constrained edge computing systems,” *IEEE Journal on Selected Areas in Communications*, 2019, vol. 37, no. 6, pp. 1205–1221.

- [8] X. Ouyang, Z. Xie, J. Zhou, J. Huang, and G. Xing, "Clusterfl: a similarity-aware federated learning system for human activity recognition," in *Proc. IEEE PerCom*, 2021, pp. 54–66.
- [9] M. Tang and V. W. Wong, "An incentive mechanism for cross-silo federated learning: A public goods perspective," in *Proc. IEEE INFOCOM*, 2021, pp. 1–10.
- [10] T. S. Darwish, K. A. Bakar, O. Kaiwartya, and J. Lloret, "Trading: Traffic aware data offloading for big data enabled intelligent transportation system," *IEEE Transactions on Vehicular Technology*, 2020, vol. 69, no. 7, pp. 6869–6879.
- [11] M. N. Nguyen, N. H. Tran, Y. K. Tun, Z. Han, and C. S. Hong, "Toward multiple federated learning services resource sharing in mobile edge networks," *IEEE Transactions on Mobile Computing*, 2021, vol. 22, no. 1, pp. 541–555.
- [12] C. Zhang, L. Cui, S. Yu, and J. James, "A communication-efficient federated learning scheme for iot-based traffic forecasting," *IEEE Internet of Things Journal*, 2021, vol. 9, no. 14, pp. 11 918–11 931.
- [13] F. Shi, C. Hu, W. Lin, L. Fan, T. Huang, and W. Wu, "Vfedcs: Optimizing client selection for volatile federated learning," *IEEE Internet of Things Journal*, 2022, vol. 9, no. 24, pp. 24 995–25 010.
- [14] V.-D. Nguyen, S. K. Sharma, T. X. Vu, S. Chatzinotas, and B. Ottersten, "Efficient federated learning algorithm for resource allocation in wireless iot networks," *IEEE Internet of Things Journal*, 2020, vol. 8, no. 5, pp. 3394–3409.
- [15] S. AbdulRahman, H. Tout, H. Ould-Slimane, A. Mourad, C. Talhi, and M. Guizani, "A survey on federated learning: The journey from centralized to distributed on-site learning and beyond," *IEEE Internet of Things Journal*, 2020, vol. 8, no. 7, pp. 5476–5497.
- [16] Z. Chai, A. Ali, S. Zawad, S. Truex, A. Anwar, N. Baracaldo, Y. Zhou, H. Ludwig, F. Yan, and Y. Cheng, "Tifl: A tier-based federated learning system," in *Proc. IEEE HPDC*, 2020, p. 125–136.
- [17] Y. Zhan, P. Li, and S. Guo, "Experience-driven computational resource allocation of federated learning by deep reinforcement learning," in *Proc. IEEE IPDPS*, 2020, pp. 234–243.

- [18] R. Yu and P. Li, "Toward resource-efficient federated learning in mobile edge computing," *IEEE Network*, 2021, vol. 35, no. 1, pp. 148–155.
- [19] Y. Jin, L. Jiao, Z. Qian, S. Zhang, S. Lu, and X. Wang, "Resource-efficient and convergence-preserving online participant selection in federated learning," in *Proc. IEEE ICDCS*, 2020, pp. 606–616.
- [20] S. Ke, C. Huang, and X. Liu, "On the impact of label noise in federated learning," in *2023 21st International Symposium on Modeling and Optimization in Mobile, Ad Hoc, and Wireless Networks (WiOpt)*. IEEE, 2023, pp. 183–190.
- [21] S. M. Shah, L. Su, and V. K. Lau, "Robust federated learning over noisy fading channels," *IEEE Internet of Things Journal*, 2022, vol. 10, no. 9, pp. 7993–8013.
- [22] M. Yang, H. Qian, X. Wang, Y. Zhou, and H. Zhu, "Client selection for federated learning with label noise," *IEEE Transactions on Vehicular Technology*, 2021, vol. 71, no. 2, pp. 2193–2197.
- [23] C. Feng, Z. Zhao, Y. Wang, T. Q. Quek, and M. Peng, "On the design of federated learning in the mobile edge computing systems," *IEEE Transactions on Communications*, 2021, vol. 69, no. 9, pp. 5902–5916.
- [24] M. Rizzi, P. Ferrari, A. Flammini, and E. Sisinni, "Evaluation of the iot lorawan solution for distributed measurement applications," *IEEE Transactions on Instrumentation and Measurement*, 2017, vol. 66, no. 12, pp. 3340–3349.
- [25] N. Blenn and F. Kuipers, "LoRaWAN in the Wild: Measurements from the Things Network," *arXiv preprint arXiv:1706.03086*, 2017.
- [26] O. Georgiou and U. Raza, "Low power wide area network analysis: Can lora scale?" *IEEE Wireless Communications Letters*, 2017, vol. 6, no. 2, pp. 162–165.
- [27] M. Chiani and A. Elzanaty, "On the lora modulation for iot: Waveform properties and spectral analysis," *IEEE Internet of Things Journal*, 2019, vol. 6, no. 5, pp. 8463–8470.
- [28] M. de Castro Tomé, P. H. J. Nardelli, and H. Alves, "Long-range low-power wireless networks and sampling strategies in electricity metering," *IEEE Transactions on Industrial Electronics*, 2019, vol. 66, no. 2, pp. 1629–1637.

- [29] P. Kumari, R. Mishra, H. P. Gupta, T. Dutta, and S. K. Das, “An energy efficient smart metering system using edge computing in lora network,” *IEEE Transactions on Sustainable Computing*, 2021, pp. 1–1.
- [30] M. E. E. Alahi, N. Pereira-Ishak, S. C. Mukhopadhyay, and L. Burkitt, “An internet-of-things enabled smart sensing system for nitrate monitoring,” *IEEE Internet of Things Journal*, 2018, vol. 5, no. 6, pp. 4409–4417.
- [31] P. A. Catherwood, D. Steele, M. Little, S. McComb, and J. McLaughlin, “A community-based iot personalized wireless healthcare solution trial,” *IEEE Journal of Translational Engineering in Health and Medicine*, 2018, vol. 6, pp. 1–13.
- [32] R. Kumar, R. Mishra, H. P. Gupta, and T. Dutta, “Smart Sensing for Agriculture: Applications, Advancements, and Challenges,” *IEEE Consumer Electronics Magazine*, 2021, vol. 10, no. 4, pp. 51–56.
- [33] U. Raza, P. Kulkarni, and M. Sooriyabandara, “Low Power Wide Area Networks: An Overview,” *IEEE Communications Surveys Tutorials*, 2017, vol. 19, no. 2, pp. 855–873.
- [34] N. El Rachkidy, A. Guitton, and M. Kaneko, “Collision resolution protocol for delay and energy efficient lora networks,” *IEEE Transactions on Green Communications and Networking*, 2019, vol. 3, no. 2, pp. 535–551.
- [35] B. Reynders, Q. Wang, P. Tuset-Peiro, X. Vilajosana, and S. Pollin, “Improving reliability and scalability of lorawans through lightweight scheduling,” *IEEE Internet of Things Journal*, 2018, vol. 5, no. 3, pp. 1830–1842.
- [36] L.-H. Shen, C.-H. Wu, W.-C. Su, and K.-T. Feng, “Analysis and implementation for traffic-aware channel assignment and contention scheme in lora-based iot networks,” *IEEE Internet of Things Journal*, 2021, vol. 8, no. 14, pp. 11 368–11 383.
- [37] M. Heusse, C. Caillouet, and A. Duda, “Performance of unslotted aloha with capture and multiple collisions in lorawan,” *IEEE Internet of Things Journal*, 2023.
- [38] A. Tolio, D. Boem, T. Marchioro, and L. Badia, “Spreading factor allocation in lora networks through a game theoretic approach,” in *ICC 2020 - 2020 IEEE International Conference on Communications (ICC)*, 2020, pp. 1–6.

- [39] J. Haxhibeqiri, I. Moerman, and J. Hoebeke, “Low overhead scheduling of lora transmissions for improved scalability,” *IEEE Internet of Things Journal*, 2019, vol. 6, no. 2, pp. 3097–3109.
- [40] F. Adelantado, X. Vilajosana, P. Tuset Peiro, B. Martinez, J. Melia-Segui, and T. Watteyne, “Understanding the limits of lorawan,” *IEEE Communications Magazine*, 2017, vol. 55, no. 9, pp. 34–40.
- [41] F. Van den Abeele, J. Haxhibeqiri, I. Moerman, and J. Hoebeke, “Scalability analysis of large-scale lorawan networks in ns-3,” *IEEE Internet of Things Journal*, 2017, vol. 4, no. 6, pp. 2186–2198.
- [42] F. Adelantado, X. Vilajosana, P. Tuset-Peiro, B. Martinez, J. Melia-Segui, and T. Watteyne, “Understanding the limits of lorawan,” *IEEE Communications Magazine*, 2017, vol. 55, no. 9, pp. 34–40.
- [43] S. Chopade, H. P. Gupta, R. Mishra, A. Oswal, P. Kumari, and T. Dutta, “A sensors-based river water quality assessment system using deep neural network,” *IEEE Internet of Things Journal*, 2022, vol. 9, no. 16, pp. 14 375–14 384.
- [44] N. Cheng, S. Wu, X. Wang, Z. Yin, C. Li, W. Chen, and F. Chen, “Ai for uav-assisted iot applications: A comprehensive review,” *IEEE Internet of Things Journal*, 2023.
- [45] A. H. Sodhro, S. Pirbhulal, and V. H. C. de Albuquerque, “Artificial intelligence-driven mechanism for edge computing-based industrial applications,” *IEEE Transactions on Industrial Informatics*, 2019, vol. 15, no. 7, pp. 4235–4243.
- [46] Z. Lv, Y. Han, A. K. Singh, G. Manogaran, and H. Lv, “Trustworthiness in industrial iot systems based on artificial intelligence,” *IEEE Transactions on Industrial Informatics*, 2021, vol. 17, no. 2, pp. 1496–1504.
- [47] Y. Liu, J. Nie, X. Li, S. H. Ahmed, W. Y. B. Lim, and C. Miao, “Federated learning in the sky: Aerial-ground air quality sensing framework with uav swarms,” *IEEE Internet of Things Journal*, 2021, vol. 8, no. 12, pp. 9827–9837.
- [48] R. Mishra, H. P. Gupta, and T. Dutta, “A survey on deep neural network compression: Challenges, overview, and solutions,” *arXiv preprint arXiv:2010.03954*, 2020.

- [49] X. Zhang, X. Zhou, M. Lin, and J. Sun, “Shufflenet: An extremely efficient convolutional neural network for mobile devices,” in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2018, pp. 6848–6856.
- [50] G. Hinton, O. Vinyals, and J. Dean, “Distilling the knowledge in a neural network,” *arXiv preprint arXiv:1503.02531*, 2015.
- [51] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, “Dropout: a simple way to prevent neural networks from overfitting,” *The journal of machine learning research*, 2014, vol. 15, no. 1, pp. 1929–1958.
- [52] S. Bhattacharya and N. D. Lane, “Sparsification and separation of deep learning layers for constrained resource inference on wearables,” in *Proceedings of the 14th ACM Conference on Embedded Network Sensor Systems CD-ROM*, 2016, pp. 176–189.
- [53] H. Cai, C. Gan, T. Wang, Z. Zhang, and S. Han, “Once-for-all: Train one network and specialize it for efficient deployment,” *arXiv preprint arXiv:1908.09791*, 2019.
- [54] G. Zhou, Y. Fan, R. Cui, W. Bian, X. Zhu, and K. Gai, “Rocket launching: A universal and efficient framework for training well-performing light net,” in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 32, no. 1, 2018.
- [55] Y. K. Tun, Y. M. Park, N. H. Tran, W. Saad, S. R. Pandey, and C. S. Hong, “Energy-efficient resource management in uav-assisted mobile edge computing,” *IEEE Communications Letters*, 2020, vol. 25, no. 1, pp. 249–253.
- [56] G. Zhu, D. Liu, Y. Du, C. You, J. Zhang, and K. Huang, “Toward an intelligent edge: Wireless communication meets machine learning,” *IEEE communications magazine*, 2020, vol. 58, no. 1, pp. 19–25.
- [57] D. Ebrahimi, S. Sharafeddine, P.-H. Ho, and C. Assi, “Data collection in wireless sensor networks using uav and compressive data gathering,” in *2018 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 2018, pp. 1–7.
- [58] T. S. J. Darwish, K. A. Bakar, O. Kaiwartya, and J. Lloret, “Trading: Traffic aware data offloading for big data enabled intelligent transportation system,” *IEEE Transactions on Vehicular Technology*, 2020, vol. 69, no. 7, pp. 6869–6879.

- [59] A. Gupta, H. P. Gupta, B. Biswas, and T. Dutta, “An early classification approach for multivariate time series of on-vehicle sensors in transportation,” *IEEE Transactions on Intelligent Transportation Systems*, 2020, vol. 21, no. 12, pp. 5316–5327.
- [60] R. Mishra, A. Gupta, H. P. Gupta, and T. Dutta, “A sensors based deep learning model for unseen locomotion mode identification using multiple semantic matrices,” *IEEE Transactions on Mobile Computing*, 2022, vol. 21, no. 3, pp. 799–810.
- [61] P. Arthurs, L. Gillam, P. Krause, N. Wang, K. Halder, and A. Mouzakitis, “A taxonomy and survey of edge cloud computing for intelligent transportation systems and connected vehicles,” *IEEE Transactions on Intelligent Transportation Systems*, 2021, pp. 1–16, doi: 10.1109/TITS.2021.3084396.
- [62] R. Mishra, H. P. Gupta, and T. Dutta, “A road health monitoring system using sensors in optimal deep neural network,” *IEEE Sensors Journal*, 2021, vol. 21, no. 14, pp. 15 527–15 534.
- [63] —, “A network resource aware federated learning approach using knowledge distillation,” in *Proc. IEEE INFOCOM WKSHPS*, 2021, pp. 1–2.
- [64] M. N. H. Nguyen, N. H. Tran, Y. K. Tun, Z. Han, and C. S. Hong, “Toward multiple federated learning services resource sharing in mobile edge networks,” *IEEE Transactions on Mobile Computing*, 2021, pp. 1–1, doi: 10.1109/TMC.2021.3085979.
- [65] Y. Han and X. Zhang, “Robust federated learning via collaborative machine teaching,” in *Proc. AAAI*, 2020, pp. 4075–4082.
- [66] Y. Chen, X. Yang, X. Qin, H. Yu, B. Chen, and Z. Shen, “Focus: Dealing with label quality disparity in federated learning,” *arXiv preprint arXiv:2001.11359*, 2020.
- [67] L. Li, H. Fu, B. Han, C.-Z. Xu, and L. Shao, “Federated noisy client learning,” *arXiv preprint arXiv:2106.13239*, 2021.
- [68] T. Tuor, S. Wang, B. J. Ko, C. Liu, and K. K. Leung, “Overcoming noisy and irrelevant data in federated learning,” in *Proc. ICPR*, 2021, pp. 5020–5027.
- [69] D. Hendrycks, M. Mazeika, D. Wilson, and K. Gimpel, “Using trusted data to train deep networks on labels corrupted by severe noise,” in *Proc. NIPS*, 2018, pp. 10 456–10 465.

- [70] P. Kumari, H. P. Gupta, and T. Dutta, "A bayesian game based approach for associating the nodes to the gateway in lora network," *IEEE Transactions on Intelligent Transportation Systems*, 2021, pp. 1–10.
- [71] P. Kumari, R. Mishra, H. P. Gupta, T. Dutta, and S. K. Das, "An energy efficient smart metering system using edge computing in lora network," *IEEE Transactions on Sustainable Computing*, 2021, pp. 1–13.
- [72] SHL Challenge, 2022. [Online]. Available: <http://www.shl-dataset.org/activity-recognition-challenge/>
- [73] B. McMahan, E. Moore, D. Ramage, S. Hampson, and B. A. y Arcas, "Communication-efficient learning of deep networks from decentralized data," in *Proc. AISTATS*, 2017, pp. 1273–1282.
- [74] J. Nocedal and S. Wright, *Numerical optimization*. Springer Science & Business Media, 2006.
- [75] Y. Zhan, X. Fang, and X. Li, "Smart Building Energy Management System for Demand Response Applications," *IEEE Transactions on Industrial Informatics*, 2018, vol. 14, no. 9, pp. 4004–4014.
- [76] H. R. Pota, N. Kumar, M. J. M. Vergeer, and M. Keane, "Smart Building: An Energy Efficient Approach to Building Automation," *IEEE Transactions on Industrial Informatics*, 2018, vol. 15, no. 2, pp. 696–709.
- [77] R. Kumar, R. Mishra, H. P. Gupta, and T. Dutta, "Smart Sensing for Agriculture: Applications, Advancements, and Challenges," *IEEE Consumer Electronics Magazine*, 2021, vol. 10, no. 4, pp. 51–56.
- [78] L. Yu, Y. Ping, B. Bizhen, C. Quayle, X. Leon, and Z. Anping, "Study on Cell Gesture Motion Based on Inertial Sensors," in *Proc. IEEE ICEMI*, vol. 1, 2011, pp. 56–60.
- [79] B. Yu, L. Xu, and Y. Li, "Bluetooth Low Energy (BLE) Based Mobile Electrocardiogram Monitoring System," in *Proc. IEEE ICIA*, 2012, pp. 763–767.
- [80] R. Mishra, H. P. Gupta, R. Kumar, and T. Dutta, "Leveraging Augmented Intelligence of Things to Enhance Lifetime of UAV-Enabled Aerial Networks," *IEEE Transactions on Industrial Informatics*, 2023, vol. 19, no. 1, pp. 586–593.

- [81] R. Kumar, R. Mishra, and H. P. Gupta, "A Federated Learning Approach With Imperfect Labels in LoRa-Based Transportation Systems," *IEEE Transactions on Intelligent Transportation Systems*, 2023, pp. 1–9.
- [82] S. N. Khan, M. U. Farooq, and S. A. Khan, "Smart Building Communication: State-of-the-Art, Challenges, and Opportunities," *IEEE Access*, 2018, vol. 6, pp. 62 078–62 091.
- [83] Y. Li, J. Yang, and J. Wang, "DyLoRa: Towards Energy Efficient Dynamic LoRa Transmission Control," in *Proc. IEEE INFOCOM*, 2020, pp. 2312–2320.
- [84] D. Saluja, R. Singh, L. K. Baghel, and S. Kumar, "Scalability Analysis of LoRa Network for SNR-Based SF Allocation Scheme," *IEEE Transactions on Industrial Informatics*, 2021, vol. 17, no. 10, pp. 6709–6719.
- [85] L. Beltramelli, A. Mahmood, P. Österberg, and M. Gidlund, "Lora beyond aloha: An investigation of alternative random access protocols," *IEEE Transactions on Industrial Informatics*, 2021, vol. 17, no. 5, pp. 3544–3554.
- [86] P. Kumari, H. P. Gupta, and T. Dutta, "Estimation of time duration for using the allocated lora spreading factor: A game-theory approach," *IEEE Transactions on Vehicular Technology*, 2020, vol. 69, no. 10, pp. 11 090–11 098.
- [87] J. Han, P. Luo, and X. Wang, "Deep self-learning from noisy labels," in *Proc. ICCV*, 2019, pp. 5138–5147.
- [88] B. Reynders, Q. Wang, P. Tuset-Peiro, X. Vilajosana, and S. Pollin, "Improving reliability and scalability of lorawans through lightweight scheduling," *IEEE Internet of Things Journal*, 2018, vol. 5, no. 3, pp. 1830–1842.
- [89] F. Van den Abeele, J. Haxhibeqiri, I. Moerman, and J. Hoebeke, "Scalability Analysis of Large-Scale LoRaWAN Networks in ns-3," *IEEE Internet of Things Journal*, 2017, vol. 4, no. 6, pp. 2186–2198.
- [90] A. Mahmood, E. Sisinni, L. Guntupalli, R. Rondón, S. A. Hassan, and M. Gidlund, "Scalability analysis of a lora network under imperfect orthogonality," *IEEE Transactions on Industrial Informatics*, 2019, vol. 15, no. 3, pp. 1425–1436.
- [91] D. Saluja, R. Singh, L. K. Baghel, and S. Kumar, "Scalability analysis of lora network for snr-based sf allocation scheme," *IEEE Transactions on Industrial Informatics*, 2021, vol. 17, no. 10, pp. 6709–6719.

- [92] D. Garlisi, I. Tinnirello, G. Bianchi, and F. Cuomo, "Capture aware sequential waterfilling for lorawan adaptive data rate," *IEEE Transactions on Wireless Communications*, 2021, vol. 20, no. 3, pp. 2019–2033.
- [93] K. Q. Abdelfadeel, V. Cionca, and D. Pesch, "Fair adaptive data rate allocation and power control in lorawan," in *2018 IEEE 19th International Symposium on "A World of Wireless, Mobile and Multimedia Networks" (WoWMoM)*, 2018, pp. 14–15.
- [94] Z. Qin and J. A. McCann, "Resource efficiency in low-power wide-area networks for iot applications," in *GLOBECOM 2017 - 2017 IEEE Global Communications Conference*, 2017, pp. 1–7.
- [95] H. Lin, W.-Y. Shin, and B. C. Jung, "Multi-stream opportunistic network decoupling: Relay selection and interference management," *IEEE Transactions on Mobile Computing*, 2019, vol. 18, no. 10, pp. 2372–2385.
- [96] J. Huang, Y. Liao, C.-C. Xing, and Z. Chang, "Multi-hop d2d communications with network coding: From a performance perspective," *IEEE Transactions on Vehicular Technology*, 2019, vol. 68, no. 3, pp. 2270–2282.
- [97] A. Behnad, A. M. Rabiei, and N. C. Beaulieu, "Performance analysis of opportunistic relaying in a poisson field of amplify-and-forward relays," *IEEE Transactions on Communications*, 2013, vol. 61, no. 1, pp. 97–107.
- [98] A. Zanella, A. Bazzi, and B. M. Masini, "Relay selection analysis for an opportunistic two-hop multi-user system in a poisson field of nodes," *IEEE Transactions on Wireless Communications*, 2017, vol. 16, no. 2, pp. 1281–1293.
- [99] E. Esenogho, K. Djouani, and A. M. Kurien, "Integrating artificial intelligence internet of things and 5g for next-generation smartgrid: A survey of trends challenges and prospect," *IEEE Access*, 2022, vol. 10, pp. 4794–4831.
- [100] R. Li, H. Liao, J. An, C. Yuen, and L. Gan, "Intra-class universal adversarial attacks on deep learning-based modulation classifiers," *IEEE Communications Letters*, 2023.
- [101] K.-H. Lam, C.-C. Cheung, and W.-C. Lee, "Rssi-based lora localization systems for large-scale indoor and outdoor environments," *IEEE Transactions on Vehicular Technology*, 2019, vol. 68, no. 12, pp. 11 778–11 791.

- [102] R. Kumar, H. P. Gupta, and R. Mishra, “Signal Quality Measurement (SQM) Dataset,” 2023. [Online]. Available: <https://dx.doi.org/10.21227/ayysz-nq69>
- [103] A. H. Sodhro, S. Pirbhulal, and V. H. C. de Albuquerque, “Artificial intelligence-driven mechanism for edge computing-based industrial applications,” *IEEE Transactions on Industrial Informatics*, 2019, vol. 15, no. 7, pp. 4235–4243.
- [104] Z. Lv, Y. Han, A. K. Singh, G. Manogaran, and H. Lv, “Trustworthiness in industrial iot systems based on artificial intelligence,” *IEEE Transactions on Industrial Informatics*, 2021, vol. 17, no. 2, pp. 1496–1504.
- [105] S. Chopade, H. P. Gupta, R. Mishra, A. Oswal, P. Kumari, and T. Dutta, “A sensors based river water quality assessment system using deep neural network,” *IEEE Internet of Things Journal*, 2021, pp. 1–1, doi: 10.1109/JIOT.2021.3078892.
- [106] Y. Liu, J. Nie, X. Li, S. H. Ahmed, W. Y. B. Lim, and C. Miao, “Federated learning in the sky: Aerial-ground air quality sensing framework with uav swarms,” *IEEE Internet of Things Journal*, 2021, vol. 8, no. 12, pp. 9827–9837.
- [107] S. Liu, J. Du, K. Nan, Z. Zhou, H. Liu, Z. Wang, and Y. Lin, “Adadeep: a usage-driven, automated deep model compression framework for enabling ubiquitous intelligent mobiles,” *IEEE Transactions on Mobile Computing*, 2020, vol. 20, no. 12, pp. 3282–3297.
- [108] B. Fang, X. Zeng, and M. Zhang, “Nestdnn: Resource-aware multi-tenant on-device deep learning for continuous mobile vision,” in *Proc. ACM MobiCom*, 2018, p. 115–127.
- [109] R. Mishra, H. P. Gupta, and T. Dutta, “A survey on deep neural network compression: Challenges, overview, and solutions,” *arXiv preprint arXiv:2010.03954*, 2020.
- [110] S. Yao, Y. Zhao, H. Shao, S. Liu, D. Liu, L. Su, and T. Abdelzaher, “Fastdeepiot: Towards understanding and optimizing neural network execution time on mobile and embedded devices,” in *Proc. Sensys*, 2018, pp. 278–291.
- [111] B. Zoph and Q. V. Le, “Neural architecture search with reinforcement learning,” *arXiv preprint arXiv:1611.01578*, 2016.

- [112] X. Zhang, X. Zhou, M. Lin, and J. Sun, "Shufflenet: An extremely efficient convolutional neural network for mobile devices," in *Proc. IEEE/CVF CVPR*, 2018, pp. 6848–6856.
- [113] G. Bai, H. Mou, Y. Hou, Y. Lyu, and W. Yang, "Android power management and analyses of power consumption in an android smartphone," in *Proc. IEEE HPCC*, 2013, pp. 2347–2353.
- [114] H. Zhang and L. Hanzo, "Federated learning assisted multi-uav networks," *IEEE Transactions on Vehicular Technology*, 2020, vol. 69, no. 11, pp. 14 104–14 109.
- [115] Y. Yang, Z. Zheng, K. Bian, Y. Jiang, L. Song, and Z. Han, "Arms: A fine-grained 3d aqi realtime monitoring system by uav," in *Proc. IEEE GLOBECOM*, 2017, pp. 1–6.
- [116] D. Ebrahimi, S. Sharafeddine, P.-H. Ho, and C. Assi, "Uav-aided projection-based compressive data gathering in wireless sensor networks," *IEEE Internet of Things Journal*, 2019, vol. 6, no. 2, pp. 1893–1905.
- [117] N. Srivastava, G. Hinton, A. Krizhevsky, I. Sutskever, and R. Salakhutdinov, "Dropout: a simple way to prevent neural networks from overfitting," *The journal of machine learning research*, 2014, vol. 15, no. 1, pp. 1929–1958.
- [118] S. Yao, Y. Zhao, A. Zhang, L. Su, and T. Abdelzaher, "Deepiot: Compressing deep neural network structures for sensing systems with a compressor-critic framework," in *Proc. ACM Sensys*, 2017, pp. 1–14.
- [119] S. Bhattacharya and N. D. Lane, "Sparsification and separation of deep learning layers for constrained resource inference on wearables," in *Proc. ACM SenSys*, 2016, pp. 176–189.
- [120] "Water-to-Cloud," 2022. [Online]. Available: https://thoreau.uchicago.edu/water/labmap_index
- [121] H. Cai, C. Gan, T. Wang, Z. Zhang, and S. Han, "Once-for-all: Train one network and specialize it for efficient deployment," in *Proceddings of International Conference on Learning Representations*, 2020, pp. 1–15.
- [122] G. Zhu, D. Liu, Y. Du, C. You, J. Zhang, and K. Huang, "Toward an intelligent edge: Wireless communication meets machine learning," *IEEE Communications Magazine*, 2020, vol. 58, no. 1, pp. 19–25.

- [123] Y. He, J. Ren, G. Yu, and J. Yuan, “Importance-aware data selection and resource allocation in federated edge learning system,” *IEEE Transactions on Vehicular Technology*, 2020, vol. 69, no. 11, pp. 13 593–13 605.

List of publications

Refereed journal papers

— Published papers

- **Ramakant Kumar**, Rahul Mishra, H. P. Gupta, and T. Dutta, “A Federated Learning Approach with Imperfect Labels in LoRa-based Transportation Systems,” *IEEE Transactions on Intelligent Transportation Systems*, vol. 21, no. 3, pp. 1-9, 2022 (Early access: doi: 10.1109/TITS.2023.3241765).
- **Ramakant Kumar**, Rahul Mishra, and H. P. Gupta, “Machine Learning-based Interference Mitigation in Long-Range Networks for High-Ceiling Smart Buildings,” *IEEE Access*, pp. 96103 - 96118, 2023 (Early access: doi: 10.1109/ACCESS.2023.3309303).
- Rahul Mishra and H. P. Gupta, **Ramakant Kumar**, “Leveraging Augmented Intelligence of Things to Enhance Lifetime of UAV-Enabled Aerial Networks,” *IEEE Transactions on Industrial Informatics*, vol. 19, no. 1, pp. 586-593, 2023.
- **Ramakant Kumar**, Rahul Mishra, H. P. Gupta, “Smart Sensing for Agriculture: Applications, Advancements, and Challenges”, *IEEE Consumer Electronics Magazine*, vol. 10, no. 4, pp. 51-56, 2021.

Open dataset

- **Ramakant. Kumar**, H. P. Gupta, and R. Mishra, “SIGNAL QUALITY MEASUREMENT (SQM) DATASET,” *IEEE Dataport*, 2021. Available: doi: <https://dx.doi.org/10.21227/ayzs-nq69..>
- A. Gupta, H. P. Gupta, T. Dutta, R. Mishra, and **Ramakant. Kumar**, “Accelerometer, Gyroscope, and Magnetometer Sensors based Data for Recognizing Handwritten Digits”, *IEEE Dataport*, 2020. Available: <http://dx.doi.org/10.21227/52d9-8y30>.