


CERTIFICATE

It is certified that the work contained in the thesis titled "Synthesis and Physico-mechanical Characterization and Biocompatibility Evaluation of Waste Derived ATZ Composites" by "Ashutosh Gupta" has been carried out under my supervision and this work has not been submitted elsewhere for a degree. It is further certified that the student has fulfilled all the requirements of Comprehensive, Candidacy and SOTA.




Prof. Dr. M.R Majhi

(Supervisor)

Department of Ceramic Engineering,
Indian Institute of Technology (B.H.U),
Varanasi-221005

Dr. Manas Ranjan Majhi
Professor / प्राध्यापक
Department of Ceramic Engineering
सैरामिक अभियांत्रिकी विभाग
Indian Institute of Technology (B.H.U)
भारतीय प्रौद्योगिकी संस्थान (काशी/बिठूर)
Varanasi-221005 / वाराणसी-221005



DR Ashutosh Kumar Dubey
Head of Department
Department of Ceramic Engineering,
Indian Institute of Technology
(Banaras Hindu University),
Varanasi- 221005

HEAD/विभागध्यक्ष

Department of Ceramic Engineering
सैरामिक अभियांत्रिकी विभाग
Indian Institute of Technology (B.H.U)
भारतीय प्रौद्योगिकी संस्थान (काशी/बिठूर)
Varanasi - 221005/वाराणसी-221005

DECLARATION BY THE CANDIDATE

I, "ASHUTOSH GUPTA," certify that the work embodied in this thesis is my own bona fide work and was carried out by me under the supervision of "Dr. M R Majhi" from "December 2017" to "November 2024", the "Department of Ceramic Engineering," Indian Institute of Technology (BHU), Varanasi. The matter embodied in this thesis has not been submitted for the award of any other degree/diploma.

I declare that I have faithfully acknowledged and given credits to the research workers wherever their works have been cited in my work in this thesis. I further declare that I have not willfully copied any other's work, paragraphs, text, data, results, etc., reported in journals, books, magazines, reports, dissertations, theses, etc., or available at websites and have not included them in this thesis and have not cited as my own work.


Date: 15/11/2024
Place: IIT BHU Varanasi


Ashutosh Gupta

CERTIFICATE BY THE SUPERVISOR

It is certified that the above statement made by the student is correct to the best of my knowledge.


Prof. M R Majhi
(Supervisor)
Department of Ceramic Engineering
Indian Institute of Technology
(Banaras Hindu University)
Varanasi- 221005
Dr. Manas Ranjan Majhi
Professor / प्राध्यापक
Department of Ceramic Engineering
सैरामिक अभियान्त्रिक विभाग
Indian Institute of Technology (I.I.T.)
बाराणसी प्रौद्योगिकी संस्थान (काशी हिन्दू विश्वविद्यालय)
Varanasi- 221005 / वाराणसी-221005


DR Ashutosh Kumar Dubey
Head of Department
Department of Ceramic Engineering,
Indian Institute of Technology
(Banaras Hindu University),
Varanasi- 221005

HEAD/विभागाध्यक्ष
Department of Ceramic Engineering
सैरामिक अभियान्त्रिकी विभाग
Indian Institute of Technology (I.I.T.)
बाराणसी प्रौद्योगिकी संस्थान (काशी हिन्दू विश्वविद्यालय)
Varanasi- 221005/वाराणसी - 221005

COPYRIGHT TRANSFER CERTIFICATE

Title of the Thesis: "Synthesis and physico-mechanical Characterization and Biocompatibility Evaluation of Waste Derived ATZ Composites"


Name of the Student: Mr. Ashutosh Gupta

Copyright Transfer

The undersigned hereby assigns to the Indian Institute of Technology (Banaras Hindu University), Varanasi, all rights under copyright that may exist in and for the above thesis submitted for the award of the "*Doctor of Philosophy*."

Date: 15/11/24

Place: IIT BHU
Varanasi



Ashutosh Gupta

Note: However, the author may reproduce or authorize others to reproduce material extracted verbatim from the thesis or derivative of the thesis for the author's personal use, provided that the source and the Institute's copyright notice are indicated.

Dedicated to my Beloved
Wife

Acknowledgment

It is indeed my privilege to express my deep sense of gratitude and indebtedness to my supervisor, Prof. M. R. Majhi, and Ashutosh Kumar Dubey, Head of the Department of Ceramic Engineering, Indian Institute of Technology (BHU), Varanasi, for his enormous help, co-operation and valuable supervision that he has extended to me for the successful completion of this investigation. I am indebted to him for his consistent encouragement, sustained interest, and parental care throughout the research.

I am obliged to my friend Vaibhav Pandey, Department of Mechanical Engineering, IIT (BHU) for providing the necessary support and constant motivation throughout my research work.

I am pleased to express my cheers to all RPEC members: Dr. Akhilesh Kumar Singh, School of Material Science and Technology, IIT (BHU), and Dr. Preetam Singh, Department of Ceramic Engineering, IIT (BHU). Their numerous insight and generous assistance helped me significantly improve my research work. They always came forward to assist me whenever I needed them. My passionate thanks go to all the faculty members of the Department of Ceramic Engineering, IIT (BHU), for their support and encouragement.

I would like to express my gratitude to all the non-teaching staff of the Department of Ceramic Engineering, IIT(BHU), as this work would not have been completed without their technical support. I also gratefully acknowledge the Ministry of Human Resource and Development (MHRD), Govt. of India, New Delhi, and the Director, IIT (BHU), for the financial support in the form of a teaching assistantship.

I am gratified to express my sincere thanks to my lab seniors, Dr. Neeraj Pandey, Mr. Vaibhav Singh, and Abhishek Kumar Singh, Department of Ceramic Engineering, IIT (BHU), for their encouragement and valuable suggestions during my research period.

I am blessed to have very supportive and caring lab mates, Dr. Vaibhav Pandey, Department of Mechanical Engineering, IIT (BHU), and colleagues Dr. Manish Kumar and Mr.

Durgesh Rai, Department of Ceramics Engineering, IIT (BHU), for their valuable support and encouragement towards the successful completion of my research work.

I would like to thank my friends and seniors, Dr. Ajay Kumar, Durgesh Rai, and Dr. Angaraj Singh, for helping me during my research and thesis writing throughout my research journey.

I am also grateful to my juniors, Mr. Deepak Sachan, Department of Metallurgical Engineering, IIT (BHU), and Dr. Manish Kumar, Department of Ceramic Engineering, IIT (BHU), for their valuable support throughout my PhD work.

I wish to express my vivid thanks to my friends, Dr. Manish Kumar and Mr. Shubham Kumar, Mo. Saad, Shubham Kumar Pandey, Sharad Kumar, Er. Shashi Prakash and Vaibhav Singh, thank you for always encouraging and motivating me during my research work. I wish to acknowledge all those who helped me in any way during the entire period of my research work.

Last but not least, I am grateful to my wife, Ms. Ruchita Sonak (Research scholar at IIT, Kharagpur), and my friend Sheo Kumar (Research scholar, Department of Mechanical Engineering, MNIT, Allahabad) for their blessings, cooperation, sacrifices, encouragement, and patience. My father, Mr. Avinash Chandra Gupta, and my mother, Mrs. Vimla Devi, worked hard and prayed over me all the time, which made it possible. They gave me the knowledge, strength, and direction I needed to continue this journey, which, at times, was very hard and tedious.

Date: 15/11/2024

Place: IIT (BHU), Varanasi

Ashutosh Gupta

TABLE OF CONTENTS

| | |
|--|-------|
| Title of Thesis | i |
| Certificate | ii |
| Declaration by the Candidate & Certificate by the Supervisor and Head of the Department | iii |
| Copyright Transfer Certificate | iv |
| Dedication | v |
| Acknowledgements | vi |
| Contents | viii |
| Abstract | xii |
| List of Figures | xiv |
| List of Tables | xviii |
| Chapter 1: Introduction | 1 |
| 1.1 Introduction | 3 |
| 1.1.1 Motivation & Objectives | 5 |
| 1.1.2 Thesis Organization | 6 |
| Chapter 2: Background and Literature Review | 9 |
| 2.1 Introduction | 11 |
| 2.2 Background | 22 |
| 2.2.1 Bioceramics and Biocomposite | 22 |
| 2.2.2 Properties and Applications | 24 |
| 2.2.3 Wastes as Bioceramics | 28 |
| 2.2.4 RHA in Bioceramics | 31 |
| 2.2.5 AWB in Bioceramics | 35 |
| 2.2.6 Environmental Threat of Wastes | 36 |
| 2.3 Literature Review | 38 |
| 2.3.1 Bioceramics and Biocomposites | 38 |

| | |
|--|------------|
| 2.3.2 Zirconia-based Biocomposites | 39 |
| 2.3.3 Alumina and Zirconia-based Biocomposites | 43 |
| 2.3.4 ATZ-based Composites..... | 45 |
| 2.3.5 Sintering of Green Sample | 53 |
| 2.3.6 ATZ Applications | 54 |
| 2.3.7 Additives in Alumina and Zirconia | 56 |
| 2.3.8 Additives in ATZ | 64 |
| 2.4 Research Gap | 64 |
| References | 65 |
| Chapter 3: Objective of the Work | 83 |
| 3.1 Selection of Potential Waste Materials | 86 |
| 3.2 Synthesis of Different Metallic and Ceramic-based Composites | 86 |
| 3.3 Advanced Physical and Structural Characterization | 87 |
| 3.4 Mechanical Characterizations | 88 |
| 3.5 Biological Characterization | 88 |
| Chapter 4: Materials and Methods | 89 |
| 4.1 Introduction | 91 |
| 4.2 Materials Used | 92 |
| 4.3 Instrumentation | 94 |
| 4.3.1 X-ray Diffraction (XRD) | 94 |
| 4.3.2 Scanning Electron Microscopy (SEM) | 96 |
| 4.3.3 Fourier Transform Infrared Spectroscopy (FTIR) | 97 |
| 4.3.4 Transmission Electron Microscopy (TEM) | 99 |
| 4.3.5 Mechanical and Physical Properties Analysis | 100 |
| Chapter 5: Comparative Study on Physio-mechanical Properties of Silica Compacts Fabricated Using RHA-derived Amorphous and Crystalline Silica | 103 |
| 5.1 Introduction | 105 |
| 5.2 Experimental | 108 |
| 5.2.1 Materials | 108 |

| | |
|--|------------|
| 5.2.2 Silica Compact Fabrication | 108 |
| 5.2.3 Characterization and Mechanical Analysis | 108 |
| 5.3 Results and Discussion | 110 |
| 5.3.1 Physical and Microstructural Analysis of Heat-treated RHA Powder | 110 |
| 5.3.2 Density and Strength of Green Silica Compacts | 113 |
| 5.3.3 Microstructural and Mechanical Strength of Sintered Silica Compacts | 116 |
| 5.4 Conclusion | 118 |
| References | 126 |
| | |
| Chapter 6: Microstructural Characterization and Hydrothermal Ageing Resistance of RHA-derived Silica Doped ATZ Biocomposite | 131 |
| 6.1 Introduction | 133 |
| 6.2 Materials and Methodology | 137 |
| 6.3 Results and Discussion | 139 |
| 6.3.1 Microstructural Evolution | 139 |
| 6.3.2 Effect on Bulk Density | 142 |
| 6.3.3 Effect on Porosity | 143 |
| 6.3.4 Bending Strength Analysis | 144 |
| 6.3.5 XRD Analysis | 145 |
| 6.3.6 Hydrothermal Aging Characterization | 145 |
| 6.3.7 Biological Characterizations | 147 |
| 6.4 Conclusions | 149 |
| References | 150 |
| | |
| Chapter 7: Strengthening Bio-circularity by Reinforcing Waste-derived TCP to Fabricate ATZ Biocomposite with Enhanced Bioactivity | 155 |
| 7.1 Introduction | 157 |
| 7.2 Materials and Methodology | 161 |
| 7.2.1 Raw Materials | 161 |
| 7.2.2 Fabrication of AWB-ATZ Biocomposite | 162 |
| 7.2.3 Characterization Technique | 163 |
| 7.3 Results and Discussion | 164 |

| | |
|--|------------|
| 7.3.1 Raw AWB Characterization | 164 |
| 7.3.2 Developed AWB-ATZ Biocomposite | 166 |
| 7.3.3 Microstructural Characterization | 172 |
| 7.3.4 Bioactivity, pH Analysis, and Biocorrosion Tests | 177 |
| 7.3.5 Physical and Mechanical Characterization | 182 |
| 7.4 Conclusion | 182 |
| References | 187 |
| Chapter 8: Conclusions and Future Directions | 193 |
| 8.1 Conclusion | 195 |
| 8.2 Future Scope of the Work | 198 |
| List of Publications | 201 |

Abstract

The research explores the use of Alumina Toughened Zirconia (ATZ) composites enhanced with biowaste-derived materials, Rice Husk Ash (RHA), and Animal Waste Bone (AWB), to develop affordable, sustainable biomaterials. This approach addresses environmental challenges by converting agricultural and animal waste into valuable resources, promoting biocircularity and a bioeconomy.

RHA, a rich silica source, is studied for its impact on silica-based composites. When heated to 400–800°C, RHA forms amorphous silica, while crystalline silica emerges at 800–900°C. Amorphous silica provides better phase conversion, resulting in higher relative density and strength after sintering, though crystalline silica achieves higher green density. The silica compacts exhibit bulk densities of 1.59–1.97 g/cm³ and compressive strengths ranging from 20 to 52 MPa.

In ATZ composites, RHA-derived amorphous silica enhances mechanical properties, grain growth, and hydrothermal aging resistance, particularly at 1 wt% doping. Higher silica content can form a protective glassy layer, boosting aging resistance but reducing strength. Compared to crystalline silica, amorphous silica improves densification and aging resistance due to favorable grain development and microstructure refinement. The bioactivity of silica-doped ATZ is enhanced, as shown by hydroxyapatite layer formation.

The study also integrates AWB into ATZ to create a Hydroxyapatite/Tricalcium Phosphate/Whitlockite-ATZ biocomposite. Although AWB slightly reduces mechanical performance, the composite still meets biomaterial standards and demonstrates superior