

CONTENTS

ACKNOWLEDGMENT	iii
ABSTRACT	v
CONTENTS	xi
LIST OF FIGURES	xix
LIST OF TABLES	xxvii
LIST OF NOTATIONS	xxxi
Chapter 1 INTRODUCTION	1
1.1 GENERAL	1
1.2 MOTIVATION FOR THE PRESENT RESEARCH	3
1.3 ORGANIZATION OF THE THESIS	6
Chapter 2 LITERATURE REVIEW	9
2.1 INTRODUCTION	9
2.2 LITERATURE REVIEW: VARIATIONAL METHOD AND UPPER BOUND RIGID BLOCK METHOD	9
2.2.1 Variational Method	9
2.2.1.1 Goldshtein et al. (1969)	10
2.2.1.2 Kogan and Lupashko (1970)	10
2.2.1.3 Narayan (1975)	10
2.2.1.4 Revilla and Castillo (1977)	11
2.2.1.5 Baker and Garber (1978)	11
2.2.1.6 Castillo and Luceno (1982)	11
2.2.1.7 Leshchinsky and Reinschmidt (1985)	11
2.2.1.8 Dixit and Mandal (1992)	12
2.2.1.9 Leshchinsky and San (1994)	12
2.2.1.10 Ling et al. (1997)	12
2.2.1.11 Baker (2003)	12
2.2.1.12 Baker et al. (2006)	13
2.2.1.13 Chen et al. (2016)	13
2.2.1.14 Onyelowe KC (2017)	14
2.2.1.15 Li et al. (2018)	14
2.2.1.16 Hua et al. (2022)	15
2.2.1.17 Fengxi et al. (2023)	15

2.2.2 Upper bound rigid block method	16
2.2.2.1 Chen et al. (1969)	16
2.2.2.2 Chen and Giger (1971)	16
2.2.2.3 Chen (1975)	16
2.2.2.4 Michalowski (1989)	16
2.2.2.5 Michalowski (1995)	17
2.2.2.6 Donald and Chen (1997)	17
2.2.2.7 Farzaneh and Askari (2003)	17
2.2.2.8 Kumar and Samui (2006)	18
2.2.2.9 Farzaneh et al. (2008)	18
2.2.2.10 Michalowski and Nadukuru (2013)	18
2.2.2.11 Gao et al. (2014)	18
2.2.2.12 Zhao et al. (2016)	19
2.2.2.13 Li and Yang (2019)	19
2.2.2.14 Li et al. (2021)	19
2.2.2.15 Zuo et al. (2022)	20
2.3 LITERATURE REVIEW ON UNSATURATED MECHANICS AND APPLICATIONS	20
2.3.1 Hilf (1956)	21
2.3.2 Jennings and Burland (1962)	21
2.3.3 Fredland et al. (1978)	22
2.3.4 van Genuchten (1980)	22
2.3.5 Fredlund and Xing (1994)	22
2.3.6 Vanapalli and Fredlund (1996)	23
2.3.7 Tekinsoy et al. (2004)	23
2.3.8 Sheng et al. (2009)	24
2.3.9 Kim and Borden (2011)	24
2.3.10 Fredlund (2018)	25
2.3.11 Vahedifard et al. (2016)	25
2.3.12 Sun et al. (2019)	26
2.4 SUMMARY	26
Chapter 3 VARIATIONAL METHOD FOR ANALYZING SEISMIC STABILITY OF VARIAOUS SOIL SLOPES	29
3.1 INTRODUCTION AND REVIEW OF EXISTING STUDIES	29
3.2 PROBLEM STATEMENT	32

3.3	ANALYSIS PROCEDURE	33
3.3.1	Step 1: Obtaining the discrete formulation of F	34
3.3.2	Step 2: Transforming the discrete formulations into integral form	36
3.3.3	Step 3: Identifying the functional forms	39
3.3.4	Step 4: Employing the Euler-Lagrangian equation to obtain the expression of F_s	40
3.3.5	Step 5: Integrating (twice) the expression of F_s to obtain the form of slip surfaces	41
3.3.6	Step 6: Evaluating the unknown parameters of Step 5	42
3.3.6.1	Determining the integration constants and the stability number	43
3.3.6.2	Determining the intersection points	43
3.4	RESULTS AND DISCUSSIONS	47
3.4.1	Case 1: Homogeneous c - ϕ soil	48
3.4.2	Case 2: Non-homogeneous undrained cohesive soil ($\phi_u=0^\circ$)	49
3.4.3	Case 3: Two layered cohesive-frictional soil	54
3.4.4	Case 4: Homogeneous c - ϕ soil underlain by non-homogeneous Clays	59
3.5	VERIFICATIONS WITH EXISTING LITERATURES	67
3.5.1	Case 1: Homogeneous c - ϕ soil	67
3.5.2	Case 2: Non-homogeneous undrained cohesive soil ($\phi_u=0^\circ$)	69
3.5.3	Case 3: Two layered cohesive-frictional soil	71
3.5.4	Case 4: Homogeneous c - ϕ soil underlain by non-homogeneous clays	72
3.6	SUMMARY	74
3.7	LIMITATIONS	75

Chapter 4 VARIATIONAL METHOD FOR ANALYZING SEISMIC STABILITY

OF ROCK SLOPES	77	
4.1	INTRODUCTION AND REVIEW OF EXISTING STUDIES	77
4.2	PROBLEM STATEMENT FOR ROCK SLOPE	78
4.3	HOEK-BROWN FAILURE CRITERION	79
4.4	ANALYSIS	82
4.5	RESULTS AND DISCUSSIONS	87

4.5.1 Influence of slope geometry (β and h)	88
4.5.2 Influence of rock properties (m_i , GSI , and σ_{ci})	89
4.5.3 Influence of horizontal seismic forces (k_h)	96
4.6 COMPARISON OF RESULTS	98
4.6.1 Comparison of the present solutions obtained by Hoek et al. (2000) and li et al. (2008)'s proposition regarding σ'_{3max}	99
4.6.2 Comparison of the present solutions with the solutions available in the literature	100
4.7 SUMMARY	109
4.8 LIMITATIONS	109
Chapter 5 STRENGTH REDUCTION METHOD FOR ANALYZING STABILITY OF TWO-LAYERED SOIL SLOPES	111
5.1 INTRODUCTION AND REVIEW OF EXISTING STUDIES	111
5.2 STRENGTH REDUCTION METHOD (SRM)	112
5.3 PROBLEM STATEMENT AND METHODOLOGY	114
5.4 RESULTS AND DISCUSSIONS	115
5.5 COMPARISON OF RESULTS	125
5.6 SUMMARY	131
5.7 LIMITATIONS	131
Chapter 6 VARIATIONAL METHOD FOR UNSATURATED SOIL SLOPES	133
6.1 INTRODUCTION AND REVIEW OF EXISTING STUDIES	133
6.2 PROBLEM STATEMENT AND CONSIDERED ASSUMPTIONS	134
6.2.1 Suction-stress, vG-SWCC, Gd-SWCC, Gd-HCF, and MMC	136
6.2.2 Steady-State Flow	141
6.2.3 Transient State Flow	144
6.3 FORMULATIONS	148
6.4 ANALYSIS TECHNIQUES	152
6.5 RESULTS AND DISCUSSIONS	157
6.5.1 Influence of slope geometry (β and h)	159
6.5.2 Influence of material parameters (ϕ , $1/\alpha$, n , and m)	161
6.5.3 Influence of flow conditions and water table position	166
6.5.4 Failure pattern	168
6.6 COMPARISONS OF RESULTS	172
6.7 SUMMARY	174

6.8	LIMITATIONS	175
Chapter 7 UPPER BOUND RIGID BLOCK METHOD FOR UNSATURATED SOIL SLOPES UNDER SEISMIC AND SURCHARGE LOADING CONDITIONS		
		177
7.1	INTRODUCTION AND REVIEW OF EXISTING STUDIES	177
7.2	PROBLEM STATEMENT AND MODEL FORMULATION	178
7.3	UPPER BOUND LIMIT ANALYSIS	179
7.3.1	Overview	179
7.3.2	Collapse mechanism and formulations	181
7.3.2.1	Rate of external work done (\dot{W})	182
7.3.2.1.1	Due to the gravitational forces (\dot{W}_{weight})	182
7.3.2.1.2	Due to the application of seismic forces ($\dot{W}_{earthquake}$)	183
7.3.2.1.3	Due to the application of surcharge pressure ($\dot{W}_{surcharge}$)	183
7.3.2.2	Rate of energy dissipation	184
7.3.2.2.1	Due to the internal cohesion ($\dot{D}_{cohesion}$)	184
7.3.2.2.2	Due to the suction ($\dot{D}_{suction}$)	185
7.3.2.3	Determining the stability number by equating $\dot{W} = \dot{D}$	186
7.3.2.3.1	For pseudo-static force	186
7.3.2.3.2	For surcharge loads (without pseudo-static forces)	187
7.3.3	Stability number and numerical tool	188
7.4	PARAMETRIC STUDY	189
7.4.1	Impact of β and ϕ' on S_n	189
7.4.2	Impact of λ on S_n	192
7.4.3	Impact of water table depth h_w on S_n	194
7.4.4	Combined impact of k_h and h_w on S_n	196
7.4.5	Impact of surcharge load (p_s) on S_n	196
7.5	FAILURE SURFACES	199
7.6	COMPARISON WITH LITERATURE	199

7.7	SUMMARY	204
7.8	LIMITATIONS	205
Chapter 8	STATIC AND SEISMIC LATERAL EARTH PRESSURES FOR RETAINING WALL BACKFILLED WITH UNSATURATED SOIL UNDER STEADY-STATE FLOW	207
8.1	INTRODUCTION AND REVIEW OF EXISTING STUDIES	207
8.2	MODIFICATION AND APPLICATION OF RANKINE'S METHOD FOR ADDRESSING VERTICAL RETAINING WALL SUPPORTING UNSATURATED BACKFILL WITH HORIZONTAL SURFACE	209
8.2.1	Construction of Rankine's based closed-form expression for unsaturated backfills	209
8.2.1.1	Computation of earth pressure (EP) coefficients	209
8.2.1.1.1	At Rest State	210
8.2.1.1.2	At Active State	210
8.2.1.1.3	At Passive State	211
8.2.1.2	Computation of tensile crack depth	213
8.2.2	Strategy of relaxing m -parameter and incorporating two-parameter HCF	214
8.2.3	Problem statement and involved assumptions	215
8.2.4	RESULTS AND DISCUSSIONS	216
8.2.4.1	Impact of m parameter	218
8.2.4.1.1	Variations of K_{0u} , K_{au} and K_{pu} for defined k_s	218
8.2.4.1.2	Variations of K_{0u} , K_{au} , and K_{pu} for specific Q	219
8.2.4.1.3	Crack Depth profiles versus α	224
8.2.4.1.4	Crack Depth profiles varying with Q	225
8.2.4.1.5	Total active earth pressure profiles - Active State	230
8.2.4.1.6	Component of Earth pressure Due to suction stress Passive state	231
8.2.4.2	Effect of Gardener's two parameter HCF model (1958)	235

8.3 MODIFICATION AND APPLICATION OF COULOMB'S METHOD FOR ADDRESSING INCLINED RETAINING WALL SUPPORTING UNSATURATED BACKFILL WITH INCLINED SURFACE	238
8.3.1 Problem statement	238
8.3.2 Formulations	238
8.3.2.1 Determination of seismic active earth pressure coefficient on unsaturated soil (K_{aue})	240
8.3.2.2 Deducing seismic active earth pressure distribution along depth ($p_{aue}(z)$) on unsaturated soil	241
8.3.3 Results and Discussions	242
8.3.3.1 Impact of backfill inclination (i) on critical Failure angle (ζ_{cr})	243
8.3.3.2 Impact of backfill inclination (i) on area of failure wedge (A_f)	243
8.3.3.3 Impact of backfill inclination and pseudo-static forces on K_{aue}	245
8.3.3.4 Impact of friction angle (ϕ') on K_{aue}	245
8.3.3.5 Impact of wall inclination angle (β) on K_{aue}	248
8.3.3.6 Impact of vG model parameters on K_{aue}	248
8.3.3.7 Impact of water table depth (h_w) on K_{aue}	252
8.3.3.8 Impact of δ on coefficient of K_{aue}	252
8.3.3.9 Failure surfaces	255
8.3.4 Verification	257
8.4 SUMMARY	258
8.5 LIMITATIONS	259
Chapter 9 SEISMIC LATERAL EARTH PRESSURES FOR RETAINING WALL BACKFILLED WITH UNSATURATED SOIL UNDER TRANSIENT FLOW	261
9.1 INTRODUCTION AND REVIEW OF EXISTING STUDIES	261
9.2 PROBLEM STATEMENT AND CONSIDERED ASSUMPTIONS	262
9.3 METHODOLOGY	264
9.3.1 Computation of lateral earth pressure	264
9.3.2.1 Step 1: Computation of suction stress	264

9.3.1.2 Step 2: Computation of earth pressure under Transient flow for seismic condition	266
9.3.2 Computation of tension crack depth	268
9.4 FAILURE CIRCLES AND ENVELOPES	270
9.5 PRESSURE PROFILES	270
9.5.1 Pore-water pressure and suction stress profiles	274
9.5.2 Earth pressure profiles for static conditions	276
9.5.3 Earth pressure profiles for seismic conditions	281
9.6 CRACK DEPTH VARIATION	282
9.7 SUMMARY	286
9.8 LIMITATIONS	286
Chapter 10 CONCLUSIONS AND FUTURE SCOPE	287
10.1 CONCLUSIONS	287
10.2 SCOPE FOR FUTURE WORK	292
REFERENCES	295
Appendix-A: DERIVATION OF MATRIC SUCTION FOR STEADY-STATE FLOW AND GOVERNING DIFFERENTIAL EQUATION FOR TRANSIENT	307
Appendix-B: DERIVATION OF MUALEM’S AND BURDINE’S HCF MODELS	313
Appendix-C: DERIVATION OF MATRIC SUCTION AND SUCTION STRESS BY USING TWO PARAMETER HCF MODEL	315
LIST OF PUBLICATIONS	317