

Table of contents

List of figures	xxiii
List of tables	xxv
1 Introduction	1
1.1 Background	1
1.2 Surrogate Safety Measures	2
1.3 Traffic Conflict	4
1.4 Heterogeneous and Non- Lane Based Traffic	6
1.5 Motivation	7
1.6 Research Challenges	8
1.6.1 Challenges in data collection and extraction	8
1.6.2 Defining conflict for non-lane-based traffic	9
1.6.3 Incorporating heterogeneity	10
1.6.4 Inconsistency in conflict segregation	10
1.6.5 Safety assessment models and their validation	11
1.7 Research Objectives	12
1.8 Scope of the Research	13
1.9 Thesis Outline	13

2	Literature Review	15
2.1	Preface	15
2.2	Review of Existing Literature	16
2.3	Analysis of Conflicts Studies	25
2.3.1	Data Collection for conflict studies	25
2.3.2	Defining conflict in non-lane-based traffic	30
2.3.3	Effect of vehicle and site-based heterogeneity	37
2.3.4	Segregating conflicts from normal traffic interactions	39
2.3.5	Methods to estimate thresholds	41
2.3.6	Modeling traffic conflicts	43
2.4	Research Gaps	47
3	Methodology	51
3.1	Preface	51
3.2	Extreme Value Theory	51
3.2.1	Univariate Peak-Over Threshold Model	53
3.2.2	Bivariate Peak-Over Threshold Model	54
3.2.3	Threshold Selection Procedure	56
3.3	Bayesian Modeling Approach	58
3.3.1	Basic theory	58
3.3.2	Bayesian hierarchical inference	59
4	Study Design and Data Collection	61
4.1	Preface	61
4.2	Details of Study Sites	61
4.3	Video Data Extraction	64
4.3.1	Trajectory extraction using Tracker	65

4.3.2	Data Processing	68
4.4	Data Summary	70
5	Defining Traffic Conflict in Non-Lane-Based Traffic Condition	73
5.1	Preface	73
5.2	Suitability of Conflict Indicators in Non-Lane-Based Traffic	74
5.3	Data	75
5.3.1	Extracting conflict indicators	76
5.4	Defining traffic conflicts in non-lane-based traffic	77
5.5	Results and Discussion	79
5.5.1	Dependence Structure between TTC and Gap_{lat}	79
5.5.2	Determining the threshold	81
5.5.3	EVT modeling results	82
5.5.4	Overall model performance	84
5.5.5	Comparison of separate and joint-site models	86
5.6	Chapter Summary	87
6	Effect of Vehicle Size on the Crash Risk	89
6.1	Preface	89
6.2	Crash risk assessment in heterogeneous traffic	90
6.3	Conflict Data	92
6.3.1	Conflict indicators in staggered car-following scenario	93
6.3.2	Dependence structure between TTC and Gap_{lat}	94
6.4	Analysis and Results	95
6.4.1	EVT model results	95
6.4.2	Sensitivity analysis	102
6.5	Discussion	102

6.5.1	Minimum TTC and Gap_{lat} depends upon the L-F vehicle type . . .	103
6.5.2	Comparison of conflicts using L-F based threshold and global threshold model	104
6.5.3	Effect of vehicle size on conflicts and crashes	104
6.6	Chapter Summary	106
7	Incorporating Heterogeneity Through Bayesian Hierarchical Models	107
7.1	Preface	107
7.2	Conflict-based Safety Assessment and Modeling Heterogeneity	108
7.3	Bayesian Extreme Value Modeling	109
7.4	Traffic Conflict Data and Heterogeneity Tests	110
7.5	Bayesian Hierarchical Extreme Value Models	111
7.5.1	Threshold to segregate extreme values	112
7.5.2	Bayesian hierarchical structure	113
7.5.3	Analysis and results	115
7.6	Discussion	123
7.6.1	Conflict Identification in heterogeneous traffic	123
7.6.2	Pooled versus hierarchical model	123
7.6.3	Identification of critical vehicle groups	124
7.7	Chapter Summary	125
8	Conclusions	127
8.1	Preface	127
8.2	Research Findings and Conclusions	128
8.2.1	Defining conflict in non-lane-based traffic	128
8.2.2	Examining the effect of vehicle size on crash risk	130

8.2.3	Incorporating heterogeneity using Bayesian hierarchical modeling framework	131
8.3	Thesis Contributions	132
8.4	Applications and Practical Implications of the Research	133
8.5	Limitations and Direction for Future Research	134
	References	137

