

CONTENTS

ACKNOWLEDGEMENT	iii
ABSTRACT	v
CONTENTS	xi
LIST OF FIGURES	xix
LIST OF TABLES	xxxiii
LIST OF NOTATIONS	xxxv
Chapter 1 INTRODUCTION	1
1.1 GENERAL	1
1.2 LIMIT ANALYSIS	3
1.3 BASIC TENENTS OF UNSATURATED SOIL MECHANICS (USM)	5
1.3.1 Soil-Water Retention Curve	7
1.3.1.1 van-Genuchten SWRC model (1980)	11
1.3.2 Gardner’s Hydraulic Conductivity Function (1958)	12
1.3.3 Flow Law	12
1.3.4 Effective stress	13
1.3.5 Introduction of Suction stress	14
1.4 BRIEF OUTLINE OF THESIS	16
1.5 ORGANIZATION OF THE THESIS	17
Chapter 2 LITERATURE REVIEW	19
2.1 INTRODUCTION	19
2.2 LITERATURE REVIEW: LIMIT ANALYSIS	19
2.2.1 Hayes and Marcal (1967)	20
2.2.2 Lysmer (1970)	20
2.2.3 Anderheggen and Knopfel (1972)	21
2.2.4 Basudhar et al. (1979)	21
2.2.5 Bottero et al. (1980)	22
2.2.6 Pastor and Turgeman (1982)	22
2.2.7 Arai and Tagyo (1985)	23

2.2.8 Sloan (1988)	23
2.2.9 Sloan (1989)	23
2.2.10 Sloan and Kleeman (1995)	24
2.2.11 Lyamin and Sloan (2002a)	24
2.2.12 Lyamin and Sloan (2002b)	25
2.2.13 Krabbenhoft and Damkilde (2003)	25
2.2.14 Krabbenhoft et al. (2005)	26
2.2.15 Makrodimopoulos and Martin (2006)	26
2.2.16 Makrodimopoulos and Martin (2007)	26
2.2.17 Krabbenhoft et al. (2007)	27
2.2.18 Kumar and Khatri (2011)	27
2.2.19 Kumar and Chakraborty (2013)	28
2.2.20 Chakraborty and Kumar (2014)	28
2.2.21 Chakraborty and Kumar (2015)	29
2.2.22 Mohapatra and Kumar (2018)	29
2.2.23 Ukritchon and Keawsawasvong (2018)	29
2.3 LITERATURE REVIEW: ULTIMATE BEARING CAPACITY OF RING FOOTING	30
2.3.1 Ismael (1995)	30
2.3.2 Boushehrian and Hataf (2003)	31
2.3.3 Hataf and Razavi (2003)	31
2.3.4 Kumar and Ghosh (2005)	32
2.3.5 Zhao and Wang (2008)	32
2.3.6 Benmebarek et al. (2012)	32
2.3.7 Moayed et al. (2012)	33
2.3.8 Sawwaf and Nazir (2012)	33
2.3.9 Demir et al. (2014)	34
2.3.10 Naseri and Hosseininia (2015)	34
2.3.11 Kumar and Chakraborty (2015)	35
2.3.12 Keshavarz and Kumar (2017)	35
2.3.13 Benmebarek et al. (2017)	36
2.3.14 Gholami and Hosseininia (2017)	36

Contents	xiii
2.3.15 Tang and Phoon (2018)	37
2.3.16 Chavda and Dodagaudar (2019)	38
2.3.17 Turedi et al. (2019)	38
2.3.18 Vali et al. (2019)	39
2.3.19 Das et al. (2019)	39
2.3.20 Chavda and Dodagoudar (2021)	40
2.3.21 Hussein (2021)	40
2.4 LITERATURE REVIEW: ULTIMATE BEARING CAPACITY OF STRIP FOOTINGS ON UNSATURATED SOILS MECHANICS (USM)	41
2.4.1 Vanapalli and Mohamed (2007)	42
2.4.2 Oh and Vanapalli (2008)	42
2.4.3 Oh and Vanapalli (2013)	42
2.4.4 Vanapalli and Mohamed (2013)	43
2.4.5 Vo and Russell (2016)	44
2.4.6 Vahedifard and Robinson (2016)	44
2.4.7 Oh and Vanapalli (2017)	44
2.4.8 Tang et al. (2017)	45
2.4.9 Ghasemzadeh and Akbari (2019)	45
2.4.10 Garakani et al. (2019)	46
2.4.11 Anand and Sarkar (2020)	46
2.4.12 Du et al. (2020)	47
2.4.13 Yan et al. (2020)	47
2.4.14 Afsharpour et al. (2022)	48
2.4.15 Anand and Sarkar (2022)	48
2.4.16 Fathipour et al. (2022)	49
2.4.17 Tan and Vanapalli (2023)	49
2.4.18 Yilmazoglu and Ozocak (2023)	50
2.4.19 Roy and Chakraborty (2023)	50
2.5 RESEARCH GAP AND OBJECTIVES OF THE PRESENT THESIS	50
2.6 SUMMARY	53

Chapter 3 COMPUTATIONAL PROCEDURE FOR LOWER BOUND	
FELA WITH NONLINEAR OPTIMIZATIO	55
3.1 INTRODUCTION	55
3.2 LOWER BOUND LIMIT ANALYSIS FORMULATION	57
3.2.1 Discretization of domain	57
3.2.2 Element equilibrium condition	57
3.2.3 Statically admissible stress discontinuity condition	59
3.2.4 Stress boundary condition	61
3.2.5 Soil-footing interface condition for a footing problem	62
3.2.6 Yield functions	62
3.2.6.1 Mohr-Coulomb yield function	64
3.2.6.2 Tresca yield function	64
3.2.7 Objective function	66
3.2.8 Form of the Optimization Problem	67
3.2.9 Smoothing the yield surfaces	68
3.2.9.1 Smoothing in the meridian plane (for MC surface)	69
3.2.9.2 Smoothing in the deviatoric plane (for MC and Tresca surfaces)	70
3.2.10 Procedure	74
3.3 NUMERICAL EXAMPLE- ULTIMATE BEARING CAPACITY FACTORS FOR PILE FOOTING EMBEDDED INTO A NON-HOMOGENOUS CLAYEY SOIL	77
3.3.1 Problem definition	77
3.3.2 Problem domain, boundary conditions and mesh details	77
3.3.3 Results and Discussion	80
3.3.3.1 Numerical solutions	80
3.3.3.2 Failure patterns	81
3.3.4 Comparisons with the available solutions	84
3.4 SUMMARY	86
Chapter 4 ULTIMATE BEARING CAPACITY OF RING FOOTING RESTED ON TWO-LAYERED SOILS	89
4.1 INTRODUCTION	89

Chapter 6	ULTIMATE BEARING CAPACITY FACTORS FOR RING FOOTING ON ROCKMASS DUE TO VARIOUS LOADING POSITIONS	193
6.1	INTRODUCTION	193
6.2	PROBLEM STATEMENT AND DOMAIN	195
6.3	HOEK-BROWN YIELD CRITERION	197
6.4	ANALYSIS	201
6.5	SMOOTHENING OF THE GHB CRITERION	201
6.6	RESULTS AND DISCUSSION	205
6.6.1	Chosen parameters and UBC	205
6.6.2	Impact of ring geometry and surcharging	206
6.6.3	Impact of rock strength	210
6.6.4	Failure patterns	213
6.7	COMPARISONS OF RESULTS	218
6.8	SUMMARY	221
Chapter 7	ULTIMATE BEARING CAPACITY OF STRIP FOUNDATION ON UNSATURATED SOIL BY UB-FELA TECHNIQUE	223
7.1	INTRODUCTION	223
7.2	CONSTRUCTION OF SSCC CURVES	225
7.3	IMPACT OF THE MODEL PARAMETERS ON SWRC, HCF, AND SSCC MODELS	226
7.3.1	van -Genuchten's SWRC model	226
7.3.2	Gardner's HCF model	228
7.3.3	Lu and Likos's SSCC model	229
7.4	UPPER BOUND FINITE ELEMENT LIMIT ANALYSIS FORMULATION	229
7.4.1	Constraints within the elements arising from the plastic flow	232
7.4.2	Constraints arising from plastic flow along velocity discontinuities	234
7.4.3	Constraints arising due to velocity boundary conditions	236
7.4.4	Objective function	237
7.4.4.1	The rate of work done by the body forces	238
7.4.4.2	Power dissipation in continuum due to plastic deformation	238

Contents	xvii
<hr/>	
7.4.4.3 Power dissipation along the velocity discontinuities	239
7.4.4.4 Assembling the constraint equations and objective function	240
7.4.5 Solution procedure for linear optimization	241
7.5 NUMERICAL EXAMPLE:- BEARING CAPACITY OF STRIP FOOTING ON UNSATURATED SANDY SOIL	242
7.5.1 Problem statement and Domain	242
7.5.2 Results and Discussion	245
7.5.3 Nodal velocity patterns	252
7.5.4 Comparisons of results	257
7.6 LIMITATIONS	260
7.7 SUMMARY	260
Chapter 8 ULTIMATE BEARING CAPACITY OF STRIP FOOTING ON UNSATURATED SANDY SOIL UNDER COMBINED LOAD	263
8.1 INTRODUCTION	263
8.2 PROBLEM STATEMENT AND DOMAIN	264
8.3 ANALYSIS	266
8.4 RESULTS AND DISCUSSION	269
8.4.1 Bearing capacity charts	269
8.4.2 Normalized V-H failure envelopes	280
8.4.3 Nodal Velocity Patterns	282
8.5 COMPARISONS OF RESULTS	289
8.6 SUMMARY	291
Chapter 9 ULTIMATE BEARING CAPACITY OF STRIP FOOTING ON UNSATURATED SANDY SOIL DUE TO TRANSIENT FLOW	293
9.1 INTRODUCTIO	293
9.2 PROBLEM STATEMENT AND DOMAIN	294
9.3 SUCTION STRESS AND ANALYSIS PROCEDURE	295
9.3.1 Evaluating suction stress due to transient flow	295
9.3.2 Variation of the Suction Stress Profiles	298
9.3.3 Analysis	301

9.4 RESULTS AND DISCUSSION	302
9.4.1 Transient ultimate Bearing Capacity	302
9.4.2 Nodal Velocity Pattern	308
9.5 SUMMARY	312
Chapter 10 SUMMARY, CONCLUSIONS, AND FUTURE SCOPE	313
10.1 SUMMARY	313
10.2 CONCLUSIONS	315
10.3 LIMITATIONS AND FUTURE SCOPE	322
REFERENCES	325
Appendix-A: ALGORITHM FOR SOLVING NON-LINEAR OPTIMIZATION PROBLEM	353
Appendix-B: GRADIENT AND HESSIAN OF SMOOTHENED MOHR- COULOMB YIELD FUNCTION	355
Appendix-C: GRADIENT AND HESSIAN OF SMOOTHENED TRESCA YIELD FUNCTION	359
Appendix-D: GRADIENT AND HESSIAN OF SMOOTHENED HOEK- BROWN YIELD FUNCTION	361
Appendix-E: CRANK-NICOLSON FINITE DIFFERENCE IMPLICIT TECHNIQUE	367
LIST OF PUBLICATIONS	369