

References

- [1] C. Ryan, “Computer and internet use in the United States: 2016,” American Community Survey Reports, ACS-39, Washington, DC, 2017.
- [2] S. R. Flaxman, R. R. Bourne, S. Resnikoff, P. Ackland, T. Braithwaite, M. V. Cicinelli, A. Das, J. B. Jonas, J. Keeffe, J. H. Kempen *et al.*, “Global causes of blindness and distance vision impairment 1990–2020: a systematic review and meta-analysis,” *The Lancet Global Health*, vol. 5, no. 12, pp. e1221–e1234, 2017.
- [3] R. R. Bourne, S. R. Flaxman, T. Braithwaite, M. V. Cicinelli, A. Das, J. B. Jonas, J. Keeffe, J. H. Kempen, J. Leasher, H. Limburg *et al.*, “Magnitude, temporal trends, and projections of the global prevalence of blindness and distance and near vision impairment: a systematic review and meta-analysis,” *The Lancet Global Health*, vol. 5, no. 9, pp. e888–e897, 2017.
- [4] W. K. English, D. C. Engelbart, and M. L. Berman, “Display-selection techniques for text manipulation,” *IEEE Transactions on Human Factors in Electronics*, vol. HFE-8, no. 1, pp. 5–15, 1967.
- [5] A. Roch, “Fire-control and human-computer interaction: Towards a history of the computer mouse (1940-1965),”

- <http://web.stanford.edu/dept/SUL/library/prod//siliconbase/wip/control.html>, accessed:2018-08-08.
- [6] L. A. Scadden, “Blindness in the information age: Equality or irony?” *Journal of Visual Impairment and Blindness*, vol. 78, no. 9, pp. 394–400, 1984.
- [7] L. H. Boyd *et al.*, “The graphical user interface crisis: Danger and opportunity.” 1990. [Online]. Available: <https://eric.ed.gov/?id=ED333687>
- [8] J. K. Seale, “Two perspectives on the language of special needs computing: towards a shared view,” *Disability & Society*, vol. 13, no. 2, pp. 259–267, 1998.
- [9] T. T. Hewett, R. Baecker, S. Card, T. Carey, J. Gasen, M. Mantei, G. Perlman, G. Strong, and W. Verplank, *SIGCHI Curricula for Human-Computer Interaction*. ACM, 1992.
- [10] K. Mullet and D. Sano, *Designing Visual Interfaces: Communication Oriented Techniques*. Upper Saddle River, NJ, USA: Prentice-Hall, Inc., 1995.
- [11] K. Hinckley, R. J. K. Jacob, C. Ware, J. O. Wobbrock, and D. Wigdor, *Input/Output Devices and Interaction Techniques (2007)*. Chapman and Hall, 2014. [Online]. Available: <https://www.microsoft.com/en-us/research/publication/inputoutput-devices-interaction-techniques/>
- [12] A. Dix, “Human-computer interaction,” in *Encyclopedia of Database Systems*. Springer, 2009, pp. 1327–1331.
- [13] S. Thuseethan and S. Kuhanesan, “Effective use of human computer interaction in digital academic supportive devices,” *CoRR*, vol. abs/1501.00529, 2015. [Online]. Available: <http://arxiv.org/abs/1501.00529>
- [14] M. Turk, “Multimodal interaction: A review,” *Pattern Recognition Letters*, vol. 36, pp. 189–195, 2014.

- [15] M. Obrist, E. Gatti, E. Maggioni, C. T. Vi, and C. Velasco, “Multisensory experiences in hci,” *IEEE MultiMedia*, vol. 24, no. 2, pp. 9–13, 2017.
- [16] American Printing House for the Blind, “Annual Report 2017: Distribution of Eligible Students Based on the Federal Quota Census of January 4, 2016 (Fiscal Year 2017),” <https://www.aph.org/federal-quota/distribution-of-students-2017/>.
- [17] O. Kushch, A. Igualada, and P. Prieto, “Prominence in speech and gesture favour second language novel word learning,” *Language, Cognition and Neuroscience*, pp. 1–13, 2018.
- [18] R. Tatman, “Gender and dialect bias in youtube’s automatic captions,” in *Proceedings of the First ACL Workshop on Ethics in Natural Language Processing*, 2017, pp. 53–59.
- [19] S. Ruan, J. O. Wobbrock, K. Liou, A. Ng, and J. A. Landay, “Comparing speech and keyboard text entry for short messages in two languages on touch-screen phones,” *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*, vol. 1, no. 4, p. 159, 2018.
- [20] M. S. Hawley, S. P. Cunningham, P. D. Green, P. Enderby, R. Palmer, S. Sehgal, and P. O’Neill, “A voice-input voice-output communication aid for people with severe speech impairment,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 21, no. 1, pp. 23–31, 2013.
- [21] S. Gao, Y. Wang, X. Gao, and B. Hong, “Visual and auditory brain-computer interfaces,” *IEEE Transactions on Biomedical Engineering*, vol. 61, no. 5, pp. 1436–1447, 2014.

- [22] A. S. Dick, S. Goldin-Meadow, A. Solodkin, and S. L. Small, “Gesture in the developing brain,” *Developmental Science*, vol. 15, no. 2, pp. 165–180, 2012.
- [23] J. M. Iverson and S. Goldin-Meadow, “What’s communication got to do with it? gesture in children blind from birth.” *Developmental Psychology*, vol. 33, no. 3, p. 453, 1997.
- [24] S. Goldin-Meadow, “The role of gesture in communication and thinking,” *Trends in Cognitive Sciences*, vol. 3, no. 11, pp. 419–429, 1999.
- [25] J. Wachs, “Optimal hand gesture vocabulary design methodology for virtual robotic control,” Ph.D. dissertation, Ben Gurion University, 2006.
- [26] M. Karam and M. Schraefel, “A taxonomy of gestures in human computer interactions. university of southampton,” *Computing Service*, 2005.
- [27] Y. Nam, K. Wohn *et al.*, “Recognition of space-time hand-gestures using hidden markov model,” in *Proceedings of the ACM symposium on Virtual reality software and technology*, 1996, pp. 51–58.
- [28] W. T. Freeman and M. Roth, “Orientation histograms for hand gesture recognition,” in *Proceedings of the International Workshop on Automatic Face and Gesture Recognition*, vol. 12, 1995, pp. 296–301.
- [29] Y. Wu and T. S. Huang, “Vision-based gesture recognition: a review,” in *Proceedings of the International Gesture Workshop*. Springer, 1999, pp. 103–115.
- [30] M. C. Buzzi, M. Buzzi, B. Leporini, and A. Trujillo, “Design of web-based tools to study blind people’s touch-based interaction with smartphones,” in *Proceedings of the International Conference on Human-Computer Interaction*. Springer, 2015, pp. 7–12.

- [31] S. K. Kane, J. O. Wobbrock, and R. E. Ladner, “Usable gestures for blind people: understanding preference and performance,” in *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 2011, pp. 413–422.
- [32] M. C. Buzzi, M. Buzzi, B. Leporini, and A. Trujillo, “Designing a text entry multimodal keypad for blind users of touchscreen mobile phones,” in *Proceedings of the 16th International SIGACCESS Conference on Computers & accessibility*. ACM, 2014, pp. 131–136.
- [33] D. J. Sturman and D. Zeltzer, “A survey of glove-based input,” *IEEE Computer Graphics and Applications*, vol. 14, no. 1, pp. 30–39, 1994.
- [34] G. J. Grimes, “Digital data entry glove interface device,” Patent US 4,414,537, 1983. [Online]. Available: <https://patents.google.com/patent/US4414537A/en>
- [35] L. Dipietro, A. M. Sabatini, and P. Dario, “A survey of glove-based systems and their applications,” *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, vol. 38, no. 4, pp. 461–482, 2008.
- [36] M. Nielsen, M. Störring, T. B. Moeslund, and E. Granum, “A procedure for developing intuitive and ergonomic gesture interfaces for HCI,” in *Proceedings of the International Gesture Workshop*. Springer, 2003, pp. 409–420.
- [37] J. O. Wobbrock, H. H. Aung, B. Rothrock, and B. A. Myers, “Maximizing the guessability of symbolic input,” in *Proceedings of the Extended Abstracts on Human Factors in Computing Systems, CHI’05*, 2005, pp. 1869–1872.
- [38] H. I. Stern, J. P. Wachs, and Y. Edan, “Designing hand gesture vocabularies for natural interaction by combining psycho-physiological and recognition

- factors,” *International Journal of Semantic Computing*, vol. 2, no. 01, pp. 137–160, 2008.
- [39] M. Bhuiyan and R. Picking, “A gesture controlled user interface for inclusive design and evaluative study of its usability,” *Journal of Software Engineering and Applications*, vol. 4, no. 09, p. 513, 2011.
- [40] S. Connell, P. Kuo, L. Liu, and A. M. Piper, “A Wizard-of-Oz elicitation study examining child-defined gestures with a whole-body interface,” in *Proceedings of the 12th International Conference on Interaction Design and Children*. ACM, 2013, pp. 277–280.
- [41] T. Piumsomboon, A. Clark, M. Billingham, and A. Cockburn, “User-defined gestures for augmented reality,” in *Proceedings of the Extended Abstracts on Human Factors in Computing Systems*. ACM, 2013, pp. 955–960.
- [42] R. Vatavu, “User-defined gestures for free-hand TV control,” in *Proceedings of the 10th European Conference on Interactive TV and Video*. ACM, 2012, pp. 45–48.
- [43] M. R. Morris, “Web on the wall: insights from a multimodal interaction elicitation study,” in *Proceedings of the 2012 ACM International Conference on Interactive Tabletops and Surfaces*. ACM, 2012, pp. 95–104.
- [44] H. Dong, A. Danesh, N. Figueroa, and A. E. Saddik, “An elicitation study on gesture preferences and memorability toward a practical hand-gesture vocabulary for smart televisions,” *IEEE Access*, vol. 3, pp. 543–555, 2015.
- [45] A. Pereira, J. P. Wachs, K. Park, and D. Rempel, “A user-developed 3-D hand gesture set for human–computer interaction,” *Human Factors: The Journal of the Human Factors and Ergonomics Society*, vol. 57, no. 4, pp. 607–621, 2015.

- [46] A. Thakur and R. Rai, "User study of hand gestures for gesture based 3D cad modeling," in *Proceedings of the International Design Engineering Technical Conferences and Computers and Information in Engineering Conference ASME*. American Society of Mechanical Engineers, 2015, p. V01BT02A017.
- [47] F. Gomez-Donoso, M. Cazorla, A. Garcia-Garcia, and J. Garcia-Rodriguez, "Automatic schaeffer's gestures recognition system," *Expert Systems*, vol. 33, no. 5, pp. 480–488, 2015. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1111/exsy.12160>
- [48] H. Jiang, B. S. Duerstock, and J. P. Wachs, "User-centered and analytic-based approaches to generate usable gestures for individuals with quadriplegia," *IEEE Transactions on Human-Machine Systems*, vol. 46, no. 3, pp. 460–466, 2016.
- [49] E. H. Land and J. J. McCann, "Lightness and retinex theory," *Journal of the Optical Society of America (JOSA)*, vol. 61, no. 1, pp. 1–11, 1971.
- [50] D. J. Jobson, Z. Rahman, and G. A. Woodell, "A multiscale retinex for bridging the gap between color images and the human observation of scenes," *IEEE Transactions on Image processing*, vol. 6, no. 7, pp. 965–976, 1997.
- [51] —, "Properties and performance of a center/surround retinex," *IEEE Transactions on Image Processing*, vol. 6, no. 3, pp. 451–462, 1997.
- [52] E. H. Land, "An alternative technique for the computation of the designator in the retinex theory of color vision," *Proceedings of the National Academy of Sciences*, vol. 83, no. 10, pp. 3078–3080, 1986.

- [53] E. Provenzi, M. Fierro, A. Rizzi, L. De Carli, D. Gadia, and D. Marini, “Random spray retinex: a new retinex implementation to investigate the local properties of the model,” *IEEE Transactions on Image Processing*, vol. 16, no. 1, pp. 162–171, 2007.
- [54] V. Vonikakis, R. Kouskouridas, and A. Gasteratos, “On the evaluation of illumination compensation algorithms,” *Multimedia Tools and Applications*, pp. 1–21, 2017.
- [55] J. Kovac, P. Peer, and F. Solina, “Human skin color clustering for face detection,” in *Proceedings of the Region 8 EUROCON Computer as a Tool.*, vol. 2, 2003, pp. 144–148.
- [56] S. Tsekeridou and I. Pitas, “Facial feature extraction in frontal views using biometric analogies,” in *Proceedings of the 9th European Signal Processing Conference (EUSIPCO)*. IEEE, 1998, pp. 1–4.
- [57] R. L. Hsu, M. Abdel Mottaleb, and A. K. Jain, “Face detection in color images,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 24, no. 5, pp. 696–706, 2002.
- [58] J. Han, G. Award, A. Sutherland, and H. Wu, “Automatic skin segmentation for gesture recognition combining region and support vector machine active learning,” in *Proceedings of 7th International Conference on Automatic Face and Gesture Recognition*. IEEE, 2006, pp. 237–242.
- [59] J. Yang, W. Lu, and A. Waibel, “Skin-color modeling and adaptation,” in *Proceedings of Asian Conference on Computer Vision*. Springer, 1998, pp. 687–694.

- [60] P. Ng and C. M. Pun, "Skin color segmentation by texture feature extraction and k-mean clustering," in *Proceedings of the 3rd International Conference on Computational Intelligence, Communication Systems and Networks (CIC-SyN)*. IEEE, 2011, pp. 213–218.
- [61] L. Chen, J. Zhou, Z. Liu, W. Chen, and G. Xiong, "A skin detector based on neural network," in *Proceedings of the International Conference on Communications, Circuits and Systems and West Sino Expositions*, vol. 1. IEEE, 2002, pp. 615–619.
- [62] R. Khan, A. Hanbury, and J. Stoetinger, "Skin detection: a random forest approach," in *Proceedings of 17th International Conference on Image Processing (ICIP)*. IEEE, 2010, pp. 4613–4616.
- [63] B. K. Chakraborty, M. Bhuyan, and S. Kumar, "Adaptive propagation-based skin segmentation method for color images," in *Proceedings of the 22nd National Conference on Communication (NCC)*. IEEE, 2016, pp. 1–6.
- [64] M. J. Jones and J. M. Rehg, "Statistical color models with application to skin detection," *International Journal of Computer Vision*, vol. 46, no. 1, pp. 81–96, 2002.
- [65] M. Kawulok, "Fast propagation-based skin regions segmentation in color images," in *Proceedings of the 10th International Conference and Workshops on Automatic Face and Gesture Recognition (FG)*. IEEE, 2013, pp. 1–7.
- [66] M. Kawulok, J. Kawulok, and J. Nalepa, "Spatial-based skin detection using discriminative skin-presence features," *Pattern Recognition Letters*, vol. 41, pp. 3–13, 2014.

- [67] I. Hwang, Y. Kim, and N. I. Cho, “Skin detection based on multi-seed propagation in a multi-layer graph for regional and color consistency,” in *Proceedings of the International Conference on Acoustics, Speech and Signal Processing (ICASSP)*. IEEE, 2017, pp. 1273–1277.
- [68] M.-K. Hu, “Visual pattern recognition by moment invariants,” *IRE Transactions on Information Theory*, vol. 8, no. 2, pp. 179–187, 1962.
- [69] M. R. Teague, “Image analysis via the general theory of moments,” *JOSA*, vol. 70, no. 8, pp. 920–930, 1980.
- [70] S. O. Belkasim, M. Shridhar, and M. Ahmadi, “Pattern recognition with moment invariants: a comparative study and new results,” *Pattern Recognition*, vol. 24, no. 12, pp. 1117–1138, 1991.
- [71] R. Mukundan, S. Ong, and P. A. Lee, “Image analysis by Tchebichef moments,” *IEEE Transactions on Image Processing*, vol. 10, no. 9, pp. 1357–1364, 2001.
- [72] A. El-ghazal, O. Basir, and S. Belkasim, “Farthest point distance: a new shape signature for Fourier descriptors,” *Signal Processing: Image Communication*, vol. 24, no. 7, pp. 572–586, 2009.
- [73] D. Zhang and G. Lu, “Study and evaluation of different Fourier methods for image retrieval,” *Image and Vision Computing*, vol. 23, no. 1, pp. 33–49, 2005.
- [74] I. Kunttu, L. Lepistö, J. Rauhamaa, and A. Visa, “Multiscale Fourier descriptors for defect image retrieval,” *Pattern Recognition Letters*, vol. 27, no. 2, pp. 123–132, 2006.
- [75] R. B. Yadav, N. K. Nishchal, A. K. Gupta, and V. K. Rastogi, “Retrieval and classification of shape-based objects using Fourier, generic Fourier, and

- Wavelet-Fourier descriptors technique: A comparative study,” *Optics and Lasers in Engineering*, vol. 45, no. 6, pp. 695–708, 2007.
- [76] S. Abbasi, F. Mokhtarian, and J. Kittler, “Curvature scale space image in shape similarity retrieval,” *Multimedia Systems*, vol. 7, no. 6, pp. 467–476, 1999.
- [77] J. Sun and X. Wu, “Chain code distribution-based image retrieval,” in *Proceedings of the International Conference on Intelligent Information Hiding and Multimedia Signal Processing*. IEEE, 2006, pp. 139–142.
- [78] L. Yun, Z. Lifeng, and Z. Shujun, “A hand gesture recognition method based on multi-feature fusion and template matching,” *Procedia Engineering*, vol. 29, pp. 1678 – 1684, 2012. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S1877705812002044>
- [79] A. Gupta, V. K. Sehrawat, and M. Khosla, “FPGA based real time human hand gesture recognition system,” *Procedia Technology*, vol. 6, pp. 98 – 107, 2012. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S2212017312005580>
- [80] S. P. Priyal and P. K. Bora, “A robust static hand gesture recognition system using geometry based normalizations and krawtchouk moments,” *Pattern Recognition*, vol. 46, no. 8, pp. 2202–2219, 2013.
- [81] P. Hays, R. Ptucha, and R. Melton, “Mobile device to cloud co-processing of ASL finger spelling to text conversion,” in *Proceedings of Western New York Image Processing Workshop (WNYIPW)*. IEEE, 2013, pp. 39–43.

- [82] Z. Ren, J. Yuan, J. Meng, and Z. Zhang, “Robust part-based hand gesture recognition using Kinect sensor,” *IEEE Transactions on Multimedia*, vol. 15, no. 5, pp. 1110–1120, 2013.
- [83] Y. T. Li and J. P. Wachs, “Recognizing hand gestures using the weighted elastic graph matching (WEGM) method,” *Image and Vision Computing*, vol. 31, no. 9, pp. 649 – 657, 2013. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0262885613001030>
- [84] K. Otiniano Rodriguez and G. Camara Chavez, “Finger spelling recognition from RGB-D information using kernel descriptor,” in *Proceedings of 26th Conference on Graphics, Patterns and Images, 2013*. IEEE, 2013, pp. 1–7.
- [85] F. Dominio, M. Donadeo, and P. Zanuttigh, “Combining multiple depth-based descriptors for hand gesture recognition,” *Pattern Recognition Letters*, vol. 50, pp. 101 – 111, 2014, depth Image Analysis. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0167865513003838>
- [86] Y. T. Li and J. P. Wachs, “HEGM: A hierarchical elastic graph matching for hand gesture recognition,” *Pattern Recognition*, vol. 47, no. 1, pp. 80 – 88, 2014. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0031320313002537>
- [87] R. C. Luo, Y. Wu, and P. Lin, “Multimodal information fusion for human-robot interaction,” in *Proceedings of the 10th Jubilee International Symposium on Applied Computational Intelligence and Informatics*. IEEE, 2015, pp. 535–540.
- [88] D. L. Dinh, S. Lee, and T.-S. Kim, “Hand number gesture recognition using recognized hand parts in depth images,” *Multimedia Tools and Applications*, vol. 75, no. 2, pp. 1333–1348, 2016.

- [89] K. Pattanaworapan, K. Chamnongthai, and J.-M. Guo, “Signer-independence finger alphabet recognition using discrete wavelet transform and area level run lengths,” *Journal of Visual Communication and Image Representation*, vol. 38, pp. 658–677, 2016.
- [90] Y. Ren, X. Xie, G. Li, and Z. Wang, “Hand gesture recognition with multiscale weighted histogram of contour direction normalization for wearable applications,” *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 28, no. 2, pp. 364–377, 2018.
- [91] Ş. Özçalışkan, C. Lucero, and S. Goldin-Meadow, “Is seeing gesture necessary to gesture like a native speaker?” *Psychological Science*, vol. 27, no. 5, pp. 737–747, 2016.
- [92] M. Son, W. Park, J. Jung, D. Hwang, and J. Park, “Utilizing sign language gestures for gesture-based interaction: a usability evaluation study,” *International Journal of Industrial Engineering: Theory, Applications and Practice*, vol. 20, pp. 9–10, 2016.
- [93] T. Baudel and M. Beaudouin-Lafon, “Charade: remote control of objects using free-hand gestures,” *Communications of the ACM*, vol. 36, no. 7, pp. 28–35, 1993.
- [94] C. Häger-Ross and M. H. Schieber, “Quantifying the independence of human finger movements: comparisons of digits, hands, and movement frequencies,” *Journal of Neuroscience*, vol. 20, no. 22, pp. 8542–8550, 2000.
- [95] O. Erazo, Y. Rekik, L. Grisoni, and J. A. Pino, “Understanding gesture articulations variability,” in *Proceedings of the Conference on Human-Computer Interaction*. Springer, 2017, pp. 293–314.

- [96] F. Winberg, “Contextualizing accessibility: interaction for blind computer users,” Ph.D. dissertation, KTH, 2008.
- [97] P. Vashist, S. S. Senjam, V. Gupta, N. Gupta, and A. Kumar, “Definition of blindness under national programme for control of blindness: Do we need to revise it?” *Indian Journal of Ophthalmology*, vol. 65, no. 2, p. 92, 2017.
- [98] S. Sue, “Test distance vision using a Snellen chart.” *Community Eye Health*, vol. 20, no. 63, p. 52, 2007.
- [99] M. L. Riemer-Reiss and R. R. Wacker, “Factors associated with assistive technology discontinuance among individuals with disabilities,” *Journal of Rehabilitation*, vol. 66, no. 3, p. 44, 2000.
- [100] S. Assar, R. El Amrani, and R. T. Watson, “ICT and education: a critical role in human and social development,” *Information Technology for Development*, vol. 16, no. 3, pp. 151–158, 2010.
- [101] Triumph Technology, “Active braille,” <http://attriumph.com/braille-products/handytech/active-braille>, accessed: 2018-05-30.
- [102] P. E. Okonji and D. C. Ogwezzy, “Awareness and barriers to adoption of assistive technologies among visually impaired people in nigeria,” *Assistive Technology*, pp. 1–11, 2018.
- [103] “Harnessing the power of information technologies for the visually impaired,” <https://www.mdedge.com/sites/default/files/Document/September-2017/029110016.pdf>, accessed: 2018-05-16.
- [104] M. Kopic, “10 facts about blindness and visual impairment,” http://www.who.int/features/factfiles/blindness/blindness_facts/en/index2.html, accessed: 2018-05-16.

- [105] D. S. Raja, “Bridging the disability divide through digital technologies,” *Background Paper for the World Development Report*, 2016.
- [106] R. Andrich, “Cost analysis of assistive technology,” *Retrieved March*, vol. 5, 2013.
- [107] A. Cavalier, “The application of technology in the classroom and workplace: Unvoiced premises and ethical issues,” *Images of the Disabled/Disabling Images*, pp. 129–141, 1987.
- [108] N. Sachdeva and R. Suomi, “Assistive technology for totally blind—barriers to adoption,” *SOURCE IRIS: Selected Papers of the Information Systems Research Semina*, vol. 47, 2013.
- [109] S. Hodge and F. Eccles, “Loneliness, social isolation and sight loss,” *A Literature Review Conducted for Thomas Pocklington Trust: Lancaster University*, 2013.
- [110] I. Bruder and G. Jaworek, “Blind and visually impaired people: human-computer interaction and access to graphics,” in *Proceedings of the International Conference on Computers for Handicapped Persons*. Springer, 2008, pp. 767–769.
- [111] M. Hersh and M. A. Johnson, *Assistive technology for visually impaired and blind people*. Springer Science & Business Media, 2010.
- [112] A. D. Edwards, “The design of auditory interfaces for visually disabled users,” in *Proceedings of the SIGCHI conference on Human factors in computing systems*. ACM, 1988, pp. 83–88.
- [113] ———, “Soundtrack: An auditory interface for blind users,” *Human-Computer Interaction*, vol. 4, no. 1, pp. 45–66, 1989.

- [114] L. H. Boyd, W. L. Boyd, and G. C. Vanderheiden, “Graphics-based computers and the blind: Riding the tides of change,” in *Proceedings of the Conference on CSUN Technology and Persons with Disabilities*, 1991, pp. 20–23.
- [115] R. C. Kadosh and V. Walsh, “Cognitive neuroscience: rewired or crosswired brains?” *Current Biology*, vol. 16, no. 22, pp. R962–R963, 2006.
- [116] A. Bhattacharjee, J. Y. Amanda, J. A. Lisak, M. G. Vargas, and D. Goldreich, “Vibrotactile masking experiments reveal accelerated somatosensory processing in congenitally blind braille readers,” *The Journal of Neuroscience*, vol. 30, no. 43, pp. 14 288–14 298, 2010.
- [117] C. M. Bauer, G. V. Hirsch, L. Zajac, B.-B. Koo, O. Collignon, and L. B. Merabet, “Multimodal MR-imaging reveals large-scale structural and functional connectivity changes in profound early blindness,” *PloS one*, vol. 12, no. 3, p. e0173064, 2017.
- [118] D. T. Pawluk, R. J. Adams, and R. Kitada, “Designing haptic assistive technology for individuals who are blind or visually impaired,” *IEEE Transactions on Haptics*, vol. 8, no. 3, pp. 258–278, 2015.
- [119] Á. Kristjánsson, A. Moldoveanu, Ó. I. Jóhannesson, O. Balan, S. Spagnol, V. V. Valgeirsdóttir, and R. Unnthorsson, “Designing sensory-substitution devices: Principles, pitfalls and potential 1,” *Restorative Neurology and Neuroscience*, vol. 34, no. 5, pp. 769–787, 2016.
- [120] C. Solomon and T. Breckon, *Fundamentals of Digital Image Processing: A practical approach with examples in Matlab*. John Wiley & Sons, 2011.

- [121] Y. Zhou, G. Jiang, and Y. Lin, “A novel finger and hand pose estimation technique for real-time hand gesture recognition,” *Pattern Recognition*, vol. 49, pp. 102–114, 2016.
- [122] F. Farhadi-Niaki, S. A. Etemad, and A. Arya, “Design and usability analysis of gesture-based control for common desktop tasks,” in *Proceedings of the International Conference on Human-Computer Interaction*. Springer, 2013, pp. 215–224.
- [123] N. Rossol, I. Cheng, and A. Basu, “A multisensor technique for gesture recognition through intelligent skeletal pose analysis,” *IEEE Transactions on Human-Machine Systems*, vol. 46, no. 3, pp. 350–359, 2016.
- [124] N. Ç. Kılıboz and U. Güdükbay, “A hand gesture recognition technique for human–computer interaction,” *Journal of Visual Communication and Image Representation*, vol. 28, pp. 97–104, 2015.
- [125] P. Mason, “The representation of disabled people: a Hampshire centre for independent living discussion paper,” *Disability, Handicap & Society*, vol. 7, no. 1, pp. 79–84, 1992.
- [126] G. A. Miller, “The magical number seven, plus or minus two: some limits on our capacity for processing information,” *Psychological Review*, vol. 63, no. 2, p. 81, 1956.
- [127] K. Barclay, D. Wei, C. Lutteroth, and R. Sheehan, “A quantitative quality model for gesture based user interfaces,” in *Proceedings of the 23rd Australian Computer-Human Interaction Conference*. ACM, 2011, pp. 31–39.

- [128] M. S. A. Rahman, N. M. Ali, and M. Mohd, “A study on the naturalness of gesture-based interaction for children,” in *Proceedings of the International Visual Informatics Conference*. Springer, 2013, pp. 718–728.
- [129] M. C. Buzzi, M. Buzzi, B. Leporini, and A. Trujillo, “Exploring visually impaired people’s gesture preferences for smartphones,” in *Proceedings of the 11th Biannual Conference on Italian SIGCHI Chapter*. ACM, 2015, pp. 94–101.
- [130] K. Sorathia, M. Jain, M. Amrit, R. M. Puneekar, S. Srivastava, and N. Rajput, “Gesture selection study for a maternal healthcare information system in rural Assam, India,” *J. Usability Studies*, vol. 11, no. 1, pp. 7–20, 2015. [Online]. Available: <http://dl.acm.org/citation.cfm?id=2870660.2870662>
- [131] R. Vatavu and J. O. Wobbrock, “Formalizing agreement analysis for elicitation studies: new measures, significance test, and toolkit,” in *Proceedings of the 33rd Annual Conference on Human Factors in Computing Systems*. ACM, 2015, pp. 1325–1334.
- [132] J. P. Wachs, H. I. Stern, Y. Edan, M. Gillam, J. Handler, C. Feied, and M. Smith, “A gesture-based tool for sterile browsing of radiology images,” *Journal of the American Medical Informatics Association*, vol. 15, no. 3, pp. 321–323, 2008.
- [133] D. Zhang and G. Lu, “Review of shape representation and description techniques,” *Pattern Recognition*, vol. 37, no. 1, pp. 1–19, 2004.
- [134] C. H. Teh and R. T. Chin, “On image analysis by the methods of moments,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 10, no. 4, pp. 496–513, 1988.

- [135] Y. Fang, K. Wang, J. Cheng, and H. Lu, “A real-time hand gesture recognition method,” in *Proceedings of International Conference on Multimedia and Expo*. IEEE, 2007, pp. 995–998.
- [136] N. H. Dardas and N. D. Georganas, “Real-time hand gesture detection and recognition using bag-of-features and support vector machine techniques,” *IEEE Transactions on Instrumentation and Measurement*, vol. 60, no. 11, pp. 3592–3607, 2011.
- [137] H. Wang, Q. Wang, and X. Chen, “Hand posture recognition from disparity cost map,” in *Proceedings of the Asian Conference on Computer Vision*. Springer, 2012, pp. 722–733.
- [138] L. Liu, J. Xing, H. Ai, and X. Ruan, “Hand posture recognition using finger geometric feature,” in *Proceedings of the 21st International Conference on Pattern Recognition (ICPR)*. IEEE, 2012, pp. 565–568.
- [139] G. Plouffe and A.-M. Cretu, “Static and dynamic hand gesture recognition in depth data using dynamic time warping,” *IEEE Transactions on Instrumentation and Measurement*, vol. 65, no. 2, pp. 305–316, 2016.
- [140] S. Belongie, J. Malik, and J. Puzicha, “Shape matching and object recognition using shape contexts,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 24, no. 4, pp. 509–522, 2002.
- [141] D. K. Ghosh and S. Ari, “Static hand gesture recognition using mixture of features and SVM classifier,” in *Proceedings of the Fifth International Conference on Communication Systems and Network Technologies (CSNT)*. IEEE, 2015, pp. 1094–1099.

- [142] M. Hatano, S. Sako, and T. Kitamura, "Contour-based hand pose recognition for sign language recognition," in *Proceedings of SLPAT 2015: 6th Workshop on Speech and Language Processing for Assistive Technologies*, 2015, pp. 17–21.
- [143] G. Tofghi, N. A. Afarin, K. Raahemifar, and A. N. Venetsanopoulos, "Hand pointing detection using live histogram template of forehead skin," in *Proceedings of the 19th International Conference on Digital Signal Processing (DSP)*. IEEE, 2014, pp. 383–388.
- [144] M. Yang, K. Kpalma, and J. Ronsin, "A survey of shape feature extraction techniques," *Pattern Recognition, IN-TECH*, pp. 43 – 90, 2008.
- [145] D. Tsai and M. Chen, "Object recognition by a linear weight classifier," *Pattern Recognition Letters*, vol. 16, no. 6, pp. 591 – 600, 1995. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/016786559580005E>
- [146] Z. Ren, J. Yuan, J. Meng, and Z. Zhang, "Robust part-based hand gesture recognition using Kinect sensor," *IEEE Transactions on Multimedia*, vol. 15, no. 5, pp. 1110–1120, 2013.
- [147] G. Modanwal and K. Sarawadekar, "Towards hand gesture based writing support system for blinds," *Pattern Recognition*, vol. 57, pp. 50–60, 2016.
- [148] R. Wang, Z. Yu, M. Liu, Y. Wang, and Y. Chang, "Real-time visual static hand gesture recognition system and its FPGA-based hardware implementation," in *Proceedings of the 12th International Conference on Signal Processing (ICSP)*. IEEE, 2014, pp. 434–439.

- [149] G. Modanwal and K. Sarawadekar, “Development of a new dactylogy and writing support system especially for blinds,” in *Proceedings of the 13th Conference on Computer and Robot Vision (CRV)*, 2016, pp. 362–369.
- [150] K. Abe, H. Saito, and S. Ozawa, “3-D drawing system via hand motion recognition from two cameras,” in *Proceedings of the International Conference on Systems, Man, and Cybernetics*, vol. 2. IEEE, 2000, pp. 840–845.
- [151] A. Licsár and T. Szirányi, “Hand gesture recognition in camera-projector system,” in *Proceedings of the International Workshop on Computer Vision in Human-Computer Interaction*. Springer, 2004, pp. 83–93.
- [152] D. Y. Huang, W. C. Hu, and S. H. Chang, “Gabor filter-based hand-pose angle estimation for hand gesture recognition under varying illumination,” *Expert Systems with Applications*, vol. 38, no. 5, pp. 6031–6042, 2011.
- [153] C. F. F. Costa Filho, R. S. d. Souza, J. R. d. Santos, B. L. d. Santos, and M. G. F. Costa, “A fully automatic method for recognizing hand configurations of Brazilian sign language,” *Research on Biomedical Engineering*, vol. 33, no. 1, pp. 78–89, 2017.
- [154] J. Nalepa, T. Grzejszczak, and M. Kawulok, “Wrist localization in color images for hand gesture recognition,” in *Man-Machine Interactions 3*. Springer, 2014, pp. 79–86.
- [155] M. A. Khorsandi, N. Karimi, S. M. R. Soroushmehr, M. Hajabdollahi, S. Samavi, K. Ward, and K. Najarian, “Radon transform inspired method for hand gesture recognition,” in *Proceedings of the 23rd International Conference on Pattern Recognition (ICPR)*. IEEE, 2016, pp. 1053–1058.

- [156] T. N. Nguyen, D. H. Vo, H. H. Huynh, and J. Meunier, “Geometry-based static hand gesture recognition using support vector machine,” in *Proceedings of the 13th International Conference on Control Automation Robotics & Vision (ICARCV)*. IEEE, 2014, pp. 769–774.
- [157] Z. Yao, Z. Pan, and S. Xu, “Wrist recognition and the center of the palm estimation based on depth camera,” in *Proceedings of the International Conference on Virtual Reality and Visualization (ICVRV)*. IEEE, 2013, pp. 100–105.
- [158] S. Medjram, M. C. Babahenini, A. Taleb-Ahmed, and Y. Mohamed Ben Ali, “Real-time wrist localization in color images based on corner analysis,” *Multimedia Tools and Applications*, vol. 76, no. 14, pp. 15 297–15 324, 2017.
- [159] —, “Automatic hand detection in color images based on skin region verification,” *Multimedia Tools and Applications*, vol. 77, no. 11, pp. 13 821–13 851, 2018.
- [160] C. W. Ng and S. Ranganath, “Real-time gesture recognition system and application,” *Image and Vision Computing*, vol. 20, no. 13, pp. 993–1007, 2002.
- [161] H. S. Yeo, B. G. Lee, and H. Lim, “Hand tracking and gesture recognition system for human-computer interaction using low-cost hardware,” *Multimedia Tools and Applications*, vol. 74, no. 8, pp. 2687–2715, 2015.
- [162] M. Rahman, S. Gustafson, P. Irani, and S. Subramanian, “Tilt techniques: investigating the dexterity of wrist-based input,” in *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 2009, pp. 1943–1952.

-
- [163] G. Marin, M. Fraccaro, M. Donadeo, F. Dominio, and P. Zanuttigh, “Palm area detection for reliable hand gesture recognition,” in *Proceedings of MMSP*, 2013.
- [164] W. Gander, G. H. Golub, and R. Strebler, “Least-squares fitting of circles and ellipses,” *BIT Numerical Mathematics*, vol. 34, no. 4, pp. 558–578, 1994.
- [165] W. Wu, C. Li, Z. Cheng, X. Zhang, and L. Jin, “YOLSE: Egocentric fingertip detection from single RGB images,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, 2017, pp. 623–630.
- [166] Y. Huang, X. Liu, X. Zhang, and L. Jin, “A pointing gesture based egocentric interaction system: Dataset, approach and application,” in *Proceedings of the Conference on Computer Vision and Pattern Recognition Workshops*. IEEE, 2016, pp. 16–23.
- [167] Y. Huang, X. Liu, L. Jin, and X. Zhang, “Deepfinger: A cascade convolutional neuron network approach to finger key point detection in egocentric vision with mobile camera,” in *Proceedings of the International Conference on Systems, Man, and Cybernetics (SMC)*. IEEE, 2015, pp. 2944–2949.
- [168] L. Ge, H. Liang, J. Yuan, and D. Thalmann, “Real-time 3D hand pose estimation with 3D convolutional neural networks,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2018.