

Bibliography

- [1] D. Conte, P. Foggia, C. Sansone, and M. Vento. Thirty years of graph matching in pattern recognition. *Int. Journal of Pattern Recognition and Artificial Intelligence*, 18:265–298, 2004.
- [2] P. Foggia, G. Percannella, and M. Vento. Graph matching and learning in pattern recognition in the last 10 years. *Int. Journal of Pattern Recognition and Artificial Intelligence*, 28:1450001.1–1450001.40, 2014.
- [3] H. Bunke. Error-tolerant graph matching: a formal framework and algorithms. *Advances in Pattern Recognition, Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, 1451, 1998.
- [4] X. Gao, B. Xiao, D. Tao, and X. Li. A survey of graph edit distance. *Pattern Analysis and Applications*, 13:113–129, 2010.
- [5] L. Livi and A. Rizzi. The graph matching problem. *Pattern Analysis and Applications*, 16:253–283, 2013.
- [6] C. C. Aggarwal and H. Wang. *Managing and mining graph data*. Advances in Database Systems, Springer, 2010.
- [7] M. Neuhaus and H. Bunke. *Bridging the gap between graph edit distance and kernel machines*. World Scientific, 2007.
- [8] K. Riesen. *Structural Pattern Recognition with Graph Edit Distance, Approximation Algorithms and Applications*. Springer, 2015.
- [9] K. Rosen. *Discrete Mathematics and Its Applications*. McGraw Hill Education, 2017.

-
- [10] P. E. Hart, N. J. Nilson, and B. Raphael. A formal basis for heuristic determination of minimum cost paths. *IEEE Transactions on System, Science and Cybernetics*, 4:100–107, 1968.
- [11] N. J. Nilsson. *Principles of artificial intelligence*. Springer, 1980.
- [12] J. R. Ullman. An algorithm for subgraph isomorphism. *Journal of the Association for Computing Machinery*, 23(1):31–42, 1976.
- [13] J. R. Ullman. Bit-vector algorithms for binary constraint satisfaction and subgraph isomorphism. *ACM Journal of Experimental Algorithmics*, 15(1):1.6.1–1.6.64, 2011.
- [14] D. E. Ghahraman, A. K. Wong, and T. Au. Graph optimal monomorphism algorithms. *IEEE Transactions on systems, man, and Cybernetics*, 10(4):181–188, 1980.
- [15] L. P. Cordella, P. Foggia, C. Sansone, F. Tortorella, and M. Vento. Graph matching: a fast algorithm and its evaluation. *Int. Conf. Pattern Recognition*, pages 1582–1584, 1998.
- [16] L. P. Cordella, P. Foggia, C. Sansone, and M. Vento. Performance evaluation of the vf graph matching algorithm. *Int. Conf. Image Analysis and Processing*, pages 1172–1177, 1999.
- [17] L. P. Cordella, P. Foggia, C. Sansone, and M. Vento. An improved algorithm for matching large graphs. *Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, page 149–159, 2001.
- [18] J. Larrosa and G. Valiente. Constraint satisfaction algorithms for graph pattern matching. *Mathematical Structures in Computer Science*, 12:403–422, 2002.
- [19] J. J. McGregor. Backtrack search algorithm and the maximal common subgraph problem. *Software — Practice and Experience*, 12:403–422, 2002.
- [20] H. Bunke, P. Foggia, M. Vento, C. Sansone, and C. Guidobaldi. A comparison of algorithms for maximum common subgraph on randomly connected graphs. *Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, 2396, 2002.

-
- [21] I. Koch. Enumerating all connected maximal common subgraphs in two graphs. *Theoretical Computer Science*, 250:1–30, 2001.
- [22] B. D. McKay. Practical graph isomorphism. *Congressus Numerantium*, 30:45–87, 1981.
- [23] M. De Santo, P. Foggia, C. Sansone, and Vento M. A large database of graphs and its use for benchmarking graph isomorphism algorithms. *Pattern Recognition Letters*, 24:1067–1079, 2003.
- [24] P. T. Darga, M. H. Liffiton, K. A. Sakallah, and Markov I. L. Exploiting structure in symmetry detection for cnf. *Design and automation conference*, pages 530–534, 2004.
- [25] P. T. Darga, K. A. Sakallah, and Markov I. L. Faster symmetry discovery using sparsity of symmetries. *Design and automation conference*, pages 149–154, 2008.
- [26] B. D. McKay and A. Piperno. Practical graph isomorphism ii. *Journal of Symbolic Computation*, 60:94–112, 2014.
- [27] A. V. Aho, J. E. Hopcroft, and J. D. Ullman. *The design and analysis of computer algorithms*. Addison Wesley, 1974.
- [28] J. E. Hopcroft and J. Wong. Linear time algorithm for isomorphism of planar graphs. *ACM Symposium on Theory of Computing*, pages 172–184, 1974.
- [29] J. E. Hopcroft and R. E. Tarjan. A $v \log v$ algorithm for isomorphism of triconnected planar graphs. *Journal of computer and system Sciences*, 7:323–331, 1973.
- [30] E. M. Luks. Isomorphism of graphs of bounded valence can be tested in polynomial time. *Journal of Computer and System Sciences*, 25:42–65, 1982.
- [31] P. J. Dickinson, H. Bunke, A. Dadej, and M. Kraetzl. Matching graphs with unique node labels. *Pattern Analysis and Applications*, 7:243–254, 2004.
- [32] M. Kuramochi and Karypis G. Discovering frequent geometric subgraphs. *Information Systems*, 32:1101–1120, 2007.
- [33] B. Messmer and H. Bunke. A decision tree approach to graph and subgraph isomorphism detection. *Pattern Recognition*, 32:1979–1998, 1998.

-
- [34] B. Messmer and H. Bunke. Efficient subgraph isomorphism detection: a decomposition approach. *IEEE Transactions on Knowledge and Data Engineering*, 12:307–323, 2000.
- [35] C. Irrniger and H. Bunke. Decision tree structures for graph database filtering. *Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, page 66–75, 2004.
- [36] M. Gori, M. Maggini, and L. Sarti. Exact and approximate graph matching using random walks. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 27(7):1100–1111, 2005.
- [37] N. Dahm, H. Bunke, T. Caelli, and Gao Y. Topological features and iterative node elimination for speeding up subgraph isomorphism detection. *Int. Conf. Pattern Recognition*, pages 1164–1167, 2012.
- [38] W. H. Tsai and K. S. Fu. Error-correcting isomorphisms of attributed relational graphs for pattern analysis. *IEEE Transactons on System, Man and Cybernetics*, 9:757–768, 1979.
- [39] W. H. Tsai and K. S. Fu. Subgraph error-correcting isomorphism for syntactic pattern recognition. *IEEE Transactons on System, Man and Cybernetics*, 13:48–62, 1983.
- [40] L. G. Shapiro and R. M. Haralick. Structural descriptions and inexact matching. *IEEE Transactons on Pattern Analysis and Machine Intelligence*, 3:504–519, 1981.
- [41] A. Sanfeliu and K. S. Fu. A distance measure between attributed relational graphs for pattern recognition. *IEEE Transactons on System, Man and Cybernetics*, 13:353–363, 1983.
- [42] M. A. Eshera and K. S. Fu. A graph distance measure for image analysis. *IEEE Transactions on systems, man, and Cybernetics*, 14(3):398–408, 1984.
- [43] L. P. Cordella, P. Foggia, C. Sansone, and M. Vento. An efficient algorithm for the inexact matching of arg graphs using a contextual transformational model. *Int. Conf. Pattern Recognition*, pages 180–184, 1996.

-
- [44] L. P. Cordella, P. Foggia, C. Sansone, and M. Vento. Subgraph transformations for the inexact matching of attributed relational graph. *GbrPR, Computing Suppl.*, 12:43–52, 1998.
- [45] F. Serratos, R. Alquezer, and A. Sanfeliu. Function-described graphs: a fast algorithm to compute a sub-optimal matching measure. *Int. Workshop on Graph-Based Representations in Pattern Recognition*, pages 71–77, 1999.
- [46] S. Berretti, A. Del Bimbo, and E. Vicario. The computational aspect of retrieval by spatial arrangement. *Int. Conf. Pattern Recognition*, pages 1047–1051, 2000.
- [47] S. Berretti, A. Del Bimbo, and E. Vicario. Efficient matching and indexing of graph models in content-based retrieval. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23:1089–1105, 2001.
- [48] L. Gregory and J. Kittler. Using graph search techniques for contextual colour retrieval. *Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, pages 186–194, 2002.
- [49] M. A. Fischler and R. A. Elschlager. The representation and matching of pictorial structures. *IEEE Transactions on Computers*, 22:67–92, 1973.
- [50] A. Rosenfeld, R. A. Hummel, and S. W. Zucker. Scene labeling by relaxation operations. *IEEE Transactions on System, Man and Cybernetics*, 6:420–433, 1976.
- [51] J. Kittler and E. R. Hancock. Combining evidence in probabilistic relaxation. *Int. Journal of Pattern Recognition and Artificial Intelligence*, 3:29–51, 1989.
- [52] E. R. Hancock and J. Kittler. Discrete relaxation. *Pattern Recognition*, 23:711–733, 1990.
- [53] W. Christmas, J. Kittler, and M. Petrou. Structural matching in computer vision using probabilistic relaxation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 17:749–764, 1995.
- [54] R. Wilson and E. Hancock. Structural matching by discrete relaxation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19:634–648, 1997.

-
- [55] B. Huet and E. R. Hancock. Shape recognition from large image libraries by inexact graph matching. *Pattern Recognition Letters*, 20:1259–1269, 1999.
- [56] R. Myers, R. C. Wilson, and E. R. Hancock. Bayesian graph edit distance. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22:628–635, 2000.
- [57] A. Torsello and E. R. Hancock. Computing approximate tree edit distance using relaxation labeling. *Pattern Recognition Letters*, 24:1089–1097, 2003.
- [58] S. Umeyama. An eigendecomposition approach to weighted graph matching problem. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 10(5):695–703, 1988.
- [59] M. Carcaassoni and E. R. Hancock. Weighted graph-matching using modal clusters. *Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, pages 260–269, 2001.
- [60] T. Caelli and S. Kosinov. Inexact graph matching using eigen-subspace projection clustering. *Int. Journal of Pattern Recognition and Artificial Intelligence*, 18:329–355, 2004.
- [61] A. Robles-Kelly and E. R. Hancock. Graph edit distance from spectral seriation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 27:365–378, 2005.
- [62] A. Shokoufandeh, D. Macrini, S. Dickinson, K. Siddiqi, and S. Zucker. Indexing hierarchical structures using graph spectra. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 27:1125–1140, 2005.
- [63] T. Cour, P. Srinivasan, and J. Shi. Balanced graph matching. *Advances in Neural Information Processing System*, 19:313–322, 2007.
- [64] O. Duchenne, F. Bach, I. Kweon, and J. Ponce. A tensor-based algorithm for high order graph matching. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 33(12):2383–2395, 2011.
- [65] P. Suganthan, E. Teoh, and Mital D. Pattern recognition by homomorphic graph matching using hopfield neural network. *Image and Vision Computing*, 13:45–60, 1995.

-
- [66] A. Sperduti and A. Starita. Supervised neural networks for the classification of structures. *IEEE Transactions on Neural Networks*, 8:714–735, 1997.
- [67] P. Frasconi, M. Gori, and A. Sperduti. A general framework for adaptive processing of data structures. *IEEE Transactions on Neural Networks*, 9:768–786, 1998.
- [68] A. Barsi. Neural self-organization using graphs. *Int. Conf. on Machine Learning and data mining in Pattern Recognition, Lecture Notes in Artificial Intelligence, Springer*, 2734:343–352, 2003.
- [69] B. Jain and F. Wysotzki. Solving inexact graph isomorphism problems using neural networks. *Neurocomputing*, 63:45–67, 2005.
- [70] F. Scarselli, M. Gori, A. C. Tsoi, M. Hagenbuchner, and G. Monfardini. The graph neural network model. *IEEE Transactions on Neural Network*, 20:71–77, 2009.
- [71] K. S. Fu and B. K. Bhargava. Tree systems for syntactic pattern recognition. *IEEE Transactions on Computers*, 22:1087–1099, 1973.
- [72] H. Bunke and G. Allerman. Inexact graph matching for structural pattern recognition. *Pattern Recognition Letters*, 1:245–253, 1983.
- [73] Z. Zeng, A.K.H. Tung, J. Wang, J. Feng, and L. Zhou. Comparing stars: on approximating graph edit distance. *PVLDB*, 2:25–36, 2009.
- [74] M. Neuhaus and H. Bunke. An error-tolerant approximate matching algorithm for attributed planar graphs and its application to fingerprint classification. *Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, 3138:180–189, 2004.
- [75] M. Neuhaus, K. Riesen, and H. Bunke. Fast suboptimal algorithms for the computation of graph edit distance. *Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, 4109:163–172, 2006.
- [76] K. Riesen and H. Bunke. Approximate graph edit distance computation by means of bipartite graph matching. *Image and Vision Computing*, 27:950–959, 2009.

- [77] A. Sole-Ribalta, F. Serratoso, and A. Sanfeliu. On the graph edit distance cost: properties and applications. *Int. Journal of Pattern Recognition and Artificial Intelligence*, 26(5):1260004.1–1260004.21, 2012.
- [78] M. Ferrer, F. Serratoso, and K. Riesen. Improving bipartite graph matching by assessing the assignment confidence. *Pattern Recognition Letters*, 65:29–36, 2015.
- [79] K. Riesen, A. Fischer, and H. Bunke. Estimating graph edit distance using lower and upper bounds of bipartite approximations. *Int. Journal of Pattern Recognition and Artificial Intelligence*, 29:1550011.1–1550011.27, 2015.
- [80] K. Riesen and H. Bunke. Improving bipartite graph edit distance approximation using various search strategies. *Pattern Recognition*, 48:1349–1363, 2015.
- [81] S. P. Dwivedi and R. S. Singh. Error-tolerant graph matching using homeomorphism. *Int. Conf. on Advances in Computing, Communication and Informatics (ICACCI)*, pages 1762–1766, 2017.
- [82] S. P. Dwivedi and R. S. Singh. Error-tolerant graph matching using node contraction. *Pattern Recognition Letters*, 116:58–64, 2018.
- [83] D. Shasha, J. L. Wang, k. Zhang, and F.Y. Shih. Exact and approximate algorithms for unordered tree matching. *IEEE Transactions on Systems, Man and cybernetics*, 24:668–678, 1981.
- [84] K. Oflazer. Error-tolerant retrieval of trees. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19:1376–1380, 1997.
- [85] J. Rocha and T. Pavlidis. A shape analysis model with application to character recognition ssystem. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 16:393–404, 1994.
- [86] G. Valiente. An efficient bottom up distance between trees. *Int. Symp. String Processing and Information Retrieval*, pages 212–219, 2001.
- [87] S. P. Dwivedi and R. S. Singh. Error-tolerant geometric graph similarity and matching. *Pattern Recognition Letters*, 125:625–631, 2019.
- [88] C. Wang and K. Abe. Region correspondence by inexact attributed planar graph matching. *Int. Conf. Computer Vision*, pages 440–447, 1995.

- [89] J. Lladós, E. Martí, and J. Villnueva. Symbol recognition by error-tolerant subgraph matching between region adjacency graphs. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23:1137–1143, 2001.
- [90] T. Gartner. *Kernels for structured data*. World Scientific, 2008.
- [91] M. Neuhaus, K. Riesen, and H. Bunke. Novel kernels for error-tolerant graph classification. *Spatial Vision*, 22(5):425–441, 2009.
- [92] K. Kashima, K. Tsuda, and A. Inokuchi. Marginalized kernels between labeled graphs. *Int. Conf. Machine Learning*, 20:321–328, 2003.
- [93] K. Borgwardt and H. Kriegel. Shortest-path kernels on graphs. *Int. Conf. Data Mining*, pages 74–81, 2005.
- [94] J. Lafferty and G. Lebanon. Diffusion kernels on statistical manifolds. *Journal of Machine Learning Research*, 6:129–163, 2005.
- [95] D. Haussler. *Convolution kernels on discrete structures*. University of California, Sant Cruz, Technical Report UCSC-CRL-99-10, 1999.
- [96] B. Gazere, L. Brun, and D. Villemin. Two new graphs kernels in chemoinformatics. *Pattern Recognition Letters*, 33(15):2038–2047, 2012.
- [97] B. Strug. Using kernels on hierarchical graphs in automatic classification of designs. *Int. Workshop on Graph Based Representations in Pattern Recognition, Lecture Notes in Computer Science, Springer*, 6658:335–344, 2011.
- [98] L. Bai and E. R. Hancock. Graph kernels from the jensen-shannon divergence. *Journal of Mathematical Imaging and Vision*, 47:60–69, 2013.
- [99] K. Riesen and H. Bunke. *Graph Classification and Clustering based on Vector Space Embedding*. World Scientific, 2010.
- [100] B. Luo and E. R. Hancock. Structural graph matching using the em algorithm and singular value decomposition. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(10):1120–1136, 2001.
- [101] S. Gold and A. Rangarajan. A graduated assignment algorithm for graph matching. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(4):377–388, 1996.

- [102] C. W. Liu, K. C. Fan, J. T. Horng, and Y. K. Wang. Solving weighted graph matching problem by modified microgenetic algorithm. *Int. Conf. on Systems Man Cybernetics*, pages 638–643, 1995.
- [103] K. G. Khoo and P. N. Suganthan. Multiple relational graphs mapping using genetic algorithms. *Proc. Congress on Evolutionary Computation*, pages 727–733, 2001.
- [104] J. Wang, K. Zhang, and G. Chirn. The approximate graph matching problem. *Int. Conf. Pattern Recognition*, pages 284–288, 1994.
- [105] A. Jagota, M. Pelillo, and A. Rangarajan. A new deterministic annealing algorithm for maximum clique. *Int. Joint Conf. Neural Networks*, pages 505–508, 2000.
- [106] B. Jain and K. Obermayer. Graph quantization. *Computer Vision and Image Understanding*, 115:946–961, 2011.
- [107] P. Santacruz and F. Serratosa. Learning the sub-optimal graph edit distance edit costs based on an embedded model. *Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, page 282–292, 2018.
- [108] C. Solnon. Experimental evaluation of subgraph isomorphism solvers. *Int. Workshop on Graph Based Representations in Pattern Recognition, Lecture Notes in Computer Science, Springer*, 11510:1–13, 2019.
- [109] K. Riesen and H. Bunke. IAM graph database repository for graph based pattern recognition and machine learning. *Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, 5342:287–297, 2008.
- [110] K. Riesen, S. Emmenegger, and H. Bunke. A novel software toolkit for graph edit distance computation. *Int. Workshop on Graph Based Representations in Pattern Recognition, Lecture Notes in Computer Science, Springer*, 7877:142–151, 2013.
- [111] M.E.J. Newman. *Networks—An Introduction*. Oxford University Press, 2010.
- [112] O. Cheong, J. Gudmundsson, H. Kim, D. Schymura, and F. Stehn. Measuring the similarity of geometric graphs. *Experimental Algorithms, Lecture Notes in Computer Science*, 5526:101–112, 2009.

-
- [113] A. Armiti and M. Gertz. Vertex similarity - a basic framework for matching geometric graphs. *LWA*, pages 111–122, 2014.
- [114] M. A. Pinheiro, J. Kybic, and P. Fua. Geometric graph matching using monte carlo tree search. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 39(11):2171–2185, 2017.
- [115] S. P. Dwivedi and R. S. Singh. Error-tolerant geometric graph similarity. *Int. Workshop on Structural, Syntactic and Statistical Pattern Recognition (SSPR and SPR), Lecture Notes in Computer Science, Springer*, 11004:337–344, 2018.
- [116] R. Burkard, M. Dell’Amico, and S. Martello. *Assignment Problems*. Society for Industrial and Applied Mathematics, 2009.
- [117] R. Ambauen, S. Fischer, and H. Bunke. Graph edit distance with node splitting and merging, and its application to diatom identification. *IAPR Workshop on Graph-based Representation in Pattern Recognition, Lecture Notes in Computer Science, Springer*, 2726, 2003.
- [118] A. Cross, R. Wilson, and E. Hancock. Inexact graph matching using genetic search. *Pattern Recognition*, 30:953–970, 1997.
- [119] S. Sorlin and C. Solnon. Reactive tabu search for measuring graph similarity. *Int. Workshop on Graph Based Representations in Pattern Recognition, Lecture Notes in Computer Science, Springer*, 3434:172–182, 2005.
- [120] M. Stauffer, T. Tschachtli, A. Fischer, and K. Riesen. A survey on applications of bipartite graph edit distance. *Int. Workshop on Graph Based Representations in Pattern Recognition, Lecture Notes in Computer Science, Springer*, 10310:242–252, 2017.
- [121] H. Zhang and P. Ren. Game theoretic hypergraph matching for multi-source image correspondences. *Pattern Recognition Letters*, 87:87–95, 2017.