

References

Annual report: 2019-20, Ministry of Coal, GOI, 2020.

Banerjee G, Kumbhakar D, Ghosh N and Yadava KP, "Assessment of cavability and categorization of coal measure roof rocks by parting plane approach," International conference on Recent Advances in Rock Engineering (RARE), Bangalore, India , 2016, pp. 301 -308.

Bieniawski Z.K., "The effect of specimen size on the compressive strength of coal," International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstracts, 1968, v. 5, pp. 325-326.

Bigby D., MacAndrew K., Hurt K., "Innovations in mine roadway stability monitoring using dual height and remote reading electronic telltales," Proceedings of Coal Operators' Conference, Mining Engineering, University of Wollongong, 2010, pp. 18-20, <https://ro.uow.edu.au/coal/314>.

Bin Y., "Behaviors of overlying strata in extra-thick coal seams using top-coal caving method," Journal of Rock Mechanics and Geotechnical Engineering, 2016, v. 8, pp. 238-247

Bunting and Douglas, "Chamber-Pillars in Deep Anthracite Mines," Transactions of the AIME, 1911, pp. 739-748.

Chawla S, Jaiswal A, Shrivastva B.K., "Design of snook in the depillaring panel using continuous miner," Journal of the Institution of Engineers (India) Series: D, 2017, v. 99(1), pp. 39-49.

Holland C.T., "The Strength of Coal in Mine Pillars," Proceedings of the 6th Symposium on Rock Mechanics. Univ. of Missouri, Rolla, 1964, pp. 450-466.

Holland, C.T., and Gaddy, F.L., "Some Aspects of Permanent Support of Over Burden On Coal Beds," Proceeding West Virginia Coal Mine Institute, 1957.

Itasca. FLAC (Fast Lagrangian Analysis of Continua), Version 3.0. Minneapolis, Minnesota, 55401, USA: Itasca Consulting Group Inc. 2000.

Jaiswal A, Sharma S, Shrivastva B.K., “Numerical modeling study of asymmetry in the induced stresses over coal mine pillars with advancement of the goaf line,” *International Journal of Rock Mechanics and Mining Sciences*, 2004, v. 41(5), pp. 859-864.

Jaiswal A, Shrivastva B.K., “Numerical simulation of coal pillar strength,” *International Journal of Rock Mechanics & Mining Sciences*, 2009, v. 46, pp. 779-788.

Jena S.K., Lokhande R.D., Pradhan M., Kumar N., “Development of a model to estimate strata behavior during bord and pillar extraction in underground coal mining,” *Arabian Journal of Geosciences*, 2019, v. 12:242, <https://doi.org/10.1007/s12517-019-4381-5>.

Kumar A., Kumar R., Singh A.K., Ram S., Singh P.K., Singh R., “Numerical modelling-based pillar strength estimation for an increased height of extraction,” *Arabian Journal of Geosciences*, 2017, v. 10:411.

Larson M, Whyatt J., “Load Transfer Distance Calibration of a Coal Panel Scale Model: A Case Study,” In: *proceedings 31st International Conference on Ground Control*, Morgantown WV USA, 2012, pp. 195-205.

Majumdar S., “The support requirement at a longwall face bending moment approach,” In: *Proceedings of the 27th US symposium on rock mechanics: key to energy production* (The University of Alabama, Tuscaloosa, Alabama), 1986, pp. 325-32.

Mandal P.K., Das A.K., Kumar N., Bhattacharjee R., Tewari S., Kushwaha A., “Assessment of roof convergence during driving roadways in underground coal mines by continuous miner,” *International Journal of Rock Mechanics and Mining Sciences*, 2018, v. 108, pp. 169–178.

Mark C., “State-of-the-art in coal pillar design,” *Transactions-Society for Mining Metallurgy and Exploration Incorporated*, 2000, v. 308, pp. 123–128.

Mark C., and Molinda G.M., “The Coal Mine Roof Rating (CMRR) – a decade of experience,” *International journal of coal geology*, 2005, v. 64, pp. 85-103.

Mark C., Zelanko J.C., “Sizing of final stumps for safer pillar extraction,” In: *Proceeding of 20th International Conference on Ground Control in Mining*. Morgantown WV USA, 2001, pp. 59-66.

Medhurst T.P., Brown E.T., “A study of the mechanical behaviour of coal for pillar design,” *International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstracts*, 1998, v. 35, pp. 1087–105.

Mohammadi S., Ataei M., Kakaie R., Mirzaghobanali A., “A New Roof Strata Cavability Index (RS Ci) for Longwall Mining Incorporating New Rating System,” *Geotechnical and Geological Engineering*, 2019, v. 37, pp. 3619–3636.

Murali M.G., Sheorey P.R., Kushwaha A., “Numerical estimation of pillar strength in coal mines,” *International Journal of Rock Mechanics and Mining Sciences*, 2001, v. 38(8), pp. 1185–92.

Obert L., Duvall W.I., *Rock mechanics and the design of structures in rock*, New York: John Wiley and Sons, Inc, 1967.

Peng S.S., Chiang H.S., *Longwall mining*, New York: John Wiley and Sons, Inc., 1984.

Salamon M.D.G. and Munro A.H., “A study of the strength of coal pillars,” *Journal of the Southern African Institute of Mining and Metallurgy*, 1967, pp 55-67.

Sheorey P.R., “A theory for in situ stresses in isotropic and transversely isotropic rock,” *International journal of rock mechanics and mining sciences and geomechanics abstracts*, 1994, v. 31(1), pp. 23-34.

Sheorey P.R., “Use of rock caving span classification to estimate in oblong workings,” *International Journal of Mining Engineering*, 1984, v. 2, pp. 133-140.

Sheorey P.R., Bharat D., Mukherjee K.P., Prasad R.K., Das M.N., Banerjee G., and Das K.K., “Application of the Yield Pillar Technique for Successful Depillaring Under Stiff Strata,” *Int. J. Rock Mech. Min. Sci. & Geomech. Abstract*, 1995, v. 32(7), pp. 699-708.

Sheorey P.R., Design of coal pillar arrays, chain pillars, In: Hudson J.A., et al., editors. *Comprehensive rock engineering*, 1992, v. 2, pp. 631-70.

Sheorey P.R., Singh B., “Estimation of pillar loads in single and contiguous seam workings,” *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, 1974, v. 11(3), pp. 97-102.

Singh A.K., Singh R., Maiti J., Kumar R., Mandal P.K., “Assessment of mining induced stress development over coal pillars during depillaring,” *International Journal of Rock Mechanics & Mining Sciences*, 2011, v. 48, pp. 805–818.

Singh A.K., Singh R., Mandal P.K., Kumar R., Singh A.K., and Ram S., “Rock Mechanics challenges of depillaring at deep cover,” *International conference on New Technology for Surface and Underground Mining*, Kolkata. 2006, pp. 298-306.

Singh G.S.P., “Conventional approaches for assessment of caving behavior and support requirement with regard to strata control experiences in longwall workings,” *Journal of Rock Mechanics and Geotechnical Engineering*, 2015, v.7, pp. 291-297.

Singh G.S.P., Singh U.K., “A numerical modeling approach for assessment of progressive caving of strata and performance of hydraulic powered support in longwall workings,” *Computers and Geotechnics*, 2009, v. 36, pp. 1142–1156.

Singh G.S.P., Singh U.K., “Prediction of caving behavior of strata and optimum rating of hydraulic powered support for longwall workings,” *International Journal of Rock Mechanics & Mining Sciences*, 2010, v. 47, pp. 1–16.

Singh R., Kumar A., Singh A.K., Coggan J., Ram S., “Rib/snook design in mechanized depillaring of rectangular/square pillars,” *International Journal of Rock Mechanics & Mining Sciences*, 2016, v.84, pp. 119–129.

Singh R., Mandal P.K., Singh A.K., Kumar R., Sinha A., “Coal pillar extraction at deep cover: With special reference to Indian coalfields,” *International Journal of Coal Geology*, 2011, v. 86, pp. 276–288.

Singh R., Singh A.K., Coggan J., Ram S., “Rib/snook design in mechanized depillaring of rectangular/square pillars,” *International Journal of Rock Mechanics and Mining Sciences*, 2016, v. 84, pp. 119-129.

Singh R., Singh A.K., Mandal P.K., Singh M.K., Sinha A., “Instrumentation and monitoring of strata movement during underground mining of coal,” *Minetech*, 2004, v. 25(5), pp. 12-26.

Singh, R. D., “Principles and practices of modern coal mining,” *New Age International*, 2005.

Smart B.G.D., Singh R.N., Issac A.K., “A borehole instrumentation system for monitoring strata displacement in three dimensions,” *International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstracts*, 1978, v. 15(2), pp. 77-85.

Spencer T., Pachouri R, Renjith G., Vohra S., "Coal Transition in India," TERI Discussion Paper (New Delhi: The Energy and Resources Institute), 2018.

Van-der-Merwe J.N., “Fundamental analysis of the interaction between overburden behavior and snook stability in coal mines,” *Journal of the Southern African Institute of Mining and Metallurgy*, 2005, v. 105(1), pp. 63-73.

Van-der-Merwe J.N., “New pillar strength formula for South African coal,” *The Journal of South African Institute of Mining and Metallurgy*, 2003, pp. 281-292.

Wang J., Ning J., Jiang L., Jiang J.Q., and Bu T., “Structural characteristics of strata overlying of a fully mechanized longwall face: a case study,” *The Journal of the South African Institute of Mining and Metallurgy*, 2018, v. 118, pp. 1195-1204.

Wang Y., Taheri A, and Xu X., “Application of Coal Mine Roof Rating (CMRR) in Chinese coal mines, *International Journal of Mining Science and Technology*, 2018,v.28(3). DOI: <http://dx.doi.org/10.1016/j.ijmst.2018.04.005>.

Yerpude R.R., Walke D.V., “Investigation in to the Risk Factors Associated With Roof Falls in Underground Coal Mine,” *International Journal of Engineering Research & Technology*, 2014, v. 3(10).

Yu Z., Chugh Y.P., Miller P.E., Yang G., “A study of ground behavior in longwall mining through field instrumentation,” *International Journal of Rock Mechanics and Mining Sciences and Geomechanics Abstracts*, 1993, v. 30(7), pp. 1441-1444.

Appendix - A

Failed and stable cases of Indian coalfields

Table A.1 Failed cases of pillar from Indian coal mines

Case No.	Mine (seam)	D (m)	h (m)	w (m)	B (m)	w/h	σ_c
1	Amritnagar (Nega Jamehari)	30	4.5	3.6	5.7	0.8	45
2	Amritnagar (Nega Jamehari)	30	6.0	3.6	5.4	0.6	45
3	Begonia (Begonia)	36	3.0	3.9	6.0	1.3	26
4	Amlai (Burhar)	30	5.4	4.5	4.5	0.8	25
5	Sendra Bansjora (X)	23	8.1	4.65	5.55	0.6	24
6	W. Chirimiri (Main)	90	3.75	5.4	6.0	1.4	45
7	Birsingpur (Johilla top)	129	3.6	7.5	6.0	2.1	38
8	Pure Kajora (Lower Kajora)	54	3.6	5.4	6.0	1.5	33
9	Pure Kajora (Lower Kajora)	56	3.6	4.95	6.45	1.4	33
10	Shankarpur (Jambad bottom)	42	4.8	4.5	4.5	0.9	47
11	Ramnagar (Begunia)	70	1.8	2.85	3.15	1.6	26
12	Ramnagar (Begunia)	51	1.8	3.0	3.6	1.7	26
13	Kankanee (XIII)	160	6.6	19.8	4.2	3	27
14	Kankanee (XIV)	140	8.4	18.6	5.4	2.2	25

Table A.2 Stable cases of pillar from Indian coal mines

Case No.	Mine (seam)	D (m)	h (m)	w (m)	B (m)	w/h	σ_c
1	Bellampalli (Rossi)	36	3.0	5.4	6.0	1.8	48
2	Nimcha (Nega)	48	6.0	9.9	6.0	1.7	50
3	Morganpit (Salarjung)	270	3.0	8.1	3.6	2.7	46
4	Ramnagar (Ramnagar)	75	2.7	9.9	6.6	3.7	28
5	Lachhipur (Lower Kajora)	38	5.1	7.2	3.9	1.4	33
6	N. Salanpur (X)	30	5.1	9.0	6.0	1.8	21
7	Bankola (Jambad top)	102	4.8	10.1	2.4	2.1	35
8	Bankola (Jambad top)	75	3.0	6.3	4.2	2.1	35
9	Surakacchar (G-I)	106	3.5	16.0	4.0	4.6	29
10	Lachhipur (Lower Kajora)	38	5.1	18.3	4.2	3.6	33
11	E. Angarapatra (XII)	30	2.1	6.0	6.0	2.9	19
12	Kargali Incline (Kathara)	36	3.6	9.3	5.7	2.6	40
13	Jamadoba 6 and 7 Pits (XVI)	80	2.0	5.8	5.5	2.9	29
14	Topsi (Singharan)	85	1.8	7.0	3.9	3.9	41

Table A.3 Factor of safety (*FOS*) of failed cases of pillars

Case No.	Mine (seam)	Stress (Tributary area load)	Strength (numerical simulations)	FOS
1	Amritnagar (Nega Jamehari)	5.01	4.91	0.98
2	Amritnagar (Nega Jamehari)	4.69	4.80	1.02
3	Begonia (Begonia)	5.80	4.08	0.70
4	Amlai (Burhar)	3.00	3.53	1.18
5	Sendra Bansjora (X)	2.77	3.38	1.22
6	W. Chirimiri (Main)	10.03	5.38	0.54
7	Birsingpur (Johilla top)	10.45	5.43	0.52
8	Pure Kajora (Lower Kajora)	6.02	4.62	0.77
9	Pure Kajora (Lower Kajora)	7.43	4.5	0.61
10	Shankarpur (Jambad bottom)	4.20	5.11	1.22
11	Ramnagar (Begunia)	7.76	4.6	0.59
12	Ramnagar (Begunia)	6.17	4.7	0.76
13	Kankanee (XIII)	5.88	5.83	0.99
14	Kankanee (XIV)	5.83	4.43	0.76

Table A.4 Factor of safety (*FOS*) of stable cases of pillars


Case No.	Mine (seam)	Stress (Tributary area load)	Strength (numerical simulations)	FOS
1	Bellampalli (Rossi)	4.01	5.95	1.48
2	Nimcha (Nega)	3.10	5.70	1.84
3	Morganpit (Salarjung)	14.08	6.68	0.47
4	Ramnagar (Ramnagar)	5.21	6.68	1.28
5	Lachhipur (Lower Kajora)	2.26	4.43	1.96
6	N. Salanpur (X)	2.08	3.88	1.86
7	Bankola (Jambad top)	3.91	5.18	1.33
8	Bankola (Jambad top)	5.21	5.39	1.03
9	Surakacchar (G-I)	4.14	29.9	7.22
10	Lachhipur (Lower Kajora)	1.44	6.84	4.76
11	E. Angarapatra (XII)	3.00	5.16	1.72
12	Kargali Incline (Kathara)	2.34	6.06	2.59
13	Jamadoba 6 and 7 Pits (XVI)	7.59	5.98	0.79
14	Topsi (Singharan)	5.15	8.37	1.62

Appendix – B

Simulation results of the unstable cases concerning panel design


Appendix – B1

Simulation results concerning panel design for a pillar width of 26 m




Appendix – B2

Simulation results concerning panel design for a pillar width of 35 m




Appendix – B3

Simulation results concerning panel design for a pillar width of 45 m



Appendix – B4

Simulation results concerning panel design for a pillar width of 48 m





Appendix – C


Simulation results concerning remnant pillar design


Appendix – C1

Simulation results concerning remnant pillar for a pillar width of 26 m













Appendix – C2

Simulation results concerning remnant pillar for a pillar width of 35 m













Appendix – C3


Simulation results concerning remnant pillar for a pillar width of 45 m




















Appendix – C4

Simulation results concerning remnant pillar for a pillar width of 48 m

