

REFERENCES

Abral H, Atmajaya A, Mahardika M, Hafizulhaq F, Handayani D, Sapuan SM, Ilyas RA, “Effect of ultrasonication duration of polyvinyl alcohol (PVA) gel on characterizations of PVA film”, *Journal of Materials Research and Technology*, v. 9(2), pp. 2477-86.

Adelnia H, Ensandoost R, Moonshi SS, Gavgani JN, Vasafi EI, Ta HT, “Freeze/thawed polyvinyl alcohol hydrogels: Present, past and future”, *European Polymer Journal*, 2022, v. 164, pp. 110974.

Aiswarya SK, Joseph S, “Synthesis of methanol blocking PVA-TiO₂ cation exchange membrane for direct methanol alkaline fuel cell”, *Synthetic Metals*, 2020, v. 266, pp. 116442.

Akay RG, Ata KC, Kadioğlu T, Çelik C, “Evaluation of SPEEK/PBI blend membranes for possible direct borohydride fuel cell (DBFC) application”, *International Journal of Hydrogen Energy*, 2018, v. 43(40), pp. 18702-11.

Al Munsur AZ, Hossain I, Nam SY, Chae JE, Kim TH, “Quaternary ammonium-functionalized hexyl bis (quaternary ammonium)-mediated partially crosslinked SEBSs as highly conductive and stable anion exchange membranes”, *International Journal of Hydrogen Energy*, 2020, v. 45(31), pp. 15658-71.

Alias MS, Kamarudin SK, Zainoodin AM, Masdar MS, “Active direct methanol fuel cell: An overview”, *International Journal of Hydrogen Energy*, 2020, v. 45(38), pp. 19620-41.

Amendola SC, Onnerud P, Kelly MT, Petillo PJ, Sharp-Goldman SL, Binder M, “A novel high power density borohydride-air cell”, *Journal of Power Sources*, 1999, v. 84(1), pp.130-3.

An L, Zhao TS, Wu QX, Zeng L, “Comparison of different types of membrane in alkaline direct ethanol fuel cells”, *International Journal of Hydrogen Energy*, 2012, v. 37(19), pp. 14536-42.

Aparicio GM, Vargas RA, Bueno PR, “Protonic conductivity and thermal properties of cross-linked PVA/TiO₂ nanocomposite polymer membranes”, *Journal of Non-Crystalline Solids*, 2019, v. 522, pp. 119520.

Ari GA, Gülen C, “The Effect of Cross-linking Technique on Membrane Performance for Direct Methanol Alkaline Fuel Cell Application”, *Süleyman Demirel Üniversitesi Fen Bilimleri Enstitüsü Dergisi*, 2019, v. 23(3), pp. 709-16.

Aristizábal SL, Chisca S, Pulido BA, Nunes SP, “Preparation of PEEK membranes with excellent stability using common organic solvents”, *Industrial & Engineering Chemistry Research*, 2019, v. 59(12), pp. 5218-26.

Aslam M, Kalyar MA, Raza ZA, “Polyvinyl alcohol: A review of research status and use of polyvinyl alcohol based nanocomposites”, *Polymer Engineering & Science*, 2018, v. 58(12), pp. 2119-32.

Atak NN, Dogan B, Yesilyurt MK, “Investigation of the performance parameters for a PEMFC by thermodynamic analyses: Effects of operating temperature and pressure”, *Energy* 2023, v. 282, pp. 128907.

Attaran AM, Javanbakht M, Hooshyari K, Enhessari M, “New proton conducting nanocomposite membranes based on poly vinyl alcohol/poly vinyl pyrrolidone/BaZrO₃ for proton exchange membrane fuel cells”, *Solid State Ionics*, 2015, v. 269, pp. 98-105.

Atwan MH, Northwood DO, Gyenge EL, “Evaluation of colloidal Os and Os-Alloys (Os–Sn, Os–Mo and Os–V) for electrocatalysis of methanol and borohydride oxidation”, *International Journal of Hydrogen Energy*, 2005, v. 30(12), pp.1323-31.

Atyabi SA, Afshari E, Shakarami N, “Three-dimensional multiphase modeling of the performance of an open-cathode PEM fuel cell with additional cooling channels”, *Energy*, 2023, v. 263, pp. 125507.

Aytaç A, Gürbüz M, Sanli AE, “Electrooxidation of hydrogen peroxide and sodium borohydride on Ni deposited carbon fiber electrode for alkaline fuel cells”, *International Journal of Hydrogen Energy*, 2011, v. 36(16), pp. 10013-21.

Aziz S B, S Marf A, Dannoun EM, Brza MA, Abdullah RM, “The study of the degree of crystallinity, electrical equivalent circuit, and dielectric properties of polyvinyl alcohol (PVA)-based biopolymer electrolytes”, *Polymers*, 2020, v. 12(10), pp. 2184.

Bai L, Duan Z, Wen X, Si R, Guan J, “Atomically dispersed manganese-based catalysts for efficient catalysis of oxygen reduction reaction”, *Applied Catalysis B: Environmental*, 2019, v. 257, pp. 117930.

Basfar AA, Lotfy S, “Radiation-crosslinking of shape memory polymers based on poly (vinyl alcohol) in the presence of carbon nanotubes”, *Radiation Physics and Chemistry*, 2015, v. 106, pp. 376-84.

Batchelor-McAuley C, Kätelhön E, Barnes EO, Compton RG, Laborda E, Molina A, “Recent advances in voltammetry”, *ChemistryOpen*, 2015, v. 4(3), pp. 224-60.

Bayer T, Cuning BV, Šmíd B, Selyanchyn R, Fujikawa S, Sasaki K, Lyth SM, “Spray deposition of sulfonated cellulose nanofibers as electrolyte membranes in fuel cells”, *Cellulose*, 2021, v. 28, pp. 1355-67.

Bezerra CW, Zhang L, Lee K, Liu H, Marques AL, Marques EP, Wang H, Zhang J, “A review of Fe–N/C and Co–N/C catalysts for the oxygen reduction reaction”, *Electrochimica Acta*, 2008a, v. 53(15), pp. 4937-51.

Bezerra MA, Santelli RE, Oliveira EP, Villar LS, Escalera LA, “Response surface methodology (RSM) as a tool for optimization in analytical chemistry”, *Talanta*, 2008b, v. 76(5), pp. 965-77.

Borbáth I, Bakos I, Pászti Z, Szijjártó GP, Tompos A, “Design of SnPt/C cathode electrocatalysts with optimized Sn/Pt surface composition for potential use in polymer electrolyte membrane fuel cells,” *Catalysis Today*, 2021, v. 366, pp. 20-30.

Bortoloti F, Angelo AC, “Ordered PtSn/C electrocatalyst: A high performance material for the borohydride electrooxidation reaction”, *Catalysts*, 2017, v. 7(7), pp. 198.

Buchner W, Niederprum H, “Sodium borohydride and amine-boranes, commercially important reducing agents”, *Pure and Applied Chemistry*, 1977, v. 49(6), pp. 733-43.

Cali A, Yağızatlı Y, Sahin A, Ar I, “Highly durable phosphonated graphene oxide doped polyvinylidene fluoride (PVDF) composite membranes”, *International Journal of Hydrogen Energy*, 2020, v. 45(60), pp. 35171-9.

Cao D, Chen D, Lan J, Wang G, “An alkaline direct NaBH₄-H₂O₂ fuel cell with high power density”, *Journal of Power Sources*, 2009, v. 190(2), pp. 346-50.

Cardenas-Valencia AM, Biver CJ, Langebrake L, “Reserve, thin form-factor, hypochlorite-based cells for powering portable systems: Manufacture (including MEMS processes), performance and characterization”, *Journal of Power Sources*, 2007, v. 166(1), pp. 273-83.

Carrette L, Friedrich KA, & Stimming U, “Fuel Cells - Fundamentals and Applications”, *Fuel Cells*, 2001, v. 1(1), pp. 5-39.

Carrette L, Friedrich KA, Stimming U, “Fuel cells: principles, types, fuels, and applications”, *ChemPhysChem*, 2000, v. 1(4), pp. 162-93.

Celik C, San FG, Sarac HI, “Effects of operation conditions on direct borohydride fuel cell performance”, *Journal of Power Sources*, 2008, v. 185(1), pp. 197-201.

Celik C, San FG, Sarac HI, “Influences of sodium borohydride concentration on direct borohydride fuel cell performance”, *Journal of Power Sources*, 2010, v. 195(9), pp. 2599-603.

Chand N, Rai N, Agrawal SL, Patel SK, “Morphology, thermal, electrical and electrochemical stability of nano aluminium-oxide-filled polyvinyl alcohol composite gel electrolyte”, *Bulletin of Materials Science*, 2011, v. 34, pp. 1297-304.

Chang KY, “The optimal design for PEMFC modeling based on Taguchi method and genetic algorithm neural networks”, *International Journal of Hydrogen Energy*, 2011, v. 36(21), pp. 13683-94.

Chatenet M, Micoud F, Roche I, Chainet E, “Kinetics of sodium borohydride direct oxidation and oxygen reduction in sodium hydroxide electrolyte: Part I. BH_4^- electro-oxidation on Au and Ag catalysts”, *Electrochimica Acta*, 2006, v. 51(25), pp. 5459-67.

Chaudhari S, Kwon Y, Shon M, Nam S, Park Y, “Surface-modified polyvinyl alcohol (PVA) membranes for pervaporation dehydration of epichlorohydrin (ECH), isopropanol (IPA), and water ternary feed mixtures”, *Journal of Industrial and Engineering Chemistry*, 2020, v. 81, pp. 185-95.

Cheng H, Scott K, “Influence of operation conditions on direct borohydride fuel cell performance”, *Journal of Power Sources*, 2006b, v. 160(1), pp. 407-12.

Cheng H, Scott K, “Investigation of non-platinum cathode catalysts for direct borohydride fuel cells”, *Journal of Electroanalytical Chemistry*, 2006a, v. 596(2), pp. 117-23.

Cheng H, Scott K, Lovell K, “Material aspects of the design and operation of direct borohydride fuel cells”, *Fuel Cells*, 2006, v. 6(5), pp. 367-75.

Cheng K, Jiang J, Kong S, Gao Y, Ye K, Wang G, Zhang W, Cao D, “Pd nanoparticles support on rGO-C@ TiC coaxial nanowires as a novel 3D electrode for NaBH_4 electrooxidation”, *International Journal of Hydrogen Energy*, 2017, v. 42(5), pp. 2943-51.

Cheng Tran TB, Huguet P, Morin A, Robitzer M, Deabate S, “Operando μ -Raman study of the membrane water content in the polymer electrolyte membrane fuel cell: Effects of gas flow-field geometry and temperature”, *Electrochimica Acta*, 2021, v. 372, pp. 137904.

Choban ER, Markoski LJ, Wieckowski A, Kenis PJ, “Microfluidic fuel cell based on laminar flow”. *Journal of Power Sources*, 2004, v. 128(1), pp. 54-60.

Choudhary AK, Pramanik H, “Addition of rhenium (Re) to Pt-Ru/f-MWCNT anode electrocatalysts for enhancement of ethanol electrooxidation in half cell and single direct ethanol fuel cell”, *International Journal of Hydrogen Energy*, 2020a, v. 45(24), pp. 13300-21.

Choudhary AK, Pramanik H, “Enhancement of ethanol electrooxidation in half cell and single direct ethanol fuel cell (DEFC) using post-treated polyol synthesized Pt-Ru nano electrocatalysts supported on HNO_3 -functionalized acetylene black carbon”, *International Journal of Hydrogen Energy*, 2020b, v. 45(1), pp. 574-94.

Choudhary AK, Pramanik H, “Optimization and validation of process parameters via RSM for minimizing use of resources to generate electricity from a DEFC”, *International Journal of Energy Research*, 2021, v. 45(14), pp. 20413-29.

Choudhury NA, Prashant SK, Pitchumani S, Sridhar P, Shukla AK, “Poly (vinyl alcohol) hydrogel membrane as electrolyte for direct borohydride fuel cells”, *Journal of Chemical Sciences*, 2009, v. 121, pp. 647-54.

Choudhury NA, Raman RK, Sampath S, Shukla AK, “An alkaline direct borohydride fuel cell with hydrogen peroxide as oxidant”, *Journal of Power Sources*, 2005, v. 143(1-2), pp. 1-8.

Choudhury NA, Sahai Y, Buchheit RG, “Chitosan chemical hydrogel electrode binder for direct borohydride fuel cells”, *Electrochemistry Communications*, 2011, v. 13(1), pp. 1-4.

Chu W, He Y, Chu YS, Meng L, Liu J, Qin H, Tao S, “A highly stable Cu(OH)₂-poly (vinyl alcohol) nanocomposite membrane for dramatically enhanced direct borohydride fuel cell performance”, *Journal of Power Sources*, 2020, v. 467, pp. 228312.

Concha BM, Chatenet M, “Direct oxidation of sodium borohydride on Pt, Ag and alloyed Pt–Ag electrodes in basic media. Part I: bulk electrodes”, *Electrochimica Acta*, 2009, v. 54(26), pp. 6119-29.

Coowar FA, Vitins G, Mepsted GO, Waring SC, Horsfall JA, “Electrochemical oxidation of borohydride at nano-gold-based electrodes: application in direct borohydride fuel cells”, *Journal of Power Sources*, 2008, v. 175(1), pp. 317-24.

Das G, Deka BK, Lee SH, Park YB, Yoon YS, “Poly (vinyl alcohol)/silica nanoparticles based anion-conducting nanocomposite membrane for fuel-cell applications”, *Macromolecular Research*, 2015, v. 23, pp. 256-64.

Davydova ES, Mukerjee S, Jaouen F, Dekel DR, “Electrocatalysts for hydrogen oxidation reaction in alkaline electrolytes”, *Acs Catalysis*, 2018, v. 8(7), pp. 6665-90.

Demirci UB, “Direct borohydride fuel cell: Main issues met by the membrane–electrodes-assembly and potential solutions”, *Journal of Power Sources*, 2007, v. 172(2), pp. 676-87.

Dey S, Pramanik S, Chakraborty P, Rana DK, Basu S, “An easy synthesis of carbon-supported silver–cobalt bimetallic nanoparticles to study the electrocatalytic performance in alkaline borohydride fuel cell”, *Journal of Applied Electrochemistry*, 2022, v. 1, pp. 1-2.

Dhar A, Naeth MA, Jennings PD, El-Din MG, “Perspectives on environmental impacts and a land reclamation strategy for solar and wind energy systems. *Science of the Total Environment*, 2020, v. 718, pp.134602.

Diantoro M, Kusumaatmaja A, Triyana K, “Stabilization of PVA/chitosan/TiO₂ nanofiber membrane with heat treatment and glutaraldehyde crosslink”, *InIOP Conference Series: Materials Science and Engineering*, 2018, v. 367, pp. 012004.

Díaz JC, Kitto D, Kamcev J, “Accurately measuring the ionic conductivity of membranes via the direct contact method”, *Journal of Membrane Science*, 2023, v. 669, pp. 121304.

Din MA, Idrees M, Jamil S, Irfan S, Nazir G, Mudassir MA, Saleem MS, Batool S, Cheng N, Saidur R, “Advances and challenges of methanol-tolerant oxygen reduction reaction electrocatalysts for the direct methanol fuel cell”, *Journal of Energy Chemistry*, 2023, v. 77, pp. 499-513.

Doetsch C, Burfeind J, “Vanadium redox flow batteries”, *InStoring Energy*, 2022, pp. 363-381.

Du Z, Liu C, Zhai J, Guo X, Xiong Y, Su W, He G, “A review of hydrogen purification technologies for fuel cell vehicles. *Catalysts*”, 2021, v. 11(3), pp. 393.

Duan D, Liu H, You X, Wei H, Liu S, “Anodic behavior of carbon supported Cu@ Ag core-shell nanocatalysts in direct borohydride fuel cells”, *Journal of Power Sources*, 2015b, v. 293, pp. 292-300.

Duan D, Wang Q, Liu H, You X, Liu S, Wang Y, “Investigation of carbon-supported Ni@ Ag core-shell nanoparticles as electrocatalyst for electrooxidation of sodium borohydride”, *Journal of Solid State Electrochemistry*, 2016, v. 20, pp. 2699-711.

Duan D, You X, Liang J, Liu S, Wang Y, “Carbon supported Cu-Pd nanoparticles as anode catalyst for direct borohydride-hydrogen peroxide fuel cells”, *Electrochimica Acta*, 2015a, v. 176, pp. 1126-35.

Duteanu N, Vlachogiannopoulos G, Shivhare MR, Yu EH, Scott K, “A parametric study of a platinum ruthenium anode in a direct borohydride fuel cell”, *Journal of Applied Electrochemistry*, 2007, v. 37, pp. 1085-91.

El-Fergany AA, “Extracting optimal parameters of PEM fuel cells using Salp Swarm Optimizer”, *Renewable Energy*, 2018, v. 119, pp. 641-8.

Elgrishi N, Rountree KJ, McCarthy BD, Rountree ES, Eisenhart TT, Dempsey JL, “A practical beginner’s guide to cyclic voltammetry”, *Journal of Chemical Education*, 2018, v. 95(2), pp. 197-206.

Erikson H, Sarapuu A, Tammeveski K, “Oxygen reduction reaction on silver catalysts in alkaline media: a minireview”, *ChemElectroChem*, 2019, v. 6(1), pp. 73-86.

Ertürk AT, Ergin U, Kadioglu T, Türkmen AC, Çelik C, “Metal foams as a gas diffusion layer in direct borohydride fuel cells”, *International Journal of Hydrogen Energy*, 2022, v. 47(55), pp. 23373-80.

Fan L, Wang M, Zhang Z, Qin G, Hu X, Chen Q, “Preparation and characterization of PVA alkaline solid polymer electrolyte with addition of bamboo charcoal”, *Material*, 2018, v. 11(5), pp. 679.

Finkelstein DA, Letcher CD, Jones DJ, Sandberg LM, Watts DJ, Abruña HD, “Self-poisoning during BH₄-oxidation at Pt and Au, and in situ poison removal procedures for BH₄-fuel cells”, *The Journal of Physical Chemistry C*, 2013, v. 117(4), pp. 1571-81.

Fu J, Qiao J, Wang X, Ma J, Okada T, “Alkali doped poly (vinyl alcohol) for potential fuel cell applications”, *Synthetic Metals*, 2010, v. 160(1-2), pp. 193-9.

Gadhve RV, Mahanwar PA, Gadekar PT, “Study on various compositions of polyvinyl alcohol and starch blends by cross-linking with Glyoxal”, *Open Journal of Polymer Chemistry*, 2019, v. 9(04), pp. 76-85.

Gagliardi GG, El-Kharouf A, Borello D, “Assessment of innovative graphene oxide composite membranes for the improvement of direct methanol fuel cells performance”. *Fuel*, 2023, v. 345, pp.128252.

Gautam A, Mondal MK “Novel aqueous amine blend of 2-(Butylamino) ethanol and 2-Dimethylaminoethanol for CO₂ capture: Equilibrium CO₂ loading, RSM optimization, desorption study, characterization and toxicity assessment”, *Separation and Purification Technolog*, 2023, pp. 124279.

Gonzalez JS, Alvarez VA, “The effect of the annealing on the poly (vinyl alcohol) obtained by freezing–thawing”, *Thermochimica Acta*, 2011, v. 521(1-2), pp. 184-90.

González-Guisasola C, Ribes-Greus A, “Dielectric relaxations and conductivity of cross-linked PVA/SSA/GO composite membranes for fuel cells”, *Polymer Testing*, 2018, v. 67, pp. 55-67.

Gouda MH, Elessawy NA, Al-Hussain SA, Toghan A, “Design of promising green cation-exchange-membranes-based sulfonated pva and doped with nano sulfated zirconia for direct borohydride fuel cells”, *Polymers*, 2021b, v. 13(23), pp. 4205.

Gouda MH, Elessawy NA, Toghan A, “Development of effectively costed and performant novel cation exchange ceramic nanocomposite membrane based sulfonated PVA for direct borohydride fuel cells”, *Journal of Industrial and Engineering Chemistry*, 2021c, v. 100, pp. 212-9.

Gouda MH, Elessawy NA, Toghan A, “Novel crosslinked sulfonated PVA/PEO doped with phosphated titanium oxide nanotubes as effective green cation exchange membrane for direct borohydride fuel cells”, *Polymers*, 2021, v. 13(13), pp. 2050.

Guima KE, Coelho PH, Trindade MA, Martins CA, “3D-Printed glycerol microfluidic fuel cell”, *Lab on a Chip*, 2020, v. 20(12), pp. 2057-61.

Guo C, Lu J, Tian Z, Guo W, Darvishan A, “Optimization of critical parameters of PEM fuel cell using TLBO-DE based on Elman neural network”, *Energy Conversion and Management*, 2019, v. 183, pp. 149-58.

Guo J, Chen R, Zhu FC, Sun SG, Villullas HM, “New understandings of ethanol oxidation reaction mechanism on Pd/C and Pd₂Ru/C catalysts in alkaline direct ethanol fuel cells”, *Applied Catalysis B: Environmental*, 2018 v. 224, pp. 602-11.

Gupta UK, Pramanik H, “A study on synthesis of chemical crosslinked polyvinyl alcohol-based alkaline membrane for the use in low-temperature alkaline direct ethanol fuel cell”, *Journal of Electrochemical Energy Conversion and Storage*, 2019a, v. 16(4), pp. 041005.

Gupta UK, Pramanik H, “Electrooxidation study of pure ethanol/methanol and their mixture for the application in direct alcohol alkaline fuel cells (DAAFCs)”, *International Journal of Hydrogen Energy*, 2019b, v. 44(1), pp. 421-35.

Gupta UK, Pramanik H, “Physically crosslinked KOH impregnated polyvinyl alcohol based alkaline membrane for direct methanol fuel cell”, *The Canadian Journal of Chemical Engineering*, 2018, v. 96(9), pp. 1888-95.

Gyenge E, “Electrooxidation of borohydride on platinum and gold electrodes: implications for direct borohydride fuel cells”, *Electrochimica Acta*, 2004, v. 49(6), pp. 965-78.

Gyenge E, Atwan M, Northwood D, “Electrocatalysis of borohydride oxidation on colloidal Pt and Pt-alloys (Pt-Ir, Pt-Ni, and Pt-Au) and application for direct borohydride fuel cell anodes”, *Journal of The Electrochemical Society*, 2005, v. 153(1), pp. A150.

Haijun W, Cheng W, Zhixiang L, Zongqiang M, “Influence of operation conditions on direct NaBH₄/H₂O₂ fuel cell performance”, *International Journal of Hydrogen Energy*, 2010, v. 35(7), pp. 2648-51.

Hatakeyema T, Uno J, Yamada C, Kishi A, Hatakeyama H, “Gel–sol transition of poly (vinyl alcohol) hydrogels formed by freezing and thawing”, *Thermochimica Acta*, v. 431(1-2), pp. 144-8.

He P, Wang X, Fu P, Wang H, Yi L, “The studies of performance of the Au electrode modified by Zn as the anode electrocatalyst of direct borohydride fuel cell”, *International Journal of Hydrogen Energy*, 2011, v. 36(15), pp. 8857-63.

Heinze J, “Cyclic voltammetry “electrochemical spectroscopy”, New analytical methods (25), *Angewandte Chemie International Edition in English*, 1984, v. 23(11), pp. 831-47.

Hernandez R, Lopez D, Mijangos C, Guenet JM, “A reappraisal of the ‘thermoreversible’ gelation of aqueous poly (vinyl alcohol) solutions through freezing–thawing cycles”, *Polymer*, 2002, v. 43(21), pp. 5661-3.

Hong KH, Sun G, “Photoactive antimicrobial PVA hydrogel prepared by freeze-thawing process for wound dressing”, *Journal of Applied Polymer Science*, 2010, v. 116(4), pp. 2418-24.

Hosseini MG, Abdolmaleki M, Ashrafpoor S, “Electrocatalytic oxidation of sodium borohydride on a nanoporous Ni/Zn-Ni electrode”, *Chinese Journal of Catalysis*, v. 33(11-12), pp. 1817-24.

Hosseini MG, Daneshvari-Esfahlan V, Wolf S, Hacker V, “Novel bimetallic Pd–X (X= Ni, Co) nanoparticles assembled on N-doped reduced graphene oxide as an anode catalyst for highly efficient direct sodium borohydride–hydrogen peroxide fuel cells”, *ACS Appl Energy Mater* 2021, v. 4(6), pp. 6025-39.

Hren M, Roschger M, Hacker V, Genorio B, Fakin D, Gorgieva S, “High performance chitosan/nanocellulose-based composite membrane for alkaline direct ethanol fuel cells”. *International journal of biological macromolecules*, 2023, v. 253, pp. 127693.

Hu Z, Tang W, Ning D, Zhang X, Bi H, Chen S, “Fluorenyl-containing Quaternary Ammonium Poly (arylene ether sulfone) s for Anion Exchange Membrane Applications”, *Fuel Cells*, 2016, v. 16(5), pp. 557-67.

Huang CC, Liu YL, Pan WH, Chang CM, Shih CM, Chu HY, Chien CH, Juan CH, Lue SJ, “Direct borohydride fuel cell performance using hydroxide-conducting polymeric nanocomposite electrolytes, *Journal of Polymer Science Part B: Polymer Physics*, 2013, v. 51(24), pp. 1779-89.

Huang CY, Lin JS, Pan WH, Shih CM, Liu YL, Lue SJ, “Alkaline direct ethanol fuel cell performance using alkali-impregnated polyvinyl alcohol/functionalized carbon nano-tube solid electrolytes”, *Journal of Power Sources*, 2016, v. 303, pp. 267-77.

Huang XY, Wang AJ, Zhang L, Zhang QL, Huang H, Feng JJ, “A simple wet-chemical strategy for facile fabrication of hierarchical PdAu nanodendrites as excellent electrocatalyst for oxygen reduction reaction”, *Journal of Colloid and Interface Science*, 2019, v. 552, pp. 51-8.

Huang Y, Wu P, Ma Y, Tang J, Zhou X, Ma X, Li W, Zhao X, Chen C, Shih W, Lin D, “Single atom iron carbons supported Pd–Ni–P nanoalloy as a multifunctional electrocatalyst for alcohol oxidation”, *International Journal of Hydrogen Energy*, 2023 v. 48(37), pp. 13972-86.

Hunt JD, Falchetta G, Parkinson S, Vinca A, Zakeri B, Byers E, Jurasz J, Quaranta E, Grenier E, Junior AO, Barbosa PS, “Hydropower and Seasonal Pumped hydropower storage in the Indus basin: pros and cons”, *Journal of Energy Storage*, 2021, v. 41, pp. 102916.

Jadhav DA, Ghadge AN, Mondal D, Ghangrekar MM, “Comparison of oxygen and hypochlorite as cathodic electron acceptor in microbial fuel cells”, *Bioresource Technology*, 2014, v. 154, pp. 330-5.

Jafarinejad S, “Petroleum waste treatment and pollution control”, *Butterworth-Heinemann*, 2016.

Jessie Lue S, Chen JY, Ming Yang J, “Crystallinity and stability of poly (vinyl alcohol)-fumed silica mixed matrix membranes”, *Journal of Macromolecular Science, Part B*, 2007, v. 47(1), pp. 39-51.

Jiang K, Zhao J, Wang H, “Catalyst design for electrochemical oxygen reduction toward hydrogen peroxide”, *Advanced Functional Materials*, 2020, v. 30(35), pp. 2003321.