

## References

- Aly AH, Debbab A, Kjer J, Proksch P, Fungal endophytes from higher plants: a prolific source of phytochemicals and other bioactive natural products, *Fungal Divers.*, 41, 1–16, 2010.
- Arnold A, Maynard Z, Gilbert G, Coley P, Kursar T, Tropical endophytes hyper diverse, *Ecol Lett.*, 3, 4, 267-274, 2000.
- Arnold A, Maynard Z, Gilbert G, Fungal endophytes in dicotyledonous neotropical trees patterns of abundance and diversity, *Mycological Research.*, 105, 12, 1502-1507, 2001.
- Asford R, The leishmaniases as model zoonoses, *Annals of Tropical Med Parasito.*, 91, 7, 693-702, 1997.
- Arunpanichlert J, Rukachaisirikul V, Sukpondma Y, Phongpaichit S, Tewtrakul S, Rungjindamai S, Sakayaroj J, Azaphilone and isocoumarin derivatives from the endophytic fungus *Penicillium sclerotiorum* PSU-A13. *Chem Pharm Bull.*, 58, 1033–1036, 2010.
- Anderson CS, Rocha DG, Ana PTU, Rita TOC, Isabela S, Carlos RR, Aristóteles GN, *Fungal Diver.*, 47,75–84, 2011.
- Atef GH, Elgamal MHA, Morsy NAM, Duddeck H, Kovacs J, Toth G. Two cardenolides from *Calotropis procera*. *J Magn Reson Chem.*, 17, 754-757, 1999.
- Ansari SH, Ali M. New oleanene triterpenes from root bark of *Calotropis procera*. *Medicinal and Aromatic Plant Sci.*, 21(4), 978-981, 1999.
- Al-Yahya MA, Al-Meshal IA, Mossa JS, Al-Badr AA, Tarig M, Saudi plants: A phytochemical and biological approach. Riyadh, King Saud university press., 31- 34, 1990.
- Amal HA, Ru A, Edrada-E, Rainer Ebel Bioactive metabolites from the endophytic fungus *Ampelomyces* sp. isolated from the medicinal plant *Urospermum picroides*, *Phytochem.*, 69, 1716–1725, 2008.
- Bugni TS, Ireland CM Marine-derived fungi a chemically and biologically diverse group of microorganisms. *Nat Prod Rep.*, 21,143–163, 2004.
- Blunt JW, Copp BR, Munro MHG, Northcote PT, Prinsep MR Marine natural products. *Nat Prod Rep.*, 28,196–268, 2011.
- Bérdy J. Bioactive microbial metabolites a personal view, *J Antib.*, 58, 1–26, 2005.
- Baute MA, Deffieux G, Baute R, Neveu A, New antibiotics from fungus *Epicoccum nigrum* Fermentation, isolation and antibacterial properties. *J Antib.*, 31, 1099–1101, 1978.

Bin W, Licheng W, Lingao R, Mei GDC, Screening of Endophytic Fungi with Antithrombotic Activity and Identification of a Bioactive Metabolite from the Endophytic Fungal Strain CPCC 480097 Curr Microbiol., 58,522–527, 2009.

Basu A, Chaudhuri AKN, Preliminary studies on the anti-inflammatory and analgesic activities of *Calotropis procera* root extract. Journal of Ethnopharma., 31(3), 319-324, 1997.

Barrios–Gonzalez, J, Fernandez FJ, Tomasini A, Microbial secondary metabolites production and strain improvement. Indian J of Biotechnol., 2,322-333, 2003.

Chanway CP, Endophytes they are not just fungi. Canadian J Bot., 74, 321- 322, 1996.

Chatterjee A, Chandra PS, The treatise of Indian medicinal plants., 4, CSIR, New Delhi,130,1995.

Cole RJ, Kirksey JW, Dorner JW, Wilson DN, Johnson JC, Johnson JAN, Bedell DM, Springer JP, Chexal KK, Clardy JC, Cox RH, Mycotoxins produced by *Aspergillus fumigatus* species isolated from molded silage. J Agric Food Chem., 25,826–830, 1977.

Carroll GC, Fungal endophytes in stems and leaves: from latent pathogen to mutualistic symbiont, Ecol., 69, 2–9, 1988.

Corrado M, Rodrigues KF, Antimicrobial evaluation of fungal extracts produced by endophytic strains of *Phomopsis* sp. J. Basic. Microbiol., 44, 157-160,2004.

Debbab A, Aly AH, Lin WH, Proksch P, Bioactive compounds from marine bacteria and fungi. Microb Biotechnol., 3,544–563, 2010.

Debbab A, Hassan AA, Ru AE-E, Werner EGM, Mahjouba M, Abdelhak H, Rainer E, Peter Proksch Bioactive secondary metabolites from the endophytic fungus *Chaetomium* sp. isolated from *Salvia officinalis* growing in Morocco Biotechnol, Agron. Soc. Environ., 13(2), 229-234. 2009.

Debbab A, Amal HA, Ru E-E, Victor W, Werner EGM, Frank T, Ute Z, Christoph O, Scha O, Michael HG, Kubbutat O, Wen H L, Mahjouba M, Abdelhak H, Peter P, Rainer Ebel Bioactive Metabolites from the Endophytic Fungus *Stemphylium globuliferum* Isolated from *Mentha pulegium* J. Nat. Prod., 72, 626–631, 2009.

Dip KG, Hari P, Deka B, Ratul S, Tarun C, Bora Optimization of process parameters for improved production of bioactive metabolite by a novel endophytic fungus *Fusarium* sp. DF2 isolated from *Taxus wallichiana* of North East India World J Microbiol Biotechnol ., 24,79–87, 2004.

Digrak M, Eluk SZ, Determination of some fungal metabolite as influenced by temperature, time, pH and sugars by bioassay method, Turk J Biol., 25,197–203, 2001.

Demain AL, Fang A, Emerging concepts of secondary metabolism in actinomycetes, *Actinomycet.*, 9,98-117,1995.

El BSMA, Adam SEI, Studies on laticiferous plants Toxic effects in goats on *Calotropisprocera* latex given by different routes of administration, *Deutsche TieraerztlicheWochenschrift.*, 105(11), 425-427,1998.

Garcia A, Virgilio BG, Jose PPN, River G, *European J Med Chem.*, 49, 1-23, 2012.

Gunatilaka AAL, Natural products from plant-associated microorganisms: Distribution, structural diversity, bioactivity, and implication of their occurrence, *J Nat Prod.*, 69,509–526,2006.

Guo B, Wang Y, Sun X, Tang K., Bioactive natural products from endophytes: a review, *Appl Biochem Microbiol.*, 44,136–142, 2008.

Guo-Hong L, Ze-Fen Y, Xuan L, Xing-Biao W, Li-Jun Z, Ke-Qin Z, *Chemistry & Biodivers.*, 4, 1520-1524, 2007.

Gu W, Bioactive metabolites from *Alternaria brassicicola* ML-P08, an endophytic fungus residing in *Malus halliana*, *World J Microbiol Biotechnol.*, 25,1677–1683, 2009.

Gu W, Bioactive metabolites from *Alternaria brassicicola* MLP08, an endophytic fungus residing in *Malus halliana*, *World J Microbiol Biotechnol.*, 25(9),1677–1683, 2005.

Guimaraes DO, Borges WS, Kawano CY, Ribeiro PH, Goldman GH, Nomizo A, Thiemann OH, Oliva G, Lopes NP, Pupo MT, activities from extracts of endophytic fungi isolated from *Viguiera arenaria* and *Tithonia diversifolia*. *FEMS Immunol. Med. Microbiol.*, 52, 134-144, 2008.

Griffiths DJ, Saker ML .,The Palm island mystery disease 20 years on: a review of research on cyanotoxin cylindrospermopsin. *Inc Environ Toxicol.*, 18,78–93, 2003.

Harper JK, Arif AM, Ford EJ, Pestacin: a 1,3-dihydro isobenzofuran from *Pestalotiopsis microspora* possessing antioxidant and antimycotic activities, *Tetrahed.*, 59, 2471–6, 2003.

Hua WZ, Yong CS. Ren X T, *Nat. Prod. Rep.*, 23, 753–771, 2006.

Hong L , Wen XZ, Jun CM , Jun H, Ren XT, *Plant Scienc.*, 151, 67–73,2000.

Hongsheng Y, Lei Z, LL, Chengjian Z, Lei G, Wenchao L, Peixin S, Luping Q, Microbiol Res.,165, 437—449, 2010.

Huiru Z, Yuchun X, Hongyue Z, Yanjie Y, Caiyun Z, Cuiping Y, Chunping X, J Taiwan Institute of Chemical Engine.,44, 177–181, 2013.

Horn WS, Simmonds MSJ, Schwartz RE, Blaney WM, Phomopsichalasin, a novel antimicrobial agent from an endophytic Phomopsis sp. Tetrahed., 14,3969–3978,1995.

Hoffman AM, Mayer SG, Strobel GA, Hess WM, Sovocool GW, Grange AH, Harper JK, Arif AM, Grant DM, Kelley-Swift EG, Purification, identification and activity of phomodione, a furandione from an endophytic Phoma species. Phytochem., 69,1049–1056,2008.

Hong L, Wen XZ, Jun CM, Jun H, Ren XT, New bioactive metabolites produced by *Colletotrichum* sp, an endophytic fungus in *Artemisia annua*, Plant Sci., 151, 67–73, 2000.

Hata K, Futai K ,Endophytic fungi associated healthy Pine needle infested by Pine needle gall midge Thecodiplosis japonensis. Can J Bot., 73,384–390, 1995.

Hawksworth DL, Rossman AY, Where are all the undescribed fungi, Phytopatho., 87,888–891, 1997.

Ichikawa T, Date M, Ishikura T, Ozaki A, Improvement of kasugamycinproducing strain by the agar piece method and the prototroph method, Folia Microbiol., 16, 218–224,1971.

Jiangtao G, Mohamed MR, Francisco L, Xiaoning W , Melissa RJ, Babu LT, Shabana IK, Shari L, Robert A, Frank M, Horace GC, J. Cutler, Med Chem Res., 21, 3080–3086, 2012.

Jianglin Z, Yan M, Tijiang S, Yan L, Ligang Z, Mingan W, Jingguo W, Molecules., 15, 7961-7970, 2010.

Kogel KH, Franken P, Hückelhoven R.,Endophyte or parasite what decides Current Opinion in Plant Biol., 9, 358–3620123, 2006.

Kim S, Shin DS, Lee T, Oh KB, Periconicins, two new fusicoccane diterpenes produced by an endophytic fungus *Periconia* sp. with antibacterial activity. Journal of Natural Products., 67, 448–450, 2004.

Kjer J, Wray V, Edrada-Ebel R, Ebel R, Pretsch A, Lin WH, Proksch P, Xanalteric acids I and II and related phenolic compounds from an endophytic *Alternaria* sp Isolated from the mangrove plant *Sonneratia alba*, J Nat Prod., 72, 2053–2057, 2009.

Klich, MA, Identification of Common *Aspergillus* Species. Utrecht, The Netherlands: Centraalbureau voor Schimmel cultures., 122, 1-1, 2002.

Raper KB, Fennell DI, The Genus *Aspergillus*. Baltimore (USA): The Williams and Wilkins Company., 1965.

Krohn K, Kouam SF, Kuigoua GM, Hussain, H, Cludius-Brandt S, Florke U, Kurtan T, Pescitelli G, Di Bari L, Draeger S, Schulz B, Xanthonones and oxepino[2,3-b]chromones from three endophytic fungi. *Chemistry – A European Journal*, 15, 12121–12132, 2009.

Koshino H, Togia S, Terada SI, Yoshihara T, Sakamura S, Shimanuki T, Sato T, Tajimi A New fungitoxic sesquiterpenoids, chokols A-G, from stromata of *Epichloe typhina* and the absolute configuration of chokol. *Agric Biol Chem.*, 53,789–796, 1998.

Kweon M, Hwang H, Sung H, Identification and antioxidant activity of novel chlorogenic acid derivatives from Bamboo (*Phyllostachys edulis*), *J Agric Food Chem.*, 49,4646–4655, 2001.

Kharwar RN, Verma VC, Kumar A, Redman RS, Endophytic fungi: better players of biodiversity, stress tolerance, host protection and antimicrobial production. In: Chauhan AK, Verma A (eds) *A text book of molecular biotechnology*. I K International Publishing House, New Delhi., 1033–1357, 2009.

Kumar JV, Ramya SR, Nambisan B, Mohandas C, Improvement of antimicrobial activity of compounds produced by *Bacillus* sp. Associated with a Rhabditid sp. (Entimopathogenic nematode) by changing carbon and nitrogen sources in fermented media. *J Microbiol Biotechnol Food Sci.*, 1,1424-1438, 2012.

Liu X, Dong M, Chen X, Jiang M, Lv X, Zhou J, Antimicrobial activity of an endophytic *Xylaria* sp. YX-28 and identification of its antimicrobial compound 7-amino-4-methylcoumarin. *Applied Microbiol Biotechnol.*, 78, 241–247, 2008.

Lu H, Xou WX, Meng JC, Hu J, Tan RX, New bioactive metabolites produced by *Colletotrichum* sp., an endophytic fungus in *Artemisia annua*. *Plant Sci.*, 151,67–73, 2000.

Li JY, Strobel GA, Jesterone and hydroxy-jesterone antioomycete cyclohexenone epoxides from the endophytic fungus *Pestalotiopsis jester*, *Phytochem.*, 57,261–265, 2001.

Liu X, Dong M, Chen X, Jiang M, Lv X, Zhou J, Antimicrobial activity of an endophytic *Xylaria* sp. YX-28 and identification of its antimicrobial compound 7-amino-4-methylcoumarin, *Appl Microbiol Biotechnol.*, 78,241–247, 2008.

Liu L, Liu S, Chen X, Guo L, Che Y, Pestalofones A-E, bioactive cyclohexanone derivatives from the plant endophytic fungus *Pestalotiopsis fici*. *Bioorg Med Chem.*, 17,6-9, 2009.

Li JY, Strobel GA, Jesterone and hydroxy-jesterone antioomycete cyclohexenone epoxides from the endophytic fungus *Pestalotiopsis jesteri*. *Phytochem.*, 57,261–265, 2001.

Liogier HA, Descriptive flora of Puerto Rico and adjacent islands. Vol. 4. Editorial de la Universidad de Puerto Rico, San Juan., 617, 1995.

Little, E, Woodbury RO, Wadsworth FH,. Trees of Puerto Rico and the Virgin Islands. Agriculture Handbook 449. U.S. Department of Agriculture, Washington DC. 2.1,1-24, 1974.

Lupien, R A, Hill F M, Dugan, Horace G. Cutler , Cutler S J, Med Chem Res .,21, 3080–3086, 2012.

Larhsini MM, Evaluation of antifungal and molluscicidal properties of extracts of *Calotropis procera*. Fito., 68,4,371-373, 1997.

Le Duy A, Zajic JE A geometrical approach for differentiation of an experimental function at a point: applied to growth and production. Biotechnol Bioeng., 15,805–815, 1973.

Muller CB, Krauss J, Symbiosis between grasses and asexual fungal endophytes, Current Opinion in Plant Biol., 8,450–456, 2005.

Moita C, Feio SS, Nunes L, Joa M, Curto M, Roseiro JC Optimisation of physical factors on the production of active metabolites by *Bacillus subtilis* 355 against wood surface contaminant fungi. Int Biodeter Biodegrad .,55:261–269, 2005.

Maddau L, Cabras A, Franceschini A, Linaldeddu BT, Crobu S, Roggio T, Pagnozzi D Occurrence and characterization of peptaibols from *Trichoderma citrinoviride*, an endophytic fungus of cork oak, using electrospray ionization quadrupole time-of-flight mass spectrometry. Microbiol 155:3371–3381, 2009.

Marcia C, Katia F, Rodriguesj,. Basic Microbiol., 44 (2), pp. 157–160, 2004.

Abraham G , Virgilio BG, Jose P PN, Gildardo R , European Journal of Medi Chem., 49, 1-23, 2012.

Mohamed, M. M. A. Aent-Homoabyssomicins A and B, Two New Spirotetronates, Khatmiamycin, a Zoospricidal Naphthoquinone, and Further New Biologically Active Secondary Metabolites from Marine and Terrestrial *Streptomyces* spp. *PhD Thesis*, Georg-August University Göttingen, Germany. 2010.

Maheshwari,R,What is an endophytic fungus? CurrentScience.90(10),1309 13-1318, 2006 .

Newman DJ, Cragg, GM. Natural products as sources of new drugs over the last 25 years. Journal of Nat Prod.,70, 461–477, 2007.

Noro T, Oda Y, Toxhio M, Ueno A, Fukushima S Inhibition of xanthine oxidase from the flowers and buds of *Daphne genkwa*. Chem Pharm Bull., 31,3984–3987, 1983.

Nithya K, Muthumary J, Recent Research in Sci Technolo., 3,(3), 44-48, 2011.

Newman DJ, Cragg GM, Snader KM. Natural products as sources of new drugs over the period 1981–2002. *Journ Natu Prod.*, 66, 1022–1037. 2003.

Oliveira CM, Regasini LO, Silva GH, Pfenning LH, Young MCM, Berlinck RGS, Bolzani VS, Araujo AR ,Dihydroisocoumarins produced by *Xylaria* sp. and *Penicillium* sp., endophytic fungi associated with *Piper aduncum* and *Alibertia macrophylla*. *Phytochem Lett* 4:93–96, 2011.

Petrini O. Taxonomy of endophytic fungi of aerial plant tissues. In: *Microbiology of the phyllosphere*. (Ed.): N.J. Fokkema and J. Van-den Heuvel. Cambridge University Press, Cambridge p. 175-187, 1986.

Phongpaichit, S., Rungjindamai, N., Rukachaisirikul, V. Sakayaroj, J. Antimicrobial activity in cultures of endophytic fungi isolated from *Garcinia* species. *FEMS Immun Medi Micro*,48,367–372, (2006)

PaulEllis MB More dematiaceous hyphomycetes. Commonwealth Mycological Institute, Kew Bauer AW, Kirby WM, Sherries JC, Turck M Antibiotics susceptibility testing by the standardized single disc method. *Am J Clin Pathol* 45:493–496, 1976.

Rajesh PS, Rai VR,Hydrolytic enzymesandquorumsensinginhibitorsfromendophytic fungi of *Ventilago madraspatana* Gaer, *Biocat Agri Biotech*,2 ,120–124, 2013.

Rahim A, Suhagcines HMD, Unusual Nucleosides, Diketopiperazines and Further New Secondary Metabolites from Fungal Strains, Terrestrial and Marine Bacteria. *PhD Thesis*, Georg-August University, Germany., 2011.

Rangarajulu S K, Hyung JK, ByungKH, Taxol promising fungal endophyte, *Pestalotiopsis* species isolated from *Taxus cuspidate* *J Biosc Bioeng.* , 110 ,5, 541–546, 2010.

Rodrigues-HKF, Drandarov K, Heerklotz J, Hesse M, Werner C, Guignardic acid, a novel type of secondary metabolite produced by the endophytic fungus *Guignardia* sp.: isolation, structure elucidation, and asymmetric synthesis. *Helvetica Chimica Acta* 84, 3766–3772, 2001.

Ramasamy K, Lim SM, Bakar AB, IsmailN, Ismail, MS, Ali MF, Weber, JFF, Cole ALJ, Antimicrobial and cytotoxic activities of Malaysian endophytes. *Phytothear. Res.*, 24(5): 640-643, 2010.

Rodrigues KF, Hesse M, Werner C, Antimicrobial activities of secondary metabolites produced by endophytic fungi from *Spondias mombin*, *Journal of Basic Microbiol.*,40, 261–267, 2000.

Rateb ME, Ebel R Secondary metabolites of fungi from marine habitats. *Nat Prod Rep* 28:290–344, 2011.

- Radu S, Kqueen CY, Preliminary screening of endophytic fungi from medicinal plants in Malaysia for antimicrobial and antitumour activity. *Malaysian J Med Sci.*, 9,2,23–33, 2002.
- Rahman MA, CC, Wilcock, A taxonomic revision of *Calotropis* (Asclepiadaceae). *Nordic Journal Bot.*,11(3): 301-308, 1991.
- Stierle A, Strobel GA, Stierle D, Taxol and taxane production by *Taxomyces andreanae*, an endophytic fungus of Pacific yew, *Sci.*, 260, 214–2161, 1993.
- Sharma AK, Kharb R Kaur R, Pharmacognostical Aspects Of *Calotropis Procera* (Ait.) R. Br, *International Journal of Pharma and Bio Sci.*, 2(3), 480-488, 2011
- Sheela Chandra, *Appl Microbiol Biotechnol* ,95, 47–59, 2012.
- Schulz B, Boyle C, The endophytic continuum. *Mycol Res.*,109, 661–686. 2005.
- Saikkonen K, Wäli P, Helander M, Faeth SH, Evolution of endophyte-plant symbioses. *Trends in Plant Sci.*, 9, 275–280, 2004.
- Schulz B, Boyle C, Draeger S, Rommert, A.-K. Krohn K,. Endophytic fungi: a source of biologically active secondary metabolites. *Mycological Research* 106: 996–1004. 2002.
- Sieber TN, Rys J, Holdenrieder O, Mycobiota in symptomless needles of *Pinus mugo* ssp. *uncinata*. *Mycological Res.*, 103 ,306–310, 1999.
- Sakayarojd J, Azaphilone isocoumarin derivatives from the endophytic fungus *Penicillium sclerotiorum* PSU-A13. *Chem Pharm Bull.*, 58,1033–1036. 2010.
- Sieber TN, Rys J, Holdenrieder O, Mycobiota in symptomless needles of *Pinus mugo* ssp. *uncinata*. *Mycological Res.*, 103 , 306–310, 1999.
- Strobel G, Daisy B , Bioprospecting for microbial endophytes and their natural products. *Microbiology and Molecular Biol Rev.*, 5, 535–544, 2003.
- Suryanarayanan TS, Thirunavukkarasu N, Govindarajulu MB, Sasse F, Jansen R, Murali TS, Fungal endophytes and bioprospecting. *Fungal Biology Reviews* 23, 9–19,2009.
- Strobel, G. Endophytes as sources of bioactive products, *Micr Infe.*, 6, 535-544, ISSN 1286-4579, 2003.
- Stierle, GA, Strobel D, Stierle, Taxol and taxane production by *Taxomyces andreanae*, an endophytic fungus of Pacific yew, *Science* 260, 214–216. 1993.

Strobel GA, Miller RV, Martinez-Miller C, Condrón MM, Teplow DB, Hess WM Cryptocandin, a potent antimycotic from the endophytic fungus *Cryptosporiopsis* cf. *quercina*. *Microbiology* 145:1919–1926, 1999.

Gurney KA, Mantle PG Biosynthesis of 1-N-methylalbonoursin by an endophytic *Streptomyces* sp. isolated from perennial ryegrass. *J Nat Prod.*, 56,1194–1198, 1993.

Shu, RG, Wang, FW, Yang YM, Liu YX, Tan RX, Antibacterial and xanthine oxidase inhibitory cerebrosides from *Fusarium* sp IFB-121, an endophytic fungus in *Quercus variabilis*. *Lipids* 39, 667–673, 2004.

Strobel G A, Hess WM, Ford E, Sidhu RS, Yang X, Taxol from fungal endophytes and the issue of biodiversity, *J. Ind. Microbiol.*, 17, 417–423, 1996.

Stierle, A., Strobel, G. A., and Stierle, D.: Taxol and taxane production by *Taxomyces andreanae*, an endophytic fungus of Pacific yew, *Science*, 260, 214–216, 1993.

Silva GH, Teles HL, Zanardi LM, Marx Young MC, Eberlin MN, Hadad R, Pfenning LH, Costa-Neto CM, Castro- Gamboa I, da Silva Bolzani V, Araújo AR Cadinane sesquiterpenoids of *Phomopsis cassiae*, an endophytic fungus associated with *Cassia spectabilis* (Leguminosae). *Phytochemistry* 67,1964–1969. 2006.

Silva GH, De Oliveira CM, Teles HL, Pauletti PM, Castro- Gamboa I, Silva DHS, Bolzani VS, Young MCM, Costa- Neto CM, Pfenning LH, Berlinck RGS, Araújo AR Sesquiterpenes from *Xylaria* sp., an endophytic fungus associated with *Piper aduncum* (Piperaceae). *Phytochem Lett* 3:164–167, (2010)

Schulz B, Sucker J, Aust HJ, Krohen K, Ludewig K, Jones PG, Doring D Biologically active secondary metabolites of endophytic *Pezizula* sp. *Mycol Res* 99,1007–1015, 1995.

Sharma, B.M.. Root systems of some desert plants in Churu, Rajasthan. *Indian Forester* 94,3,240-246, 1968.

Schulz, B., Wanke, U., Draeger, S. & Aust, H.-J. Endophytes from herbaceous plants and shrubs: effectiveness of surface sterilization methods. *Mycological Research* 97, 1447–1450, 1993.

Sailer M, Helms GL, Henkel T, Niemcruzura WP, Stiles ME, Vederas JC 15-N- and 13 C labelled media from *Anabaena* sp. for universal Isotopic labeling of NMR resonance assignment of leucin A from *Leuconostoc gelidum* and nisin A from *Lactococcus lactis*. *Biochem.*, 32,1,310–318, 1993.

Silva, M. G. Furtado, N. A. J. C., Pupo, M. T., Fonseca, M. J. V., Said, S., da Silva, F. A. A., Jairo, B. K. Antibacterial activity from *Penicillium corylophilum* *Dierckx*. *Microbiol Res.*,159, 317-322, 2004.

Silva GH, Teles HL, Zanardi LM, Marx Young MC, Eberlin MN, Hadad R, Pfenning LH, Costa-Neto CM, Castro-Gamboa I, da Silva Bolzani V, Araujo AR, Cadinane sesquiterpenoids of *Phomopsis cassiae*, an endophytic fungus associated with *Cassia spectabilis* (Leguminosae), *Phytochem.*, 67,1964,1969, 2006.

Silva GH, De Oliveira CM, Teles HL, Pauletti PM, Castro-Gamboa I, Silva DHS, Bolzani VS, Young MCM, Costa-Neto CM, Pfenning LH, Berlinck RGS, Araujo AR Sesquiterpenes from *Xylaria* sp., an endophytic fungus associated with *Piper aduncum* (Piperaceae). *Phytochem Lett* 3:164–167, 2010.

Strobel, G. Endophytes as sources of bioactive products. *Microbes and Infection*, 5, .6, 535-544, 2003.

Strobel GA. Rainforest endophytes and bioactive products, *J. Critical Rev Biotechnol.*, 22(4): 315-333, 2002.

Strobel G, Daisy B, Bioprospecting for Microbial Endophytes and their natural products. *Microbiol Mol Biol Rev.*, 67:491–502, 2003.

Schulz B· Boyle C. The endophytic continuum, *Mycol Res.*; 109, 6,661-86,2005.

Takahashi, C., Matsushita, T., Doi, M., Minoura, K., Shingu, T., Kumeda, Y., Numata, A. Fumiquinazolines A-G, novel metabolites of a fungus separated from a *Pseudolabrus marine* fish. *J Chemical Society, Perk Trans., 1* 18, 2345-53, 1995.

Umemura, K., Ogawa, N., Koga, J., Iwata, M., Usami, H. Elicitor activity of cerebroside, a sphingolipid elicitor, in cell suspension cultures of rice. *Plant Cell Phys.*, 43 778–784, 2002.

Waites MJ, Morgan NL, Higton G, Rockey JS (2001) Industrial microbiology: an introduction. Blackwell Science, Oxford Wang LW, Xu BG, Wang JY, Su ZZ, Lin FC, Zhang CL, Kubicek CP Bioactive metabolites from *Phoma* species, an endophytic fungus from the Chinese medicinal plant *Arisaema erubescens*. *Appl Microbiol Biotechnol.*, 93:1231–1239, 2012.

White TJ, Bruns S, Lee S, Taylor J Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis MA, Gelfand DH, Sninsky JJ, White TL (eds) *PCR protocols: a guide to methods and applications*. Academic Press, San Diego, 315–322, 1990.

Wang J, Huang Y, Fang M, Zhang Y, Zheng Z, Zhao Y, Su W, Brefeldin A, a cytotoxin produced by *Paecilomyces* sp. and *Aspergillus clavatus* isolated from *Taxus mairei* and *Torreya grandis*. *FEMS Immunol Med Microbiol.*, 34:51–57.2002.

Wang FW, Jiao RH, Cheng AB, *et al.* Antimicrobial potentials of endophytic fungi residing in *Quercus variabilis* and brefeldin A obtained from *Cladosporium* sp [J]. *World J Microbiol Biotechnol.*, 23,1, 79-83, 2007.

Xu J, Ebada SS, Proksch P, Pestalotiopsis a highly creative genus: chemistry and bioactivity of secondary metabolites. *Fungal Divers* 44,15–31. 2010.

Yuan J, Jian-Nan B, Bing Y, Xu-Dong Z, Taxol-producing fungi: a new approach to Industrial production of taxol, *Chin. J. Biotech.*, 22, 1–6 ,2006.

Xiangjie M,, Hao L, Jianglin Z, Ligang Z, Minghua Q, Xianming Z, Zhu Y, Fuyu Y, Antimicrobial Activity of Sphingolipids Isolated from the Stems of Cucumber (*Cucumis sativus* L.). *Mole.*, 15, 9288-9297, 2010.

Xu J, Wang Y M, Feng TY, Zhang B, SugawaraT, Xue CH, Isolation and Antifatty Liver Activity of a Novel Cerebroside from the Sea Cucumber *Acaudina molpadiodes*. *Bioscience, Biotechnol Biochem.*,75, 1466-1471, 2011.

Yuan ZL, Rao LB, Chen YC, Zhang CL, Wu YG , From pattern to process: species and functional diversity in fungal endophytes of conifer *Abies beshanzuensis*. *Fungal Biol* 115: 197–213, 2011.

Yuan J, Jian-Nan B, Bing Y, Xu-Dong Z, Taxol-producing fungi: a new approach to Industrial production of taxol, *Chin. J. Biotech.*, 22, 1–6, 2006.

Zhao, J., Zhou, L.,. Antibacterial activity of endophytic fungi from rhizomes of *Paris polyphylla* var. *yunnanensis*. *Phytopatho.*, 98, S180, 2008

Zou WX, Meng JC, Lu H , Chen GX, Shi GX, Zhang TY, Tan RX,. Metabolites of *Colletotrichum gloeosporioides*, an endophytic fungus in *Artemisia mongolica*. *Journal of Natural Products* 63, 1529–1530. 2000.

Zhang L, Li Z, Bai J, Wu X, Wang Y, Hua H, Metabolites of *Aspergillus* sp. HT-2. *ChinPharma J.*, 46,1154-1158, 2011.

Zhao JH, Zhang YH, Wang LW, Wang JY, Zhang CL, Bioactive secondary metabolites from *Nigrospora* sp. LLGLM003,an endophytic fungus of the medicinal plant *Moringa oleifera* Lam, *World J Microbiol Biotechnol.*, 28, 2107–2112, 2012.