

REFERENCES

- An, K.-G., Park, S., & Shin, J.-Y. (n.d.). An evaluation of river health using the index of biological integrity along with relations to chemical and habitat conditions. www.elsevier.com/locate/envint
- Alam, M. U., Ferdous, S., Ercumen, A., Lin, A., Kamal, A., Luies, S. K., Sharior, F., Khan, R., Rahman, M. Z., Parvez, S. M., Amin, N., , B. T., Moushomi, N. A., Hasan, R., Taneja, N., Islam, M. A., & Rahman, M. (2021). Effective treatment strategies for the removal of antibiotic-resistant bacteria, antibiotic-resistance genes, and antibiotic residues in the effluent from wastewater treatment plants receiving municipal, hospital, and domestic wastewater: Protocol for a systematic review. In *JMIR Research Protocols* (Vol. 10, Issue 11). JMIR Publications Inc. <https://doi.org/10.2196/33365> n
- Albolafio, S.; Marín, A.; Allende, A.; García, F.; Simón-Andreu, P.J.; Soler, M.A.; Gil, M.I. Strategies for mitigating chlorinated disinfection byproducts in wastewater treatment plants. *Chemosphere* 2022, 288, 132583.
- Alattabi, A. W. N., Abdullah, S. R. R., & Hasan, H. A. (2015). Effects of initial organic loading and pharmaceutical compounds on the removal of COD, Ibuprofen and Ketoprofen in SBR. *Integrated Journal of Engineering Research and Technology*, 2(1), 88-100.
- Ando, T., Nagase, H., Eguchi, K., Hirooka, T., Nakamura, T., Miyamoto, K., & Hirata, K. (2007). A novel method using cyanobacteria for ecotoxicity test of veterinary antimicrobial agents. In *Environmental Toxicology and Chemistry* (Vol. 26, Issue 4).
- Andreozzi, R., Caprio, V., Marotta, R., & Radovnikovic, A. (2003). Ozonation and H₂O₂/UV treatment of clofibric acid in water: a kinetic investigation. *Journal of hazardous materials*, 103(3), 233-246.
- Auvinen, H., Havran, I., Hubau, L., Vanseveren, L., Gebhardt, W., Linnemann, V., Van Oirschot, D., Du Laing, G., & Rousseau, D. P. L. (2017). Removal of pharmaceuticals by a pilot aerated sub-surface flow constructed wetland treating municipal and hospital wastewater. *Ecological Engineering*, 100, 157–164. <https://doi.org/10.1016/j.ecoleng.2016.12.031>
- Balakrishna, K., Rath, A., Praveen kumar reddy, Y., Guruge, K. S., & Subedi, B. (2017). A review of the occurrence of pharmaceuticals and personal care products in Indian water bodies. In *Ecotoxicology and Environmental Safety* (Vol. 137, pp. 113–120). Academic Press. <https://doi.org/10.1016/j.ecoenv.2016.11.014>
- Bhattacharjee, S., Oussadou, S. E., Mousa, M., Shabib, A., Semerjian, L., Semreen, M. H., ... & Shanableh, A. (2024). Fate of emerging contaminants in an advanced SBR wastewater treatment and reuse facility incorporating UF, RO, and UV processes. *Water Research*, 267, 122518.
- Bao, S., Nie, X., Ou, R., Wang, C., Ku, P., & Li, K. (2017). Effects of diclofenac on the expression of Nrf2 and its downstream target genes in mosquito fish (*Gambusia affinis*). *Aquatic Toxicology*, 188, 43–53. <https://doi.org/10.1016/j.aquatox.2017.04.008>

- Bolong, N., Ismail, A. F., Salim, M. R., & Matsuura, T. (2009). A review of the effects of emerging contaminants in wastewater and options for their removal. *Desalination*, 239(1–3), 229–246. <https://doi.org/10.1016/j.desal.2008.03.020>
- Bound, J. P., & Voulvoulis, N. (2005). Household disposal of pharmaceuticals as a pathway for aquatic contamination in the United Kingdom. *Environmental Health Perspectives*, 113(12), 1705–1711. <https://doi.org/10.1289/ehp.8315>
- Buerge, I. J., Poiger, T., Müller, M. D., & Buser, H. R. (2003). Caffeine, an anthropogenic marker for wastewater contamination of surface waters. *Environmental Science and Technology*, 37(4), 691–700. <https://doi.org/10.1021/es020125z>
- Calleja, M. C., Persoone, G., & Geladi, P. (1994). Comparative Acute Toxicity of the First 50 Multicentre Evaluation of In Vitro Cytotoxicity Chemicals to Aquatic Non-Vertebrates. In *Arch. Environ. Contam. Toxicol* (Vol. 26).
- Casas, M. E., Chhetri, R. K., Ooi, G., Hansen, K. M. S., Litty, K., Christensson, M., Kragelund, C., Andersen, H. R., & Bester, K. (2015). Biodegradation of pharmaceuticals in hospital wastewater by staged Moving Bed Biofilm Reactors (MBBR). *Water Research*, 83, 293–302. <https://doi.org/10.1016/j.watres.2015.06.042>
- Chen, Y., Vymazal, J., Březinová, T., Koželuh, M., Kule, L., Huang, J., & Chen, Z. (2016). Occurrence, removal and environmental risk assessment of pharmaceuticals and personal care products in rural wastewater treatment wetlands. *Science of the Total Environment*, 566–567, 1660–1669. <https://doi.org/10.1016/j.scitotenv.2016.06.069>
- Chen, Y., He, S., Zhou, M., Pan, T., Xu, Y., Gao, Y., & Wang, H. (2018). Feasibility assessment of up-flow anaerobic sludge blanket treatment of sulfamethoxazole pharmaceutical wastewater. *Frontiers of Environmental Science & Engineering*, 12, 1-12.
- Chin, A.; Bérubé, P.R. Removal of disinfection by-product precursors with ozone-UV advanced oxidation process. *Water Res.* 2005, 39, 2136–2144.
- CPCB (2002). Water Quality Criteria and Goals. Feb 2002, Central Pollution Control Board, Delhi.
- CPCB (2015). A Concept and Plan Conservation of Water Quality of Ganga: A Segmental Approach Proposed Primary Water Criteria For Bathing Water. Dec 2015, Central Pollution Control Board, Delhi.
- CPCB (2016). Industry Specific Standards-effluent/emission-common Effluent Treatment Plants. Central Pollution Control Board, Ministry of Environment, Forest & Climate Change, Govt. of India, New Delhi.
- Coetsier, C. M., Spinelli, S., Lin, L., Roig, B., & Touraud, E. (2009). Discharge of pharmaceutical products (PPs) through a conventional biological sewage treatment plant: MECs vs PECs? *Environment International*, 35(5), 787–792. <https://doi.org/10.1016/j.envint.2009.01.008>
- Conkle, J. L., White, J. R., & Metcalfe, C. D. (2008). Reduction of pharmaceutically active compounds by a lagoon wetland wastewater treatment system in Southeast Louisiana. *Chemosphere*, 73(11), 1741–1748. <https://doi.org/10.1016/j.chemosphere.2008.09.020>

C Leigh, X Qu, Y Zhang, W Kong, W Meng, P Hanington, R Speed, C Gippel, N Bond, J Catford, S Bunn and P Close, (2012). Assessment of River Health in the Liao River Basin (Taizi

Subcatchment). International WaterCentre, Brisbane, Australia

Costa, L. R. D. C., & Féris, L. A. (2023). Integration of ozonation with water treatment for pharmaceuticals removal from Arroio Diluvio in southern Brazil. *Water Science & Technology*, 87(4), 938-953.

David, A., & Pancharatna, K. (2009). Effects of acetaminophen (paracetamol) in the embryonic development of zebrafish, *Danio rerio*. *Journal of Applied Toxicology*, 29(7), 597–602. <https://doi.org/10.1002/jat.1446>

Desbiolles, F., Malleret, L., Tiliacos, C., Wong-Wah-Chung, P., & Laffont-Schwob, I. (2018). Occurrence and ecotoxicological assessment of pharmaceuticals: Is there a risk for the Mediterranean aquatic environment? In *Science of the Total Environment* (Vol. 639, pp. 1334–1348). Elsevier B.V. <https://doi.org/10.1016/j.scitotenv.2018.04.351>

De la Cruz, N.; Esquiús, L.; Grandjean, D.; Magnet, A.; Tungler, A.; de Alencastro, L.F.; Pulgarín, C. Degradation of emergent contaminants by UV, UV/H₂O₂ and neutral photo-Fenton at pilot scale in a domestic wastewater treatment plant. *Water Res.* 2013, 47, 5836–5845.

Dires, S., Birhanu, T., Ambelu, A., & Sahilu, G. (2018). Antibiotic resistant bacteria removal of subsurface flow constructed wetlands from hospital wastewater. *Journal of Environmental Chemical Engineering*, 6(4), 4265–4272. <https://doi.org/10.1016/j.jece.2018.06.034>

Dodd, M.C., 2012. Potential impacts of disinfection processes on elimination and deactivation of antibiotic resistance genes during water and wastewater treatment. *J. Environ. Monit.* 14, 1754.

Du, J., Mei, C. F., Ying, G. G., & Xu, M. Y. (2016). Toxicity Thresholds for Diclofenac, Acetaminophen and Ibuprofen in the Water Flea *Daphnia magna*. *Bulletin of Environmental Contamination and Toxicology*, 97(1), 84–90. <https://doi.org/10.1007/s00128-016-1806-7>

Duan, Z., Zhu, L., Zhu, L., Kun, Y., & Zhu, X. (2008). Individual and joint toxic effects of pentachlorophenol and bisphenol A on the development of zebrafish (*Danio rerio*) embryo. *Ecotoxicology and Environmental Safety*, 71(3), 774–780. <https://doi.org/10.1016/j.ecoenv.2008.01.021>

Eguchi, K., Nagase, H., Ozawa, M., Endoh, Y. S., Goto, K., Hirata, K., Miyamoto, K., & Yoshimura, H. (2004). Evaluation of antimicrobial agents for veterinary use in the ecotoxicity test using microalgae. *Chemosphere*, 57(11), 1733–1738. <https://doi.org/10.1016/j.chemosphere.2004.07.017>

Escapa, C., Coimbra, R. N., Neuparth, T., Torres, T., Santos, M. M., & Otero, M. (2019). Acetaminophen removal from water by microalgae and effluent toxicity assessment by

the zebrafish embryo bioassay. *Water* (Switzerland), 11(9).
<https://doi.org/10.3390/w11091929>

- Ferrari, Beno., Mons, R., Vollat, B., Fraysse, Beno., Paxé, N. U., Giudice, R. LO, Pollio, A., & Garric, J. (2004). ENVIRONMENTAL RISK ASSESSMENT OF SIX HUMAN PHARMACEUTICALS: ARE THE CURRENT ENVIRONMENTAL RISK ASSESSMENT PROCEDURES SUFFICIENT FOR THE PROTECTION OF THE AQUATIC ENVIRONMENT? In *Environmental Toxicology and Chemistry* (Vol. 23, Issue 5). <http://www.argotech.com/>
- Fick, J., Hanna, J., Söderstro, S. S., Söderstro, S., Lindberg, R. H., Phan, C., & Larsson, D. G. J. (n.d.). *Pharmaceuticals and Personal Care Products in the Environment contamination of surface, ground, and drinking water from pharmaceutical production*. <https://doi.org/10.1897/09-073.S1>
- Gallardo-Altamirano, M. J., Maza-Márquez, P., Montemurro, N., Rodelas, B., Osorio, F., & Pozo, C. (2019). Linking microbial diversity and population dynamics to the removal efficiency of pharmaceutically active compounds (PhACs) in an anaerobic/anoxic/aerobic (A2O) system. *Chemosphere*, 233, 828-842.
- García-Galán, M. J., González Blanco, S., López Roldán, R., Díaz-Cruz, S., & Barceló, D. (2012). Ecotoxicity evaluation and removal of sulfonamides and their acetylated metabolites during conventional wastewater treatment. *Science of the Total Environment*, 437, 403–412. <https://doi.org/10.1016/j.scitotenv.2012.08.038>
- Gaur, N., Narasimhulu, K., & PydiSetty, Y. (2018). Recent advances in the bio-remediation of persistent organic pollutants and its effect on environment. *Journal of cleaner production*, 198, 1602-1631.
- Geissen, V., Mol, H., Klumpp, E., Umlauf, G., Nadal, M., van der Ploeg, M., van de Zee, S. E. A. T. M., & Ritsema, C. J. (2015). Emerging pollutants in the environment: A challenge for water resource management. *International Soil and Water Conservation Research*, 3(1), 57–65. <https://doi.org/10.1016/j.iswcr.2015.03.002>
- Gerrity, D., Gamage, S., Holady, J. C., Mawhinney, D. B., Quiñones, O., Trenholm, R. A., & Snyder, S. A. (2011). Pilot-scale evaluation of ozone and biological activated carbon for trace organic contaminant mitigation and disinfection. *Water Research*, 45(5), 2155–2165. <https://doi.org/10.1016/j.watres.2010.12.031>
- Gopal, C. M., Bhat, K., Praveenkumarreddy, Y., Shailesh, Kumar, V., Basu, H., Joshua, D. I., Singhal, R. K., & Balakrishna, K. (2020). Evaluation of selected pharmaceuticals and personal care products in water matrix using ion trap mass spectrometry: A simple weighted calibration curve approach. *Journal of Pharmaceutical and Biomedical Analysis*, 185. <https://doi.org/10.1016/j.jpba.2020.113214>
- Grung, M., Källqvist, T., Sakshaug, S., Skurtveit, S., & Thomas, K. V. (2008). Environmental assessment of Norwegian priority pharmaceuticals based on the EMEA guideline. *Ecotoxicology and Environmental Safety*, 71(2), 328–340. <https://doi.org/10.1016/j.ecoenv.2007.10.015>

- Gupta, R. C., Gupta, A. K., & Shrivastava, R. K. (2013). Water quality modelling of a stretch of River Kshipra (India). *Nature Environment and Pollution Technology*, 12(3), 511.
- Guo, Y., Zhao, E., Wang, J., Zhang, X., Huang, H., Yu, G., & Wang, Y. (2020). Comparison of emerging contaminant abatement by conventional ozonation, catalytic ozonation, O₃/H₂O₂ and electro-peroxone processes. *Journal of hazardous materials*, 389, 121829.
- Hassanshahi, N., & Karimi-Jashni, A. (2018). Comparison of photo-Fenton, O₃/H₂O₂/UV and photocatalytic processes for the treatment of gray water. *Ecotoxicology and environmental safety*, 161, 683-690.
- Haap, T., Triebskorn, R., & Köhler, H. R. (2008). Acute effects of diclofenac and DMSO to *Daphnia magna*: Immobilisation and hsp70-induction. *Chemosphere*, 73(3), 353–359. <https://doi.org/10.1016/j.chemosphere.2008.05.062>
- Hernando, M. D., Mezcua, M., Fernández-Alba, A. R., & Barceló, D. (2006). Environmental risk assessment of pharmaceutical residues in wastewater effluents, surface waters and sediments. *Talanta*, 69(2 SPEC. ISS.), 334–342. <https://doi.org/10.1016/j.talanta.2005.09.037>
- Hoeger, B., Köllner, B., Dietrich, D. R., & Hitzfeld, B. (2005). Water-borne diclofenac affects kidney and gill integrity and selected immune parameters in brown trout (*Salmo trutta* f. *fario*). *Aquatic Toxicology*, 75(1), 53–64. <https://doi.org/10.1016/j.aquatox.2005.07.006>
- Hou, J., Chen, Z., Gao, J., Xie, Y., Li, L., Qin, S., ... & Luo, Y. (2019). Simultaneous removal of antibiotics and antibiotic resistance genes from pharmaceutical wastewater using the combinations of up-flow anaerobic sludge bed, anoxic-oxic tank, and advanced oxidation technologies. *Water research*, 159, 511-520.
- Huang, N., Wang, T., Wang, W. L., Wu, Q. Y., Li, A., & Hu, H. Y. (2017). UV/chlorine as an advanced oxidation process for the degradation of benzalkonium chloride: synergistic effect, transformation products and toxicity evaluation. *Water Research*, 114, 246-253.
- Huber, M. M., Canonica, S., Park, G. Y., & Von Gunten, U. (2003). Oxidation of pharmaceuticals during ozonation and advanced oxidation processes. *Environmental science & technology*, 37(5), 1016-1024.
- Husain Khan, A., Abdul Aziz, H., Khan, N. A., Ahmed, S., Mehtab, M. S., Vambol, S., ... & Islam, S. (2023). Pharmaceuticals of emerging concern in hospital wastewater: removal of Ibuprofen and Ofloxacin drugs using MBBR method. *International Journal of Environmental Analytical Chemistry*, 103(1), 140-154.
- Isidori, M., Lavorgna, M., Nardelli, A., Parrella, A., Previtiera, L., & Rubino, M. (2005). Ecotoxicity of naproxen and its phototransformation products. *Science of the Total Environment*, 348(1–3), 93–101. <https://doi.org/10.1016/j.scitotenv.2004.12.068>
- Jiang, Y., Li, M., Guo, C., An, D., Xu, J., Zhang, Y., & Xi, B. (2014). Distribution and ecological risk of antibiotics in a typical effluent–receiving river (Wangyang River) in north China. *Chemosphere*, 112, 267-274. <https://doi.org/10.1016/j.chemosphere.2014.04.075>

- Jindal, K., Narayanam, M., & Singh, S. (2015). A systematic strategy for the identification and determination of pharmaceuticals in environment using advanced LC-MS tools: Application to ground water samples. *Journal of Pharmaceutical and Biomedical Analysis*, 108, 86–96. <https://doi.org/10.1016/j.jpba.2015.02.003>
- Jung, Y.J., Kim, W.G., Yoon, Y., Kang, J.W., Hong, Y.M., Kim, H.W., 2012. Removal of amoxicillin by UV and UV/H₂O₂ processes. *Sci. Total Environ.* 420, 160–167. <https://doi.org/10.1016/j.scitotenv.2011.12.011>.
- Justo, A., González, O., Aceña, J., Pérez, S., Barceló, D., Sans, C., & Esplugas, S. (2013). Pharmaceuticals and organic pollution mitigation in reclamation osmosis brines by UV/H₂O₂ and ozone. *Journal of hazardous materials*, 263, 268-274.
- Kanakaraju, D., Glass, B. D., & Oelgemöller, M. (2018). Advanced oxidation process-mediated removal of pharmaceuticals from water: A review. In *Journal of Environmental Management* (Vol. 219, pp. 189–207). Academic Press. <https://doi.org/10.1016/j.jenvman.2018.04.103>
- Kairigo, P., Ngumba, E., Sundberg, L. R., Gachanja, A., & Tuhkanen, T. (2020). Contamination of surface water and river sediments by antibiotic and antiretroviral drug cocktails in low and middle-income countries: occurrence, risk and mitigation strategies. *Water*, 12(5), 1376. <https://doi.org/10.3390/w12051376>
- Karr, J. (1997). *Biological Monitoring and Assessment: Using Multimetric Indexes Effectively*, EPA 235-R97-001 Seven foundations of biological monitoring and assessment.
- Kaur, R., Yadav, B., & Tyagi, R. D. (2020). Microbiology of hospital wastewater. In *Current developments in Biotechnology and bioengineering* (pp. 103-148). Elsevier.
- Khan, A. H., Khan, N. A., Ahmed, S., Dhingra, A., Singh, C. P., Khan, S. U., Mohammadi, A. A., Changani, F., Yousefi, M., Alam, S., Vambol, S., Vambol, V., Khursheed, A., & Ali, I. (2020). Application of advanced oxidation processes followed by different treatment technologies for hospital wastewater treatment. *Journal of Cleaner Production*, 269. <https://doi.org/10.1016/j.jclepro.2020.122411>
- Khan, G. A., Berglund, B., Khan, K. M., Lindgren, P. E., & Fick, J. (2013). Occurrence and abundance of antibiotics and resistance genes in rivers, canal and near drug formulation facilities—a study in Pakistan. *PloS one*, 8(6), e62712. <https://doi.org/10.1371/journal.pone.0062712>
- Khan, N. A., Ahmed, S., Farooqi, I. H., Ali, I., Vambol, V., Changani, F., Yousefi, M., Vambol, S., Khan, S. U., & Khan, A. H. (2020). Occurrence, sources and conventional treatment techniques for various antibiotics present in hospital wastewaters: A critical review. In *TrAC - Trends in Analytical Chemistry* (Vol. 129). Elsevier B.V. <https://doi.org/10.1016/j.trac.2020.115921>
- Khan, N. A., El Morabet, R., Khan, R. A., Ahmed, S., Dhingra, A., Alsubih, M., & Khan, A. R. (2020). Horizontal sub surface flow Constructed Wetlands coupled with tubessettler for hospital wastewater treatment. *Journal of Environmental Management*, 267. <https://doi.org/10.1016/j.jenvman.2020.110627>

- Kim, Y., Choi, K., Jung, J., Park, S., Kim, P. G., & Park, J. (2007). Aquatic toxicity of acetaminophen, carbamazepine, cimetidine, diltiazem and six major sulfonamides, and their potential ecological risks in Korea. *Environment International*, 33(3), 370–375. <https://doi.org/10.1016/j.envint.2006.11.017>
- Kodom, K., Attiogbe, F., & Kuranchie, F. A. (2021). Assessment of removal efficiency of pharmaceutical products from wastewater in sewage treatment plants: A case of the sewerage systems Ghana limited, Accra. *Heliyon*, 7(11). <https://doi.org/10.1016/j.heliyon.2021.e08385>
- Köhler, C., Venditti, S., Igos, E., Klepyszewski, K., Benetto, E., & Cornelissen, A. (2012). Elimination of pharmaceutical residues in biologically pre-treated hospital wastewater using advanced UV irradiation technology: A comparative assessment. *Journal of Hazardous Materials*, 239–240, 70–77. <https://doi.org/10.1016/j.jhazmat.2012.06.006>
- Kovalova, L., Siegrist, H., Singer, H., Wittmer, A., & McArdell, C. S. (2012). Hospital wastewater treatment by membrane bioreactor: Performance and efficiency for organic micropollutant elimination. *Environmental Science and Technology*, 46(3), 1536–1545. <https://doi.org/10.1021/es203495d>
- Kovalova, L., Siegrist, H., Von Gunten, U., Eugster, J., Hagenbuch, M., Wittmer, A., Moser, R., & McArdell, C. S. (2013). Elimination of micropollutants during post-treatment of hospital wastewater with powdered activated carbon, ozone, and UV. *Environmental Science and Technology*, 47(14), 7899–7908. <https://doi.org/10.1021/es400708w>
- Kumar, M., Ram, B., Honda, R., Poopipattana, C., Canh, V. D., Chaminda, T., & Furumai, H. (2019). Concurrence of antibiotic-resistant bacteria (ARB), viruses, pharmaceuticals and personal care products (PPCPs) in ambient waters of Guwahati, India: Urban vulnerability and resilience perspective. *Science of the Total Environment*, 693. <https://doi.org/10.1016/j.scitotenv.2019.133640>
- Kwak, K., Ji, K., Kho, Y., Kim, P., Lee, J., Ryu, J., & Choi, K. (2018). Chronic toxicity and endocrine disruption of naproxen in freshwater waterfleas and fish, and steroidogenic alteration using H295R cell assay. *Chemosphere*, 204, 156–162. <https://doi.org/10.1016/j.chemosphere.2018.04.035>
- Larsson, D. G. J., de Pedro, C., & Paxeus, N. (2007). Effluent from drug manufactures contains extremely high levels of pharmaceuticals. *Journal of Hazardous Materials*, 148(3), 751–755. <https://doi.org/10.1016/j.jhazmat.2007.07.008>
- Lawrence, J. R., Swerhone, G. D. W., Topp, E., Korber, D. R., Neu, T. R., & Wassenaar, L. I. (2007). Environmental Chemistry STRUCTURAL AND FUNCTIONAL RESPONSES OF RIVER BIOFILM COMMUNITIES TO THE NONSTEROIDAL ANTI-INFLAMMATORY DICLOFENAC. In *Environmental Toxicology and Chemistry* (Vol. 26, Issue 4). <http://rsb.info.nih.gov/nih-image/>
- Lee, W., & Wang, Y. C. (2015). Assessing developmental toxicity of caffeine and sweeteners in medaka (*Oryzias latipes*). *SpringerPlus*, 4(1). <https://doi.org/10.1186/s40064-015-1284-0>

- Lee, J., Ji, K., Lim Kho, Y., Kim, P., & Choi, K. (2011). Chronic exposure to diclofenac on two freshwater cladocerans and Japanese medaka. *Ecotoxicology and Environmental Safety*, 74(5), 1216–1225. <https://doi.org/10.1016/j.ecoenv.2011.03.014>
- Lee, S., Kim, C., Liu, X., Lee, S., Kho, Y., Kim, W. K., Kim, P., & Choi, K. (2021). Ecological risk assessment of amoxicillin, enrofloxacin, and neomycin: Are their current levels in the freshwater environment safe? *Toxics*, 9(8). <https://doi.org/10.3390/toxics9080196>
- Leigh, C., Qu, X., Zhang, Y., Kong, W., Meng, W., Hanington, P., Speed, R., Gippel, C., Bond, N., Catford, J., Bunn, S., & Close, P. (2012). *Assessment of river health in the Liao River Basin (Taizi Sub-Catchment)*. www.watercentre.org
- Li F, Wang H, Liu J, Lin J, Zeng A, Ai W, et al., (2016) Immunotoxicity of B-Diketone Antibiotic Mixtures to Zebrafish (danio rerio) by Transcriptome Analysis. *PLoS ONE* 11 (4): e0152530. <https://doi.org/10.1371/journal.pone.0152530>
- Li, Q., Wang, P., Chen, L., Gao, H., & Wu, L. (2016). Acute toxicity and histopathological effects of naproxen in zebrafish (*Danio rerio*) early life stages. *Environmental Science and Pollution Research*, 23(18), 18832–18841. <https://doi.org/10.1007/s11356-016-7092-4>
- Li, Y., Ma, Y., Yang, L., Duan, S., Zhou, F., Chen, J., Liu, Y., & Zhang, B. (2020). Effects of azithromycin on feeding behavior and nutrition accumulation of *Daphnia magna* under the different exposure pathways. *Ecotoxicology and Environmental Safety*, 197. <https://doi.org/10.1016/j.ecoenv.2020.110573>
- Liang, X., Nie, X., Ying, G., An, T., & Li, K. (2013). Assessment of toxic effects of triclosan on the swordtail fish (*Xiphophorus helleri*) by a multi-biomarker approach. *Chemosphere*, 90(3), 1281–1288. <https://doi.org/10.1016/j.chemosphere.2012.09.087>
- Liang, X., Wang, F., Li, K., Nie, X., & Fang, H. (2020). Effects of norfloxacin nicotinate on the early life stage of zebrafish (*Danio rerio*): Developmental toxicity, oxidative stress and immunotoxicity. *Fish and Shellfish Immunology*, 96, 262–269. <https://doi.org/10.1016/j.fsi.2019.12.008>
- Li, B.; Zhang, T. Mass flows and removal of antibiotics in two municipal wastewater treatment plants. *Chemosphere* 2011, 83, 1284–1289.
- Lien, L. T. Q., Hoa, N. Q., Chuc, N. T. K., Thoa, N. T. M., Phuc, H. D., Diwan, V., Dat, N. T., Tamhankar, A. J., & Lundborg, C. S. (2016). Antibiotics in wastewater of a rural and an urban hospital before and after wastewater treatment, and the relationship with antibiotic use—a one year study from Vietnam. *International Journal of Environmental Research and Public Health*, 13(6). <https://doi.org/10.3390/ijerph13060588>
- Lishman, L., Smyth, S. A., Sarafin, K., Kleywegt, S., Toito, J., Peart, T., Lee, B., Servos, M., Beland, M., & Seto, P. (2006). Occurrence and reductions of pharmaceuticals and personal care products and estrogens by municipal wastewater treatment plants in Ontario, Canada. *Science of the Total Environment*, 367(2–3), 544–558. <https://doi.org/10.1016/j.scitotenv.2006.03.021>
- Liu, J., Wei, T., Wu, X., Zhong, H., Qiu, W., & Zheng, Y. (2020). Early exposure to environmental levels of sulfamethoxazole triggers immune and inflammatory response

- of healthy zebrafish larvae. *Science of the Total Environment*, 703. <https://doi.org/10.1016/j.scitotenv.2019.134724>
- Liu, L., Wu, W., Zhang, J., Lv, P., Xu, L., & Yan, Y. (2018). Progress of research on the toxicology of antibiotic pollution in aquatic organisms. *Acta Ecologica Sinica*, 38(1), 36–41. <https://doi.org/10.1016/j.chnaes.2018.01.006>
- Liu, Q., Zhou, Y., Chen, L., & Zheng, X. (2010). Application of MBR for hospital wastewater treatment in China. *Desalination*, 250(2), 605–608. <https://doi.org/10.1016/j.desal.2009.09.033>
- Liu, X., Guo, X., Liu, Y., Lu, S., Xi, B., Zhang, J., Wang, Z., & Bi, B. (2019). A review on removing antibiotics and antibiotic resistance genes from wastewater by constructed wetlands: Performance and microbial response. In *Environmental Pollution* (Vol. 254). Elsevier Ltd. <https://doi.org/10.1016/j.envpol.2019.112996>
- Liu, Y., Tang, Y., Wu, Y., Feng, L., & Zhang, L. (2019). Degradation of naproxen in chlorination and UV/chlorine processes: kinetics and degradation products. *Environmental Science and Pollution Research*, 26, 34301-34310.
- Llorens, E., Matamoros, V., Domingo, V., Bayona, J. M., & García, J. (2009). Water quality improvement in a full-scale tertiary constructed wetland: Effects on conventional and specific organic contaminants. *Science of the Total Environment*, 407(8), 2517–2524. <https://doi.org/10.1016/j.scitotenv.2008.12.042>
- Mace, S., & Mata-Alvarez, J. (2002). Utilization of SBR technology for wastewater treatment: an overview. *Industrial & engineering chemistry research*, 41(23), 5539-5553.
- Matamoros, V., Arias, C., Brix, H., & Bayona, J. M. (2009). Preliminary screening of small-scale domestic wastewater treatment systems for removal of pharmaceutical and personal care products. *Water Research*, 43(1), 55–62. <https://doi.org/10.1016/j.watres.2008.10.005>
- McKinney, C. W., & Pruden, A. (2012). Ultraviolet disinfection of antibiotic resistant bacteria and their antibiotic resistance genes in water and wastewater. *Environmental science & technology*, 46(24), 13393-13400.
- Mesdaghinia, A. R., Naddafi, K., Nabizadeh, R., Saedi, R., & Zamanzadeh, M. (2009). Wastewater Characteristics and Appropriate Method for Wastewater Management in the Hospitals. In *Iranian J Publ Health* (Vol. 38, Issue 1).
- Mestre, A. S., & Carvalho, A. P. (2019). Photocatalytic degradation of pharmaceuticals carbamazepine, diclofenac, and sulfamethoxazole by semiconductor and carbon materials: A review. In *Molecules* (Vol. 24, Issue 20). MDPI AG. <https://doi.org/10.3390/molecules24203702>
- Gallardo-Altamirano, M. J., Maza-Márquez, P., Peña-Herrera, J. M., Rodelas, B., Osorio, F., & Pozo, C. (2018). Removal of anti-inflammatory/analgesic pharmaceuticals from urban wastewater in a pilot-scale A2O system: Linking performance and microbial population dynamics to operating variables. *Science of the total environment*, 643, 1481-1492.

- Moore, M. T., Greenway, S. L., Farris, J. L., & Guerra, B. (2008). Assessing caffeine as an emerging environmental concern using conventional approaches. *Archives of Environmental Contamination and Toxicology*, 54(1), 31–35. <https://doi.org/10.1007/s00244-007-9059-4>
- Mondal, S. K., Saha, A. K., & Sinha, A. (2018). Removal of ciprofloxacin using modified advanced oxidation processes: kinetics, pathways and process optimization. *Journal of cleaner production*, 171, 1203-1214.
- Morin-Crini, N., Lichtfouse, E., Liu, G., Balaram, V., Ribeiro, A. R. L., Lu, Z., Stock, F., Carmona, E., Teixeira, M. R., Picos-Corrales, L. A., Moreno-Piraján, J. C., Giraldo, L., Li, C., Pandey, A., Hocquet, D., Torri, G., & Crini, G. (2022). Worldwide cases of water pollution by emerging contaminants: a review. In *Environmental Chemistry Letters* (Vol. 20, Issue 4, pp. 2311–2338). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s10311-022-01447-4>
- Makopondo, R. O., Rotich, L. K., & Kamau, C. G. (2020). Potential use and challenges of constructed wetlands for wastewater treatment and conservation in game lodges and resorts in Kenya. *The Scientific World Journal*, 2020(1), 9184192.
- Mousaab, A., Claire, C., Magali, C., & Christophe, D. (2015). Upgrading the performances of ultrafiltration membrane system coupled with activated sludge reactor by addition of biofilm supports for the treatment of hospital effluents. *Chemical Engineering Journal*, 262, 456-463. <https://doi.org/10.1016/j.cej.2014.09.069>
- Mutiyar, P. K., & Mittal, A. K. (2014). Risk assessment of antibiotic residues in different water matrices in India: Key issues and challenges. *Environmental Science and Pollution Research*, 21(12), 7723–7736. <https://doi.org/10.1007/s11356-014-2702-5>
- Mutiyar, P. K., & Mittal, A. K. (2014). Occurrences and fate of selected human antibiotics in influents and effluents of sewage treatment plant and effluent-receiving river Yamuna in Delhi (India). *Environmental Monitoring and Assessment*, 186(1), 541–557. <https://doi.org/10.1007/s10661-013-3398-6>
- Naddeo, V., Uyguner-Demirel, C. S., Prado, M., Cesaro, A., Belgiorno, V., & Ballesteros, F. (2015). Enhanced ozonation of selected pharmaceutical compounds by sonolysis. *Environmental technology*, 36(15), 1876-1883.
- Nakhli, S. A. A., Ahmadizadeh, K., Fereshtehnejad, M., Rostami, M. H., Safari, M., & Borghei, S. M. (2014). Biological removal of phenol from saline wastewater using a moving bed biofilm reactor containing acclimated mixed consortia. *SpringerPlus*, 3, 1-10.
- Ngumba, E., Gachanja, A., & Tuhkanen, T. (2016). Occurrence of selected antibiotics and antiretroviral drugs in Nairobi River Basin, Kenya. *Science of the Total Environment*, 539, 206-213.
- Nguyen, D. T., Tran, H. N., Juang, R. S., Dat, N. D., Tomul, F., Ivanets, A., Woo, S. H., Hosseini-Bandegharaei, A., Nguyen, V. P., & Chao, H. P. (2020). Adsorption process and mechanism of acetaminophen onto commercial activated carbon. *Journal of Environmental Chemical Engineering*, 8(6). <https://doi.org/10.1016/j.jece.2020.104408>

- Nie, X., Gu, J., Lu, J., Pan, W., & Yang, Y. (2009). Effects of norfloxacin and butylated hydroxyanisole on the freshwater microalga *Scenedesmus obliquus*. *Ecotoxicology*, 18(6), 677–684. <https://doi.org/10.1007/s10646-009-0334-1>
- Nielsen, U., Hastrup, C., Klausen, M. M., Pedersen, B. M., Kristensen, G. H., Jansen, J. L. C., Bak, S. N., & Tuerk, J. (2013). Removal of APIs and bacteria from hospital wastewater by MBR plus O₃, O₃ + H₂O₂, PAC or ClO₂. *Water Science and Technology*, 67(4), 854–862. <https://doi.org/10.2166/wst.2012.645>
- Ooi, G. T. H., Tang, K., Chhetri, R. K., Kaarsholm, K. M. S., Sundmark, K., Kragelund, C., Litty, K., Christensen, A., Lindholst, S., Sund, C., Christensson, M., Bester, K., & Andersen, H. R. (2018). Biological removal of pharmaceuticals from hospital wastewater in a pilot-scale staged moving bed biofilm reactor (MBBR) utilising nitrifying and denitrifying processes. *Bioresource Technology*, 267, 677–687. <https://doi.org/10.1016/j.biortech.2018.07.077>
- Orvos, D. R., Versteeg, D. J., Inauen, J., Capdevielle, M., Rothenstein, A., & Cunningham, V. (2002). Aquatic toxicity of triclosan. *Environmental Toxicology and Chemistry: An International Journal*, 21(7), 1338-1349.
- Pan, Y., Yan, S. W., Li, R. Z., Hu, Y. W., & Chang, X. X. (2017). Lethal/sublethal responses of *Daphnia magna* to acute norfloxacin contamination and changes in phytoplankton-zooplankton interactions
- Park, S., Park, J. Y., & Choe, W. (2019). Origin of hydroxyl radicals in a weakly ionized plasma-facing liquid. *Chemical Engineering Journal*, 378, 122163.
- induced by this antibiotic. *Scientific Reports*, 7. <https://doi.org/10.1038/srep40385>
- Park, J., Yamashita, N., Park, C., Shimono, T., Takeuchi, D. M., & Tanaka, H. (2017). Removal characteristics of pharmaceuticals and personal care products: Comparison between membrane bioreactor and various biological treatment processes. *Chemosphere*, 179, 347-358.
- Park, S., & Choi, K. (2008). Hazard assessment of commonly used agricultural antibiotics on aquatic ecosystems. *Ecotoxicology*, 17(6), 526–538. <https://doi.org/10.1007/s10646-008-0209-x>
- Peña-Guzmán, C., Ulloa-Sánchez, S., Mora, K., Helena-Bustos, R., Lopez-Barrera, E., Alvarez, J., & Rodríguez-Pinzón, M. (2019). Emerging pollutants in the urban water cycle in Latin America: A review of the current literature. In *Journal of Environmental Management* (Vol. 237, pp. 408–423). Academic Press. <https://doi.org/10.1016/j.jenvman.2019.02.100>
- Pollack, K., Balazs, K., & Ogunseitan, O. (2009). Proteomic assessment of caffeine effects on coral symbionts. *Environmental Science and Technology*, 43(6), 2085–2091. <https://doi.org/10.1021/es802617f>
- Qarni Al, H., Collier, P., O’Keeffe, J., & Akunna, J. (2016). Investigating the removal of some pharmaceutical compounds in hospital wastewater treatment plants operating in Saudi Arabia. *Environmental Science and Pollution Research*, 23(13), 13003–13014. <https://doi.org/10.1007/s11356-016-6389-7>

- Quinn, B., Gagné, F., & Blaise, C. (2008). An investigation into the acute and chronic toxicity of eleven pharmaceuticals (and their solvents) found in wastewater effluent on the cnidarian, *Hydra attenuata*. *Science of the Total Environment*, 389(2–3), 306–314. <https://doi.org/10.1016/j.scitotenv.2007.08.038>
- Quinn, B., Schmidt, W., O'Rourke, K., & Hernan, R. (2011). Effects of the pharmaceuticals gemfibrozil and diclofenac on biomarker expression in the zebra mussel (*Dreissena polymorpha*) and their comparison with standardised toxicity tests. *Chemosphere*, 84(5), 657–663. <https://doi.org/10.1016/j.chemosphere.2011.03.033>
- Rahman, T. U., Roy, H., Islam, M. R., Tahmid, M., Fariha, A., Mazumder, A., ... & Islam, M. S. (2023). The advancement in membrane bioreactor (MBR) technology toward sustainable industrial wastewater management. *Membranes*, 13(2), 181.
- Ramakrishnan, A., Blaney, L., Kao, J., Tyagi, R. D., Zhang, T. C., & Surampalli, R. Y. (2015). Emerging contaminants in landfill leachate and their sustainable management. *Environmental Earth Sciences*, 73(3), 1357–1368. <https://doi.org/10.1007/s12665-014-3489-x>
- Rajan, S., Parween, M. & Raju, N.J. Pesticides in the hydrogeo-environment: a review of contaminant prevalence, source and mobilisation in India. *Environ Geochem Health* 45, 5481–5513 (2023). <https://doi.org/10.1007/s10653-023-01608-6>
- Ranjan, N., Singh, P. K., & Maurya, N. S. (2022). Pharmaceuticals in water as emerging pollutants for river health: A critical review under Indian conditions. In *Ecotoxicology and Environmental Safety* (Vol. 247). Academic Press. <https://doi.org/10.1016/j.ecoenv.2022.114220>
- Resende, J. D., Nolasco, M. A., & Pacca, S. A. (2019). Life cycle assessment and costing of wastewater treatment systems coupled to constructed wetlands. *Resources, Conservation and Recycling*, 148, 170–177. <https://doi.org/10.1016/j.resconrec.2019.04.034>
- Ricart, M., Guasch, H., Alberch, M., Barceló, D., Bonnineau, C., Geiszingerb, A., Farré, M. la, Ferrer, J., Ricciardi, F., Romaní, A. M., Morin, S., Proia, L., Sala, L., Sureda, D., & Sabater, S. (2010). Triclosan persistence through wastewater treatment plants and its potential: Toxic effects on river biofilms. *Aquatic Toxicology*, 100(4), 346–353. <https://doi.org/10.1016/j.aquatox.2010.08.010>
- Riva, F., Zuccato, E., Davoli, E., Fattore, E., & Castiglioni, S. (2019). Risk assessment of a mixture of emerging contaminants in surface water in a highly urbanized area in Italy. *Journal of Hazardous Materials*, 361, 103-110.
- Rizzo, L., Manaia, C., Merlin, C., Schwartz, T., Dagot, C., Ploy, M. C., Michael, I., & Fatta-Kassinos, D. (2013). Urban wastewater treatment plants as hotspots for antibiotic resistant bacteria and genes spread into the environment: A review. In *Science of the Total Environment* (Vol. 447, pp. 345–360). <https://doi.org/10.1016/j.scitotenv.2013.01.032>
- Rüdel, H., Böhmer, W., Müller, M., Fliedner, A., Ricking, M., Teubner, D., & Schröter-Kermani, C. (2013). Retrospective study of triclosan and methyl-triclosan residues in

- fish and suspended particulate matter: Results from the German Environmental Specimen Bank. *Chemosphere*, 91(11), 1517–1524. <https://doi.org/10.1016/j.chemosphere.2012.12.030>
- Sanderson, H., Johnson, D. J., Wilson, C. J., Brain, R. A., & Solomon, K. R. (2003). Probabilistic hazard assessment of environmentally occurring pharmaceuticals toxicity to fish, daphnids and algae by ECOSAR screening. *Toxicology Letters*, 144(3), 383–395. [https://doi.org/10.1016/S0378-4274\(03\)00257-1](https://doi.org/10.1016/S0378-4274(03)00257-1)
- Saxena, S., & Singh, P. K. (2020). Assessment of Health of River Ganga at Varanasi, India. *Nature Environment and Pollution Technology*, 19(3), 935–948. <https://doi.org/10.46488/NEPT.2020.v19i03.004>
- Sastry, S. V. A. R., Rao, B. S., & Nahata, K. (2013). Study of parameters before and after treatment of municipal waste water from an urban town. *Global Journal of Applied Environmental Sciences*, 3(1), 41-48.
- Schmitt-Jansen, M., Bartels, P., Adler, N., & Altenburger, R. (2007). Phytotoxicity assessment of diclofenac and its phototransformation products. *Analytical and Bioanalytical Chemistry*, 387(4), 1389–1396. <https://doi.org/10.1007/s00216-006-0825-3>
- Seghezzeo, L., Zeeman, G., van Lier, J. B., Hamelers, H. V. M., & Lettinga, G. (1998). A review: the anaerobic treatment of sewage in UASB and EGSB reactors. *Bioresource technology*, 65(3), 175-190.
- Sharma S, Chauhan SV. Assessment of bio-medical waste management in three apex government hospitals of Agra. *J Environ Biol*. 2008 Mar;29(2):159-62. PMID: 18831366.
- Sharma, B. M., Bharat, G. K., Tayal, S., Larssen, T., Bečanová, J., Karásková, P., ... & Nizzetto, L. (2016). Perfluoroalkyl substances (PFAS) in river and ground/drinking water of the Ganges River basin: emissions and implications for human exposure. *Environmental pollution*, 208, 704-713. <https://doi.org/10.1016/j.envpol.2015.10.050>
- Sharma, B. M., Bečanová, J., Scheringer, M., Sharma, A., Bharat, G. K., Whitehead, P. G., Klánová, J., & Nizzetto, L. (2019). Health and ecological risk assessment of emerging contaminants (pharmaceuticals, personal care products, and artificial sweeteners) in surface and groundwater (drinking water) in the Ganges River Basin, India. *Science of the Total Environment*, 646, 1459–1467. <https://doi.org/10.1016/j.scitotenv.2018.07.235>
- Shokoohi, R., Dargahi, A., Khamutian, R., & Vaziri, Y. (2017). Evaluation of the Efficiency of Wastewater Treatment Plants in the Removal of Common Antibiotics from Municipal Wastewater in Hamadan, Iran. *Avicenna Journal of Environmental Health Engineering*, 4(1), 10921–10921. <https://doi.org/10.5812/ajehe.10921>
- Sidrach-Cardona, R., Hijosa-Valsero, M., Marti, E., Balcázar, J. L., & Becares, E. (2014). Prevalence of antibiotic-resistant fecal bacteria in a river impacted by both an antibiotic production plant and urban treated discharges. *Science of the Total Environment*, 488–489(1), 220–227. <https://doi.org/10.1016/j.scitotenv.2014.04.100>

- Singh, P. K., & Saxena, S. (2018). Towards developing a river health index. *Ecological Indicators*, 85, 999–1011. <https://doi.org/10.1016/j.ecolind.2017.11.059>
- Sipma, J., Osuna, B., Collado, N., Monclús, H., Ferrero, G., Comas, J., & Rodriguez-Roda, I. (2010). Comparison of removal of pharmaceuticals in MBR and activated sludge systems. *Desalination*, 250(2), 653–659. <https://doi.org/10.1016/j.desal.2009.06.073>
- Souza de, S. M. L., de Vasconcelos, E. C., Dziedzic, M., & de Oliveira, C. M. R. (2009). Environmental risk assessment of antibiotics: An intensive care unit analysis. *Chemosphere*, 77(7), 962–967. <https://doi.org/10.1016/j.chemosphere.2009.08.010>
- Sun, Y., Han, L., & Strasser, P. (2020). A comparative perspective of electrochemical and photochemical approaches for catalytic H₂O₂ production. *Chemical Society Reviews*, 49(18), 6605–6631.
- . Tak, S.; Kumar, A. Chlorination disinfection by-products and comparative cost analysis of chlorination and UV disinfection in sewage treatment plants: Indian scenario. *Environ. Sci. Pollut. Res.* 2017, 24, 26269–26278.
- Tambosi, J. L., de Sena, R. F., Gebhardt, W., Moreira, R. F. P. M., José, H. J., & Schröder, H. F. (2009). Physicochemical and advanced oxidation processes - A comparison of elimination results of antibiotic compounds following an MBR treatment. *Ozone: Science and Engineering*, 31(6), 428–435. <https://doi.org/10.1080/01919510903324420>
- Tell, J., Caldwell, D. J., Häner, A., Hellstern, J., Hoeger, B., Journal, R., Mastrocco, F., Ryan, J. J., Snape, J., Straub, J. O., & Vestel, J. (2019). Science-based Targets for Antibiotics in Receiving Waters from Pharmaceutical Manufacturing Operations. *Integrated Environmental Assessment and Management*, 15(3), 312–319. <https://doi.org/10.1002/ieam.4141>
- Ternes, T. A., Stüber, J., Herrmann, N., McDowell, D., Ried, A., Kampmann, M., & Teiser, B. (2003). Ozonation: a tool for removal of pharmaceuticals, contrast media and musk fragrances from wastewater?. *Water research*, 37(8), 1976–1982.
- Threedeach, S., Chiemchaisri, W., Watanabe, T., Chiemchaisri, C., Honda, R., & Yamamoto, K. (2012). Antibiotic resistance of Escherichia coli in leachates from municipal solid waste landfills: Comparison between semi-aerobic and anaerobic operations. *Bioresource Technology*, 113, 253–258. <https://doi.org/10.1016/j.biortech.2012.01.086>
- Tian, Y., Li, J., Tang, L., Meng, J., & Li, J. (2023). Antibiotics removal from piggery wastewater by a novel aerobic-microaerobic system: Efficiency and mechanism. *Chemical Engineering Journal*, 454, 140265.
- Tousova, Z., Oswald, P., Slobodnik, J., Blaha, L., Muz, M., Hu, M., Brack, W., Krauss, M., Di Paolo, C., Tarcai, Z., Seiler, T. B., Hollert, H., Koprivica, S., Ahel, M., Schollée, J. E., Hollender, J., Suter, M. J. F., Hidasi, A. O., Schirmer, K., ... Schulze, T. (2017). European demonstration program on the effect-based and chemical identification and monitoring of organic pollutants in European surface waters. *Science of the Total Environment*, 601–602, 1849–1868. <https://doi.org/10.1016/j.scitotenv.2017.06.032>

- Üstün Odabaşı, S., Boudraà, İ., Aydin, R., & Büyükgüngör, H. (2022). Photocatalytic removal of pharmaceuticals by immobilization of TiO₂ on activated carbon by LC–MS/MS monitoring. *Water, Air, & Soil Pollution*, 233(4), 111.
- Vaudreuil, M. A., Munoz, G., Vo Duy, S., & Sauv , S. (2024). Tracking down pharmaceutical pollution in surface waters of the St. Lawrence River and its major tributaries. *Science of the Total Environment*, 912. <https://doi.org/10.1016/j.scitotenv.2023.168680>
- Vidal-Dorsch, D. E., Bay, S. M., Maruya, K., Snyder, S. A., Trenholm, R. A., & Vanderford, B. J. (2012). Contaminants of emerging concern in municipal wastewater effluents and marine receiving water. *Environmental Toxicology and Chemistry*, 31(12), 2674–2682. <https://doi.org/10.1002/etc.2004>
- Vo, H. N. P., Koottatep, T., Chapagain, S. K., Panuvatvanich, A., Polprasert, C., Nguyen, T. M. H., Chaiwong, C., & Nguyen, N. L. (2019). Removal and monitoring acetaminophen-contaminated hospital wastewater by vertical flow constructed wetland and peroxidase enzymes. *Journal of Environmental Management*, 250. <https://doi.org/10.1016/j.jenvman.2019.109526>
- von der Ohe, P. C., Dulio, V., Slobodnik, J., De Deckere, E., K hne, R., Ebert, R. U., Ginebreda, A., De Cooman, W., Sch urmann, G., & Brack, W. (2011). A new risk assessment approach for the prioritization of 500 classical and emerging organic microcontaminants as potential river basin specific pollutants under the European Water Framework Directive. *Science of the Total Environment*, 409(11), 2064–2077. <https://doi.org/10.1016/j.scitotenv.2011.01.054>
- Wang, H., Jin, M., Mao, W., Chen, C., Fu, L., Li, Z., Du, S., & Liu, H. (2020). Photosynthetic toxicity of non-steroidal anti-inflammatory drugs (NSAIDs) on green algae *Scenedesmus obliquus*. *Science of the Total Environment*, 707. <https://doi.org/10.1016/j.scitotenv.2019.136176>
- Watkinson, A. J., Murby, E. J., Kolpin, D. W., & Costanzo, S. D. (2009). The occurrence of antibiotics in an urban watershed: from wastewater to drinking water. *Science of the total environment*, 407(8), 2711–2723.
- Williams, M., Kookana, R. S., Mehta, A., Yadav, S. K., Tailor, B. L., & Maheshwari, B. (2019). Emerging contaminants in a river receiving untreated wastewater from an Indian urban centre. *Science of the Total Environment*, 647, 1256–1265. <https://doi.org/10.1016/j.scitotenv.2018.08.084>
- Wu, M., Xiang, J., Que, C., Chen, F., & Xu, G. (2015). Occurrence and fate of psychiatric pharmaceuticals in the urban water system of Shanghai, China. *Chemosphere*, 138, 486–493. <https://doi.org/10.1016/j.chemosphere.2015.07.002>
- Xu, D., Xie, Y., & Li, J. (2022). Toxic effects and molecular mechanisms of sulfamethoxazole on *Scenedesmus obliquus*. *Ecotoxicology and Environmental Safety*, 232. <https://doi.org/10.1016/j.ecoenv.2022.113258>
- Yan, Z., Huang, X., Xie, Y., Song, M., Zhu, K., & Ding, S. (2019). Macrolides induce severe cardiotoxicity and developmental toxicity in zebrafish embryos. *Science of the Total Environment*, 649, 1414–1421. <https://doi.org/10.1016/j.scitotenv.2018.07.432>

- Zhang, Y., Xiu, W., Yan, M., Guo, X., Ni, Z., Gu, J., Tang, T., & Liu, F. (2023). Adverse effects of sulfamethoxazole on locomotor behavior and lipid metabolism by inhibiting acetylcholinesterase and lipase in *Daphnia magna*. *Science of the Total Environment*, 892. <https://doi.org/10.1016/j.scitotenv.2023.164631>
- Zhou, S., Di Paolo, C., Wu, X., Shao, Y., Seiler, T. B., & Hollert, H. (2019). Optimization of screening-level risk assessment and priority selection of emerging pollutants – The case of pharmaceuticals in European surface waters. *Environment International*, 128, 1–10. <https://doi.org/10.1016/j.envint.2019.04.034>.
- Zhuang, Y.; Ren, H.; Geng, J.; Zhang, Y.; Zhang, Y.; Ding, L.; Xu, K. Inactivation of antibiotic resistance genes in municipal wastewater by chlorination, ultraviolet, and ozonation disinfection. *Environ. Sci. Pollut. Res.* 2015, 22, 7037–7044.

LIST OF PUBLICATIONS BASED ON THE PRESENT STUDY

1. Ranjan, Nitin, Prabhat Kumar Singh, and Nityanand Singh Maurya. "Pharmaceuticals in water as emerging pollutants for river health: A critical review under Indian conditions." *Ecotoxicology and Environmental Safety* (IF: 6.2) 247 (2022): 114220.
2. Singh, Prabhat Kumar, and Nitin Ranjan. "Ecological impact of pharmaceutical pollutants and options of river health improvements-A risk analysis-based approach." *Science of The Total Environment* (IF: 8.2) (2024): 172358.

ANNEXURE

Flow Chart for Calculation of RHI Framework

