

## Table of Contents

Chapter	Content	Page No.
<b>1.</b>	<b>Introduction</b>	<b>1-24</b>
1.1	Background and motivation	1
1.2	Biomass to fuel conversion technology	3
1.3	Literature review	7
1.3.1	<i>Works on gasification</i>	7
1.3.2	<i>Works on co-gasification</i>	9
1.3.3	<i>Economic viability of waste biomass</i>	11
1.3.4	<i>Producer gas as a fuel in engine applications</i>	14
1.3.5	<i>Parametric optimization of gasifier-engine system</i>	18
1.4	Research gap	19
1.5	Research aims and objective	20
1.6	Outline of the thesis	22
<b>2.</b>	<b>State of the art of the gasification-CI engine</b>	<b>25-47</b>
2.1	Gasification	25
2.2	Chemistry of gasification	28
2.2.1	<i>Drying zone</i>	28
2.2.2	<i>Pyrolysis zone</i>	29
2.2.3	<i>Oxidation zone</i>	29
2.2.4	<i>Reduction zone</i>	29

---

2.3	Biomass feedstock for gasification	30
2.4	Post-gas treatment	37
2.5	Power generation through IC engine	39
2.6	Optimizations of gasifier-engine operating variables	43
2.7	Economic analysis of biomass briquette plant	45
2.8	Economic analysis of gasification-engine system	46
<b>3.</b>	<b>Materials and Methodology</b>	<b>48-81</b>
3.1	Experimental methodology	48
3.1.1	<i>Experimental setup</i>	48
3.1.2	<i>Experimental procedure</i>	55
3.2	Economic methodology	59
3.2.1	<i>Economic methodology of briquetting system</i>	59
3.2.2	<i>Economic methodology of gasification-engine system</i>	62
3.3	Numerical Simulation methodology	66
3.3.1	<i>Compression modelling</i>	67
3.3.2	<i>Combustion with two zones</i>	68
3.3.3	<i>Species formation</i>	75
3.3.4	<i>General performance parameters</i>	76
3.4	Optimization methodology	77
<b>4.</b>	<b>Result and Discussions</b>	<b>82-299</b>
4.1	Comparative performance and Optimization analysis of biomass	84

---

---

	gasification-CI engine	
4.1.1	Introduction	84
4.1.2	Properties and preparations of fuels	89
4.1.3	Experimental results using gasifier	91
4.1.4	Energy balance in the gasifier	94
4.1.5	Model analysis and Interpretation	96
4.1.6	Response surface investigation	101
4.1.6.1	<i>Brake-specific diesel consumption with engine CR and BP</i>	101
4.1.6.2	<i>BTE with engine CR and BP</i>	101
4.1.6.3	<i>Diesel saving with engine CR and BP</i>	103
4.1.6.4	<i>CO emissions with engine CR and BP</i>	105
4.1.6.5	<i>HC emissions with engine CR and BP</i>	106
4.1.6.6	<i>CO<sub>2</sub> emissions with engine CR and BP</i>	107
4.1.6.7	<i>NO<sub>x</sub> emissions with engine CR and BP</i>	109
4.1.7	Optimisation	112
4.1.8	Desirability plots and validation	113
4.1.9	Conclusions	116
4.2	Co-gasification of low-grade coal with mahua biomass and dual-fuelled engine performance	118
4.2.1	Introduction	118
4.2.2	Experimental uncertainty	124

---

---

4.2.3	Engine performance parameters	125
4.2.3.1	<i>Brake thermal efficiency</i>	125
4.2.3.2	<i>Diesel saving</i>	127
4.2.4	Engine emission parameters	129
4.2.4.1	<i>NO<sub>x</sub> emission</i>	129
4.2.4.2	<i>CO<sub>2</sub> emission</i>	131
4.2.4.3	<i>Unburnt hydrocarbon (UHC) emission</i>	133
4.2.4.4	<i>CO emission</i>	134
4.2.5	RSM optimisation plot	136
4.2.6	Conclusions	139
4.3	Co-gasification of mahua biomass- saw dust briquette and dual- fuelled engine performance	140
4.3.1	Introduction	140
4.3.2	Properties of feed-materials	144
4.3.3	RSM normal probability plots and pareto chart	146
4.3.3.1	<i>Normal probability and pareto curve for performance responses</i>	147
4.3.3.2	<i>Normal probability and pareto curve for emission response</i>	148
4.3.4	RSM regression analysis	152
4.3.5	Performance parameter	153
4.3.5.1	<i>Brake-specific fuel consumption</i>	153
4.3.5.2	<i>Brake thermal efficiency</i>	153
4.3.5.3	<i>Diesel replacement</i>	156

---

---

4.3.5.4	<i>Sound intensity</i>	159
4.3.6	Emission analysis	160
4.3.6.1	<i>CO emission</i>	160
4.3.6.2	<i>HC emission</i>	162
4.3.6.3	<i>CO<sub>2</sub> emission</i>	163
4.3.6.4	<i>NO<sub>x</sub> emission</i>	164
4.3.7	Energy balance in the gasifier	166
4.3.8	Analysis of variance	168
4.3.9	Response optimizer	169
4.3.10	Validation of RSM engine responses	171
4.3.11	Uncertainty analysis	171
4.3.12	Conclusions	172
4.4	Co-gasification of triple feed materials and dual-fuelled engine performance	173
4.4.1	Introductions	173
4.4.2	Chemical properties of feed-material	176
4.4.3	Gasifier performance	177
4.4.4	Model fitting and adequacy checking	178
4.4.5	Surface and contour plots of the developed models	187
4.4.5.1	<i>Engine performance</i>	187
4.4.5.2	<i>Engine emission characteristics</i>	192
4.4.6	Engine sound and Diesel savings	197
4.4.7	Response optimizer	199

---

---

4.4.8	Uncertainty analysis	202
4.4.9	Conclusions	202
4.5	Comparative analysis of gasification/co-gasification on CI engine performance	204
4.5.1	Introduction	204
4.5.2	Characteristics of feedstocks	209
4.5.3	Gasification performance	213
4.5.4	Engine performance and emissions	217
4.5.4.1	<i>BTE with engine load at different GER</i>	217
4.5.4.2	<i>Diesel saving with engine load at different GER</i>	219
4.5.4.3	<i>CO emissions with engine load at different GER</i>	221
4.5.4.4	<i>HC emissions with engine load at different GER</i>	223
4.5.4.5	<i>CO<sub>2</sub> emissions with engine load at different GER</i>	225
4.5.4.6	<i>NO<sub>x</sub> emissions with engine load at different GER</i>	227
4.5.5	Optimisation approach	229
4.5.6	Conclusions	237
4.6	Economic analysis of sugarcane bagasse pith briquette production and its application in gasifier-engine system	238
4.6.1	Introduction	238
4.6.2	Properties of sugarcane bagasse pith briquette	242
4.6.3	Costs analysis	244
4.6.3.1	<i>Costs associated with briquette production system</i>	244
4.6.3.2	<i>Costs associated with gasification-engine system</i>	246

---

---

4.6.4	Economic sensitive Analysis	247
4.6.5	Gasification energy balance	253
4.6.6	Combustion analysis	254
4.6.7	Performance analysis	258
4.6.7.1	<i>Brake thermal efficiency</i>	258
4.6.7.2	<i>Diesel saving</i>	258
4.6.7.3	<i>Exhaust gas temperature</i>	259
4.6.7.4	<i>Engine sound intensity</i>	261
4.6.8	Emission analysis	263
4.6.8.1	<i>CO emission</i>	263
4.6.8.2	<i>HC emission</i>	263
4.6.8.3	<i>CO<sub>2</sub> emission</i>	264
4.6.8.4	<i>NO<sub>x</sub> emissions</i>	266
4.6.9	Optimum performance and emission results	268
4.6.10	Comparison of performance and emission characteristics	269
4.6.11	Conclusions	272
4.7	Performance simulation and optimization of SI engine using Peach biomass producer gas and propane blend	273
4.7.1	Introduction	273
4.7.2	Model validation	278
4.7.3	RSM approach	279

---

---

4.7.4	Analysis of variance for response model	286
4.7.5	Performance analysis using 3-D surface plot	288
4.7.6	Emission analysis using 3-D surface plot	293
4.7.7	Response optimization	296
4.7.8	Conclusions	299
<b>5.</b>	<b>Conclusion and Future work</b>	<b>300-315</b>
5.1	Experimental work conclusion	301
5.1.1	Comparative performance and optimization analysis of biomass gasification-CI engine	301
5.1.2	Co-gasification of low-grade coal with mahua biomass and dual-fuelled engine performance	303
5.1.3	Co-gasification of mahua biomass- saw dust briquette and dual-fuelled engine performance	304
5.1.4	Co-gasification of triple feed materials and dual-fuelled engine performance	305
5.1.5	Comparative analysis of gasification/co-gasification on CI engine performance	307
5.1.6	Economic analysis of sugarcane bagasse pith briquette production and its application in gasifier-engine system	309
5.2	Numerical simulation work conclusion	312
5.3	Scope for future work	314
	<b>List of Publications</b>	<b>316</b>
	<b>References</b>	<b>318</b>
	<b>Appendix</b>	<b>335</b>

---