

References

- Ab Aziz CB, Ahmad AH (2006) The role of the thalamus in modulating pain. *Malaysian J Med Sci* 13:11–18
- Abubakar AR, Haque M (2020) Preparation of medicinal plants: Basic extraction and fractionation procedures for experimental purposes. *J Pharm Bioallied Sci* 12:1–10. https://doi.org/10.4103/jpbs.JPBS_175_19
- Afridi B, Khan H, Akkol EK, Aschner M (2020) Pain Perception and Management: Where do We Stand? *Curr Mol Pharmacol* 14:678–688. <https://doi.org/10.2174/1874467213666200611142438>
- Akhilesh, Baidya ATK, Uniyal A, et al (2022) Structure-based virtual screening and molecular dynamics simulation for the identification of sphingosine kinase-2 inhibitors as potential analgesics. *J Biomol Struct Dyn* 40:12472–12490. <https://doi.org/10.1080/07391102.2021.1971559>
- Al-Chalabi M, Gupta S (2019) Neuroanatomy, Spinothalamic Tract. *StatPearls*
- Ali I, Yang WC (2020) The functions of kinesin and kinesin-related proteins in eukaryotes. *Cell Adhes Migr* 14:139–152. <https://doi.org/10.1080/19336918.2020.1810939>
- Alorfi NM (2023) Pharmacological Methods of Pain Management: Narrative Review of Medication Used. *Int J Gen Med* Volume 16:3247–3256. <https://doi.org/10.2147/ijgm.s419239>
- Alvarez Y, Municio C, Hugo E, et al (2011) Notch- and transducin-like enhancer of split (TLE)-dependent histone deacetylation explain interleukin 12 (IL-12) p70 inhibition by zymosan. *J Biol Chem* 286:16583–16595. <https://doi.org/10.1074/jbc.M111.222158>
- Ameenudeen S, Kashif M, Banerjee S, et al (2022) Cellular and Molecular Machinery of Neuropathic Pain: an Emerging Insight. *Curr Pharmacol Reports* 8:227–235.

References

<https://doi.org/10.1007/s40495-022-00294-9>

Aoki J, Inoue A, Okudaira S (2008) Two pathways for lysophosphatidic acid production. *Biochim Biophys Acta - Mol Cell Biol Lipids* 1781:513–518. <https://doi.org/10.1016/j.bbailip.2008.06.005>

Aremu AO, Pendota SC (2021) Medicinal Plants for Mitigating Pain and Inflammatory-Related Conditions: An Appraisal of Ethnobotanical Uses and Patterns in South Africa. *Front Pharmacol* 12:. <https://doi.org/10.3389/fphar.2021.758583>

Asaoka R, Ohi Y, Miyazawa K, et al (2019) Involvement of presynaptic TRPV1 channels in prostaglandin E₂-induced facilitation of spontaneous synaptic transmission in the rat spinal trigeminal subnucleus caudalis. *Brain Res* 1715:115–125. <https://doi.org/10.1016/j.brainres.2019.03.015>

Bang S, Yoo S, Hwang SW (2009) Gabapentin Attenuates the Activation of Transient Receptor Potential A1 by Cinnamaldehyde. *Exp Neurobiol* 18:1. <https://doi.org/10.5607/en.2009.18.1.1>

Basbaum AI, Bautista DM, Scherrer G, Julius D (2009) Cellular and molecular mechanisms of pain. *Cell* 139:267–284

Bauer BA, Tilburt JC, Sood A, et al (2016) Complementary and alternative medicine therapies for chronic pain. *Chin J Integr Med* 22:403–411. <https://doi.org/10.1007/s11655-016-2258-y>

Baxi H, Habib A, Hussain MS, et al (2020) Prevalence of peripheral neuropathy and associated pain in patients with diabetes mellitus: Evidence from a cross-sectional study. *J Diabetes Metab Disord* 19:1011–1017. <https://doi.org/10.1007/s40200-020-00597-y>

Bennett GJ, Xie Y-K (1988) A peripheral mononeuropathy in rat that produces disorders of pain sensation like those seen in man. *Pain* 33:87–107

Birnbaum R, Jaffe AE, Chen Q, et al (2018) Investigating the neuroimmunogenic architecture of schizophrenia. *Mol Psychiatry* 23:1251–1260. <https://doi.org/>

10.1038/mp.2017.89

- Bodenant M, Moreau C, Sejourne C, et al (2008) Interest of the ketogenic diet in a refractory status epilepticus in adults. *Rev Neurol (Paris)* 164:194–199. <https://doi.org/10.1016/j.neurol.2007.08.009>
- Borzan J, Meyer RA (2017) Neuropathic Pain. *Encycl Neurosci* 749–757. <https://doi.org/10.1016/B978-008045046-9.01926-4>
- Bouhassira D (2019) Neuropathic pain: definition, assessment and epidemiology. *Rev Neurol (Paris)* 175:16–25
- Bravo D, Zepeda-Morales K, Maturana CJ, et al (2022) NMDA and P2X7 Receptors Require Pannexin 1 Activation to Initiate and Maintain Nociceptive Signaling in the Spinal Cord of Neuropathic Rats. *Int J Mol Sci* 23:6705. <https://doi.org/10.3390/ijms23126705>
- Broemer L, Hinz A, Koch U, Mehnert-Theuerkauf A (2021) Prevalence and Severity of Pain in Cancer Patients in Germany. *Front Pain Res* 2:1–8. <https://doi.org/10.3389/fpain.2021.703165>
- Bunch JR, Qian X (2017) Pharmacological Management of Chronic Pain. In: Longnecker DE, Mackey SC, Newman MF, et al. (eds) *Anesthesiology*, 3e. McGraw-Hill Education, New York, NY
- Bushnell MC, Čeko M, Low LA (2013) Cognitive and emotional control of pain and its disruption in chronic pain. *Nat Rev Neurosci* 14:502–511. <https://doi.org/10.1038/nrn3516>
- Butterweck V, Jürgenliemk G, Nahrstedt A, Winterhoff H (2000) Flavonoids from *Hypericum perforatum* show antidepressant activity in the forced swimming test. *Planta Med* 66:3–6. <https://doi.org/10.1055/s-2000-11119>
- Calvo M, Davies AJ, Hébert HL, et al (2019) The Genetics of Neuropathic Pain from Model Organisms to Clinical Application. *Neuron* 104:637–653. <https://doi.org/10.1016/j.neuron.2019.09.018>

References

- Cernit V, Sénécal J, Othman R, Couture R (2020) Reciprocal regulatory interaction between TRPV1 and kinin B1 receptor in a rat neuropathic pain model. *Int J Mol Sci* 21:. <https://doi.org/10.3390/ijms21030821>
- Chahal SK, Sodhi RK, Madan J (2020) Duloxetine hydrochloride loaded film forming dermal gel enriched with methylcobalamin and geranium oil attenuates paclitaxel-induced peripheral neuropathy in rats. *IBRO Reports* 9:85–95. <https://doi.org/10.1016/j.ibror.2020.07.006>
- Chaplan SR, Bach FW, Pogrel JW, et al (1994) Quantitative assessment of tactile allodynia in the rat paw. *J Neurosci Methods* 53:55–63. [https://doi.org/10.1016/0165-0270\(94\)90144-9](https://doi.org/10.1016/0165-0270(94)90144-9)
- Chatterjee SS (1998) Antidepressant activity of hypericum perforatum and hyperforin: The neglected possibility. *Pharmacopsychiatry* 31:7–15. <https://doi.org/10.1055/s-2007-979340>
- Chen Q, Zhang K, Zhang G, Cai L (2015) A polyphasic approach to characterise two novel species of Phoma (Didymellaceae) from China. *Phytotaxa* 197:267–281. <https://doi.org/10.11646/phytotaxa.197.4.4>
- Chen QL, Heinricher MM (2019) Descending Control Mechanisms and Chronic Pain. *Curr Rheumatol Rep* 21:1–7. <https://doi.org/10.1007/s11926-019-0813-1>
- Chen W, Chi YN, Kang XJ, et al (2018) Accumulation of Cav 3.2 t-type calcium channels in the uninjured sural nerve contributes to neuropathic pain in rats with spared nerve injury. *Front Mol Neurosci* 11:24. <https://doi.org/10.3389/fnmol.2018.00024>
- Chen Y, Zhao Z, Lin F, et al (2021) Associations Between Genotype and Peripheral Complement Proteins in First-Episode Psychosis: Evidences From C3 and C4. *Front Genet* 12:. <https://doi.org/10.3389/fgene.2021.647246>
- Chia JSM, Izham NAM, Farouk AAO, et al (2020) Zerumbone Modulates α 2A-Adrenergic, TRPV1, and NMDA NR2B Receptors Plasticity in CCI-Induced Neuropathic Pain In Vivo and LPS-Induced SH-SY5Y Neuroblastoma In Vitro

- Models. *Front Pharmacol* 11:. <https://doi.org/10.3389/fphar.2020.00092>
- Chiu IM, Von Hehn CA, Woolf CJ (2012) Neurogenic inflammation and the peripheral nervous system in host defense and immunopathology. *Nat. Neurosci.* 15:1063–1067
- Christoph T, Bahrenberg G, De Vry J, et al (2008) Investigation of TRPV1 loss-of-function phenotypes in transgenic shRNA expressing and knockout mice. *Mol Cell Neurosci* 37:579–589. <https://doi.org/10.1016/j.mcn.2007.12.006>
- Chung C, Carteret AF, McKelvy AD, et al (2012) Analgesic properties of loperamide differ following systemic and local administration to rats after spinal nerve injury. *Eur J Pain (United Kingdom)* 16:1021–1032. <https://doi.org/10.1002/j.1532-2149.2012.00148.x>
- Colloca L, Ludman T, Bouhassira D, et al (2017a) Neuropathic pain (Primer). *Nat Rev Dis Prim* 3:
- Colloca L, Ludman T, Bouhassira D, et al (2017b) Neuropathic pain. *Nat Rev Dis Prim* 3:1–19
- Dembla S, Behrendt M, Mohr F, et al (2017) Anti-nociceptive action of peripheral mu-opioid receptors by G-beta-gamma protein-mediated inhibition of TRPM3 channels. *Elife* 6:e26280. <https://doi.org/10.7554/eLife.26280>
- Deuis JR, Dvorakova LS, Vetter I (2017) Methods used to evaluate pain behaviors in rodents. *Front Mol Neurosci* 10:1–17. <https://doi.org/10.3389/fnmol.2017.00284>
- Dey S, Vrooman BM (2021) Alternatives To Opioids For Managing Pain. *StatPearls*
- Dhalwal K, Deshpande YS, Purohit AP, Kadam SS (2005) Evaluation of the antioxidant activity of *Sida cordifolia*. *Pharm Biol* 43:754–761. <https://doi.org/10.1080/13880200500406438>
- Di Pierro F, Orsi R, Settembre R (2015) Role of betaine in improving the antidepressant effect of S-adenosyl-methionine in patients with mild-to-moderate depression.

References

- J Multidiscip Healthc 8:39–45. <https://doi.org/10.2147/JMDH.S77766>
- Dou B, Li Y, Ma J, et al (2021) Role of Neuroimmune Crosstalk in Mediating the Anti-inflammatory and Analgesic Effects of Acupuncture on Inflammatory Pain. *Front Neurosci* 15:1–17. <https://doi.org/10.3389/fnins.2021.695670>
- Fan R, Lai KO (2022) Understanding how kinesin motor proteins regulate postsynaptic function in neuron. *FEBS J* 289:2128–2144. <https://doi.org/10.1111/febs.16285>
- Fernandes V, Sharma D, Kalia K, Tiwari V (2018) Neuroprotective effects of silibinin: An in silico and in vitro study. *Int J Neurosci* 128:935–945. <https://doi.org/10.1080/00207454.2018.1443926>
- Field MJ, Bramwell S, Hughes J, Singh L (1999) Detection of static and dynamic components of mechanical allodynia in rat models of neuropathic pain: Are they signalled by distinct primary sensory neurones? *Pain* 83:303–311. [https://doi.org/10.1016/S0304-3959\(99\)00111-6](https://doi.org/10.1016/S0304-3959(99)00111-6)
- Forouzanfar F, Hosseinzadeh H (2018) Medicinal herbs in the treatment of neuropathic pain: A review. *Iran J Basic Med Sci* 21:347–358. <https://doi.org/10.22038/ijbms.2018.24026.6021>
- Franzotti EM, Santos CVF, Rodrigues HMSL, et al (2000) Anti-inflammatory, analgesic activity and acute toxicity of *Sida cordifolia* L. (Malva-branca). *J Ethnopharmacol* 72:273–277. [https://doi.org/10.1016/S0378-8741\(00\)00205-1](https://doi.org/10.1016/S0378-8741(00)00205-1)
- Fu W, Wessel CR, Taylor BK (2020) Neuropeptide Y tonically inhibits an NMDAR→AC1→TRPA1/TRPV1 mechanism of the affective dimension of chronic neuropathic pain. *Neuropeptides* 80:102024. <https://doi.org/10.1016/j.npep.2020.102024>
- Galal A, Raman V, Khan I (2014) *Sida cordifolia*, a Traditional Herb in Modern Perspective – A Review. *Curr Tradit Med* 1:5–17. <https://doi.org/10.2174/2215083801666141226215639>
- Gangadharan V, Kuner R (2013) Pain hypersensitivity mechanisms at a glance. *DMM*

- Dis Model Mech 6:889–895. <https://doi.org/10.1242/dmm.011502>
- Gangwar M, Rastogi S, Singh D, et al (2021) Study on the effect of oral administration of bacteriophages in charles foster rats with special reference to immunological and adverse effects. *Front Pharmacol* 12:
- Ghosal S, Chauhan RBPS, Mehta R (1975) Alkaloids of *Sida cordifolia*. *Phytochemistry* 14:830–832. [https://doi.org/10.1016/0031-9422\(75\)83057-3](https://doi.org/10.1016/0031-9422(75)83057-3)
- Gieseler F, Ungefroren H, Settmacher U, et al (2013) Proteinase-activated receptors (PARs) - Focus on receptor-receptor- interactions and their physiological and pathophysiological impact. *Cell Commun. Signal.* 11
- Griffiths LA, Duggett NA, Pitcher AL, Flatters SJL (2018) Evoked and ongoing pain-like behaviours in a rat model of paclitaxel-induced peripheral neuropathy. *Pain Res Manag* 2018:
- Guillaud L, Setou M, Hirokawa N (2003) KIF17 dynamics and regulation of NR2B trafficking in hippocampal neurons. *J Neurosci* 23:131–140. <https://doi.org/10.1523/jneurosci.23-01-00131.2003>
- Günaydın C, Arslan G, Bilge SS (2020) Proconvulsant effect of trans-cinnamaldehyde in pentylenetetrazole-induced kindling model of epilepsy: The role of TRPA1 channels. *Neurosci Lett* 721:134823
- Guo R, Zhou Y, Long H, et al (2019) Transient receptor potential Vanilloid 1-based gene therapy alleviates orthodontic pain in rats. *Int J Oral Sci* 11:11. <https://doi.org/10.1038/s41368-019-0044-3>
- Hartrick CT (2005) *Pathological Pain: From Molecular to Clinical Aspects*. John Wiley & Sons, Ltd, Chichester, UK
- Hassanpour S, Rezaei H, Razavi SM (2020) Anti-nociceptive and antioxidant activity of betaine on formalin- and writhing tests induced pain in mice. *Behav Brain Res* 390:112699. <https://doi.org/10.1016/j.bbr.2020.112699>
- Herr DR, Chew WS, Satish RL, Ong WY (2020) Pleotropic Roles of Autotaxin in the

References

- Nervous System Present Opportunities for the Development of Novel Therapeutics for Neurological Diseases. *Mol Neurobiol* 57:372–392. <https://doi.org/10.1007/s12035-019-01719-1>
- Hicks CW, Selvin E (2019) Epidemiology of Peripheral Neuropathy and Lower Extremity Disease in Diabetes. *Curr Diab Rep* 19:. <https://doi.org/10.1007/s11892-019-1212-8>
- Ho KY, Gwee KA, Cheng YK, et al (2018) Nonsteroidal anti-inflammatory drugs in chronic pain: Implications of new data for clinical practice. *J Pain Res* 11:1937–1948. <https://doi.org/10.2147/JPR.S168188>
- Iftinca M, Defaye M, Altier C (2021) TRPV1-Targeted Drugs in Development for Human Pain Conditions. *Drugs* 81:7–27. <https://doi.org/10.1007/s40265-020-01429-2>
- Indira M, Swathy S (2010) The Ayurvedic drug, Ksheerabala, ameliorates quinolinic acid-induced oxidative stress in rat brain. *Int J Ayurveda Res* 1:4. <https://doi.org/10.4103/0974-7788.59936>
- Iqbal H, Wright CL, Jones S, et al (2022) Extracts of *Sida cordifolia* contain polysaccharides possessing immunomodulatory activity and rosmarinic acid compounds with antibacterial activity. *BMC Complement Med Ther* 22:1–17. <https://doi.org/10.1186/s12906-022-03502-7>
- Isenberg-Grzeda E, Ellis J (2015) Editorial, supportive care and psychological issues around cancer. *Curr Opin Support Palliat Care* 9:38–39. <https://doi.org/10.1097/SPC.000000000000120>
- Iyengar S, Ossipov MH, Johnson KW (2017) The role of calcitonin gene-related peptide in peripheral and central pain mechanisms including migraine. *Pain* 158:543–559. <https://doi.org/10.1097/j.pain.0000000000000831>
- Jahromi B, Pirvulescu I, Candido KD, Knezevic NN (2021) Herbal medicine for pain management: Efficacy and drug interactions. *Pharmaceutics* 13:1–43. <https://doi.org/10.3390/pharmaceutics13020251>

- Jain A, Choubev S, Singour PK, et al (2011) *Sida cordifolia* (Linn) - An overview. *J Appl Pharm Sci* 1:23–31
- Jensen TS, Finnerup NB (2014) Allodynia and hyperalgesia in neuropathic pain: clinical manifestations and mechanisms. *Lancet Neurol* 13:924–935
- Jiang XX, Liu GY, Lei H, et al (2018) Activation of transient receptor potential vanilloid 1 protects the heart against apoptosis in ischemia/reperfusion injury through upregulating the PI3K/Akt signaling pathway. *Int J Mol Med* 41:1724–1730. <https://doi.org/10.3892/ijmm.2017.3338>
- Jiménez-Aspee F, Theoduloz C, Ávila F, et al (2016) The Chilean wild raspberry (*Rubus geoides* Sm.) increases intracellular GSH content and protects against H₂O₂ and methylglyoxal-induced damage in AGS cells. *Food Chem* 194:908–919. <https://doi.org/10.1016/j.foodchem.2015.08.117>
- Justino AB, Barbosa MF, Neves TV, et al (2020) Stephalagine, an aporphine alkaloid from *Annona crassiflora* fruit peel, induces antinociceptive effects by TRPA1 and TRPV1 channels modulation in mice. *Bioorg Chem* 96:. <https://doi.org/10.1016/j.bioorg.2019.103562>
- Kang L, Fan B, Sun P, et al (2016) An effective tumor-targeting strategy utilizing hypoxia-sensitive siRNA delivery system for improved anti-tumor outcome. *Acta Biomater* 44:341–354. <https://doi.org/10.1016/j.actbio.2016.08.029>
- Karunamoorthi K, Jegajeevanram K, Vijayalakshmi J, Mengistie E (2013) Traditional Medicinal Plants: A Source of Phytotherapeutic Modality in Resource-Constrained Health Care Settings. *J Evidence-Based Complement Altern Med* 18:67–74. <https://doi.org/10.1177/2156587212460241>
- Kawasaki Y, Zhang L, Cheng J-K, Ji R-R (2008) Cytokine mechanisms of central sensitization: distinct and overlapping role of interleukin-1 β , interleukin-6, and tumor necrosis factor- α in regulating synaptic and neuronal activity in the superficial spinal cord. *J Neurosci* 28:5189–5194
- Khan A, Shal B, Khan AU, et al (2021) Suppression of TRPV1/TRPM8/p2y

References

- nociceptors by withametelin via downregulating mapk signaling in mouse model of vincristine-induced neuropathic pain. *Int J Mol Sci* 22:6084. <https://doi.org/10.3390/ijms22116084>
- Khan J, Wang Q, Korczeniewska OA, et al (2023) Response profile in a rat model of exercise-induced hypoalgesia is associated with duloxetine, pregabalin and diclofenac effect on constriction-induced neuropathy. *Eur J Pain (United Kingdom)* 27:129–147. <https://doi.org/10.1002/ejp.2044>
- King KM, Myers AM, Soroka-Monzo AJ, et al (2017) Single and combined effects of Δ 9-tetrahydrocannabinol and cannabidiol in a mouse model of chemotherapy-induced neuropathic pain. *Br J Pharmacol* 174:2832–2841. <https://doi.org/10.1111/bph.13887>
- Konaté K, Bassolé IHN, Hilou A, et al (2012) Toxicity assessment and analgesic activity investigation of aqueous acetone extracts of *Sida acuta* Burn f. and *Sida cordifolia* L. (Malvaceae), medicinal plants of Burkina Faso. *BMC Complement Altern Med* 12:1–11. <https://doi.org/10.1186/1472-6882-12-120>
- Kumar A, Aswal S, Chauhan A, et al (2019) Ethnomedicinal Investigation of Medicinal Plants of Chakrata Region (Uttarakhand) Used in the Traditional Medicine for Diabetes by Jaunsari Tribe. *Nat Products Bioprospect* 9:175–200. <https://doi.org/10.1007/s13659-019-0202-5>
- Kumar S, Kumar S, Vishnoi VK, et al (2023) *Sida cordifolia* L.: Ethnobotany, Phytochemistry, Phytonanotechnology, and Commercial Application. *Curr Pharm Biotechnol* 25:.. <https://doi.org/10.2174/0113892010262937230919100024>
- Kuner R, Kuner T (2022) Sounding out pain. *Science (80-)* 377:155–156. <https://doi.org/10.1126/science.add0640>
- Lagatta DC, Kuntze LB, Ferreira-Junior NC, Resstel LBM (2018) Medial prefrontal cortex TRPV1 and CB1 receptors modulate cardiac baroreflex activity by regulating the NMDA receptor/nitric oxide pathway. *Pflugers Arch Eur J*

- Physiol 470:1521–1542. <https://doi.org/10.1007/s00424-018-2149-5>
- Latha A, Radhakrishnan V V. (2015) Variation in root yield and ephedrine content of Bala (*Sida cordifolia* Linn.) at differential harvesting under open and shaded situation. *J Trop Agric* 53:42–47
- Laumet G, Garriga J, Chen SR, et al (2015) G9a is essential for epigenetic silencing of K⁺ channel genes in acute-to-chronic pain transition. *Nat Neurosci* 18:1746–1755. <https://doi.org/10.1038/nn.4165>
- Lawrence CJ, Dawe RK, Christie KR, et al (2004) A standardized kinesin nomenclature. *J Cell Biol* 167:19–22
- Lee GI, Neumeister MW (2020) Pain: Pathways and Physiology. *Clin Plast Surg* 47:173–180. <https://doi.org/10.1016/j.cps.2019.11.001>
- Lee J, Saloman JL, Weiland G, et al (2012) Functional interactions between NMDA receptors and TRPV1 in trigeminal sensory neurons mediate mechanical hyperalgesia in the rat masseter muscle. *Pain* 153:1514–1524
- Lewis TR, Kundinger SR, Link BA, et al (2018) Kif17 phosphorylation regulates photoreceptor outer segment turnover. *BMC Cell Biol* 19:1–16. <https://doi.org/10.1186/s12860-018-0177-9>
- Li M, Zhang SJ, Yang L, et al (2019) Voltage-gated sodium channel 1.7 expression decreases in dorsal root ganglia in a spinal nerve ligation neuropathic pain model. *Kaohsiung J Med Sci* 35:493–500. <https://doi.org/10.1002/kjm2.12088>
- Li R, Zhao C, Yao M, et al (2017) Analgesic effect of coumarins from *Radix angelicae pubescentis* is mediated by inflammatory factors and TRPV1 in a spared nerve injury model of neuropathic pain. *J Ethnopharmacol* 195:81–88. <https://doi.org/10.1016/j.jep.2016.11.046>
- Liang Y, Ma Y, Wang J, et al (2021) Leptin Contributes to Neuropathic Pain via Extrasynaptic NMDAR-nNOS Activation. *Mol Neurobiol* 58:1185–1195. <https://doi.org/10.1007/s12035-020-02180-1>

References

- Lim EY, Lee C, Kim YT (2022) The Antinociceptive Potential of *Camellia japonica* Leaf Extract, (-)-Epicatechin, and Rutin against Chronic Constriction Injury-Induced Neuropathic Pain in Rats. *Antioxidants* 11:410. <https://doi.org/10.3390/antiox11020410>
- Lin CH, Lane HY (2019) Early identification and intervention of schizophrenia: Insight from hypotheses of glutamate dysfunction and oxidative stress. *Front Psychiatry* 10:. <https://doi.org/10.3389/fpsyt.2019.00093>
- Liu XJ, Gingrich JR, Vargas-Caballero M, et al (2008) Treatment of inflammatory and neuropathic pain by uncoupling Src from the NMDA receptor complex. *Nat Med* 14:1325–1332. <https://doi.org/10.1038/nm.1883>
- Ma W, Quirion R (2014) Targeting cell surface trafficking of pain-facilitating receptors to treat chronic pain conditions. *Expert Opin Ther Targets* 18:459–472
- Mahan K, Kabrhel C, Goldsmith AJ (2020) Abdominal pain in a patient with COVID-19 infection: A case of multiple thromboemboli. *Am J Emerg Med* 38:2245.e3-2245.e5. <https://doi.org/10.1016/j.ajem.2020.05.054>
- Mahrosh HS, Mustafa G (2021) An in silico approach to target RNA-dependent RNA polymerase of COVID-19 with naturally occurring phytochemicals. *Environ Dev Sustain* 23:16674–16687. <https://doi.org/10.1007/s10668-021-01373-5>
- Makwana M V., Pandya NM, Darji DN, et al (2012) Assessment of nephroprotective potential of *Sida cordifolia* Linn. in experimental animals. *Der Pharm Lett* 4:175–180
- Maletic V, Eramo A, Gwin K, et al (2017) The role of norepinephrine and its α -adrenergic receptors in the pathophysiology and treatment of major depressive disorder and schizophrenia: A systematic Review. *Front Psychiatry* 8:42. <https://doi.org/10.3389/fpsyt.2017.00042>
- Malfanti A, Scomparin A, Pozzi S, et al (2019) Oligo-guanidyl targeted bioconjugates forming rod shaped polyplexes as a new nanoplatform for oligonucleotide delivery. *J Control Release* 310:58–73.

<https://doi.org/10.1016/j.jconrel.2019.08.005>

Martins CAF, Campos ML, Irioda AC, et al (2017) Anti-Inflammatory Effect of *Malva sylvestris*, *Sida cordifolia*, and *Pelargonium graveolens* Is Related to Inhibition of Prostanoid Production. *Molecules* 22:. <https://doi.org/10.3390/molecules22111883>

Mccooy DD, Knowlton WM, Mckemy DD (2011) Scraping through the ice: Uncovering the role of TRPM8 in cold transduction. *Am. J. Physiol. - Regul. Integr. Comp. Physiol.* 300:1278–1287

McCutcheon RA, Krystal JH, Howes OD (2020) Dopamine and glutamate in schizophrenia: biology, symptoms and treatment. *World Psychiatry* 19:15–33. <https://doi.org/10.1002/wps.20693>

Meacham K, Shepherd A, Mohapatra DP, Haroutounian S (2017) Neuropathic pain: central vs. peripheral mechanisms. *Curr Pain Headache Rep* 21:1–11

Mehta FA, Patel BG, Pandya SS, Ahir KB (2011) High-performance thin-layer chromatographic analysis of betaine in alcohol extracts of *Achyranthes aspera* L. *J Planar Chromatogr - Mod TLC* 24:136–139. <https://doi.org/10.1556/JPC.24.2011.2.10>

Meng X, Liu B, Re Z, et al (2011) Progress of Chemical Constituents and Pharmacology of genus *rubus*. *Nat Prod Res Dev* 23:767–75. <https://doi.org/10.16333/j.1001-6880.2011.04.022>

Michaelis M, Selt F, Rothweiler F, et al (2014) Aurora kinases as targets in drug-resistant neuroblastoma cells. *PLoS One* 9:e108758

Mokhtarieh AA, Lee J, Kim S, Lee MK (2018) Preparation of siRNA encapsulated nanoliposomes suitable for siRNA delivery by simply discontinuous mixing. *Biochim Biophys Acta - Biomembr* 1860:1318–1325. <https://doi.org/10.1016/j.bbamem.2018.02.027>

Momin MAM, Bellah SF, Rahman SMR, et al (2014) Phytopharmacological evaluation

References

- of ethanol extract of *Sida cordifolia* L. roots. *Asian Pac J Trop Biomed* 4:18–24. [https://doi.org/10.1016/S2221-1691\(14\)60202-1](https://doi.org/10.1016/S2221-1691(14)60202-1)
- Morley VJ, Firgens EPC, Vanderbilt RR, et al (2020) Factors associated with antibiotic prescribing for acute bronchitis at a university health center. *BMC Infect Dis* 20:. <https://doi.org/10.1186/s12879-020-4825-2>
- Muhammad T, Ali T, Ikram M, et al (2019) Melatonin Rescue Oxidative Stress-Mediated Neuroinflammation/ Neurodegeneration and Memory Impairment in Scopolamine-Induced Amnesia Mice Model. *J Neuroimmune Pharmacol* 14:278–294. <https://doi.org/10.1007/s11481-018-9824-3>
- Navratilova E, Nation K, Remeniuk B, et al (2020) Selective modulation of tonic aversive qualities of neuropathic pain by morphine in the central nucleus of the amygdala requires endogenous opioid signaling in the anterior cingulate cortex. *Pain* 161:609–618. <https://doi.org/10.1097/j.pain.0000000000001748>
- Nimmerjahn A, Kirchhoff F, Helmchen F (2005) Resting microglial cells are highly dynamic surveillants of brain parenchyma in vivo. *Neuroforum* 11:95–96. <https://doi.org/10.1515/nf-2005-0304>
- Nugroho A, Song BM, Lee KT, Park HJ (2014) Quantification of antidepressant miquelianin in mature and immature fruits of Korean *Rubus* species. *Nat Prod Sci* 20:258–261
- O’Hearn S, Diaz P, Wan BA, et al (2017) Modulating the endocannabinoid pathway as treatment for peripheral neuropathic pain: A selected review of preclinical studies. *Ann Palliat Med* 6:S209–S214. <https://doi.org/10.21037/apm.2017.08.04>
- Obata H (2017) Analgesic mechanisms of antidepressants for neuropathic pain. *Int J Mol Sci* 18:2483. <https://doi.org/10.3390/ijms18112483>
- Okuma E, Murakami Y, Shimoishi Y, et al (2004) Effects of exogenous application of proline and betaine on the growth of tobacco cultured cells under saline conditions. *Soil Sci Plant Nutr* 50:1301–1305. <https://doi.org/10.1080/>

00380768.2004.10408608

- Pahan P, Xie JY (2023) Microglial inflammation modulates opioid analgesic tolerance. *J Neurosci Res* 101:1383–1392. <https://doi.org/10.1002/jnr.25199>
- Pallela PNVK, Ummey S, Ruddaraju LK, et al (2019) Antibacterial efficacy of green synthesized α -Fe₂O₃ nanoparticles using *Sida cordifolia* plant extract. *Heliyon* 5:e02765. <https://doi.org/10.1016/j.heliyon.2019.e02765>
- Parsons, W.T. Cuthbertson EG (2000) *Noxious Weeds of Australia*. 2nd ed. CSIRO publishing
- Patel K, Mangu SR, Sukhdeo SV, Sharan K (2022) Ethanolic extract from the root and leaf of *Sida cordifolia* promotes osteoblast activity and prevents ovariectomy-induced bone loss in mice. *Phytomedicine* 99:154024. <https://doi.org/10.1016/j.phymed.2022.154024>
- Pettersen EF, Goddard TD, Huang CC, et al (2004) UCSF Chimera - A visualization system for exploratory research and analysis. *J Comput Chem* 25:1605–1612. <https://doi.org/10.1002/jcc.20084>
- Przewlocki R, Przewlocka B (2001) Opioids in chronic pain. *Eur J Pharmacol* 429:79–91. [https://doi.org/10.1016/S0014-2999\(01\)01308-5](https://doi.org/10.1016/S0014-2999(01)01308-5)
- Raja SN, Carr DB, Cohen M, et al (2020) The revised International Association for the Study of Pain definition of pain: concepts, challenges, and compromises. *Pain* 161:1976–1982
- Raja SN, Sivanesan E, Guan Y (2019) Central Sensitization, N-methyl-D-aspartate Receptors, and Human Experimental Pain Models: Bridging the Gap between Target Discovery and Drug Development. *Anesthesiology* 131:233–235. <https://doi.org/10.1097/ALN.0000000000002808>
- Ranjani S, Sr S, Sivapalan S, et al (2015) Phytochemical study on medicinal plant-*Sida cordifolia* Linn. ~ 200 ~ *Ijmr* 2:200–204
- Raver C, Uddin O, Ji Y, et al (2020) An amygdalo-parabrachial pathway regulates pain

References

- perception and chronic pain. *J Neurosci* 40:3424–3442. <https://doi.org/10.1523/JNEUROSCI.0075-20.2020>
- Ravi Kanth V, Diwan P V. (1999) Analgesic, antiinflammatory and hypoglycaemic activities of *Sida cordifolia*. *Phyther Res* 13:75–77. [https://doi.org/10.1002/\(SICI\)1099-1573\(199902\)13:1<75::AID-PTR387>3.0.CO;2-F](https://doi.org/10.1002/(SICI)1099-1573(199902)13:1<75::AID-PTR387>3.0.CO;2-F)
- Raygude KS, Kandhare AD, Ghosh P, et al (2012) Evaluation of ameliorative effect of quercetin in experimental model of alcoholic neuropathy in rats. *Inflammopharmacology* 20:331–341. <https://doi.org/10.1007/s10787-012-0122-z>
- Rejitha S, Prathibha P, Indira M (2012) Amelioration of alcohol-induced hepatotoxicity by the administration of ethanolic extract of *Sida cordifolia* Linn. *Br J Nutr* 108:1256–1263. <https://doi.org/10.1017/S0007114511006568>
- Rojas Cabrera JM, Blair Price J, Rusheen AE, et al (2020) Advances in neurochemical measurements: A review of biomarkers and devices for the development of closed-loop deep brain stimulation systems. *Rev Anal Chem* 39:. <https://doi.org/10.1515/revac-2020-0117>
- Rozenfeld R, Abul-Husn NS, Gomes I, Devi LA (2007) An emerging role for the delta opioid receptor in the regulation of Mu opioid receptor function. *ScientificWorldJournal* 7:64–73. <https://doi.org/10.1100/tsw.2007.219>
- Saini R, Dangwal K, Singh H, Garg V (2014) Antioxidant and antiproliferative activities of phenolics isolated from fruits of Himalayan yellow raspberry (*Rubus ellipticus*). *J Food Sci Technol* 51:3369–3375. <https://doi.org/10.1007/s13197-012-0836-3>
- Samineni VK, Mickle AD, Yoon J, et al (2017) Optogenetic silencing of nociceptive primary afferents reduces evoked and ongoing bladder pain. *Sci Rep* 7:1–14
- Sang CN (2000) NMDA-receptor antagonists in neuropathic pain: Experimental methods to clinical trials. *J Pain Symptom Manage* 19:21–25.

[https://doi.org/10.1016/S0885-3924\(99\)00125-6](https://doi.org/10.1016/S0885-3924(99)00125-6)

Satija A, Joad A, Rana S, Bhatnagar S (2021) The burden of cancer-related neuropathic pain: A multi-centric cross-sectional observational study from North India. *Indian J Palliat Care* 27:104–108. https://doi.org/10.4103/IJPC.IJPC_277_20

Schwartzkroin PA (1999) Mechanisms underlying the anti-epileptic efficacy of the ketogenic diet. *Epilepsy Res* 37:171–180. [https://doi.org/10.1016/S0920-1211\(99\)00069-8](https://doi.org/10.1016/S0920-1211(99)00069-8)

Senechal Y, Kelly PH, Cryan JF, et al (2007) Amyloid precursor protein knockdown by siRNA impairs spontaneous alternation in adult mice. *J Neurochem* 102:1928–1940. <https://doi.org/10.1111/j.1471-4159.2007.04672.x>

Seog DH, Lee DH, Lee SK (2004) Molecular Motor Proteins of the Kinesin Superfamily Proteins (KIFs): Structure, Cargo and Disease. *J Korean Med Sci* 19:1–7. <https://doi.org/10.3346/jkms.2004.19.1.1>

Serrano Cardona L, Muñoz Mata E (2013) Paraninfo Digital. *Early Hum Dev* 83:1–11. <https://doi.org/10.1016/j.earlhumdev.2006.05.022>

Setou M, Nakagawa T, Seog D-H, Hirokawa N (2000) Kinesin superfamily motor protein KIF17 and mLin-10 in NMDA receptor-containing vesicle transport. *Science* (80-) 288:1796–1802

Shantanu PA, Sharma D, Sharma M, et al (2021) Correction to: Kinesins: Motor Proteins as Novel Target for the Treatment of Chronic Pain (*Molecular Neurobiology*, (2019), 56, 6, (3854-3864), 10.1007/s12035-018-1327-y). *Mol Neurobiol* 58:450. <https://doi.org/10.1007/s12035-020-02117-8>

Shin HJ, Park H, Shin N, et al (2020) p47phox siRNA-loaded PLGA nanoparticles suppress ROS/oxidative stress-induced chondrocyte damage in osteoarthritis. *Polymers (Basel)* 12:.. <https://doi.org/10.3390/polym12020443>

Sommer C, Leinders M, Üçeyler N (2018) Inflammation in the pathophysiology of neuropathic pain. *Pain* 159:595–602.

References

<https://doi.org/10.1097/j.pain.0000000000001122>

Srinivasan N, Murali R, Sivakrishnan S (2022) *Sida cordifolia* - an Update on Its Traditional Use, Phytochemistry, and Pharmacological Importance. *Int J Pharm Res Allied Sci* 11:74–86. <https://doi.org/10.51847/q1trglyb0e>

Stannard C (2018) Where now for opioids in chronic pain? *Drug Ther Bull* 56:118–122. <https://doi.org/10.1136/dtb.2018.10.000007>

Steeds CE (2009) The anatomy and physiology of pain. *Surg* 27:507–511

Su XH, Duan R, Sun YY, et al (2014) Cardiovascular effects of ethanol extract of *Rubus chingii hu* (rosaceae) in rats: An in vivo and in vitro approach

Subramanya MD, Pai SR, Upadhy V, et al (2015) Total polyphenolic contents and in vitro antioxidant properties of eight *Sida* species from Western Ghats, India. *J Ayurveda Integr Med* 6:24–28. <https://doi.org/10.4103/0975-9476.146544>

Sumanth M, Mustafa SS (2009) Antistress, adoptogenic activity of *Sida cordifolia* roots in mice. *Indian J Pharm Sci* 71:323–324. <https://doi.org/10.4103/0250-474X.56027>

Sutradhar R, Mator Rahman AKM, Ahmad M, et al (2006) Analgesic and antiinflammatory activities of *Sida cordifolia* Linn. *Indian J Pharmacol* 38:207–208. <https://doi.org/10.4103/0253-7613.25812>

Sutradhar RK, Rahman AM, Ahmad M, et al (2007) Anti-inflammatory and analgesic alkaloid from *Sida cordifolia* linn. *Pak J Pharm Sci* 20:185–188

Swathy SS, Panicker S, Nithya RS, et al (2010) Antiperoxidative and antiinflammatory effect of *sida cordifolia* linn. on quinolinic acid induced neurotoxicity. *Neurochem Res* 35:1361–1367. <https://doi.org/10.1007/s11064-010-0192-5>

Thirunavukkarasu K, Swearingen CA, Oskins JL, et al (2017) Identification and pharmacological characterization of a novel inhibitor of autotaxin in rodent models of joint pain. *Osteoarthr Cartil* 25:935–942. <https://doi.org/10.1016/j.joca.2016.09.006>

- Tiwari V, Anderson M, Yang F, et al (2018) Peripherally Acting μ -Opioid Receptor Agonists Attenuate Ongoing Pain-associated Behavior and Spontaneous Neuronal Activity after Nerve Injury in Rats. *Anesthesiology* 128:1220–1236. <https://doi.org/10.1097/ALN.0000000000002191>
- Tiwari V, Chopra K (2011) Resveratrol prevents alcohol-induced cognitive deficits and brain damage by blocking inflammatory signaling and cell death cascade in neonatal rat brain. *J Neurochem* 117:678–690. <https://doi.org/10.1111/j.1471-4159.2011.07236.x>
- Togay A, Togay B, Ozbay Gediz D, et al (2021) Levels of lymphocyte-associated regulators of complement system CD55 and CD59 are changed in schizophrenia patients. *Int J Psychiatry Clin Pract* 25:277–282. <https://doi.org/10.1080/13651501.2021.1927105>
- Trivedi S, Pandit A, Ganguly G, Das S (2017) Epidemiology of peripheral neuropathy: An Indian perspective. *Ann Indian Acad Neurol* 20:173–184. https://doi.org/10.4103/aian.AIAN_470_16
- Ullah I, Awan HA, Aamir A, et al (2021) Role and perspectives of inflammation and c-reactive protein (CRP) in psychosis: An economic and widespread tool for assessing the disease. *Int J Mol Sci* 22:.. <https://doi.org/10.3390/ijms222313032>
- Uniyal A, Gadepalli A, Akhilesh, Tiwari V (2020) Underpinning the Neurobiological Intricacies Associated with Opioid Tolerance. *ACS Chem Neurosci* 11:830–839. <https://doi.org/10.1021/acscchemneuro.0c00019>
- Uniyal A, Gadepalli A, Modi A, Tiwari V (2022a) Modulation of KIF17/NR2B crosstalk by tozasertib attenuates inflammatory pain in rats. *Inflammopharmacology* 1–15
- Uniyal A, Rathore AS, Keshri PK, et al (2022b) Inhibition of pan-Aurora kinase attenuates evoked and ongoing pain in nerve injured rats via regulating KIF17-NR2B mediated signaling. *Int Immunopharmacol* 106:108622
- Uniyal A, Shantanu PA, Vaidya S, et al (2021a) Tozasertib attenuates neuropathic pain

References

- by interfering with Aurora kinase and KIF11 mediated nociception. *ACS Chem Neurosci* 12:1948–1960
- Uniyal A, Thakur V, Rani M, et al (2021b) Kinesin Nanomotors Mediated Trafficking of NMDA-Loaded Cargo as A Novel Target in Chronic Pain. *ACS Chem Neurosci*
- Uritu CM, Mihai CT, Stanciu GD, et al (2018) Medicinal plants of the family Lamiaceae in pain therapy: A review. *Pain Res Manag* 2018:.. <https://doi.org/10.1155/2018/7801543>
- Verhey KJ, Hammond JW (2009) Traffic control: regulation of kinesin motors. *Nat Rev Mol cell Biol* 10:765–777
- Vinet L, Zhedanov A (2011) A “missing” family of classical orthogonal polynomials
- Wainger BJ, Brenner GJ (2017) Mechanisms of Chronic Pain. In: Longnecker DE, Mackey SC, Newman MF, et al. (eds) *Anesthesiology*, 3e. McGraw-Hill Education, New York, NY
- Wang S, Dai Y, Fukuoka T, et al (2008) Phospholipase C and protein kinase A mediate bradykinin sensitization of TRPA1: a molecular mechanism of inflammatory pain. *Brain* 131:1241–1251
- Westlund KN (2006) Chapter 9 The dorsal horn and hyperalgesia. In: *Handbook of Clinical Neurology*. Elsevier, pp 103–125
- Willis WD (2001) Role of neurotransmitters in sensitization of pain responses. *Ann N Y Acad Sci* 933:142–156. <https://doi.org/10.1111/j.1749-6632.2001.tb05821.x>
- Wu CT, Deng JS, Huang WC, et al (2019) Salvianolic Acid C against acetaminophen-induced acute liver injury by attenuating inflammation, oxidative stress, and apoptosis through inhibition of the Keap1/Nrf2/HO-1 signaling. *Oxid Med Cell Longev* 2019:.. <https://doi.org/10.1155/2019/9056845>
- Xia SH, Hu SW, Ge DG, et al (2020) Chronic Pain Impairs Memory Formation via Disruption of Neurogenesis Mediated by Mesohippocampal Brain-Derived

- Neurotrophic Factor Signaling. *Biol Psychiatry* 88:597–610.
<https://doi.org/10.1016/j.biopsych.2020.02.013>
- Xia Y, Chen S, Zhu G, et al (2018) Betaine inhibits interleukin-1 β production and release: Potential mechanisms. *Front Immunol* 9:2670. <https://doi.org/10.3389/fimmu.2018.02670>
- Xiong HY, Liu H, Wang XQ (2021) Top 100 Most-Cited Papers in Neuropathic Pain From 2000 to 2020: A Bibliometric Study. *Front Neurol* 12:765193. <https://doi.org/10.3389/fneur.2021.765193>
- Xu H, Chen Z, Shang Q hua, et al (2019) Asymmetric Dimethylarginine Predicts One-year Recurrent Cardiovascular Events: Potential Biomarker of “Toxin Syndrome” in Coronary Heart Disease. *Chin J Integr Med* 25:327–333. <https://doi.org/10.1007/s11655-019-2701-y>
- Xu Y, Liu J, He M, et al (2016) Mechanisms of PDGF siRNA-mediated inhibition of bone cancer pain in the spinal cord. *Sci Rep* 6:. <https://doi.org/10.1038/srep27512>
- Yam MF, Loh YC, Tan CS, et al (2018) General pathways of pain sensation and the major neurotransmitters involved in pain regulation. *Int J Mol Sci* 19:. <https://doi.org/10.3390/ijms19082164>
- Yang F, Xu Q, Shu B, et al (2016) Activation of cannabinoid CB1 receptor contributes to suppression of spinal nociceptive transmission and inhibition of mechanical hypersensitivity by A β -fiber stimulation. *Pain* 157:2582–2593. <https://doi.org/10.1097/j.pain.0000000000000680>
- Yoon C, Young Wook Y, Heung Sik N, et al (1994) Behavioral signs of ongoing pain and cold allodynia in a rat model of neuropathic pain. *Pain* 59:369–376. [https://doi.org/10.1016/0304-3959\(94\)90023-X](https://doi.org/10.1016/0304-3959(94)90023-X)
- Yoshihara S, Jiang X, Morikawa M, et al (2021) Betaine ameliorates schizophrenic traits by functionally compensating for KIF3-based CRMP2 transport. *Cell Rep* 35:108971. <https://doi.org/10.1016/j.celrep.2021.108971>

References

- Zaki LRM, Hairi NN (2015) A systematic review of the prevalence and measurement of chronic pain in Asian adults. *Pain Manag Nurs* 16:440–452
- Zaki OS, Nassar NN, Abdallah DM, et al (2022) Cilostazol Alleviates NLRP3 Inflammasome–Induced Allodynia/Hyperalgesia in Murine Cerebral Cortex Following Transient Ischemia: Focus on TRPA1/Glutamate and Akt/Dopamine/BDNF/Nrf2 Trajectories. *Mol Neurobiol* 59:7194–7211. <https://doi.org/10.1007/s12035-022-03024-w>
- Zhang B, Zhong Q, Chen X, et al (2020a) Neuroprotective Effects of Celastrol on Transient Global Cerebral Ischemia Rats via Regulating HMGB1/NF- κ B Signaling Pathway. *Front Neurosci* 14:847. <https://doi.org/10.3389/fnins.2020.00847>
- Zhang H, Ma S Bin, Gao YJ, et al (2020b) Spinal CCL2 Promotes Pain Sensitization by Rapid Enhancement of NMDA-Induced Currents Through the ERK-GluN2B Pathway in Mouse Lamina II Neurons. *Neurosci Bull* 36:1344–1354. <https://doi.org/10.1007/s12264-020-00557-9>
- Zhang H, Yoon SY, Zhang H, Dougherty PM (2012) Evidence that spinal astrocytes but not microglia contribute to the pathogenesis of paclitaxel-induced painful neuropathy. *J Pain* 13:293–303. <https://doi.org/10.1016/j.jpain.2011.12.002>
- Zhang Y, Jeske NA (2020) GRK2 Dictates a Functional Switch of the Peripheral Mu-Opioid Receptor. *ACS Chem Neurosci* 11:4376–4386. <https://doi.org/10.1021/acscchemneuro.0c00622>
- Zhao G, He F, Wu C, et al (2018) Betaine in inflammation: Mechanistic aspects and applications. *Front Immunol* 9:1070. <https://doi.org/10.3389/fimmu.2018.01070>
- Zhong W, Ma X, Xing Y, et al (2020) Blockade of peripheral nociceptive signal input relieves the formation of spinal central sensitization and retains morphine efficacy in a neuropathic pain rat model. *Neurosci Lett* 716:134643. <https://doi.org/10.1016/j.neulet.2019.134643>

- Zhou HY, Chen SR, Pan HL (2011) Targeting N-methyl-D-aspartate receptors for treatment of neuropathic pain. *Expert Rev Clin Pharmacol* 4:379–388. <https://doi.org/10.1586/ecp.11.17>
- Zhou Y qun, Liu D qiang, Chen S ping, et al (2020) Nrf2 activation ameliorates mechanical allodynia in paclitaxel-induced neuropathic pain. *Acta Pharmacol Sin* 41:1041–1048. <https://doi.org/10.1038/s41401-020-0394-6>
- Zhuo M (2009) Plasticity of NMDA receptor NR2B subunit in memory and chronic pain. *Mol Brain* 2:1–11. <https://doi.org/10.1186/1756-6606-2-4>
- Zouhri S, El Baroudi M (2021) Covid-19 with neuropathic pain symptom: A case-report. *Int J Epidemiol Heal Sci* 2

List of Publication

1. **Tiwari V**, Hemalatha S. *Sida cordifolia* L. attenuates behavioral hypersensitivity by interfering with KIF17-NR2B signaling in rat model of neuropathic pain. *Journal of Ethnopharmacology*. 2024 Jan 30;319:117085.
2. **Tiwari V**, Hemalatha S. Betaine Attenuates Chronic Constriction Injury-Induced Neuropathic Pain in Rats by Inhibiting KIF17-Mediated Nociception. *ACS Chemical Neuroscience*. 2022 Nov 11;13(23):3362-77.

