
Reference

- [1] Zhao, Na, et al. "Correlation of blood glucose level and blood pH value with cardiac enzyme, amylase and other markers in patients with diabetic ketoacidosis." *Int. J. Clin. Exp. Med* 11.9 (2018): -10214.
- [2] Schroder, Dieter K. *Semiconductor material and device characterization*. John Wiley & Sons, 2015
- [3]. Cha, Kyoung Ha, and Mark E. Meyerhoff. "Compatibility of nitric oxide release with implantable enzymatic glucose sensors based on osmium (III/II) mediated electrochemistry." *ACS sensors* 2.9 (2017): 1262-1266.
- [4]. Cho, NH1, et al. "IDF Diabetes Atlas: Global estimates of diabetes prevalence for 2017 and projections for 2045." *Diabetes research and clinical practice* 138 (2018): 271-281.
- [5]. Da Rocha Fernandes, Joao, et al. "IDF Diabetes Atlas estimates of 2014 global health expenditures on diabetes." *Diabetes research and clinical practice* 117 (2016): 48-54.
- [6] Reach, Gerard, and George S. Wilson. "Can continuous glucose monitoring be used for the treatment of diabetes." *Analytical chemistry* 64.6 (1992): 381A-386A.
- [7] Wang, Joseph. "Glucose biosensors: 40 years of advances and challenges." *Electroanalysis: An International Journal Devoted to Fundamental and Practical Aspects of Electroanalysis* 13.12 (2001): 983-988.
- [8] Clark, L. C., and C. Lyons. "Biosensors-A Practical Approach." *Jnr. Ann. NY Acad. Sci* 102 (1962):29-45.
- [9]. Harper, Alice, and Mark R. Anderson. "Electrochemical glucose sensors—developments using electrostatic assembly and carbon nanotubes for biosensor construction." *Sensors* 10.9 (2010): 8248-8274.
- [10] Zhang, Meng, et al. "Highly sensitive glucose sensors based on enzyme-modified whole-graphene solution-gated transistors." *Scientific reports* 5 (2015): 8311.
- [11]. Sheng, Qinglin, et al. "Electrodeposition of Prussian blue nanoparticles on polyaniline coated halloysite nanotubes for nonenzymatic hydrogen peroxide sensing." *Analytical Methods* 7.16 (2015): 6896-6903.
- [12]. Ramírez-Delgado, Vanessa, et al. "The role of the π acceptor character of polypyridine ligands on the electrochemical response of Co (II) complexes and its effect on the homogenous electron transfer rate

constant with the enzyme glucose oxidase." *Journal of the Mexican Chemical Society* 59.4 (2015): 282-293.

[13].Newcomer, John W. "Second-generation (atypical) antipsychotics and metabolic effects." *CNS drugs* 19.1 (2005): 1-93.

[14] Scheller, Frieder W., et al. "Second generation biosensors." *Biosensors and Bioelectronics* 6.3 (1991): 245-253.

[15] Zhang, Suxia, et al. "Covalent attachment of glucose oxidase to an Au electrode modified with gold nanoparticles for use as glucose biosensor." *Bioelectrochemistry* 67.1 (2005): 15-22.

[16] Harper, Alice, and Mark R. Anderson. "Electrochemical glucose sensors—developments using electrostatic assembly and carbon nanotubes for biosensor construction." *Sensors* 10.9 (2010): 8248-8274.

[17]. Nagata, Ryohei, et al. "A glucose sensor fabricated by the screen printing technique." *Biosensors and Bioelectronics* 10.3-4 (1995): 261-267.

[18]. Bremle, Gudrun, BjörnPersson, and Lo Gorton. "An amperometric glucose electrode based on carbon paste, chemically modified with glucose dehydrogenase, nicotinamide adenine dinucleotide, and a phenoxazine mediator, coated with a poly (ester sulfonic acid) cation exchanger." *Electroanalysis* 3.2 (1991): 77-86.

[19]. Toghiani, Kathryn E., and Richard G. Compton. "Electrochemical non-enzymatic glucose sensors: a perspective and an evaluation." *Int. J. Electrochem. Sci* 5.9 (2010): 1246-1301.

[20].Wang, Joseph. "Glucose biosensors: 40 years of advances and challenges." *Electroanalysis: An International Journal Devoted to Fundamental and Practical Aspects of Electroanalysis* 13.12 (2001): 983-988.

[21].Karunakaran, Chandran, ThangamuthuMadasamy, and Niroj Kumar Sethy. "Enzymatic biosensors." *Biosensors and Bioelectronics*.Elsevier, 2015.133-204.

22]. Viet, Nguyen Xuan, et al. "Enzyme-free glucose sensor based on micro-nanoDualporous gold-modified screen-printed carbon electrode." *Int. J. Electrochem. Sci* 13 (2018): 8633-8644.

[23]. Chen, Xiaomei, et al. "Advances in enzyme-free electrochemical sensors for hydrogen peroxide, glucose, and uric acid." *MicrochimicaActa* 181.7-8 (2014): 689-705.

[24]. Wang, Hui-Chen, and An-Rong Lee. "Recent developments in blood glucose sensors." *Journal of food and drug analysis* 23.2 (2015): 191-200.

- [25]. Wang, Joseph. "Glucose biosensors: 40 years of advances and challenges." *Electroanalysis: An International Journal Devoted to Fundamental and Practical Aspects of Electroanalysis* 13.12 (2001): 983-988.
- [26]. Zhai, Dongyuan, et al. "Highly sensitive glucose sensor based on Pt nanoparticle/polyaniline hydrogel heterostructures." *ACS nano* 7.4 (2013): 3540-3546.
- [27]. AshaChaubey, B. D. M. "Mediated biosensors." *BiosensBioelectron* 17 (2002): 441-456.
- [28] Habermüller, Katja, Marcus Mosbach, and Wolfgang Schuhmann. "Electron-transfer mechanisms in amperometric biosensors." *Fresenius' journal of analytical chemistry* 366.6-7 (2000): 560-568.
- [29]. Kang, Xinhuan, et al. "Glucose oxidase–graphene–chitosan modified electrode for direct electrochemistry and glucose sensing." *Biosensors and Bioelectronics* 25.4 (2009): 901-905.
- [30]. De Poulpiquet, A., A. Ciaccafava, and E. Lojou. "New trends in enzyme immobilization at nanostructured interfaces for efficient electrocatalysis in biofuel cells." *ElectrochimicaActa* 126 (2014): 104-114.
- [31]. Freire, Renato S., et al. "Direct electron transfer: an approach for electrochemical biosensors with higher selectivity and sensitivity." *Journal of the Brazilian chemical society* 14.2 (2003): 230-243.
- [32]. Martins, Marcus VA, et al. "Evidence of short-range electron transfer of a redox enzyme on graphene oxide electrodes." *Physical Chemistry Chemical Physics* 16.33 (2014): 17426-17436.
- [33]. Spånning, Åke, and Halina Y. Neujahr. "The effect of glucose on enzyme activities and phenol utilization in *Trichosporoncutaneum* grown in continuous culture." *Microbiology* 136.8 (1990): 1491-1495.
- [34]. Yadav, Jyoti, et al. "Prospects and limitations of non-invasive blood glucose monitoring using near-infrared spectroscopy." *Biomedical signal processing and control* 18 (2015): 214-227.
- [35]. <https://www.intechopen.com/books/biosensors-for-health-environment-and-biosecurity/biosensors-for-health-applications>.
- [36]. Wang, Joseph. "Electrochemical glucose biosensors." *Chemical reviews* 108.2 (2008): 814-825.
- [37]. Nunes, D., et al. "Metal oxide nanostructures for sensor applications." *Semiconductor Science and Technology* 34.4 (2019): 043001.
- [38] Schroder, Dieter K. *Semiconductor material and device characterization*. John Wiley & Sons, 2015.].

- [39]. Zhu, Hua, et al. "Advances in non-enzymatic glucose sensors based on metal oxides." *Journal of Materials Chemistry B* 4.46 (2016): 7333-7349.
- [40]. Zeglio, Erica. *Self-doped Conjugated Polyelectrolytes for Bioelectronics Applications*. Diss. Linköping University Electronic Press, 2016.
- [41]. Li, Zhenzhen, et al. "Sensitive electrochemical nonenzymatic glucose sensing based on anodized CuO nanowires on three-dimensional porous copper foam." *Scientific reports* 5.1 (2015): 1-8.
- [42]. Zhu, Zhigang, et al. "A critical review of glucose biosensors based on carbon nanomaterials: carbon nanotubes and graphene." *Sensors* 12.5 (2012): 5996-6022.
- [43]. Yang, Qingshan, et al. "Highly sensitive and selective sensor probe using glucose oxidase/gold nanoparticles/graphene oxide functionalized tapered optical fiber structure for detection of glucose." *Optik* 208 (2020): 164536.
- [44]. Toghiani, Kathryn E., and Richard G. Compton. "Electrochemical non-enzymatic glucose sensors: a perspective and an evaluation." *Int. J. Electrochem. Sci* 5.9 (2010): 1246-1301.
- [45]. Rahman, M. M. "a J. SalehAhmed, J.-H. Jin, SJ Ahn." *J.-J. Lee, A comprehensive review of glucose biosensors based on nanostructured metal-oxides*, *Sensors* 10 (2010): 4855-4886.
- [46]. Boffa, Luisa, et al. "A new class of cationic cyclodextrins: synthesis and chemico-physical properties." *New Journal of Chemistry* 34.9 (2010): 2013-2019.
- [47]. Luo, Shenglian, et al. "A new method for fabricating a CuO/TiO₂ nanotube arrays electrode and its application as a sensitive nonenzymatic glucose sensor." *Talanta* 86 (2011): 157-163.
- [48]. Gao, Hongcai. *Synthesis, electrochemistry and application of 2D and 3D graphene-composite materials*. Diss. 2013.
- [49]. Chen, Jin, Wei-De Zhang, and Jian-Shan Ye. "Nonenzymatic electrochemical glucose sensor based on MnO₂/MWCNTs nanocomposite." *Electrochemistry Communications* 10.9 (2008): 1268-1271.
- [50]. Guo, Chunyan, et al. "3D porous CNT/MnO₂ composite electrode for high-performance enzymeless glucose detection and supercapacitor application." *Sensors and Actuators B: Chemical* 206 (2015): 407-414.
- [51]. Dar, G. N., et al. "Fabrication of highly sensitive non-enzymatic glucose biosensor based on ZnO nanorods." *Science of Advanced Materials* 3.6 (2011): 901-906.
- [52]. SoYoon, Shin, et al. "Novel Cu/CuO/ZnO hybrid hierarchical nanostructures for non-enzymatic

glucose sensor application." *Journal of Electroanalytical Chemistry* 717 (2014): 90-95.

[53]. Ding, Yu, et al. "Electrospun Co_3O_4 nanofibers for sensitive and selective glucose detection." *Biosensors and Bioelectronics* 26.2 (2010): 542-548.

[54]. Hou, Chuantao, et al. "Metal-organic framework templated synthesis of Co_3O_4 nanoparticles for direct glucose and H_2O_2 detection." *Analyst* 137.24 (2012): 5803-5808.

[55]. Guo, Chunyan, et al. " Co_3O_4 microspheres with free-standing nanofibers for high performance non-enzymatic glucose sensor." *Analyst* 138.22 (2013): 6727-6731.

[56]. Balouch, Q., et al. "Cobalt Oxide Nanoflowers for Electrochemical Determination of Glucose" *J. Electron. Mater* 44 (2015): 3724-3732.

[57]. Kang, Luqi, et al. "Nanoporous cobalt oxide nanowires for non-enzymatic electrochemical glucose detection." *Sensors and Actuators B: Chemical* 220 (2015): 888-894.

[58]. Ibupoto, Zafar Hussain, et al. "Effect of urea on the morphology of Co_3O_4 nanostructures and their application for potentiometric glucose biosensor." *Electroanalysis* 26.8 (2014): 1773-1781.

[59]. Dong, Xiao-Chen, et al. "3D graphene-cobalt oxide electrode for high-performance supercapacitor and enzymeless glucose detection." *ACS nano* 6.4 (2012): 3206-3213.

[60]. Rahman, Md, et al. "A comprehensive review of glucose biosensors based on nanostructured metal-oxides." *Sensors* 10.5 (2010): 4855-4886.

[61]. Kang, Xinhuan, et al. "A novel glucose biosensor based on immobilization of glucose oxidase in chitosan on a glassy carbon electrode modified with gold-platinum alloy nanoparticles/multiwall carbon nanotubes." *Analytical biochemistry* 369.1 (2007): 71-79.

[62]. Reitz, Eliot, et al. "CuO nanospheres based nonenzymatic glucose sensor." *Electroanalysis: An International Journal Devoted to Fundamental and Practical Aspects of Electroanalysis* 20.22 (2008): 2482-2486.

[63]. Liu, Sen, et al. "A simple route for preparation of highly stable CuO nanoparticles for nonenzymatic glucose detection." *Catalysis Science & Technology* 2.4 (2012): 813-817.

[64]. Zhuang, Zhenjing, et al. "An improved sensitivity non-enzymatic glucose sensor based on a CuO nanowire modified Cu electrode." *Analyst* 133.1 (2008): 126-132.

[65]. Zhang, Ping, et al. "A highly sensitive nonenzymatic glucose sensor based on CuO nanowires." *Microchimica Acta* 176.3-4 (2012): 411-417.

- [66]. Zhang, Yuchan, et al. "CuO nanowires based sensitive and selective non-enzymatic glucose detection." *Sensors and Actuators B: Chemical* 191 (2014): 86-93.
- [67]. Wang, Wen, et al. "Three-dimensional network films of electrospun copper oxide nanofibers for glucose determination." *Biosensors and Bioelectronics* 25.4 (2009): 708-714.
- [68]. Wang, Xue, et al. "Synthesis of CuO nanostructures and their application for nonenzymatic glucose sensing." *Sensors and Actuators B: Chemical* 144.1 (2010): 220-225.
- [69]. Umar, Ahmad, et al. "Enzymatic glucose biosensor based on flower-shaped copper oxide nanostructures composed of thin nanosheets." *Electrochemistry Communications* 11.2 (2009): 278-281.
- [70]. Prathap, MU Anu, BalwinderKaur, and RajendraSrivastava. "Hydrothermal synthesis of CuO micro-/nanostructures and their applications in the oxidative degradation of methylene blue and non-enzymatic sensing of glucose/H₂O₂." *Journal of colloid and interface science* 370.1 (2012): 144-154.
- [71]. Li, Kun, et al. "Novel ultrasensitive non-enzymatic glucose sensors based on controlled flower-like CuO hierarchical films." *Sensors and Actuators B: Chemical* 199 (2014): 175-182.
- [72]. Ni, Pengjuan, et al. "Facile fabrication of CuO nanowire modified Cu electrode for non-enzymatic glucose detection with enhanced sensitivity." *RSC advances* 4.55 (2014): 28842-28847.
- [73]. Zhang, Wei-De, et al. "A highly sensitive nonenzymatic glucose sensor based on NiO-modified multi-walled carbon nanotubes." *Microchimicaacta* 168.3-4 (2010): 259-265.
- [74]. Bao, Jing, et al. "A sensitive and selective non-enzymatic glucose sensor based on AuNPs/CuO NWs-MoS₂ modified electrode." *Journal of The Electrochemical Society* 166.13 (2019): B1179.
- [75]. Zhang, RuiXue, Pan Yang, and Yu Xin Zhang. "A novel high-sensitivity non-enzymatic glucose sensor via Cu₂O@ CuO@ NiCo₂O₄ nanowires as catalyst." *Materials Letters* (2020): 127850.
- [76]. Gao, Yajun, et al. "Three-dimensional porous Cu@ Cu₂O aerogels for direct voltammetric sensing of glucose." *MicrochimicaActa* 186:192 .3 (2019): 1-9.
- [77]. Xu, Da, et al. "Design and fabrication of Ag-CuO nanoparticles on reduced graphene oxide for nonenzymatic detection of glucose." *Sensors and Actuators B: Chemical* 265 (2018): 435-442.
- [78]. Chakraborty, Pinak, et al. "Non-enzymatic and non-invasive glucose detection using Au nanoparticle decorated CuO nanorods." *Sensors and Actuators B: Chemical* 283 (2019): 776-785.
- [79]. Ahmad, Rafiq, and Yoon-Bong Hahn. "Nonenzymatic flexible field-effect transistor based glucose sensor fabricated using NiO quantum dots modified ZnO nanorods." *Journal of colloid and interface*

science 512 (2018): 21-28.

[80]. Ahmad, Rafiq, Min-Sang Ahn, and Yoon-Bong Hahn. "Fabrication of a non-enzymatic glucose sensor field-effect transistor based on vertically-oriented ZnO nanorods modified with Fe_2O_3 ," *Electrochemistry Communications* 77 (2017): 107-111

[81]. Zong, Xianli, and Rong Zhu. "ZnO nanorod-based FET biosensor for continuous glucose monitoring." *Sensors and Actuators B: Chemical* 255 (2018): 2448-2453.

[82]. Bergveld, Piet. "Development of an ion-sensitive solid-state device for neurophysiological measurements." *IEEE Transactions on Biomedical Engineering* 1 (1970): 70-71.

[83]. Bobrov, P. V., et al. "Chemical sensitivity of an ISFET with Ta_2O_5 membrane in strong acid and alkaline solutions." *Sensors and Actuators B: Chemical* 3.1 (1991): 75-81.

[84]. Niu, Meng-Nian, Xin-Fang Ding, and Qin-Yi Tong. "Effect of two types of surface sites on the characteristics of Si_3N_4 -gate pH-ISFETs." *Sensors and Actuators B: Chemical* 37.1-2 (1996): 13-17.

[85]. C. T. Lee, Y. S. Chiu, S. C. Ho, and Y. J. Lee, "Investigation of a photo-electrochemical passivated ZnO-based glucose biosensor," *Sensors*, vol. 11, no. 5, pp. 4648–4655, 2011.

[86]. C. H. Kao et al., "Multi-analyte biosensors on a plasma treated Nb_2O_5 -based membrane with an extended gate field effect transistor structure," *Sensors Actuators, B Chem.*, vol. 194, pp. 419–426, 2014

[87]. J. Qi, H. Zhang, Z. Ji, M. Xu, and Y. Zhang, "ZnO nano-array-based EGFET biosensor for glucose detection," *Appl. Phys. A Mater. Sci. Process.*, vol. 119, no. 3, pp. 807–811, 2015

[88]. Wang et al., "Ionic pH and glucose sensors fabricated by using hydrothermal ZnO nano structures," *Japanese Journal of applied physics* 55,01AE16 (2016)

[89]. K. Singh, B.-S. Lou, J.-L. Her, S.-T. Pang, and T.-M. Pan, "Super Nernstian pH response and enzyme-free detection of glucose using sol-gel derived RuO_x on PET flexible-based extended-gate field-effect transistor," *Sensors Actuators B Chem.*, vol. 298, no. July, p.126837, 2019.

[90]. Khalifa et al., "Characterization of nickel/ indium tin oxide based extended gate field effect transistor as a glucose sensors in acidosis, normal and alkalosis medium," *materials science in semiconductor processing* 103(2019) 104626.

[91]. Zhang, Huanjun, Xinyong Li, and Guohua Chen. "Fabrication of photoelectrode materials." *Electrochemistry for the Environment*. Springer, New York, NY, 2010. 473-513.

[92]. Liu, Sen, et al. "A simple route for preparation of highly stable CuO nanoparticles for nonenzymatic

glucose detection." *Catalysis Science & Technology* 2.4 (2012):.

[93]. Zheng, Baozhan, et al. "A sensitive AgNPs/CuOnanofibers non-enzymatic glucose sensor based on electrospinning technology." *Sensors and Actuators B: Chemical* 195 (2014): 431-438.

[94]. Cherevko, Serhiy, and Chan-Hwa Chung. "The porous CuO electrode fabricated by hydrogen bubble evolution and its application to highly sensitive non-enzymatic glucose detection." *Talanta* 80.3 (2010):.

[95]. Wang, Bao, et al. "Synthesis of CuO/graphene nanocomposite as a high-performance anode material for lithium-ion batteries." *Journal of Materials Chemistry* 20.47 (2010): 10661-10664.

[96].Zhu, Guoxing, et al. "Facile fabrication and enhanced sensing properties of hierarchically porous CuO architectures." *ACS applied materials & interfaces* 4.2 (2012): 744-751.

[97].Li, Zhenzhen, et al. "Rational design of binder-free noble metal/metal oxide arrays with nanocauliflower structure for wide linear range nonenzymatic glucose detection." *Scientific reports* 5 (2015): 10617.

[98]. Wang, Ziyi, et al. "Detection of glucose based on direct electron transfer reaction of glucose oxidase immobilized on highly ordered polyaniline nanotubes." *Analytical Chemistry* 81.4 (2009): 1638-1645.

[99]. Mani, Veerappan, BalamuruganDevadas, and Shen-Ming Chen. "Direct electrochemistry of glucose oxidase at electrochemically reduced graphene oxide-multiwalled carbon nanotubes hybrid material modified electrode for glucose biosensor." *Biosensors and Bioelectronics* 41 (2013): 309-315.

[100]. Liang, Bo, et al. "Direct electron transfer glucose biosensor based on glucose oxidase self-assembled on electrochemically reduced carboxyl graphene." *Biosensors and Bioelectronics* 43 (2013): 131-136.

[101]Hassan, Mohamed H., et al. "Recent Advances in Enzymatic and Non-Enzymatic Electrochemical Glucose Sensing." *Sensors* 21.14 (2021): 4672.

[102] Schlur, Laurent, Karine Bonnot, and Denis Spitzer. "Synthesis of Cu (OH)₂ and CuO nanotubes arrays on a silicon wafer." *Rsc Advances* 5.8 (2015): 6061-6070.

[103].Dupont, Jairton, and Jackson D. Scholten. "On the structural and surface properties of transition-metal nanoparticles in ionic liquids." *Chemical Society Reviews* 39.5 (2010): 1780-1804.

[104].Deraedt, Christophe, et al. "Sodium borohydride stabilizes very active gold nanoparticle catalysts." *Chemical communications* 50.91 (2014): 14194-14196.

- [105]. Yin, M. *et al.* Copper Oxide Nanocrystals. *J. Am. Chem. Soc.* **127**, 9506–9511 (2005).
- [106]. Dar, M. A., Kim, Y. S., Kim, W. B., Sohn, J. M. & Shin, H. S. Structural and magnetic properties of CuO nanoneedles synthesized by hydrothermal method. *Appl. Surf. Sci.* **254**, 7477–7481 (2008).
- [107]. Kruse, N. & Chenakin, S. XPS characterization of Au/TiO₂ catalysts: Binding energy assessment and irradiation effects. *Appl. Catal. A: Gen* **391**, 367–376 (2011).
- [108]. Wang, Juan, and Wei-De Zhang. "Fabrication of CuO nanoplatelets for highly sensitive enzyme-free determination of glucose." *Electrochimica Acta* 56.22 (2011): 7510-7516.
- [109] Mani, Veerappan, Shen-Ming Chen, and Bih-Show Lou. "Three dimensional graphene oxide-carbon nanotubes and graphene-carbon nanotubes hybrids." *Int J Electrochem Sci* 8.11641 (2013): e60.
- [110]. Wang, Guangfeng, et al. "Enzyme-free amperometric sensing of glucose using Cu-CuO nanowire composites." *Microchimica Acta* 168.1-2 (2010): 87-92.
- [111]. Sun, Shaodong, et al. "A facile strategy for the synthesis of hierarchical CuO nanourchins and their application as non-enzymatic glucose sensors." *Rsc Advances* 3.33 (2013): 13712-13719.
- [112]. Meher, Sumanta Kumar, and G. Ranga Rao. "Archetypal sandwich-structured CuO for high performance non-enzymatic sensing of glucose." *Nanoscale* 5.5 (2013): 2089-2099.
- [113]. Lu, Wangdong, et al. "CuO nanothorn arrays on three-dimensional copper foam as an ultra-highly sensitive and efficient nonenzymatic glucose sensor." *RSC advances* 6.20 (2016): 16474-16480.
- [114]. Li, Cuiling, et al. "An improved sensitivity nonenzymatic glucose biosensor based on a Cu_xO modified electrode." *Biosensors and bioelectronics* 26.2 (2010): 903-907.
- [115]. Luo, Shenglian, et al. "A new method for fabricating a CuO/TiO₂ nanotube arrays electrode and its application as a sensitive nonenzymatic glucose sensor." *Talanta* 86 (2011): 157-163.
- [116]. Ahmad, Rafiq, et al. "Highly efficient non-enzymatic glucose sensor based on CuO modified vertically-grown ZnO nanorods on electrode." *Scientific reports* 7.1 (2017): 1-10.
- [117]. Xiao, Xinxin, et al. "Non-enzymatic glucose sensors based on controllable nanoporous gold/copper oxide nanohybrids." *Talanta* 125 (2014): 366-371.
- [118]. Wang, Yuan, et al. "Visible-light-responsive TiO₂-coated ZnO: I nanorod array films with enhanced photoelectrochemical and photocatalytic performance." *ACS applied materials &*

- interfaces* 7.11 (2015): 6093-6101.
- [119]. Yang, Lory Wenjuan, et al. "Improving Linear Range Limitation of Non-Enzymatic Glucose Sensor by OH⁻ Concentration." *Crystals* 10.3 (2020): 186.
- [120]. Bai, Yan-Feng, et al. "Direct electron transfer of glucose oxidase-boron doped diamond interface: a new solution for a classical problem." *Analytical chemistry* 86.10 (2014): 4910-4918.
- [121]. Zhou, Jie, et al. "Molecular hydrogel-stabilized enzyme with facilitated electron transfer for determination of H₂O₂ released from live cells." *Analytical chemistry* 86.9 (2014): 4395-4401.
- [122]. Zhang, Jing, et al. "A highly sensitive non-enzymatic glucose sensor based on CuO nanoparticles decorated carbon spheres." *Sensors and Actuators B: Chemical* 211 (2015): 385-391.
- [123]. Mishra, A. K. *et al.* Superficial fabrication of gold nanoparticles modified CuO nanowires electrode for non-enzymatic glucose detection. *RSC Adv.* **9**, 1772–1781 (2019).
- [124] Ahmad.R.,Vaseem,M.,Tripathy,NY,B.Wide linear range Detecting non-enzymatic Glucose Biosensors on CuO nano patriclesInkjet printed on the electrode.*Anal.Chem*85,10448-10454(2013).
- [125] Bergveld, Piet. "The impact of MOSFET-based sensors." *Sensors and Actuators* 8.2 (1985): 109-127.
- [126]. Schöning, Michael J., and Arshak Poghosian. "Recent advances in biologically sensitive field-effect transistors (BioFETs)." *Analyst* 127.9 (2002): 1137-1151.
- [127].Alam, Arif Ul, et al. "Polymers and organic materials-based pH sensors for healthcare applications." *Progress in Materials Science* 96 (2018): 174-216.
- [128]. Chen, Chung-Yuan, Hsiu-Li Shieh, and Tai-Ping Sun. "Portable urea biosensor based on the extended base bipolar junction transistor." *SENSORS, 2010 IEEE*. IEEE, 2010.
- [129] .Rothberg, Jonathan M., et al. "An integrated semiconductor device enabling non-optical genome sequencing." *Nature* 475.7356 (2011): 348-352-
- [130]. Batista, P. D., and M. Mulato. "ZnO extended-gate field-effect transistors as p H sensors." *Applied*

Physics Letters 87.14 (2005): 143508.

[131]. Hung, Shang-Chao, et al. "Investigation of extended-gate field-effect transistor pH sensors based on different-temperature-annealed bi-layer MWCNTs-In₂O₃ films." *Nanoscale research letters* 9.1 (2014): 502.

[132]. L. B. Luo et al., "One-dimensional CuO nanowire: synthesis, electrical, and optoelectronic devices application," *Nanoscale Res. Lett.*, vol. 9, no. 1, pp. 1–8, 2014.

[133]. Shirinfar, Bahareh, and Nisar Ahmed. "Diabetes treatment: Selective synthetic receptor for glucose." *ChemistryOpen* 8.1 (2019): 84-86.

[134] Rodondi, Nicolas, et al. "Subclinical hypothyroidism and the risk of coronary heart disease and mortality." *Jama* 304.12 (2010): 1365-1374.

[135]. Galbraith, Ewan, and Tony D. James. "Boron based anion receptors as sensors." *Chemical Society Reviews* 39.10 (2010): 3831-3842.

[136]. Bull, Steven D., et al. "Exploiting the reversible covalent bonding of boronic acids: recognition, sensing, and assembly." *Accounts of chemical research* 46.2 (2013): 312-326.

[137]. Tromans, Robert A., et al. "A biomimetic receptor for glucose." *Nature chemistry* 11.1 (2019): 52-56.

[138]. Dhara, Keerthy, et al. "Highly sensitive and wide-range nonenzymatic disposable glucose sensor based on a screen printed carbon electrode modified with reduced graphene oxide and Pd-CuO nanoparticles." *Microchimica Acta* 182.13-14 (2015): 2183-2192.

[139]. Liao, Cheng-Wei, et al. "Preliminary investigations on a glucose biosensor based on the potentiometric

[140]. Fathollahzadeh, M., et al. "Immobilization of glucose oxidase on ZnO nanorods decorated electrolyte-gated field effect transistor for glucose detection." *Journal of Solid State Electrochemistry* 22.1 (2018): 61-67.

[141]. V. A. Online and M. Afroz, "RSC Advances," 2015.

[142] D. K. Jarwal et al., "Efficiency Improvement of TiO₂ Nanorods Electron Transport Layer Based Perovskite Solar Cells by Solvothermal Etching," pp. 1–9, 2019.

[143] A. Kumar, S. Ratan, D. K. Jarwal, A. K. Mishra, and C. Kumar, "Effect of PQT-12 interface layer on the performance of PCDTBT : PCBM bulk heterojunction solar cells Effect of PQT-12 interface layer

on the performance of PCDTBT : PCBM bulk heterojunction solar cells,” 2019.

[144].Zhao,Y.et al.ZnO Nano rod /Graphene Hetrosture A direct electron transfer Glucose biosensors. *Sci.Rep.* 6, 32327(2016).

[145]Xie,Q.et.al Electrostatic assembly of sandwich like Ag-C@ZnO-C@Ag-C Hybrid microspheres with excellent high rate Lithium Storage Propertis.*ACS Nano*10,1283-1291(2016).

[146] Perumal,V.et al. Spotted Nanoflower’: Gold Seeded Zinc Oxide Nanohybrid for selective bio-Capture.*Sci.Rep* 6,12231(2015).

[147] A. K. Mishra, D. K. Jarwal, B. Mukherjee, A. Kumar, S. Ratan and S. Jit, "CuO Nanowire-Based Extended-Gate Field-Effect-Transistor (FET) for pH Sensing and Enzyme-Free/Receptor-Free Glucose Sensing Applications," in *IEEE Sensors Journal*, vol. 20, no. 9, pp. 5039-5047, 1 May1, 2020.

[148] J. C. Chou and C. W. Chen, “Fabrication and application of ruthenium-doped titanium dioxide films as electrode material for ion-sensitive extended-gate FETs,” *IEEE Sens. J.*, vol. 9, no. 3, pp. 277–284, 2009.

[149] Wang et. al, “A highly sensitive gas sensor based on CuO nanoparticles synthetized via a sol–gel method,” *RSC Adv.*, 2016, 6, 79343-79349.DOI: 10.1039/C6RA13876D.

[150]. Zhang, X. *et al.* Effect of Aspect Ratio and Surface Defects on the Photocatalytic Activity of ZnO Nanorods. *Sci Rep.* 4, 4596 (2014).

[151]. Ahmad, R. *et al.* Ammonium Ion Detection in Solution Using Vertically Grown ZnO Nanorod Based Field-Effect Transistor. *RSCAdv.* 6, 54836–54840 (2016).

[152]. Wang, Y. *et al.* Visible-Light-Responsive TiO₂-Coated ZnO:I Nanorod Array Films with Enhanced Photoelectrochemical and Photocatalytic Performance. *ACS Appl. Mater. Interfaces* 7, 6093–6101 (2015).

[153].Zhou, C. *et al.* Ultrasensitive Non-Enzymatic Glucose Sensor Based on Three-Dimensional Network of ZnO-CuO Hierarchical Nanocomposites by Electrospinning. *Sci. Rep.* 4, 7382 (2014).

AUTHOR'S RELEVANT PUBLICATIONS

Journals:

1. Mishra, Ashwini Kumar, et al. "**Au nanoparticles modified CuO nanowire electrode based non-enzymatic glucose detection with improved linearity.**" *Scientific reports* 10.1 (2020): 1-10[IF-4.37].
2. Mishra, Ashwini Kumar, et al. "**CuO Nanowire-Based Extended-Gate Field-Effect-Transistor (FET) for pH Sensing and Enzyme-Free/Receptor-Free Glucose Sensing Applications.**" *IEEE Sensors Journal* 20.9 (2020): 5039-5047[IF-3.30].
3. Mishra, Ashwini Kumar, et al. "**Superficial fabrication of gold nanoparticles modified CuO nanowires electrode for non-enzymatic glucose detection.**" *RSC advances* 9.4 (2019): 1772-1781[IF-3.36].
4. Mishra, Ashwini Kumar, et al. "**CuO Nanoparticles Decorated ZnO Nanorods based Extended-Gate Field-Effect-Transistor (EGFET) for Enzyme-Free Glucose Sensing Application.**" *IEEE Transactions on NanoBioscience* (2021). doi: 10.1109/TNB.2021.3112539[IF-2.93].

Confrences

- 1) Ashwini Kumar Mishra, Deepak Kumar Jarwal, Bratindranath Mukherjee, Amit Kumar, Smrity Ratan, Manas Ranjan Tripathy, V. Mishra, and Satayabrata. Jit, "Design of High Speed Row Decoder with Redundant Memory (SRAM) Cell," **International Seminar cum Research Colloquium on MEMS based Sensors and Smart Nanostructured Devices (MSSND 2019)**, Jadavpur University, Kolkata, India, 2019.

OTHER RELEVANT PUBLICATIONS

- 1) Deepak Kumar Jarwal, **Ashwini kumar Mishra**, Amit kumar, Abhinav Pratap Singh, Chandan Kumar, Bratindranath Mukherjee and Satyabrata Jit , “Fabrication and TCAD simulation of TiO₂ nanorods electron transport layer based perovskite solar cells ”February 2020 Superlattices and Microstructures 140:106463 DOI: [10.1016/j.spmi.2020.106463](https://doi.org/10.1016/j.spmi.2020.106463)
[IF-2.66]
- 2) Deepak Kumar Jarwal, Amit kumar, **Ashwini kumar Mishra**, Smirity Ratan, Chandan Kumar, Deepchandra upadhyay, Bratindranath Mukherjee and Satyabrata Jit , Efficiency Improvement of TiO₂ Nanorods Electron Transport Layer Based Perovskite Solar Cells by Solvothermal Etching,” September 2019 IEEE Journal of Photovoltaics PP(99):1-9 DOI: [10.1109/JPHOTOV.2019.2941181](https://doi.org/10.1109/JPHOTOV.2019.2941181). **[IF-3.89]**
- 3) Deepak Kumar Jarwal, Amit kumar, **Ashwini kumar Mishra**, Smirity Ratan, Rishi brind Upadhyay, Chandan Kumar, Bratindranath Mukherjee, and Satyabrata Jit Fabrication and TCAD validation of ambient air-processed ZnO NRs/CH₃NH₃PbI₃/spiro-OMeTAD solar cells **[IF-2.66]**
- 4) Smirity Ratan, Chandan Kumar, Amit Kumar, Deepak Kumar Jarwal, **Ashwini Kumar Mishra**, and Satyabrata Jit, Fabrication and Characterization of Titanium Dioxide Based Pd/TiO₂/Si MOS Sensor for Hydrogen Gas March 2018 IEEE Sensors Journal PP(99):1-1 DOI: [10.1109/JSEN.2018.2819805](https://doi.org/10.1109/JSEN.2018.2819805). **[IF:3.30]**
- 5) Smirity Ratan, Chandan Kumar, Amit Kumar, Deepak Kumar Jarwal, **Ashwini Kumar Mishra**, Rishi brind Upadhyay and Satyabrata Jit, “Fabrication and characterization of ZnO quantum dots based metal-semiconductor-metal sensor for hydrogen gas June 2019 Nanotechnology 30(39) DOI: [10.1088/1361-6528/ab2c41](https://doi.org/10.1088/1361-6528/ab2c41). **[IF:3.87]**
- 6) Smirity Ratan, Chandan Kumar, Amit Kumar, Deepak Kumar Jarwal, **Ashwini Kumar**

Mishra,Rishibrind Upadhyay ,Abhinav Pratap Singh,and Satyabrata Jit Room Temperature High Hydrogen Gas Response in Pd/TiO₂/Si/Al Capacitive Sensor May 2020 Micro & Nano LettersDOI: [10.1049/mnl.2020.0154](https://doi.org/10.1049/mnl.2020.0154).**[I.F-1.1]**

- 7) Amit kumar,Smrity Ratan,Deepak Kumar Jarwal,**Ashwini kumar Mishra**,Chandan Kumar Abhinav Pratap Singh,Bratindra nath Mukerjee,and Satyabrata Jit “Effect of PQT-12 interface layer on the performance of PCDTBT:PCBM bulk heterojunction solar cells September 2019 Materials Research Express 6(11) DOI: [10.1088/2053-1591/ab4708](https://doi.org/10.1088/2053-1591/ab4708).**[IF-1.16]**
- 8) Amit kumar,,Deepak Kumar Jarwal,**Ashwini kumar Mishra**, Smrity rattan,Chandan Kumar, Rishibrind Upadhyay,Bratindra nath Mukerjee,and Satyabrata Jit, “Effects of HTL and ETL Thicknesses on the Performance of PQT-12/PCDTBT:PC61BM/ZnO QDs Solar Cells April 2020 IEEE Photonics Technology Letters PP(99):1-1 DOI: [10.1109/LPT.2020.2991536](https://doi.org/10.1109/LPT.2020.2991536) .
[IF:2.45]
- 9) Amit kumar,,Deepak Kumar Jarwal,**Ashwini kumar Mishra**, Smrity rattan,Chandan Kumar, Deepchandra Upadhyay,Bratindra nath Mukerjee,and Satyabrata Jit, “ Synergistic Effect of CdSe Quantum Dots (QDs) and PC 61 BM on Ambient-Air Processed ZnO QDs/PCDTBT:PC 61 BM:CdSe QDs/MoO₃ Based Ternary Organic Solar Cells” July 2020 Nanotechnology DOI:10.1088/1361-6528/abaa71. **[IF:3.87]**.