

Bibliography

- [1] M. Abufouda and K. A. Zweig, “Interactions around social networks matter: Predicting the social network from associated interaction networks,” in *Advances in Social Networks Analysis and Mining (ASONAM)*, 2014, pp. 142–145.
- [2] G. Agarwal and D. Kempe, “Modularity-maximizing graph communities via mathematical programming,” *The European Physical Journal B*, 2008, v. 66, n. 3, pp. 409–418.
- [3] N. Agarwal, H. Liu, L. Tang, and P. S. Yu, “Identifying the influential bloggers in a community,” in *Proceedings of the 2008 international conference on web search and data mining*. ACM, 2008, pp. 207–218.
- [4] M. Al Hasan and M. J. Zaki, “A survey of link prediction in social networks,” in *Social network data analytics*. Springer, 2011, pp. 243–275.
- [5] T. Alahakoon, R. Tripathi, N. Kourtellis, R. Simha, and A. Iamnitchi, “K-path centrality: A new centrality measure in social networks,” in *Proceedings of the 4th Workshop on Social Network Systems*. ACM, 2011, pp. 1.
- [6] S. Alam, G. Dobbie, Y. S. Koh, P. Riddle, and S. U. Rehman, “Research on particle swarm optimization based clustering: a systematic review of literature and techniques,” *Swarm and Evolutionary Computation*, 2014, v. 17, pp. 1–13.
- [7] H. Almeida, D. Guedes, W. Meira Jr, and M. J. Zaki, “Is there a best quality metric for graph clusters?” in *Machine Learning and K D D*. Springer, 2011, pp. 44–59.
- [8] L. F. Ana and A. K. Jain, “Robust data clustering,” in *2003 IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, v. 2. IEEE, 2003, pp. 128–133.

- [9] A. Ansari, O. Koenigsberg, and F. Stahl, "Modeling multiple relationships in social networks," *Journal of Marketing Research*, 2011, v. 48, n. 4, pp. 713–728.
- [10] A. Arenas, A. Fernandez, and S. Gomez, "Analysis of the structure of complex networks at different resolution levels," *New Journal of Physics*, 2008, v. 10, n. 5, pp. 053039.
- [11] V. Arnaboldi, M. Conti, A. Passarella, and F. Pezzoni, "Analysis of ego network structure in online social networks," in *Privacy, Security, Risk and Trust (PASSAT), 2012 International Conference on and 2012 International Conference on Social Computing (SocialCom)*, Sept 2012, pp. 31–40.
- [12] M. Aruldoss, T. M. Lakshmi, and V. P. Venkatesan, "A survey on multi criteria decision making methods and its applications," *American Journal of Information Systems*, 2013, v. 1, n. 1, pp. 31–43. [Online]. Available: <http://pubs.sciepub.com/ajis/1/1/5>
- [13] H. Balakrishnan and N. Deo, "Detecting communities using bibliographic metrics." in *GrC*, 2006, pp. 293–298.
- [14] A.-L. Barabási and R. Albert, "Emergence of scaling in random networks," *science*, 1999, v. 286, n. 5439, pp. 509–512.
- [15] F. Battiston, J. Iacovacci, V. Nicosia, G. Bianconi, and V. Latora, "Emergence of multiplex communities in collaboration networks," *PloS one*, 2016, v. 11, n. 1, pp. e0147451.
- [16] V. Belák, S. Lam, and C. Hayes, "Towards maximising cross-community information diffusion," in *Advances in Social Networks Analysis and Mining (ASONAM), 2012 IEEE/ACM International Conference on*. IEEE, 2012, pp. 171–178.
- [17] V. D. Blondel, J.-L. Guillaume, R. Lambiotte, and E. Lefebvre, "Fast unfolding of communities in large networks," *Journal of Statistical Mechanics: Theory and Experiment*, 2008, v. 2008, n. 10, pp. P10008.
- [18] S. Boettcher and A. G. Percus, "Optimization with extremal dynamics," *Physical Review Letters*, 2001, v. 86, n. 23, pp. 5211.
- [19] U. Brandes, "A faster algorithm for betweenness centrality*," *Journal of mathematical sociology*, 2001, v. 25, n. 2, pp. 163–177.

- [20] U. Brandes, D. Delling, M. Gaertler, R. Görke, M. Hofer, Z. Nikoloski, and D. Wagner, “Maximizing modularity is hard,” *arXiv preprint physics/0608255*, 2006.
- [21] U. Brandes, M. Gaertler, and D. Wagner, “Experiments on graph clustering algorithms,” in *Algorithms - ESA 2003*, ser. Lecture Notes in Computer Science, G. Di Battista and U. Zwick, Eds. Springer Berlin Heidelberg, 2003, v. 2832, pp. 568–579.
- [22] J. Brest, S. Greiner, B. Boskovic, M. Mernik, and V. Zumer, “Self-adapting control parameters in differential evolution: a comparative study on numerical benchmark problems,” *IEEE transactions on evolutionary computation*, 2006, v. 10, n. 6, pp. 646–657.
- [23] J. M. Buhmann, “Information theoretic model validation for clustering,” in *2010 IEEE International Symposium on Information Theory*. IEEE, 2010, pp. 1398–1402.
- [24] S. Cafieri, P. Hansen, and L. Liberti, “Locally optimal heuristic for modularity maximization of networks,” *Phys. Rev. E*, May 2011, v. 83, pp. 056105.
- [25] Q. Cai, M. Gong, B. Shen, L. Ma, and L. Jiao, “Discrete particle swarm optimization for identifying community structures in signed social networks,” *Neural Networks*, 2014, v. 58, pp. 4–13.
- [26] Q. Cai, L. Ma, M. Gong, and D. Tian, “A survey on network community detection based on evolutionary computation,” *International Journal of Bio-Inspired Computation*, 2016, v. 8, n. 2, pp. 84–98.
- [27] D. Chakrabarti, “Autopart: Parameter-free graph partitioning and outlier detection,” in *European Conference on Principles of Data Mining and Knowledge Discovery*. Springer, 2004, pp. 112–124.
- [28] B. Chen and L. Chen, “A link prediction algorithm based on ant colony optimization,” *Applied Intelligence*, 2014, v. 41, n. 3, pp. 694–708.
- [29] J. Chen, H. Zhang, Z.-H. Guan, and T. Li, “Epidemic spreading on networks with overlapping community structure,” *Physica A: Statistical Mechanics and its Applications*, 2012, v. 391, n. 4, pp. 1848–1854.

- [30] J. Chen and B. Yuan, "Detecting functional modules in the yeast protein–protein interaction network," *Bioinformatics*, 2006, v. 22, n. 18, pp. 2283–2290.
- [31] W. Chen, Z. Liu, X. Sun, and Y. Wang, "A game-theoretic framework to identify overlapping communities in social networks," *Data Mining and Knowledge Discovery*, 2010, v. 21, n. 2, pp. 224–240.
- [32] W. Y. Chen, A. W. Dress, and Q. Y. Winking, "Community structures of networks," *Mathematics in Computer Science*, 2008, v. 1, n. 3, pp. 441–457.
- [33] X. Chu, J. Guan, Z. Zhang, and S. Zhou, "Epidemic spreading in weighted scale-free networks with community structure," *Journal of Statistical Mechanics: Theory and Experiment*, 2009, v. 2009, n. 07, pp. P07043.
- [34] A. Clauset, M. E. Newman, and C. Moore, "Finding community structure in very large networks," *Physical review E*, 2004, v. 70, n. 6, pp. 066111.
- [35] J. Copic, M. O. Jackson, and A. Kirman, "Identifying community structures from network data via maximum likelihood methods," *The BE Journal of Theoretical Economics*, 2009, v. 9, n. 1.
- [36] M. Coscia, F. Giannotti, and D. Pedreschi, "A classification for community discovery methods in complex networks," *Statistical Analysis and Data Mining*, 2011, v. 4, n. 5, pp. 512–546.
- [37] A. Costa, S. Kushnarev, L. Liberti, and Z. Sun, "Divisive heuristic for modularity density maximization," *Computers & Operations Research*, 2016, v. 71, pp. 100–109.
- [38] L. Danon, A. Díaz-Guilera, and A. Arenas, "The effect of size heterogeneity on community identification in complex networks," *Journal of Statistical Mechanics: Theory and Experiment*, 2006, v. 2006, n. 11, pp. P11010.
- [39] D. L. Davies and D. W. Bouldin, "A cluster separation measure," *IEEE transactions on pattern analysis and machine intelligence*, 1979, n. 2, pp. 224–227.
- [40] P. De Meo, E. Ferrara, G. Fiumara, and A. Ricciardello, "A novel measure of edge centrality in social networks," *Knowledge-based systems*, 2012, v. 30, pp. 136–150.
- [41] T. B. de Oliveira and L. Zhao, "Complex network community detection based on swarm aggregation," in *2008 Fourth International Conference on Natural Computation*, v. 7. IEEE, 2008, pp. 604–608.

- [42] C. H. Ding, X. He, H. Zha, M. Gu, and H. D. Simon, "A min-max cut algorithm for graph partitioning and data clustering," in *Data Mining, 2001. ICDM 2001, Proceedings IEEE International Conference on*. IEEE, 2001, pp. 107–114.
- [43] J. Ding, L. Jiao, J. Wu, Y. Hou, and Y. Qi, "Prediction of missing links based on multi-resolution community division," *Physica A: Statistical Mechanics and its Applications*, 2015, v. 417, pp. 76 – 85.
- [44] J. Ding, L. Jiao, J. Wu, and F. Liu, "Prediction of missing links based on community relevance and ruler inference," *Knowledge-Based Systems*, 2016, v. 98, pp. 200 – 215.
- [45] P. Doreian, V. Batagelj, and A. Ferligoj, *Generalized blockmodeling*. Cambridge university press, 2005, v. 25.
- [46] J. Duch and A. Arenas, "Community detection in complex networks using extremal optimization," *Physical review E*, 2005, v. 72, n. 2, pp. 027104.
- [47] R. C. Eberhart, J. Kennedy *et al.*, "A new optimizer using particle swarm theory," in *Proceedings of the sixth international symposium on micro machine and human science*, v. 1. New York, NY, 1995, pp. 39–43.
- [48] N. B. Ellison, C. Steinfield, and C. Lampe, "The benefits of facebook "friends:" social capital and college students' use of online social network sites," *Journal of Computer-Mediated Communication*, 2007, v. 12, n. 4, pp. 1143–1168.
- [49] S. T. Ennett and K. E. Bauman, "The contribution of influence and selection to adolescent peer group homogeneity: the case of adolescent cigarette smoking." *Journal of personality and social psychology*, 1994, v. 67, n. 4, pp. 653.
- [50] W. Fan and K. Yeung, "Similarity between community structures of different online social networks and its impact on underlying community detection," *Communications in Nonlinear Science and Numerical Simulation*, 2015, v. 20, n. 3, pp. 1015 – 1025.
- [51] M. Fatemi and L. Tokarchuk, "A community based social recommender system for individuals & groups," in *Social Computing (SocialCom), 2013 International Conference on*. IEEE, 2013, pp. 351–356.

- [52] M. Filippone, F. Camastra, F. Masulli, and S. Rovetta, "A survey of kernel and spectral methods for clustering," *Pattern recognition*, 2008, v. 41, n. 1, pp. 176–190.
- [53] R. A. Fisher, "The use of multiple measurements in taxonomic problems," *Annals of eugenics*, 1936, v. 7, n. 2, pp. 179–188.
- [54] S. Fortunato, "Community detection in graphs," *Physics reports*, 2010, v. 486, n. 3, pp. 75–174.
- [55] L. C. Freeman, "Centered graphs and the structure of ego networks," *Mathematical Social Sciences*, 1982, v. 3, n. 3, pp. 291 – 304.
- [56] O. Gach and J.-K. Hao, "A memetic algorithm for community detection in complex networks," in *International Conference on Parallel Problem Solving from Nature*. Springer, 2012, pp. 327–336.
- [57] A. Garg, A. Biswas, and B. Biswas, "Evolutionary computation techniques for community detection in social network analysis," *Advanced Methods for Complex Network Analysis*, 2016, pp. 266–284.
- [58] S. Geisser, "Predictive inference: An introduction chapman & hall," *New York*, 1993.
- [59] J. G. Gerard, "Linking in with linkedin®: Three exercises that enhance professional social networking and career building," *Journal of Management Education*, 2011, v. 36, n. 6, pp. 866–897.
- [60] F. S. Gharehchopogh and S. R. Khaze, "Data mining application for cyber space users tendency in blog writing: a case study," *International Journal of Computer Applications (IJCA)*, 2012, v. 47, n. 18, pp. 40–46.
- [61] M. Girvan and M. E. Newman, "Community structure in social and biological networks," *Proceedings of the National Academy of Sciences*, 2002, v. 99, n. 12, pp. 7821–7826.
- [62] P. M. Gleiser and L. Danon, "Community structure in jazz," *Advances in complex systems*, 2003, v. 6, n. 04, pp. 565–573.
- [63] S. M. M. Golsefid, M. H. F. Zarandi, and S. Bastani, "Fuzzy community detection model in social networks," *International Journal of Intelligent Systems*, 2015, v. 30, n. 12, pp. 1227–1244.

- [64] M. Gong, Q. Cai, X. Chen, and L. Ma, "Complex network clustering by multiobjective discrete particle swarm optimization based on decomposition," *IEEE Transactions on Evolutionary Computation*, 2014, v. 18, n. 1, pp. 82–97.
- [65] M. Gong, Q. Cai, Y. Li, and J. Ma, "An improved memetic algorithm for community detection in complex networks," in *2012 IEEE Congress on Evolutionary Computation*. IEEE, 2012, pp. 1–8.
- [66] M. Gong, B. Fu, L. Jiao, and H. Du, "Memetic algorithm for community detection in networks," *Physical Review E*, 2011, v. 84, n. 5, pp. 056101.
- [67] M. Gong, L. Ma, Q. Zhang, and L. Jiao, "Community detection in networks by using multiobjective evolutionary algorithm with decomposition," *Physica A: Statistical Mechanics and its Applications*, 2012, v. 391, n. 15, pp. 4050–4060.
- [68] B. H. Good, Y.-A. de Montjoye, and A. Clauset, "Performance of modularity maximization in practical contexts," *Physical Review E*, 2010, v. 81, n. 4, pp. 046106.
- [69] S. Gregory, "An algorithm to find overlapping community structure in networks," in *European Conference on Principles of Data Mining and Knowledge Discovery*. Springer, 2007, pp. 91–102.
- [70] —, "Finding overlapping communities in networks by label propagation," *New Journal of Physics*, 2010, v. 12, n. 10, pp. 103018.
- [71] —, "Fuzzy overlapping communities in networks," *Journal of Statistical Mechanics: Theory and Experiment*, 2011, v. 2011, n. 02, pp. P02017.
- [72] R. Guimera and L. A. N. Amaral, "Functional cartography of complex metabolic networks," *Nature*, 2005, v. 433, n. 7028, pp. 895–900.
- [73] R. Guimera, L. Danon, A. Diaz-Guilera, F. Giralt, and A. Arenas, "Self-similar community structure in a network of human interactions," *Physical review E*, 2003, v. 68, n. 6, pp. 065103.
- [74] J. Han and M. Kamber, *Data Mining, Southeast Asia Edition: Concepts and Techniques*. Morgan kaufmann, 2006.
- [75] J. A. Hanley and B. J. McNeil, "The meaning and use of the area under a receiver operating characteristic (roc) curve." *Radiology*, 1982, v. 143, n. 1, pp. 29–36.

- [76] T. Hao, W. Peng, Q. Wang, B. Wang, and J. Sun, "Reconstruction and application of protein–protein interaction network," *International Journal of Molecular Sciences*, 2016, v. 17, n. 6, pp. 907.
- [77] S. A. Haslam, P. J. Oakes, and J. C. Turner, "Social identity, self-categorization, and the perceived homogeneity of ingroups and outgroups: The interaction between social motivation and cognition." 1996.
- [78] M. B. Hastings, "Community detection as an inference problem," *Phys. Rev. E*, Sep 2006, v. 74, pp. 035102.
- [79] T. C. Havens, J. C. Bezdek, C. Leckie, K. Ramamohanarao, and M. Palaniswami, "A soft modularity function for detecting fuzzy communities in social networks," *IEEE Transactions on Fuzzy Systems*, 2013, v. 21, n. 6, pp. 1170–1175.
- [80] T. Hayashi, T. Akiba, and Y. Yoshida, "Efficient algorithms for spanning tree centrality," in *Proceedings of the Twenty-Fifth International Joint Conference on Artificial Intelligence (IJCAI-16)*, 2016, pp. 3733–3739.
- [81] D. He, J. Liu, D. Liu, D. Jin, and Z. Jia, "Ant colony optimization for community detection in large-scale complex networks," in *Natural Computation (ICNC), 2011 Seventh International Conference on*, v. 2. IEEE, 2011, pp. 1151–1155.
- [82] J. L. Herlocker, J. A. Konstan, L. G. Terveen, and J. T. Riedl, "Evaluating collaborative filtering recommender systems," *ACM Transactions on Information Systems (TOIS)*, 2004, v. 22, n. 1, pp. 5–53.
- [83] R. Hoffmann and A. Valencia, "A gene network for navigating the literature," *Nature genetics*, 2004, v. 36, n. 7, pp. 664–664.
- [84] J. M. Hofman and C. H. Wiggins, "Bayesian approach to network modularity," *Physical review letters*, 2008, v. 100, n. 25, pp. 258701.
- [85] P. Holme, M. Huss, and H. Jeong, "Subnetwork hierarchies of biochemical pathways," *Bioinformatics*, 2003, v. 19, n. 4, pp. 532–538.
- [86] C. Honghao, F. Zuren, and R. Zhigang, "Community detection using ant colony optimization," in *2013 IEEE Congress on Evolutionary Computation*. IEEE, 2013, pp. 3072–3078.

- [87] A. Horwitz, "Family, kin, and friend networks in psychiatric help-seeking," *Social Science & Medicine. Part A: Medical Psychology & Medical Sociology*, 1978, v. 12, pp. 297–304.
- [88] Y. Hu, H. Chen, P. Zhang, M. Li, Z. Di, and Y. Fan, "Comparative definition of community and corresponding identifying algorithm," *Physical Review E*, 2008, v. 78, n. 2, pp. 026121.
- [89] L. Hubert and P. Arabie, "Comparing partitions," *Journal of Classification*, 1985, v. 2, n. 1, pp. 193–218.
- [90] V. Hugo, *Les Miserables*. Dana Estes And Company, Boston, 1862, v. v.
- [91] C. L. Hwang and K. Yoon, *Multiple Attribute Decision Making Methods and Applications*. Springer, Heidelberg, 1981.
- [92] M. O. Jackson, *Social and Economic Networks*, 1st ed. Princeton University Press, March 2008.
- [93] J. Ji, X. Song, C. Liu, and X. Zhang, "Ant colony clustering with fitness perception and pheromone diffusion for community detection in complex networks," *Physica A: Statistical Mechanics and its Applications*, 2013, v. 392, n. 15, pp. 3260–3272.
- [94] D. Jin, D. Liu, B. Yang, C. Baquero, and D. He, "Ant colony optimization with markov random walk for community detection in graphs," in *Pacific-Asia Conference on Knowledge Discovery and Data Mining*. Springer, 2011, pp. 123–134.
- [95] A. Joseph, B. Yu *et al.*, "Impact of regularization on spectral clustering," *The Annals of Statistics*, 2016, v. 44, n. 4, pp. 1765–1791.
- [96] J. Kamahara, T. Asakawa, S. Shimojo, and H. Miyahara, "A community-based recommendation system to reveal unexpected interests," in *11th international multimedia modelling conference*. IEEE, 2005, pp. 433–438.
- [97] R. Kanawati, "Licod: Leaders identification for community detection in complex networks," in *Privacy, security, risk and trust (passat), 2011 ieee third international conference on and 2011 ieee third international conference on social computing (socialcom)*, Oct 2011, pp. 577–582.
- [98] S. Kelley, M. Goldberg, M. Magdon-Ismail, K. Mertsalov, and A. Wallace, "Defining and discovering communities in social networks," in *Handbook of Optimization in Complex Networks*. Springer, 2012, pp. 139–168.

- [99] J. Kennedy, "Particle swarm optimization," in *Encyclopedia of machine learning*. Springer, 2011, pp. 760–766.
- [100] R. R. Khorasgani, J. Chen, and O. R. Zaïane, "Top leaders community detection approach in information networks," in *4th SNA-KDD Workshop on Social Network Mining and Analysis, Washington DC*. Citeseer, 2010.
- [101] M. Kimura, K. Yamakawa, K. Saito, and H. Motoda, "Community analysis of influential nodes for information diffusion on a social network," in *2008 IEEE International Joint Conference on Neural Networks (IEEE World Congress on Computational Intelligence)*. IEEE, 2008, pp. 1358–1363.
- [102] D. E. Knuth, "The stanford graphbase: A platform for combinatorial algorithms," in *Proceedings of the Fourth Annual ACM-SIAM Symposium on Discrete Algorithms*, ser. SODA '93. Philadelphia, PA, USA: Society for Industrial and Applied Mathematics, 1993, pp. 41–43.
- [103] G. Kou, Y. Peng, and G. Wang, "Evaluation of clustering algorithms for financial risk analysis using {MCDM} methods," *Information Sciences*, 2014, v. 275, n. 0, pp. 1–12.
- [104] V. Krebs, "Proxy networks—analyzing one network to reveal another," *Bulletin de Méthodologie Sociologique*, 2003, v. 79, n. 1, pp. 61–70.
- [105] R. Kuang, Q. Liu, and H. Yu, *Community-Based Link Prediction in Social Networks*. Springer International Publishing, 2016, pp. 341–348.
- [106] A. Lachmann, F. M. Giorgi, G. Lopez, and A. Califano, "Aracne-ap: gene network reverse engineering through adaptive partitioning inference of mutual information," *Bioinformatics*, 2016, pp. btw216.
- [107] A. Lancichinetti and S. Fortunato, "Community detection algorithms: A comparative analysis," *Phys. Rev. E*, Nov 2009, v. 80, pp. 056117.
- [108] ———, "Limits of modularity maximization in community detection," *Physical review E*, 2011, v. 84, n. 6, pp. 066122.
- [109] A. Lancichinetti, S. Fortunato, and F. Radicchi, "Benchmark graphs for testing community detection algorithms," *Physical Review E*, 2008, v. 78, n. 4, pp. 046110.

- [110] T. Leighton and S. Rao, "An approximate max-flow min-cut theorem for uniform multicommodity flow problems with applications to approximation algorithms," in *Foundations of Computer Science, 1988., 29th Annual Symposium on*, Oct 1988, pp. 422–431.
- [111] J. Leskovec, D. Huttenlocher, and J. Kleinberg, "Predicting positive and negative links in online social networks," in *Proceedings of the 19th international conference on World wide web*. ACM, 2010, pp. 641–650.
- [112] J. Leskovec, J. Kleinberg, and C. Faloutsos, "Graph evolution: Densification and shrinking diameters," *ACM Transactions on Knowledge Discovery from Data (TKDD)*, 2007, v. 1, n. 1, pp. 2.
- [113] J. Leskovec, K. J. Lang, and M. Mahoney, "Empirical comparison of algorithms for network community detection," in *Proceedings of the 19th International Conference on World Wide Web*, ser. WWW '10. New York, NY, USA: ACM, 2010, pp. 631–640.
- [114] M. Lewis, "Does attachment imply a relationship or multiple relationships?" *Psychological Inquiry*, 1994, v. 5, n. 1, pp. 47–51.
- [115] Z. Li and J. Liu, "A multi-agent genetic algorithm for community detection in complex networks," *Physica A: Statistical Mechanics and its Applications*, 2016, v. 449, pp. 336–347.
- [116] D. Liben-Nowell and J. Kleinberg, "The link-prediction problem for social networks," *Journal of the American society for information science and technology*, 2007, v. 58, n. 7, pp. 1019–1031.
- [117] L. Lin, T. Luo, J. Fu, Z. Ji, and D. Xiao, "A new community detection based on agglomeration mechanism," in *Computing, Control and Industrial Engineering (CCIE), 2011 IEEE 2nd International Conference on*, v. 1. IEEE, 2011, pp. 352–355.
- [118] P. J. Lisboa, H. N. Nawaf, and W. S. Bhaya, "Improving recommendation systems by modeling the stability of implicit behaviour," in *The Post Graduate Network Symposium (PGNet2013), Liverpool, UK*, 2013.
- [119] J. Liu, "Fuzzy modularity and fuzzy community structure in networks," *The European Physical Journal B*, 2010, v. 77, n. 4, pp. 547–557.

- [120] J.-E. Lönnqvist and J. V. Itkonen, “Homogeneity of personal values and personality traits in facebook social networks,” *Journal of Research in Personality*, 2016, v. 60, pp. 24–35.
- [121] L. Lü and T. Zhou, “Link prediction in complex networks: A survey,” *Physica A: Statistical Mechanics and its Applications*, 2011, v. 390, n. 6, pp. 1150–1170.
- [122] D. Lusseau, K. Schneider, O. J. Boisseau, P. Haase, E. Sloaten, and S. M. Dawson, “The bottlenose dolphin community of doubtful sound features a large proportion of long-lasting associations,” *Behavioral Ecology and Sociobiology*, 2003, v. 54, n. 4, pp. 396–405.
- [123] L. Ma, M. Gong, J. Liu, Q. Cai, and L. Jiao, “Multi-level learning based memetic algorithm for community detection,” *Applied Soft Computing*, 2014, v. 19, pp. 121–133.
- [124] D. J. MacKay, *Information theory, inference and learning algorithms*. Cambridge university press, 2003.
- [125] F. D. Malliaros and M. Vazirgiannis, “Clustering and community detection in directed networks: A survey,” *Physics Reports*, 2013, v. 533, n. 4, pp. 95–142.
- [126] C. D. Manning, P. Raghavan, and H. Schütze, *Introduction to Information Retrieval*, 1st ed. Cambridge University Press, July 2008.
- [127] N. Matsumura, D. E. Goldberg, and X. Llorà, “Mining directed social network from message board,” in *Special interest tracks and posters of the 14th international conference on World Wide Web*. ACM, 2005, pp. 1092–1093.
- [128] C. Mavroforakis, R. Garcia-Lebron, I. Koutis, and E. Terzi, “Spanning edge centrality: Large-scale computation and applications,” in *Proceedings of the 24th International Conference on World Wide Web*. ACM, 2015, pp. 732–742.
- [129] J. McAuley and J. Leskovec, “Discovering social circles in ego networks,” *ACM Transactions on Knowledge Discovery from Data (TKDD)*, 2014, v. 8, n. 1, pp. 4.
- [130] M. Meila and J. Shi, “A random walks view of spectral segmentation,” in *8th International Workshop on Artificial Intelligence and Statistics*. Citeseer, 2001.
- [131] D. Meunier, R. Lambiotte, and E. T. Bullmore, “Modular and hierarchically modular organization of brain networks,” *Frontiers in neuroscience*, 2010, v. 4, pp. 200.

- [132] J. H. Michael, "Labor dispute reconciliation in a forest products manufacturing facility," *Forest products journal*, 1997, v. 47, n. 11-12, pp. 41–45.
- [133] J. H. Michael and J. G. Massey, "Modeling the communication network in a sawmill," *Forest Products Journal*, 1997, v. 47, n. 9, pp. 25.
- [134] D. Mimno, H. M. Wallach, and A. McCallum, "Community-based link prediction with text," 2007.
- [135] F. Moradi, T. Olovsson, and P. Tsigas, "A local seed selection algorithm for overlapping community detection," in *Advances in Social Networks Analysis and Mining (ASONAM), 2014 IEEE/ACM International Conference on*, Aug 2014, pp. 1–8.
- [136] C. Musto, F. Narducci, M. De Gemmis, P. Lops, and G. Semeraro, "A tag recommender system exploiting user and community behavior," *Recommender Systems & the Social Web*, 2009.
- [137] B. Nadler and M. Galun, "Fundamental limitations of spectral clustering," in *Advances in neural information processing systems*, 2006, pp. 1017–1024.
- [138] A. Nematzadeh, E. Ferrara, A. Flammini, and Y.-Y. Ahn, "Optimal network modularity for information diffusion," *Physical review letters*, 2014, v. 113, n. 8, pp. 088701.
- [139] M. E. Newman, "The structure of scientific collaboration networks," *Proceedings of the National Academy of Sciences*, 2001, v. 98, n. 2, pp. 404–409.
- [140] —, "Mixing patterns in networks," *Physical Review E*, 2003, v. 67, n. 2, pp. 026126.
- [141] —, "Fast algorithm for detecting community structure in networks," *Physical review E*, 2004, v. 69, n. 6, pp. 066133.
- [142] —, "Finding community structure in networks using the eigenvectors of matrices," *Physical review E*, 2006, v. 74, n. 3, pp. 036104.
- [143] M. E. Newman and M. Girvan, "Finding and evaluating community structure in networks," *Physical review E*, 2004, v. 69, n. 2, pp. 026113.
- [144] M. E. Newman and E. A. Leicht, "Mixture models and exploratory analysis in networks," *Proceedings of the National Academy of Sciences*, 2007, v. 104, n. 23, pp. 9564–9569.

- [145] A. Y. Ng, M. I. Jordan, Y. Weiss *et al.*, “On spectral clustering: Analysis and an algorithm,” *Advances in neural information processing systems*, 2002, v. 2, pp. 849–856.
- [146] V. Nicosia, G. Mangioni, V. Carchiolo, and M. Malgeri, “Extending the definition of modularity to directed graphs with overlapping communities,” *Journal of Statistical Mechanics: Theory and Experiment*, 2009, v. 2009, n. 03, pp. P03024.
- [147] A. G. Nikolaev, R. Razib, and A. Kucheriya, “On efficient use of entropy centrality for social network analysis and community detection,” *Social Networks*, 2015, v. 40, n. 0, pp. 154 – 162.
- [148] G. K. Orman, V. Labatut, and H. Cherifi, “Comparative evaluation of community detection algorithms: a topological approach,” *Journal of Statistical Mechanics: Theory and Experiment*, Aug. 2012, v. 2012, n. 08, pp. P08001.
- [149] A. Passarella, R. I. Dunbar, M. Conti, and F. Pezzoni, “Ego network models for future internet social networking environments,” *Computer Communications*, 2012, v. 35, n. 18, pp. 2201 – 2217. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0140366412002642>
- [150] C. Pizzuti, “Ga-net: A genetic algorithm for community detection in social networks,” in *International Conference on Parallel Problem Solving from Nature*. Springer, 2008, pp. 1081–1090.
- [151] ———, “A multi-objective genetic algorithm for community detection in networks,” in *2009 21st IEEE International Conference on Tools with Artificial Intelligence*. IEEE, 2009, pp. 379–386.
- [152] M. Plantié and M. Crampes, *Survey on Social Community Detection*. London: Springer London, 2013, pp. 65–85.
- [153] I. Psorakis, S. Roberts, M. Ebdem, and B. Sheldon, “Overlapping community detection using bayesian non-negative matrix factorization,” *Phys. Rev. E*, Jun 2011, v. 83, pp. 066114.
- [154] X. Qi, E. Fuller, R. Luo, and C.-q. Zhang, “A novel centrality method for weighted networks based on the kirchhoff polynomial,” *Pattern Recognition Letters*, 2015, v. 58, pp. 51–60.

- [155] A. K. Qin and P. N. Suganthan, "Self-adaptive differential evolution algorithm for numerical optimization," in *2005 IEEE congress on evolutionary computation*, v. 2. IEEE, 2005, pp. 1785–1791.
- [156] U. N. Raghavan, R. Albert, and S. Kumara, "Near linear time algorithm to detect community structures in large-scale networks," *Physical review E*, 2007, v. 76, n. 3, pp. 036106.
- [157] W. M. Rand, "Objective criteria for the evaluation of clustering methods," *Journal of American Statistical Association*, 1971, v. 66, n. 336, pp. 846–850.
- [158] A. Ratnaweera, S. K. Halgamuge, and H. C. Watson, "Self-organizing hierarchical particle swarm optimizer with time-varying acceleration coefficients," *IEEE Transactions on evolutionary computation*, 2004, v. 8, n. 3, pp. 240–255.
- [159] M. J. Rattigan, M. Maier, and D. Jensen, "Graph clustering with network structure indices," in *Proceedings of the 24th international conference on Machine learning*. ACM, 2007, pp. 783–790.
- [160] B. S. Rees and K. B. Gallagher, "Detecting overlapping communities in complex networks using swarm intelligence for multi-threaded label propagation," in *Complex Networks*. Springer, 2013, pp. 111–119.
- [161] J. Reichardt and S. Bornholdt, "Detecting fuzzy community structures in complex networks with a potts model," *Phys. Rev. Lett.*, Nov 2004, v. 93, pp. 218701.
- [162] F. Reid, A. McDaid, and N. Hurley, "Partitioning breaks communities," in *Mining Social Networks and Security Informatics*. Springer, 2013, pp. 79–105.
- [163] W. Ren, G. Yan, X. Liao, and L. Xiao, "Simple probabilistic algorithm for detecting community structure," *Physical Review E*, 2009, v. 79, n. 3, pp. 036111.
- [164] R. W. Robins, A. Caspi, and T. E. Moffitt, "It's not just who you're with, it's who you are: Personality and relationship experiences across multiple relationships," *Journal of personality*, 2002, v. 70, n. 6, pp. 925–964.
- [165] M. Rosvall and C. T. Bergstrom, "An information-theoretic framework for resolving community structure in complex networks," *Proceedings of the National Academy of Sciences*, 2007, v. 104, n. 18, pp. 7327–7331.

- [166] ———, “Maps of random walks on complex networks reveal community structure,” *Proceedings of the National Academy of Sciences*, 2008, v. 105, n. 4, pp. 1118–1123.
- [167] M. Sachan and R. Ichise, “Using abstract information and community alignment information for link prediction,” in *Machine Learning and Computing (ICMLC), 2010 Second International Conference on*. IEEE, 2010, pp. 61–65.
- [168] M. Sales-Pardo, R. Guimera, A. A. Moreira, and L. A. N. Amaral, “Extracting the hierarchical organization of complex systems,” *Proceedings of the National Academy of Sciences*, 2007, v. 104, n. 39, pp. 15 224–15 229.
- [169] S. E. Schaeffer, “Graph clustering,” *Computer Science Review*, 2007, v. 1, n. 1, pp. 27 – 64.
- [170] D. M. Scholtens, J. R. Bain, A. C. Reisetter, M. J. Muehlbauer, M. Nodzenski, R. D. Stevens, O. Ilkayeva, L. P. Lowe, B. E. Metzger, C. B. Newgard *et al.*, “Metabolic networks and metabolites underlie associations between maternal glucose during pregnancy and newborn size at birth,” *Diabetes*, 2016, pp. db151748.
- [171] P. Schuetz and A. Caffisch, “Efficient modularity optimization by multistep greedy algorithm and vertex mover refinement,” *Physical Review E*, 2008, v. 77, n. 4, pp. 046112.
- [172] S. E. Seashore, “Group cohesiveness in the industrial work group.” 1954.
- [173] D. Shah and T. Zaman, “Community detection in networks: The leader-follower algorithm,” in *Neural Information Processing Systems*, ser. NIPS 2010. arXiv preprint arXiv:1011.0774, 2010, pp. 13 pages.
- [174] S. R. Shahriary, M. Shahriari, and R. Noor, “A community-based approach for link prediction in signed social networks,” *Scientific Programming*, 2015, v. 2015, pp. 5.
- [175] J. Shang, L. Liu, F. Xie, and C. Wu, “How overlapping community structure affects epidemic spreading in complex networks,” in *Computer Software and Applications Conference Workshops (COMPSACW), 2014 IEEE 38th International*. IEEE, 2014, pp. 240–245.
- [176] R. Shang, J. Bai, L. Jiao, and C. Jin, “Community detection based on modularity and an improved genetic algorithm,” *Physica A: Statistical Mechanics and its Applications*, 2013, v. 392, n. 5, pp. 1215–1231.

- [177] R. Shang, S. Luo, Y. Li, L. Jiao, and R. Stolkin, “Large-scale community detection based on node membership grade and sub-communities integration,” *Physica A: Statistical Mechanics and its Applications*, 2015, v. 428, n. 0, pp. 279 – 294.
- [178] J. Shi and J. Malik, “Normalized cuts and image segmentation,” in *Computer Vision and Pattern Recognition, 1997. Proceedings., 1997 IEEE Computer Society Conference on*, Jun 1997, pp. 731–737.
- [179] —, “Normalized cuts and image segmentation,” *IEEE Transactions on pattern analysis and machine intelligence*, 2000, v. 22, n. 8, pp. 888–905.
- [180] Y. Shi and R. C. Eberhart, “Empirical study of particle swarm optimization,” in *Evolutionary Computation, 1999. CEC 99. Proceedings of the 1999 Congress on*, v. 3. IEEE, 1999.
- [181] Z. Shi, Y. Liu, and J. Liang, “Pso-based community detection in complex networks,” in *Knowledge Acquisition and Modeling, 2009. KAM’09. Second International Symposium on*, v. 3. IEEE, 2009, pp. 114–119.
- [182] M. M. Skeels and J. Grudin, “When social networks cross boundaries: a case study of workplace use of facebook and linkedin,” in *Proceedings of the ACM 2009 international conference on Supporting group work*. ACM, 2009, pp. 95–104.
- [183] K. Steinhaeuser and N. V. Chawla, “Identifying and evaluating community structure in complex networks,” *Pattern Recognition Letters*, 2010, v. 31, n. 5, pp. 413–421.
- [184] A. Strehl and J. Ghosh, “Cluster ensembles—a knowledge reuse framework for combining multiple partitions,” *The Journal of Machine Learning Research*, 2002, v. 3, pp. 583–617.
- [185] J. Su and T. C. Havens, “Fuzzy community detection in social networks using a genetic algorithm,” in *2014 IEEE International Conference on Fuzzy Systems (FUZZ-IEEE)*. IEEE, 2014, pp. 2039–2046.
- [186] —, “Quadratic program-based modularity maximization for fuzzy community detection in social networks,” *IEEE Transactions on Fuzzy Systems*, 2015, v. 23, n. 5, pp. 1356–1371.

- [187] P. N. Suganthan, N. Hansen, J. J. Liang, K. Deb, Y.-P. Chen, A. Auger, and S. Tiwari, "Problem definitions and evaluation criteria for the cec 2005 special session on real-parameter optimization," *KanGAL report*, 2005, v. 2005005, pp. 2005.
- [188] J. Sun, C. Faloutsos, S. Papadimitriou, and P. S. Yu, "Graphscope: parameter-free mining of large time-evolving graphs," in *Proceedings of the 13th ACM SIGKDD international conference on Knowledge discovery and data mining*. ACM, 2007, pp. 687–696.
- [189] L. Tang and H. Liu, "Community detection and mining in social media," *Synthesis Lectures on Data Mining and Knowledge Discovery*, 2010, v. 2, n. 1, pp. 1–137.
- [190] M. Tasgin, A. Herdagdelen, and H. Bingol, "Community detection in complex networks using genetic algorithms," *arXiv preprint arXiv:0711.0491*, 2007.
- [191] A. S. Teixeira, P. T. Monteiro, J. A. Carriço, M. Ramirez, and A. P. Francisco, "Spanning edge betweenness," in *Workshop on Mining and Learning with Graphs*, v. 24, 2013, pp. 27–31.
- [192] E. Thompson, "Gene identities and multiple relationships," *Biometrics*, 1974, pp. 667–680.
- [193] V. A. Traag and J. Bruggeman, "Community detection in networks with positive and negative links," *Physical Review E*, 2009, v. 80, n. 3, pp. 036115.
- [194] V. A. Traag, P. Van Dooren, and Y. Nesterov, "Narrow scope for resolution-limit-free community detection," *Physical Review E*, 2011, v. 84, n. 1, pp. 016114.
- [195] J. R. Tyler, D. M. Wilkinson, and B. A. Huberman, "E-mail as spectroscopy: Automated discovery of community structure within organizations," *The Information Society*, 2005, v. 21, n. 2, pp. 143–153.
- [196] T. Van Laarhoven and E. Marchiori, "Axioms for graph clustering quality functions," *Journal of Machine Learning Research*, Jan. 2014, v. 15, n. 1, pp. 193–215.
- [197] N. Veček, M. Mernik, and M. Črepinšek, "A chess rating system for evolutionary algorithms: a new method for the comparison and ranking of evolutionary algorithms," *Information Sciences*, 2014, v. 277, pp. 656–679.
- [198] D. Verma and M. Meila, "A comparison of spectral clustering algorithms," *University of Washington Tech Rep UWCSE030501*, 2003, v. 1, pp. 1–18.

- [199] N. X. Vinh, J. Epps, and J. Bailey, “Information theoretic measures for clusterings comparison: Is a correction for chance necessary?” in *Proceedings of the 26th Annual International Conference on Machine Learning*, ser. ICML '09. New York, NY, USA: ACM, 2009, pp. 1073–1080.
- [200] U. Von Luxburg, “A tutorial on spectral clustering,” *Statistics and computing*, 2007, v. 17, n. 4, pp. 395–416.
- [201] S. Wagner and D. Wagner, *Comparing clusterings: an overview*. Universität Karlsruhe, Fakultät für Informatik Karlsruhe, 2007.
- [202] K. Wakita and T. Tsurumi, “Finding community structure in mega-scale social networks:[extended abstract],” in *Proceedings of the 16th international conference on World Wide Web*. ACM, 2007, pp. 1275–1276.
- [203] J. Wang, M. Li, J. Chen, and Y. Pan, “A fast hierarchical clustering algorithm for functional modules discovery in protein interaction networks,” *IEEE/ACM Trans. Comput. Biol. Bioinformatics*, May 2011, v. 8, n. 3, pp. 607–620.
- [204] J. Wang, R. R. Muddada, H. Wang, J. Ding, Y. Lin, C. Liu, and W. Zhang, “Toward a resilient holistic supply chain network system: Concept, review and future direction,” *IEEE Systems Journal*, 2016, v. 10, n. 2, pp. 410–421.
- [205] P. Wang, B. Xu, Y. Wu, and X. Zhou, “Link prediction in social networks: the state-of-the-art,” *Science China Information Sciences*, 2015, v. 58, n. 1, pp. 1–38.
- [206] W. Wang, D. Liu, X. Liu, and L. Pan, “Fuzzy overlapping community detection based on local random walk and multidimensional scaling,” *Physica A*, 2013, v. 392, pp. 6578–6586.
- [207] Y. Wang and L. Gao, “An Edge-based Clustering Algorithm to Detect Social Circles in Ego Networks,” *Journal of Computers*, Oct. 2013, v. 8, n. 10, pp. 2575–2582. [Online]. Available: <http://ojs.academypublisher.com/index.php/jcp/article/view/9599>
- [208] Y.-C. Wei and C.-K. Cheng, “Towards efficient hierarchical designs by ratio cut partitioning,” in *Computer-Aided Design, 1989. ICCAD-89. Digest of Technical Papers., 1989 IEEE International Conference on*, Nov 1989, pp. 298–301.

- [209] X. Wen, W.-N. Chen, Y. Lin, T. Gu, H. Zhang, Y. Li, Y. Yin, and J. Zhang, "A maximal clique based multiobjective evolutionary algorithm for overlapping community detection," *IEEE Transactions on Evolutionary Computation*, 2016.
- [210] L. Weng, F. Menczer, and Y.-Y. Ahn, "Virality prediction and community structure in social networks," *Scientific reports*, 2013, v. 3.
- [211] M. P. Williamson and M. J. Sutcliffe, "Protein–protein interactions," *Biochemical Society Transactions*, 2010, v. 38, n. 4, pp. 875–878.
- [212] R. L. Winkler, "Introduction to bayesian inference and decision . probabilistic," ISBN 0-9647938-4-9, Tech. Rep., 2003.
- [213] D. Xiaodong, W. Cunrui, L. Xiangdong, and L. Yanping, "Web community detection model using particle swarm optimization," in *2008 IEEE Congress on Evolutionary Computation (IEEE World Congress on Computational Intelligence)*. IEEE, 2008, pp. 1074–1079.
- [214] J. Xie, S. Kelley, and B. K. Szymanski, "Overlapping community detection in networks: The state-of-the-art and comparative study," *ACM Computing Surveys (csur)*, 2013, v. 45, n. 4, pp. 43.
- [215] J. Xie, B. K. Szymanski, and X. Liu, "Slpa: Uncovering overlapping communities in social networks via a speaker-listener interaction dynamic process," in *2011 IEEE 11th International Conference on Data Mining Workshops*. IEEE, 2011, pp. 344–349.
- [216] X. Xu, N. Yuruk, Z. Feng, and T. A. J. Schweiger, "Scan: A structural clustering algorithm for networks," in *Proceedings of the 13th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, ser. KDD '07. New York, NY, USA: ACM, 2007, pp. 824–833.
- [217] S. Yazdanparast and T. C. Havens, "Modularity maximization using completely positive programming," *Physica A: Statistical Mechanics and its Applications*, 2016.
- [218] W. W. Zachary, "An information flow model for conflict and fission in small groups," *Journal of anthropological research*, 1977, v. 33, n. 4, pp. 452–473.

- [219] E. K. Zavadskas, Z. Turskis, and S. Kildienė, “State of art surveys of overviews on mcdm/madm methods,” *Technological and Economic Development of Economy*, 2014, v. 20, n. 1, pp. 165–179.
- [220] E. Zeggelink, “Evolving friendship networks: An individual-oriented approach implementing similarity,” *Social Networks*, 1995, v. 17, n. 2, pp. 83–110.
- [221] Z.-H. Zhan, J. Zhang, Y. Li, and Y.-H. Shi, “Orthogonal learning particle swarm optimization,” *IEEE Transactions on Evolutionary Computation*, 2011, v. 15, n. 6, pp. 832–847.
- [222] H. Zhang, X. Chen, J. Li, and B. Zhou, “Fuzzy community detection via modularity guided membership-degree propagation,” *Pattern Recognition Letters*, 2016, v. 70, pp. 66–72.
- [223] S. Zhang, R.-S. Wang, and X.-S. Zhang, “Identification of overlapping community structure in complex networks using fuzzy c-means clustering,” *Physica A: Statistical Mechanics and its Applications*, 2007, v. 374, n. 1, pp. 483–490.
- [224] Y. Zhang, J. Wang, Y. Wang, and L. Zhou, “Parallel community detection on large networks with propinquity dynamics,” in *Proceedings of the 15th ACM SIGKDD international conference on Knowledge discovery and data mining*. ACM, 2009, pp. 997–1006.
- [225] Y. Zhao and G. Karypis, “Empirical and theoretical comparisons of selected criterion functions for document clustering,” *Machine Learning*, 2004, v. 55, n. 3, pp. 311–331.
- [226] C. Zhou, L. Zemanová, G. Zamora, C. C. Hilgetag, and J. Kurths, “Hierarchical organization unveiled by functional connectivity in complex brain networks,” *Physical review letters*, 2006, v. 97, n. 23, pp. 238103.
- [227] L. Zhuhadar, R. Yang, and O. Nasraoui, “Toward the design of a recommender system: visual clustering and detecting community structure in a web usage network,” in *Proceedings of the The 2012 IEEE/WIC/ACM International Joint Conferences on Web Intelligence and Intelligent Agent Technology-Volume 01*. IEEE Computer Society, 2012, pp. 354–361.
- [228] E. Ziv, M. Middendorf, and C. H. Wiggins, “Information-theoretic approach to network modularity,” *Physical Review E*, 2005, v. 71, n. 4, pp. 046117.

