

Chapter 9
References

Chapter 9

References

9. References

1. Ahmed RM, Ke YD, Vucic S, Ittner LM, Seeley W, Hodges JR, et al. Physiological changes in neurodegeneration—mechanistic insights and clinical utility. *Nature Reviews Neurology*. 2018;14(5):259-71.
2. Maldonado KA, Alsayouri K. Physiology, brain. StatPearls [Internet]: StatPearls Publishing; 2023.
3. Rajput R, Kaur R, Chadha R, Mani S, Kaur H, Singh M. The aging brain: from physiology to neurodegeneration. *Research Anthology on Supporting Healthy Aging in a Digital Society*: IGI Global Scientific Publishing; 2022. p. 110-32.
4. Bang S, Lee S, Choi N, Kim HN. Emerging brain-pathophysiology-mimetic platforms for studying neurodegenerative diseases: brain organoids and brains-on-a-chip. *Advanced Healthcare Materials*. 2021;10(12):2002119.
5. Wareham LK, Liddel SA, Temple S, Benowitz LI, Di Polo A, Wellington C, et al. Solving neurodegeneration: common mechanisms and strategies for new treatments. *Molecular neurodegeneration*. 2022;17(1):23.
6. Gitler AD, Dhillon P, Shorter J. Neurodegenerative disease: models, mechanisms, and a new hope. *Disease models & mechanisms*. 2017;10(5):499-502.
7. Sharma P, Srivastava P, Seth A, Tripathi PN, Banerjee AG, Shrivastava SK. Comprehensive review of mechanisms of pathogenesis involved in Alzheimer's disease and potential therapeutic strategies. *Prog Neurobiol*. 2019;174:53-89.
8. Kumar A, Singh A, Ekavali. A review on Alzheimer's disease pathophysiology and its management: an update. *Pharmacol Rep*. 2015;67(2):195-203.
9. ul Islam B, Tabrez S. Management of Alzheimer's disease—an insight of the enzymatic and other novel potential targets. *Int J Biol Macromol*. 2017;97:700-9.
10. Scharre DW. Preclinical, prodromal, and dementia stages of Alzheimer's disease. *Pract Neurol*. 2019;15:36-47.
11. De Strooper B, Karran E. The cellular phase of Alzheimer's disease. *Cell*. 2016;164(4):603-15.
12. Contestabile A. The history of the cholinergic hypothesis. *Behavioural brain research*. 2011;221(2):334-40.
13. Dumas JA, Newhouse PA. The cholinergic hypothesis of cognitive aging revisited again: cholinergic functional compensation. *Pharmacology Biochemistry and Behavior*. 2011;99(2):254-61.
14. Hansen RA, Gartlehner G, Webb AP, Morgan LC, Moore CG, Jonas DE. Efficacy and safety of donepezil, galantamine, and rivastigmine for the treatment of Alzheimer's disease: a systematic review and meta-analysis. *Clinical interventions in aging*. 2008;3(2):211-25.
15. Zhou J, Jangili P, Son S, Ji MS, Won M, Kim JS. Fluorescent diagnostic probes in neurodegenerative diseases. *Advanced Materials*. 2020;32(51):2001945.
16. Das S, Sengupta S, Chakraborty S. Scope of β -secretase (bace1)-targeted therapy in Alzheimer's disease: Emphasizing the flavonoid based natural scaffold for bace1 inhibition. *ACS Chemical Neuroscience*. 2020;11(21):3510-22.
17. DeToma AS, Salamekh S, Ramamoorthy A, Lim MH. Misfolded proteins in Alzheimer's disease and type II diabetes. *Chemical Society Reviews*. 2012;41(2):608-21.
18. Sharma P, Srivastava P, Seth A, Tripathi PN, Banerjee AG, Shrivastava SK. Comprehensive review of mechanisms of pathogenesis involved in Alzheimer's disease and potential therapeutic strategies. *Progress in neurobiology*. 2019;174:53-89.

19. Ashton NJ, Schöll M, Heurling K, Gkanatsiou E, Portelius E, Höglund K, et al. Update on biomarkers for amyloid pathology in Alzheimer's disease. *Biomarkers in medicine*. 2018;12(7):799-812.
20. Medeiros R, Baglietto-Vargas D, LaFerla FM. The role of tau in Alzheimer's disease and related disorders. *CNS neuroscience & therapeutics*. 2011;17(5):514-24.
21. Du X, Wang X, Geng M. Alzheimer's disease hypothesis and related therapies. *Translational neurodegeneration*. 2018;7:1-7.
22. Sobue A, Komine O, Yamanaka K. Neuroinflammation in Alzheimer's disease: microglial signature and their relevance to disease. *Inflammation and regeneration*. 2023;43(1):26.
23. Cornell J, Salinas S, Huang H-Y, Zhou M. Microglia regulation of synaptic plasticity and learning and memory. *Neural regeneration research*. 2022;17(4):705-16.
24. Cai Y, Liu J, Wang B, Sun M, Yang H. Microglia in the neuroinflammatory pathogenesis of Alzheimer's disease and related therapeutic targets. *Frontiers in immunology*. 2022;13:856376.
25. Kamatham PT, Shukla R, Khatri DK, Vora LK. Pathogenesis, diagnostics, and therapeutics for Alzheimer's disease: Breaking the memory barrier. *Ageing research reviews*. 2024;101:102481.
26. Staderini M, Martín MA, Bolognesi ML, Menéndez JC. Imaging of β -amyloid plaques by near infrared fluorescent tracers: a new frontier for chemical neuroscience. *Chemical Society Reviews*. 2015;44(7):1807-19.
27. Su D, Diao W, Li J, Pan L, Zhang X, Wu X, et al. Strategic design of amyloid- β species fluorescent probes for Alzheimer's disease. *ACS Chemical Neuroscience*. 2022;13(5):540-51.
28. Gyasi YI, Pang Y-P, Li X-R, Gu J-X, Cheng X-J, Liu J, et al. Biological applications of near infrared fluorescence dye probes in monitoring Alzheimer's disease. *European Journal of Medicinal Chemistry*. 2020;187:111982.
29. Liu Y, Zhuang D, Wang J, Huang H, Li R, Wu C, et al. Recent Advances in Small Molecular Near-Infrared Fluorescence Probes for Targeted Diagnosis of Alzheimer's Disease. *Analyst*. 2022.
30. Zhang S, Iwata K, Lachenmann M, Peng J, Li S, Stimson E, et al. The Alzheimer's peptide A β adopts a collapsed coil structure in water. *Journal of structural biology*. 2000;130(2-3):130-41.
31. Yang J, Zhu B, Yin W, Han Z, Zheng C, Wang P, et al. Differentiating A β 40 and A β 42 in amyloid plaques with a small molecule fluorescence probe. *Chemical science*. 2020;11(20):5238-45.
32. Gremer L, Schölzel D, Schenk C, Reinartz E, Labahn J, Ravelli RB, et al. Fibril structure of amyloid- β (1-42) by cryo-electron microscopy. *Science*. 2017;358(6359):116-9.
33. Iaccarino L, Burnham S, Dell'Agnello G, Dowsett S, Epelbaum S. Diagnostic biomarkers of amyloid and tau pathology in Alzheimer's disease: an overview of tests for clinical practice in the United States and Europe. *The Journal of Prevention of Alzheimer's Disease*. 2023;10(3):426-42.
34. Leuzy A, Chiotis K, Lemoine L, Gillberg P-G, Almkvist O, Rodriguez-Vieitez E, et al. Tau PET imaging in neurodegenerative tauopathies—still a challenge. *Molecular psychiatry*. 2019;24(8):1112-34.
35. Andersen E, Casteigne B, Chapman WD, Creed A, Foster F, Lapins A, et al. Diagnostic biomarkers in Alzheimer's disease. *Biomarkers in Neuropsychiatry*. 2021;5:100041.

36. Marucci G, Buccioni M, Dal Ben D, Lambertucci C, Volpini R, Amenta F. Efficacy of acetylcholinesterase inhibitors in Alzheimer's disease. *Neuropharmacology*. 2021;190:108352.
37. Schwarz S, Csuk R, Rauter APJO, chemistry b. Microwave-assisted synthesis of novel purine nucleosides as selective cholinesterase inhibitors. *Org Biomol Chem*. 2014;12(15):2446-56.
38. Yoon NY, Ngo D-N, Kim S-KJCP. Acetylcholinesterase inhibitory activity of novel chitoooligosaccharide derivatives. *Carbohydr Polym*. 2009;78(4):869-72.
39. Wen H, Lin C, Que L, Ge H, Ma L, Cao R, et al. Synthesis and biological evaluation of helicid analogues as novel acetylcholinesterase inhibitors. *Eur J Med Chem*. 2008;43(1):166-73.
40. Lopes JPB, Silva L, Ceschi MA, Lüdtkke DS, Zimmer AR, Ruaro TC, et al. Synthesis of new lophine-carbohydrate hybrids as cholinesterase inhibitors: cytotoxicity evaluation and molecular modeling. *Medchemcomm*. 2019;10(12):2089-101.
41. Ma W, Bi J, Zhao C, Gao Y, Zhang GJCR. Design, synthesis and biological evaluation of acridone glycosides as selective BChE inhibitors. *Carbohydr Res*. 2020:107977.
42. Marcelo F, Silva FV, Goulart M, Justino J, Sinay P, Bleriot Y, et al. Synthesis of novel purine nucleosides towards a selective inhibition of human butyrylcholinesterase. *Bioorg Med Chem*. 2009;17(14):5106-16.
43. Wada M, Miyazawa Y, Miura YJPC. A specific inhibitory effect of multivalent trehalose toward A β (1-40) aggregation. *Polymer Chemistry*. 2011;2(8):1822-9.
44. Yan R, Vassar R. Targeting the β secretase BACE1 for Alzheimer's disease therapy. *The Lancet Neurology*. 2014;13(3):319-29.
45. Cummings J, Lee G, Ritter A, Sabbagh M, Zhong K. Alzheimer's disease drug development pipeline: 2019. *Alzheimer's & Dementia: Translational Research & Clinical Interventions*. 2019;5:272-93.
46. Ghosh AK. BACE1 inhibitor drugs for the treatment of Alzheimer's disease: Lessons learned, challenges to overcome, and future prospects. *Global Health & Medicine*. 2024;6(3):164-9.
47. Lasagna-Reeves CA, Castillo-Carranza DL, Sengupta U, Sarmiento J, Troncoso J, Jackson GR, et al. Identification of oligomers at early stages of tau aggregation in Alzheimer's disease. *The FASEB Journal*. 2012;26(5):1946-59.
48. Bulic B, Pickhardt M, Schmidt B, Mandelkow EM, Waldmann H, Mandelkow E. Development of tau aggregation inhibitors for Alzheimer's disease. *Angew Chem Int Ed Engl*. 2009;48(10):1740-52.
49. Iqbal K, Liu F, Gong CX, Alonso Adel C, Grundke-Iqbal I. Mechanisms of tau-induced neurodegeneration. *Acta Neuropathol*. 2009;118(1):53-69.
50. Wischik CM, Harrington CR, Storey JM. Tau-aggregation inhibitor therapy for Alzheimer's disease. *Biochem Pharmacol*. 2014;88(4):529-39.
51. Bulic B, Pickhardt M, Mandelkow EM, Mandelkow E. Tau protein and tau aggregation inhibitors. *Neuropharmacology*. 2010;59(4-5):276-89.
52. James SA, Churches QI, de Jonge MD, Birchall IE, Streltsov V, McColl G, et al. Iron, Copper, and Zinc Concentration in Abeta Plaques in the APP/PS1 Mouse Model of Alzheimer's Disease Correlates with Metal Levels in the Surrounding Neuropil. *ACS Chem Neurosci*. 2017;8(3):629-37.
53. Zhang J, Zhang Y, Wang J, Xia Y, Zhang J, Chen L. Recent advances in Alzheimer's disease: Mechanisms, clinical trials and new drug development strategies. *Signal transduction and targeted therapy*. 2024;9(1):211.

54. Galimberti D, Scarpini E. Old and new acetylcholinesterase inhibitors for Alzheimer's disease. *Expert opinion on investigational drugs*. 2016;25(10):1181-7.
55. Akıncıoğlu H, Gülçin İ. Potent acetylcholinesterase inhibitors: potential drugs for Alzheimer's disease. *Mini reviews in medicinal chemistry*. 2020;20(8):703-15.
56. Miculas DC, Negru PA, Bungau SG, Behl T, Hassan SSu, Tit DM. Pharmacotherapy evolution in Alzheimer's disease: current framework and relevant directions. *Cells*. 2022;12(1):131.
57. Liu KY, Howard R. Can we learn lessons from the FDA's approval of aducanumab? *Nature Reviews Neurology*. 2021;17(11):715-22.
58. Wang D, Lee MMS, Xu W, Kwok RTK, Lam JWY, Tang BZ. Theranostics based on AIEgens. *Theranostics*. 2018;8(18):4925.
59. Kelkar SS, Reineke TM. Theranostics: combining imaging and therapy. *Bioconjugate chemistry*. 2011;22(10):1879-903.
60. Sharma A, Verwilt P, Li M, Ma D, Singh N, Yoo J, et al. Theranostic fluorescent probes. *Chemical reviews*. 2024;124(5):2699-804.
61. Gao M, Tang BZ. AIE-based cancer theranostics. *Coordination Chemistry Reviews*. 2020;402:213076.
62. Zhang L, Gong X, Tian C, Fu H, Tan H, Dai J, et al. Near-Infrared Fluorescent Probes with Rotatable Polyacetylene Chains for the Detection of Amyloid- β Plaques. *The Journal of Physical Chemistry B*. 2021;125(2):497-506.
63. Lv G, Sun A, Wang M, Wei P, Li R, Yi T. A novel near-infrared fluorescent probe for detection of early-stage A β protofibrils in Alzheimer's disease. *Chemical Communications*. 2020;56(11):1625-8.
64. Zhang M, Fu H, Hu W, Leng J, Zhang Y. Versatile Dicyanomethylene-Based Fluorescent Probes for the Detection of β -Amyloid in Alzheimer's Disease: A Theoretical Perspective. *International Journal of Molecular Sciences*. 2022;23(15):8619.
65. Yue N, Fu H, Chen Y, Gao X, Dai J, Cui M. Rational design of molecular rotor-based fluorescent probes with bi-aromatic rings for efficient in vivo detection of amyloid- β plaques in Alzheimer's disease. *European Journal of Medicinal Chemistry*. 2022;243:114715.
66. Fang D, Wen X, Wang Y, Sun Y, An R, Zhou Y, et al. Engineering of donor-acceptor-donor curcumin analogues as near-infrared fluorescent probes for in vivo imaging of amyloid- β species. *Theranostics*. 2022;12(7):3178-95.
67. Li H, Wang J, Zhang W, Xia Z, Zhai N, Liu G, et al. Functional bioprobe for responsive imaging and inhibition of amyloid- β oligomer based on curcuminoid scaffold. *Journal of Luminescence*. 2021;238:118218.
68. Liu X-Y, Wang X-J, Shi L, Liu Y-H, Wang L, Li K, et al. Rational Design of Quinoxalinone-Based Red-Emitting Probes for High-Affinity and Long-Term Visualizing Amyloid- β In Vivo. *Analytical Chemistry*. 2022.
69. Wang X, Wang C, Chan H-N, Ashok I, Krishnamoorthi SK, Li M, et al. Amyloid- β oligomer targeted theranostic probes for in vivo NIR imaging and inhibition of self-aggregation and amyloid- β induced ROS generation. *Talanta*. 2021;224:121830.
70. Chen Y, Ouyang Q, Li Y, Zeng Q, Dai B, Liang Y, et al. Evaluation of N, O-Benzamide difluoroboron derivatives as near-infrared fluorescent probes to detect β -amyloid and tau tangles. *European Journal of Medicinal Chemistry*. 2022;227:113968.
71. Guo Y, Leng H, Chen Q, Su J, Shi W-j, Xia C, et al. Development of novel near-infrared GFP chromophore-based fluorescent probes for imaging of amyloid- β plaque and viscosity. *Sensors and Actuators B: Chemical*. 2022;372:132648.

72. Song P, Chen X, Xiang Y, Huang L, Zhou Z, Wei R, et al. A ratiometric fluorescent pH probe based on aggregation-induced emission enhancement and its application in live-cell imaging. *Journal of Materials Chemistry*. 2011;21(35):13470-5.
73. Sun W, Li M, Fan J, Peng X. Activity-based sensing and theranostic probes based on photoinduced electron transfer. *Accounts of Chemical Research*. 2019;52(10):2818-31.
74. Niu H, Liu J, O'Connor HM, Gunnlaugsson T, James TD, Zhang H. Photoinduced electron transfer (PeT) based fluorescent probes for cellular imaging and disease therapy. *Chemical Society Reviews*. 2023.
75. Chen J, Shi C, Yue Kang X, Tong Shen X, Lao X, Zheng H. Recent advances in fluorescence resonance energy transfer-based probes in nucleic acid diagnosis. *Analytical Methods*. 2020;12(7):884-93.
76. Wu L, Huang C, Emery BP, Sedgwick AC, Bull SD, He X-P, et al. Förster resonance energy transfer (FRET)-based small-molecule sensors and imaging agents. *Chemical Society Reviews*. 2020;49(15):5110-39.
77. Iyaswamy A, Wang X, Krishnamoorthi S, Kaliamoorthy V, Sreenivasmurthy SG, Durairajan SSK, et al. Theranostic F-SLOH mitigates Alzheimer's disease pathology involving TFEB and ameliorates cognitive functions in Alzheimer's disease models. *Redox biology*. 2022;51:102280.
78. Wang X, Chan HN, Desbois N, Gros CP, Bolze F, Li Y, et al. Multimodal Theranostic Cyanine-Conjugated Gadolinium (III) Complex for In Vivo Imaging of Amyloid- β in an Alzheimer's Disease Mouse Model. *ACS Applied Materials & Interfaces*. 2021;13(16):18525-32.
79. Wang X, Iyaswamy A, Xu D, Krishnamoorthi S, Sreenivasmurthy SG, Yang Y, et al. Real-Time Detection and Visualization of Amyloid- β Aggregates Induced by Hydrogen Peroxide in Cell and Mouse Models of Alzheimer's Disease. *ACS Applied Materials & Interfaces*. 2022;15(1):39-47.
80. Zhang T, Chen X, Yuan C, Pang X, Shangguan P, Liu Y, et al. Near-Infrared Aggregation-Induced Emission Luminogens for In Vivo Theranostics of Alzheimer's Disease. *Angewandte Chemie International Edition*. 2023;62(2):e202211550.
81. Zhang Z, Cao Y, Yuan Q, Liu C, Duan X, Tang Y. Multifunctional fluorescent probe for effective visualization, inhibition, and detoxification of β -amyloid aggregation via covalent binding. *Chemical Communications*. 2022;58(24):3957-60.
82. Ma L, Yang S, Ma Y, Chen Y, Wang Z, James TD, et al. Benzothiazolium derivative-capped silica nanocomposites for β -amyloid imaging in vivo. *Analytical Chemistry*. 2021;93(37):12617-27.
83. Xiang J, Xiang C, Zhou L, Sun M, Feng L, Liu C, et al. Rational Design, Synthesis of Fluorescence Probes for Quantitative Detection of Amyloid- β in Alzheimer's Disease Based on Rhodamine-Metal Complex. *Analytical Chemistry*. 2022;94(34):11791-7.
84. Ge Y, Zeng F, Sun G, Peng K, Li X, Yu H, et al. Curcumin Complex Analogues as Near-Infrared Fluorescent Probes for Monitoring all A β Species in the Early Alzheimer's Disease Model. *ACS Chemical Neuroscience*. 2021;12(19):3683-9.
85. Wu J, Shao C, Ye X, Di X, Li D, Zhao H, et al. In vivo brain imaging of amyloid- β aggregates in Alzheimer's disease with a near-infrared fluorescent probe. *ACS sensors*. 2021;6(3):863-70.
86. Ni R, Villosio A, Dean-Ben XL, Chen Z, Vaas M, Stavakis S, et al. In-vitro and in-vivo characterization of CRANAD-2 for multi-spectral optoacoustic tomography and fluorescence imaging of amyloid-beta deposits in Alzheimer mice. *Photoacoustics*. 2021;23:100285.

87. Park YD, Kinger M, Min C, Lee SY, Byun Y, Park JW, et al. Synthesis and evaluation of curcumin-based near-infrared fluorescent probes for the in vivo optical imaging of amyloid- β plaques. *Bioorganic Chemistry*. 2021;115:105167.
88. Wang J, Zhou Y, Xu G, Li K, Zhou S. A Triphenylamine Derivative-based Fluorescent Probe with Good Water Solubility for Targeting A β Plaques in Alzheimer's Disease. *Russian Journal of General Chemistry*. 2021;91(9):1748-56.
89. Cavalli A, Bolognesi ML, Minarini A, Rosini M, Tumiatti V, Recanatini M, et al. Multi-target-directed ligands to combat neurodegenerative diseases. *Journal of medicinal chemistry*. 2008;51(3):347-72.
90. Fang J, Li Y, Liu R, Pang X, Li C, Yang R, et al. Discovery of multitarget-directed ligands against Alzheimer's disease through systematic prediction of chemical-protein interactions. *Journal of chemical information and modeling*. 2015;55(1):149-64.
91. Lembo V, Bottegoni G. Systematic investigation of dual-target-directed ligands. *Journal of Medicinal Chemistry*. 2024;67(12):10374-85.
92. Bolognesi ML. Harnessing polypharmacology with medicinal chemistry. ACS Publications; 2019. p. 273-5.
93. Callis TB, Garrett TR, Montgomery AP, Danon JJ, Kassiou M. Recent scaffold hopping applications in central nervous system drug discovery. *Journal of Medicinal Chemistry*. 2022;65(20):13483-504.
94. Zhou J, Jiang X, He S, Jiang H, Feng F, Liu W, et al. Rational design of multitarget-directed ligands: strategies and emerging paradigms. *Journal of medicinal chemistry*. 2019;62(20):8881-914.
95. Smith AD, Roda D, Yap TA. Strategies for modern biomarker and drug development in oncology. *Journal of Hematology & Oncology*. 2014;7:1-16.
96. Cho YS, Kwon HJ. Identification and validation of bioactive small molecule target through phenotypic screening. *Bioorganic & medicinal chemistry*. 2012;20(6):1922-8.
97. Hopkins AL. Network pharmacology: the next paradigm in drug discovery. *Nature chemical biology*. 2008;4(11):682-90.
98. Li X, Li X, Liu F, Li S, Shi D. Rational multitargeted drug design strategy from the perspective of a medicinal chemist. *Journal of Medicinal Chemistry*. 2021;64(15):10581-605.
99. Chen J-B, Chern T-R, Wei T-T, Chen C-C, Lin J-H, Fang J-M. Design and synthesis of dual-action inhibitors targeting histone deacetylases and 3-hydroxy-3-methylglutaryl coenzyme A reductase for cancer treatment. *Journal of medicinal chemistry*. 2013;56(9):3645-55.
100. Kogen H, Toda N, Tago K, Marumoto S, Takami K, Ori M, et al. Design and synthesis of dual inhibitors of acetylcholinesterase and serotonin transporter targeting potential agents for Alzheimer's disease. *Organic Letters*. 2002;4(20):3359-62.
101. Yao L, Mustafa N, Tan EC, Poulsen A, Singh P, Duong-Thi M-D, et al. Design and synthesis of ligand efficient dual inhibitors of janus kinase (JAK) and histone deacetylase (HDAC) based on ruxolitinib and vorinostat. *Journal of medicinal chemistry*. 2017;60(20):8336-57.
102. Proschak E, Stark H, Merk D. Polypharmacology by design: a medicinal chemist's perspective on multitargeting compounds. *Journal of medicinal chemistry*. 2018;62(2):420-44.
103. Batoool M, Ahmad B, Choi SJJjoms. A structure-based drug discovery paradigm. 2019;20(11):2783.
104. Anderson ACJC, biology. The process of structure-based drug design. 2003;10(9):787-97.

105. Anderson AC. Structure-based functional design of drugs: from target to lead compound. *Molecular Profiling*: Springer; 2012. p. 359-66.
106. Mandal S, Mandal SKJEjop. Rational drug design. 2009;625(1-3):90-100.
107. Bohacek RS, McMartin C, Guida WCJMrr. The art and practice of structure-based drug design: a molecular modeling perspective. 1996;16(1):3-50.
108. Wilson GL, Lill MAJFmc. Integrating structure-based and ligand-based approaches for computational drug design. 2011;3(6):735-50.
109. Buchanan SGJCOiDD, Development. Structural genomics: bridging functional genomics and structure-based drug design. 2002;5(3):367-81.
110. Singh S, Malik BK, Sharma DKJB. Molecular drug targets and structure based drug design: A holistic approach. 2006;1(8):314.
111. Lundstrom KJJoc, medicine m. Structural genomics and drug discovery. 2007;11(2):224-38.
112. Sharma V, Wakode S, Kumar H. Structure-and ligand-based drug design: Concepts, approaches, and challenges. *Chemoinformatics and bioinformatics in the pharmaceutical sciences*. 2021:27-53.
113. Gutti G, Kakarla R, Kumar D, Beohar M, Ganeshpurkar A, Kumar A, et al. Discovery of novel series of 2-substituted benzo [d] oxazol-5-amine derivatives as multi-target directed ligands for the treatment of Alzheimer's disease. *European Journal of Medicinal Chemistry*. 2019;182:111613.
114. Cui M, Ono M, Watanabe H, Kimura H, Liu B, Saji H. Smart near-infrared fluorescence probes with donor–acceptor structure for in vivo detection of β -amyloid deposits. *Journal of the American Chemical Society*. 2014;136(9):3388-94.
115. Klikar M, Bureš F, Pytela O, Mikysek T, Padělková Z, Barsella A, et al. N, N'-Dibutylbarbituric acid as an acceptor moiety in push–pull chromophores. *New Journal of Chemistry*. 2013;37(12):4230-40.
116. Yin G, Ma Y, Xiong Y, Cao X, Li Y, Chen L. Enhanced AIE and different stimuli-responses in red fluorescent (1, 3-dimethyl) barbituric acid-functionalized anthracenes. *Journal of Materials Chemistry C*. 2016;4(4):751-7.
117. Ghadami SA, Shevidi S, Hosseinzadeh L, Adibi H. Synthesis and in vitro quantification of amyloid fibrils by barbituric and thiobarbituric acid-based chromene derivatives. *Biophysical chemistry*. 2021;269:106522.
118. Zhou K, Fu H, Feng L, Cui M, Dai J, Liu B. The synthesis and evaluation of near-infrared probes with barbituric acid acceptors for in vivo detection of amyloid plaques. *Chemical Communications*. 2015;51(58):11665-8.
119. Wang E, Lam JW, Hu R, Zhang C, Zhao YS, Tang BZ. Twisted intramolecular charge transfer, aggregation-induced emission, supramolecular self-assembly and the optical waveguide of barbituric acid-functionalized tetraphenylethene. *Journal of Materials Chemistry C*. 2014;2(10):1801-7.
120. Li Y, Wang K, Zhou K, Guo W, Dai B, Liang Y, et al. Novel D–A–D based near-infrared probes for the detection of β -amyloid and Tau fibrils in Alzheimer's disease. *Chemical Communications*. 2018;54(63):8717-20.
121. Brouwer A, Mout R, van den Brink PM, Van Ramesdonk H, Verhoeven J, Warman J, et al. Charge separation in the excited state electron donor–acceptor compounds containing the piperazine moiety. *Chemical physics letters*. 1991;180(6):556-62.
122. Kim S, Lee HJ, Nam E, Jeong D, Cho J, Lim MH, et al. Tailoring hydrophobic interactions between probes and amyloid- β peptides for fluorescent monitoring of amyloid- β aggregation. *ACS omega*. 2018;3(5):5141-54.

123. Kumar D, Gupta SK, Ganeshpurkar A, Gutti G, Krishnamurthy S, Modi G, et al. Development of Piperazinediones as dual inhibitor for treatment of Alzheimer's disease. *European journal of medicinal chemistry*. 2018;150:87-101.
124. Dorababu A. Promising heterocycle-based scaffolds in recent (2019–2021) anti-Alzheimer's drug design and discovery. *European Journal of Pharmacology*. 2022;920:174847.
125. Shachar D, Kahana N, Kampel V, Warshawsky A, Youdim M. Neuroprotection by a novel brain permeable iron chelator. VK-28. 2004.
126. Bajad NG, Singh RB, Gajendra T, Gutti G, Kumar A, Krishnamurthy S, et al. Development of multi-targetable chalcone derivatives bearing N-aryl piperazine moiety for the treatment of Alzheimer's disease. *Bioorganic Chemistry*. 2024;143:107082.
127. Banerjee S, Maddala BG, Ali F, Datta A. Enhancement of the band edge emission of CdSe nano-tetrapods by suppression of surface trapping. *Physical Chemistry Chemical Physics*. 2019;21(18):9512-9.
128. Malleesh R, Khan J, Pradhan K, Roy R, Jana NR, Jaisankar P, et al. Design and Development of Benzothiazole-Based Fluorescent Probes for Selective Detection of A β Aggregates in Alzheimer's Disease. *ACS Chemical Neuroscience*. 2022;13(16):2503-16.
129. Becke A. Density-functional thermochemistry. III. The role of exact exchange (1993) *J. Chem Phys*.98:5648.
130. Stephens PJ, Devlin FJ, Chabalowski CF, Frisch MJ. Ab initio calculation of vibrational absorption and circular dichroism spectra using density functional force fields. *The Journal of physical chemistry*. 1994;98(45):11623-7.
131. Cheung J, Rudolph MJ, Burshteyn F, Cassidy MS, Gary EN, Love J, et al. Structures of human acetylcholinesterase in complex with pharmacologically important ligands. *Journal of medicinal chemistry*. 2012;55(22):10282-6.
132. Ganeshpurkar A, Singh R, Kumar D, Gore P, Shivhare S, Sardana D, et al. Identification of sulfonamide based butyrylcholinesterase inhibitors through scaffold hopping approach. *International Journal of Biological Macromolecules*. 2022;203:195-211.
133. Sinha SK, Shrivastava SK. Synthesis, evaluation and molecular dynamics study of some new 4-aminopyridine semicarbazones as an anti-amnesic and cognition enhancing agents. *Bioorganic & medicinal chemistry*. 2013;21(17):5451-60.
134. Ellman GL, Courtney KD, Andres Jr V, Featherstone RM. A new and rapid colorimetric determination of acetylcholinesterase activity. *Biochemical pharmacology*. 1961;7(2):88-95.
135. Gutti G, Kumar D, Paliwal P, Ganeshpurkar A, Lahre K, Kumar A, et al. Development of pyrazole and spiropyrazoline analogs as multifunctional agents for treatment of Alzheimer's disease. *Bioorganic Chemistry*. 2019;90:103080.
136. Rai H, Singh R, Bharti PS, Kumar P, Rai S, Varma T, et al. Rhodanine composite fluorescence probes to detect pathological hallmarks in Alzheimer's disease models. *Sensors and Actuators B: Chemical*. 2024;407:135364.
137. Ran C, Xu X, Raymond SB, Ferrara BJ, Neal K, Bacskai BJ, et al. Design, synthesis, and testing of difluoroboron-derivatized curcumins as near-infrared probes for in vivo detection of amyloid- β deposits. *Journal of the American Chemical Society*. 2009;131(42):15257-61.
138. Si G, Zhou S, Xu G, Wang J, Wu B, Zhou S. A curcumin-based NIR fluorescence probe for detection of amyloid-beta (A β) plaques in Alzheimer's disease. *Dyes and Pigments*. 2019;163:509-15.

139. Ding C, Li C, Meng Q, Qian C, Zhang C, Yang L, et al. A label-free fluorescent probe for dynamic in situ visualization of amyloid- β peptides aggregation. *Sensors and Actuators B: Chemical*. 2021;347:130607.
140. Yu H-j, Zhao W, Xie M, Li X, Sun M, He J, et al. Real-time monitoring of self-aggregation of β -amyloid by a fluorescent probe based on ruthenium complex. *Analytical chemistry*. 2020;92(4):2953-60.
141. Qin X, Yang X, Du L, Li M. Polarity-based fluorescence probes: properties and applications. *RSC Medicinal Chemistry*. 2021;12(11):1826-38.
142. Kremer JJ, Pallitto MM, Sklansky DJ, Murphy RM. Correlation of β -amyloid aggregate size and hydrophobicity with decreased bilayer fluidity of model membranes. *Biochemistry*. 2000;39(33):10309-18.
143. Gregoire S, Irwin J, Kwon I. Techniques for monitoring protein misfolding and aggregation in vitro and in living cells. *Korean Journal of Chemical Engineering*. 2012;29:693-702.
144. Espinar-Barranco L, Paredes JM, Orte A, Crovetto L, Garcia-Fernandez E. A solvatofluorochromic dye as a fluorescent lifetime-based probe of β -amyloid aggregation. *Dyes and Pigments*. 2022;202:110274.
145. Li L-L, Li K, Li M-Y, Shi L, Liu Y-H, Zhang H, et al. BODIPY-based two-photon fluorescent probe for real-time monitoring of lysosomal viscosity with fluorescence lifetime imaging microscopy. *Analytical chemistry*. 2018;90(9):5873-8.
146. Ge L, Tian Y. Fluorescence lifetime imaging of p-tau protein in single neuron with a highly selective fluorescent probe. *Analytical chemistry*. 2019;91(5):3294-301.
147. Fan G, Wang N, Zhang J, Ji X, Qin S, Tao Y, et al. BODIPY-based near-infrared fluorescent probe for diagnosis drug-induced liver injury via imaging of HClO in cells and in vivo. *Dyes and Pigments*. 2022;199:110073.
148. Bajad NG, Kumar A, Singh SK. Recent advances in the development of near-infrared fluorescent probes for the in vivo brain imaging of amyloid- β species in Alzheimer's disease. *ACS Chemical Neuroscience*. 2023;14(17):2955-67.
149. Prieur EA, Jadavji NM. Assessing spatial working memory using the spontaneous alternation Y-maze test in aged male mice. *Bio-protocol*. 2019;9(3):e3162-e.
150. Klinkenberg I, Blokland A. The validity of scopolamine as a pharmacological model for cognitive impairment: a review of animal behavioral studies. *Neuroscience & Biobehavioral Reviews*. 2010;34(8):1307-50.
151. Itoh J, Nabeshima T, Kameyama T. Utility of an elevated plus-maze for the evaluation of memory in mice: effects of nootropics, scopolamine and electroconvulsive shock. *Psychopharmacology*. 1990;101:27-33.
152. Hlíňák Z, Krejčí I. Concurrent administration of subeffective doses of scopolamine and MK-801 produces a short-term amnesia for the elevated plus-maze in mice. *Behavioural brain research*. 1998;91(1-2):83-9.
153. Ranolia A, Sindhu J, Kumar P, Kumar S. Divulging indolium inspired cyanide sensors: Did it win the throne? *Coordination Chemistry Reviews*. 2024;498:215463.
154. Das S, Indurthi HK, Asati P, Saha P, Sharma DK. Benzothiazole based fluorescent probes for the detection of biomolecules, physiological conditions, and ions responsible for diseases. *Dyes and Pigments*. 2022;199:110074.
155. Karaca Ş, Osmaniye D, Sağlık BN, Levent S, Ilgın S, Özkay Y, et al. Synthesis of novel benzothiazole derivatives and investigation of their enzyme inhibitory effects against Alzheimer's disease. *RSC advances*. 2022;12(36):23626-36.
156. Chan H-N, Xu D, Ho S-L, Wong MS, Li H-W. Ultra-sensitive detection of protein biomarkers for diagnosis of Alzheimer's disease. *Chemical Science*. 2017;8(5):4012-8.

157. Gu J, Anumala UR, Monte FL, Kramer T, von Haußen RH, Hölzer J, et al. 2-Styrylindolium based fluorescent probes visualize neurofibrillary tangles in Alzheimer's disease. *Bioorganic & medicinal chemistry letters*. 2012;22(24):7667-71.
158. Jia F, Chibhabha F, Yang Y, Kuang Y, Zhang Q, Ullah S, et al. Detection and monitoring of the neuroprotective behavior of curcumin micelles based on an AIEgen probe. *Journal of Materials Chemistry B*. 2021;9(3):731-45.
159. Yang Y, Zhang L, Wang J, Cao Y, Li S, Qin W, et al. Diagnosis of Alzheimer's disease and in situ biological imaging via an activatable near-infrared fluorescence probe. *Analytical Chemistry*. 2022;94(39):13498-506.
160. Watanabe H, Ono M, Ariyoshi T, Katayanagi R, Saji H. Novel benzothiazole derivatives as fluorescent probes for detection of β -amyloid and α -synuclein aggregates. *ACS chemical neuroscience*. 2017;8(8):1656-62.
161. Gu Y, Ding Z, Zheng C, Xu Y, Liu T, Mao C, et al. Light-controlled fluorescent probes for precisely monitoring brain amyloid- β aggregates in Alzheimer's disease. *Chemical Engineering Journal*. 2022;446:137385.
162. Bajad NG, Janra J, Gajendra T, Kumar A, Krishnamurthy S, Singh SK. Discovery of pyrazoline analogs as multi-targeting cholinesterase, β -secretase and A β aggregation inhibitors through lead optimization strategy. *International Journal of Biological Macromolecules*. 2025:140436.
163. Tonelli M, Catto M, Sabaté R, Francesconi V, Laurini E, Pricl S, et al. Thioxanthenone-based derivatives as multitarget therapeutic leads for Alzheimer's disease. *European Journal of Medicinal Chemistry*. 2023;250:115169.
164. Hussain H, Ahmad S, Shah SWA, Ullah A, Ali N, Almeahmadi M, et al. Attenuation of scopolamine-induced amnesia via cholinergic modulation in mice by synthetic curcumin analogs. *Molecules*. 2022;27(8):2468.
165. Singh VV, Prasad SK, Acharjee A, Srivastava S, Acharjee P. Investigating cognitive impairments and hippocampal proteome alterations in aged male rats with TAA-Induced minimal hepatic encephalopathy. *Biogerontology*. 2025;26(1):30.
166. Pires DE, Blundell TL, Ascher DB. pkCSM: predicting small-molecule pharmacokinetic and toxicity properties using graph-based signatures. *Journal of medicinal chemistry*. 2015;58(9):4066-72.
167. Barooah N, Karmakar P, Sharanya M, Mishra M, Bhasikuttan AC, Mohanty J. Spectroscopic features of a perylenediimide probe for sensing amyloid fibrils: in vivo imaging of A β -aggregates in a *Drosophila* model organism. *Journal of Materials Chemistry B*. 2023;11(39):9545-54.
168. Jeon Y, Lee S, Shin M, Lee JH, Suh YS, Hwang S, et al. Phenotypic differences between *Drosophila* Alzheimer's disease models expressing human A β 42 in the developing eye and brain. *Animal Cells and Systems*. 2017;21(3):160-8.
169. Sharma K, Rai P, Tapadia MG. Impaired insulin signaling and diet-induced type 3 diabetes pathophysiology increase amyloid β expression in the *Drosophila* model of Alzheimer's disease. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*. 2025;1872(1):119875.
170. Thamban Chandrika N, Fosso MY, Tsodikov OV, LeVine III H, Garneau-Tsodikova S. Combining Chalcones with Donepezil to Inhibit Both Cholinesterases and A β Fibril Assembly. *Molecules*. 2019;25(1):77.
171. Thapa P, Upadhyay SP, Suo WZ, Singh V, Gurung P, Lee ES, et al. Chalcone and its analogs: Therapeutic and diagnostic applications in Alzheimer's disease. *Bioorganic chemistry*. 2021;108:104681.
172. Burmaoglu S, Yilmaz AO, Polat MF, Kaya R, Gulcin İ, Algul O. Synthesis and biological evaluation of novel tris-chalcones as potent carbonic anhydrase,

- acetylcholinesterase, butyrylcholinesterase and α -glycosidase inhibitors. *Bioorganic chemistry*. 2019;85:191-7.
173. Zhu Z, Li C, Wang X, Yang Z, Chen J, Hu L, et al. 2, 2', 4'-Trihydroxychalcone from *Glycyrrhiza glabra* as a new specific BACE1 inhibitor efficiently ameliorates memory impairment in mice. *Journal of neurochemistry*. 2010;114(2):374-85.
174. Yang F, Lim GP, Begum AN, Ubada OJ, Simmons MR, Ambegaokar SS, et al. Curcumin inhibits formation of amyloid β oligomers and fibrils, binds plaques, and reduces amyloid in vivo. *Journal of Biological Chemistry*. 2005;280(7):5892-901.
175. Zhou W, Zhong G, Rao X, Xie H, Zeng S, Chi T, et al. Identification of aminopyridazine-derived antineuroinflammatory agents effective in an Alzheimer's mouse model. *ACS Medicinal Chemistry Letters*. 2012;3(11):903-7.
176. Sun P, Zhou W, Yue H, Zhang C, Ou Y, Yang Z, et al. Compound AD110 acts as therapeutic management for Alzheimer's disease and stroke in mouse and rat models. *ACS Chemical Neuroscience*. 2020;11(6):929-38.
177. Shachar DB, Kahana N, Kempel V, Warshawsky A, Youdim MB. Neuroprotection by a novel brain permeable iron chelator, VK-28, against 6-hydroxydopamine lesion in rats. *Neuropharmacology*. 2004;46(2):254-63.
178. Brunetti L, Leuci R, Carrieri A, Catto M, Occhineri S, Vinci G, et al. Structure-based design of novel donepezil-like hybrids for a multi-target approach to the therapy of Alzheimer's disease. *European Journal of Medicinal Chemistry*. 2022;237:114358.
179. van Greunen DG, van der Westhuizen CJ, Cordier W, Nell M, Stander A, Steenkamp V, et al. Novel N-benzylpiperidine carboxamide derivatives as potential cholinesterase inhibitors for the treatment of Alzheimer's disease. *European Journal of Medicinal Chemistry*. 2019;179:680-93.
180. Daina A, Michielin O, Zoete V. SwissADME: a free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules. *Scientific reports*. 2017;7(1):42717.
181. Shidore M, Machhi J, Shingala K, Murumkar P, Sharma MK, Agrawal N, et al. Benzylpiperidine-linked diarylthiazoles as potential anti-Alzheimer's agents: synthesis and biological evaluation. *Journal of medicinal chemistry*. 2016;59(12):5823-46.
182. Singh YP, Tej GNVC, Pandey A, Priya K, Pandey P, Shankar G, et al. Design, synthesis and biological evaluation of novel naturally-inspired multifunctional molecules for the management of Alzheimer's disease. *European Journal of Medicinal Chemistry*. 2020;198:112257.
183. Ottaviani G, Martel S, Carrupt P-A. Parallel artificial membrane permeability assay: a new membrane for the fast prediction of passive human skin permeability. *Journal of medicinal chemistry*. 2006;49(13):3948-54.
184. Sharma P, Tripathi A, Tripathi PN, Singh SS, Singh SP, Shrivastava SK. Novel molecular hybrids of n-benzylpiperidine and 1, 3, 4-oxadiazole as multitargeted therapeutics to treat Alzheimer's disease. *ACS chemical neuroscience*. 2019;10(10):4361-84.
185. Sharma P, Tripathi A, Tripathi PN, Prajapati SK, Seth A, Tripathi MK, et al. Design and development of multitarget-directed N-Benzylpiperidine analogs as potential candidates for the treatment of Alzheimer's disease. *European journal of medicinal chemistry*. 2019;167:510-24.
186. Jan A, Hartley DM, Lashuel HA. Preparation and characterization of toxic A β aggregates for structural and functional studies in Alzheimer's disease research. *Nature protocols*. 2010;5(6):1186-209.

187. Ganeshpurkar A, Singh R, Gore PG, Kumar D, Gutti G, Kumar A, et al. Structure-based screening and molecular dynamics simulation studies for the identification of potential acetylcholinesterase inhibitors. *Molecular Simulation*. 2020;46(3):169-85.
188. Ghosh AK, Kumaragurubaran N, Hong L, Kulkarni S, Xu X, Miller HB, et al. Potent memapsin 2 (β -secretase) inhibitors: design, synthesis, protein-ligand X-ray structure, and in vivo evaluation. *Bioorganic & medicinal chemistry letters*. 2008;18(3):1031-6.
189. Salo-Ahen OM, Alanko I, Bhadane R, Bonvin AM, Honorato RV, Hossain S, et al. Molecular dynamics simulations in drug discovery and pharmaceutical development. *Processes*. 2020;9(1):71.
190. Tintori C, Brai A, Dasso Lang MC, Deodato D, Greco AM, Bizzarri BM, et al. Development and in vitro evaluation of a microbicide gel formulation for a novel non-nucleoside reverse transcriptase inhibitor belonging to the N-dihydroalkoxybenzyloxypyrimidines (N-DABOs) family. *Journal of Medicinal Chemistry*. 2016;59(6):2747-59.
191. Tsyganov DV, Semenova MN, Konyushkin LD, Ushkarov VI, Raihstata MM, Semenov VV. uthor's personal copy. *Mendeleev Commun*. 2019;29:163-5.
192. Ferreira LL, Andricopulo AD. ADMET modeling approaches in drug discovery. *Drug discovery today*. 2019;24(5):1157-65.
193. Lipinski CA, Lombardo F, Dominy BW, Feeney PJ. Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advanced drug delivery reviews*. 2012;64:4-17.
194. Wang H, Zhang H. Reconsideration of anticholinesterase therapeutic strategies against Alzheimer's disease. *ACS chemical neuroscience*. 2018;10(2):852-62.
195. Jiang X, Zhang Z, Zuo J, Wu C, Zha L, Xu Y, et al. Novel cannabidiol-carbamate hybrids as selective BuChE inhibitors: Docking-based fragment reassembly for the development of potential therapeutic agents against Alzheimer's disease. *European Journal of Medicinal Chemistry*. 2021;223:113735.
196. Li H-H, Wu C, Zhang S-L, Yang J-G, Qin H-L, Tang W. Fluorosulfate-containing pyrazole heterocycles as selective BuChE inhibitors: structure-activity relationship and biological evaluation for the treatment of Alzheimer's disease. *Journal of Enzyme Inhibition and Medicinal Chemistry*. 2022;37(1):2099-111.
197. Picone P, Nuzzo D, Giacomazza D, Di Carlo M. β -Amyloid peptide: The cell compartment multi-faceted interaction in Alzheimer's disease. *Neurotoxicity research*. 2020;37:250-63.
198. Zheng Y, Zhang L, Zhao J, Li L, Wang M, Gao P, et al. Advances in aptamers against A β and applications in A β detection and regulation for Alzheimer's disease. *Theranostics*. 2022;12(5):2095.
199. Bajad NG, Rayala S, Gutti G, Sharma A, Singh M, Kumar A, et al. Systematic review on role of structure based drug design (SBDD) in the identification of anti-viral leads against SARS-Cov-2. *Current Research in Pharmacology and Drug Discovery*. 2021;2:100026.
200. Bajad NG, Swetha R, Singh R, Ganeshpurkar A, Gutti G, Singh RB, et al. Combined structure and ligand-based design of dual BACE-1/GSK-3 β inhibitors for Alzheimer's disease. *Chemical Papers*. 2022;76(12):7507-24.
201. Ahsan MJ, Ali A, Ali A, Thiriveedhi A, Bakht MA, Yusuf M, et al. Pyrazoline containing compounds as therapeutic targets for neurodegenerative disorders. *ACS omega*. 2022;7(43):38207-45.
202. Unsal-Tan O, Küçükkılınç TT, Ayazgök B, Balkan A, Ozadali-Sari K. Synthesis, molecular docking, and biological evaluation of novel 2-pyrazoline derivatives as

- multifunctional agents for the treatment of Alzheimer's disease. *MedChemComm*. 2019;10(6):1018-26.
203. Sever B, Türkeş C, Altıntop MD, Demir Y, Beydemir Ş. Thiazolyl-pyrazoline derivatives: In vitro and in silico evaluation as potential acetylcholinesterase and carbonic anhydrase inhibitors. *International Journal of Biological Macromolecules*. 2020;163:1970-88.
204. Ozgun DO, Gul HI, Yamali C, Sakagami H, Gulcin I, Sukuroglu M, et al. Synthesis and bioactivities of pyrazoline benzensulfonamides as carbonic anhydrase and acetylcholinesterase inhibitors with low cytotoxicity. *Bioorganic chemistry*. 2019;84:511-7.
205. Altıntop MD, Sağlık Özkan BmN, Özdemir A. Design, Synthesis, and Evaluation of New Pyrazolines As Small Molecule Inhibitors of Acetylcholinesterase. *ACS omega*. 2024;9(29):31401-9.
206. Abdelwahab HE, Ibrahim HZ, Omar AZ. Design, synthesis, DFT, molecular docking, and biological evaluation of pyrazole derivatives as potent acetyl cholinestrase inhibitors. *Journal of Molecular Structure*. 2023;1271:134137.
207. Muğlu H, Yakan H, Erdoğan M, Topal F, Topal M, Türkeş C, et al. Novel asymmetric biscarbothioamides as Alzheimer's disease associated cholinesterase inhibitors: synthesis, biological activity, and molecular docking studies. *New Journal of Chemistry*. 2024.
208. Sever B, Türkeş C, Altıntop MD, Demir Y, Akalın Çiftçi G, Beydemir Ş. Novel metabolic enzyme inhibitors designed through the molecular hybridization of thiazole and pyrazoline scaffolds. *Archiv der Pharmazie*. 2021;354(12):2100294.
209. Jangra J, Bajad NG, Singh R, Kumar A, Singh SK. Identification of novel potential cathepsin-B inhibitors through pharmacophore-based virtual screening, molecular docking, and dynamics simulation studies for the treatment of Alzheimer's disease. *Molecular Diversity*. 2024:1-21.
210. Güleç Ö, Türkeş C, Arslan M, Demir Y, Dincer B, Ece A, et al. Novel beta-lactam substituted benzenesulfonamides: in vitro enzyme inhibition, cytotoxic activity and in silico interactions. *Journal of Biomolecular Structure and Dynamics*. 2024;42(12):6359-77.
211. Güleç Ö, Türkeş C, Arslan M, Demir Y, Dincer B, Ece A, et al. Bioactivity, cytotoxicity, and molecular modeling studies of novel sulfonamides as dual inhibitors of carbonic anhydrases and acetylcholinesterase. *Journal of Molecular Liquids*. 2024;410:125558.
212. Aier I, Varadwaj PK, Raj U. Structural insights into conformational stability of both wild-type and mutant EZH2 receptor. *Scientific reports*. 2016;6(1):34984.
213. Tiwari A, Bendi A, Bhatiwala AS. An overview on synthesis and biological activity of chalcone derived pyrazolines. *ChemistrySelect*. 2021;6(45):12757-95.
214. Wang Q, Yu X, Patal K, Hu R, Chuang S, Zhang G, et al. Tanshinones inhibit amyloid aggregation by amyloid- β peptide, disaggregate amyloid fibrils, and protect cultured cells. *ACS chemical neuroscience*. 2013;4(6):1004-15.
215. Swetha R, Sharma A, Singh R, Ganeshpurkar A, Kumar D, Kumar A, et al. Combined ligand-based and structure-based design of PDE 9A inhibitors against Alzheimer's disease. *Molecular Diversity*. 2022;26(5):2877-92.
216. Santos DC, Henriques RR, Junior MAdAL, Farias AB, do Couto Nogueira TL, Quimas JVF, et al. Acylhydrazones as isoniazid derivatives with multi-target profiles for the treatment of Alzheimer's disease: Radical scavenging, myeloperoxidase/acetylcholinesterase inhibition and biometal chelation. *Bioorganic & Medicinal Chemistry*. 2020;28(10):115470.

217. Dobó M, Ádám M, Fiser B, Papp LA, Dombi G, Sekkoum K, et al. Enantioseparation and molecular docking study of selected chiral pharmaceuticals on a commercialized phenylcarbamate- β -cyclodextrin column using polar organic mode. *Scientific Reports*. 2023;13(1):14778.
218. Peitzika S-C, Pontiki E. A review on recent approaches on molecular docking studies of novel compounds targeting acetylcholinesterase in Alzheimer disease. *Molecules*. 2023;28(3):1084.
219. Barman A, Prabhakar R. Elucidating the catalytic mechanism of β -secretase (BACE1): A quantum mechanics/molecular mechanics (QM/MM) approach. *Journal of Molecular Graphics and Modelling*. 2013;40:1-9.