
REFERENCES

- Agarwal, K. and Nasimuddin, A. A., Unidirectional wideband circularly polarised aperture antennas backed with artificial magnetic conductor reflectors, *IET Microw. Antennas Propag.*, vol. 7, pp. 338–346, 2013.
- Agrawal, G., Su, M.-Y., Orhan, N., Feig, S. A., Chen, J.-H., Significance of breast lesion descriptors in the ACR BI-RADS MRI lexicon, *Cancer*, vol. 115, no. 7, pp. 1363–1380, 2009.
- Alexander, P. H. and Liu, J., Field analysis of dielectric-loaded lens applicator for microwave hyperthermia, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-39, no.7, pp. 792–796, 1993.
- Altschuler, H. M., Dielectric constant: *Handbook of microwave measurements*, 3rd edition, M. Sucher and J. Fox, Polytechnic Press, Brooklyn, John Wiley & Sons Inc, 1963.
- Andreuccetti, D., Bini, M., Ignesti, A., Olmi, R., Priori, S., and Vanni, R., High permittivity patch radiator for single and multi-element hyperthermia applicators, *IEEE Trans. Biomed. Eng.*, vol. 40, pp. 711–715, 1993.
- Bahl, I. J., Stuchly, S. S., and Stuchly, M. A., A new microstrip radiator for medical applications, *IEEE Trans. Microw. Theory Tech.*, vol. 28, pp.1464–1468, 1980.
- Bahl, I. J., Stuchly, S. S., and Stuchly, M. A., New microstrip slot radiator for medical applications, *IET Electronics Lett.*, vol. 16, pp. 731–732., 1980.
- Bahl, I. J., Stuchly, S. S., Lagendijk, J. J. W., and Stuchly, M. A., Microstrip loop radiators for medical applications, *IEEE Trans. Microw. Theory Tech.*, vol. 30, pp.1090–1093, 1982.
- Balanis, C. A., Antenna Theory: Analysis and Design, *John Wiley & Sons, Inc.*, 3rd edition, 2008.

- Beyne, L. and Zutter, D. De, Power deposition of a microstrip applicator radiating into a layered biological structure, *IEEE Trans. Microw. Theory Tech.*, vol. 36, no. 1, pp. 126–131, 1988.
- Boriskin, *et al.*, Enhancing exposure efficiency and uniformity using a choke ring antenna: Application to bioelectromagnetic studies at 60 GHz, *IEEE Trans. Microw. Theory Tech.*, vol. 61, no. 5, pp.2005-2014, 2013.
- Bush, W., Über den Einfluss welchen heftigere Erysipelen zuweilen auf organisierte Neubildungen ausüben, *Verh Natruch Preuss Rhein Westphal*, vol. 23, pp. 28–30, 1886.
- Camart, J. C., Fabre, J. J., Prevost, B., Pribetich, J., and Chive, M., Coaxial antenna array for 915 MHz interstitial hyperthermia: Design and Modelization–Power deposition and heating pattern-phased array, *IEEE Trans. Microw. Theory Tech.*, vol. 40, no. 12, pp. 2243-2250, 1992.
- Carlier, J., Thomy, V., Camart, J. C., Dubois, L., and Pribetich, J., Modeling of planar applicators for microwave thermotherapy, *IEEE Trans. Microw. Theory Tech.*, vol. 50, no. 12, pp. 3036–3042, 2002.
- Chakaravarthi, G. and Arunachalam, K., Design and characterisation of miniaturised cavity-backed patch antenna for microwave hyperthermia, *Int. J. Hyperthermia*, vol. 31, pp. 737–748, 2015.
- Cheung, A. Y., Dao, T., and Robinson, J. E., Dual-beam TEM applicator for direct contact heating of dielectrically encapsulated malignant mouse tumor, *Radio Science*, vol. 12, no. 6(S), pp. 81-85, 1977.
- Chichel, A., Skowronek, J., Kubaszewska, M., and Kanikowski, M., Hyperthermia – Description of a method and a review of clinical applications, *Reports of Practical Oncology and Radiotherapy*, vol. 12, no. 5, pp. 267-275, 2007.

- Choi, W. C., Kim, Ki J., Kim, J., and Yoon, Y. J., Compact microwave radiator for improving heating uniformity in hyperthermia system, *IEEE Antennas Wireless Propag. Lett.*, vol. 13, pp. 1345-1348, 2014.
- Chou, et al., Radio frequency electromagnetic exposure: Tutorial review on experimental dosimetry, *Bioelectromagnetics*, vol. 17, pp. 195-208, 1996.
- Coley, W. B., The treatment of malignant tumors by repeated inoculations of erysipelas with a report of ten original cases, *Amer. J. Med. Sci.*, vol. 105, pp. 488-511, 1893.
- Coley-Nauts, H., Swift, W., and Coley, B., The treatment of malignant tumors by bacterial toxins as developed by the late William B. Coley, M.D.: Reviewed in light of modern research, *Cancer Res.*, vol. 6, pp. 205-216, 1946.
- Compton, R. T., The admittance of aperture antenna radiating into lossy media, *NASA Technical Documents*, Antenna Laboratory Ohio State University Research Foundation Columbus, Ohio. 1964, Rep. 1691-5.
- Correia, D., Kok, H. P., de Greef, M., Bel, A., van Wieringen, N., and Crezee, J., Body conformal antennas for superficial hyperthermia: The impact of bending contact flexible microstrip applicators on their electromagnetic behavior, *IEEE Trans. Biomed. Eng.*, vol. 56, no.12, pp. 2917–2926, 2009.
- Cresson, P. Y., Dubois, L., Chive, M., and Pribetich, J., Design and modelling using the FDTD method of planar multiapplicator for microwave hyperthermia, *Microw. Opt. Tech. Lett.*, vol. 22, pp. 57-63, 1999.
- Cresson, P. Y., Michel, C., Dubois, L., Chive, M., and Pribetich, J., Complete three-dimensional modeling of new microstrip-microslot applicators for microwave hyperthermia using the FDTD method, *IEEE Trans. Microw. Theory Tech.*, vol. 42, no. 12, pp. 2657–2666, 1994.

- Curto S., McEvoy, P., Bao, Xi., and Ammann, M. J., Compact patch antenna for electromagnetic interaction with human tissue at 434 MHz, *IEEE Trans. Antennas Propag.*, vol. 57, pp. 2564–2571, 2009.
- Curto, S. and Ammann, M. J., Electromagnetic interaction between resonant loop antenna and simulated biological tissue, *Microw. Opt. Tech. Lett.*, vol. 48, no. 12, pp. 2418–2421, 2006.
- Curto, S., See, T. S. P., McEvoy, P., Ammann, M. J., Chen, Z. N., In-silico hyperthermia performance of a near-field patch antenna at various positions on human body model, *IET Microw. Antennas Propag.*, vol. 5, no. 12, pp. 1408–1415, 2011.
- Dolzhikov, V. V. and A. V. Serbin, Field of the circular focused aperture radiating into the material medium, *Proc. 5th Int. Kharkov Symposium on Physics and Engineering of Microwaves, Millimeter and Submillimeter waves-2004 (IEEE MSMW'04)*, Kharkov, Ukraine, vol. 2, pp.671–673, June 21–26, 2004.
- Drizdal, T., Paulides, M. M., Vrba, J., and Van Rhoon, G. C., Waveguide-based applicators for superficial hyperthermia treatment: is tuning really required., *J. Electromagn. Waves Appl.*, vol. 27, pp. 682–690, 2013.
- Drizdal, T., Togni, P., and Vrba, J., Microstrip applicator for local hyperthermia, *Proc. Int. Conf. Electromagnetics in Advanced Applications (ICEAA)*, pp. 1047–1049, Sep. 2007.
- Durney C. H., and Iskander, M. F., Antenna for medical applications: *Antenna Handbook: Theory, applications, and design*, Lo, Y. T. and Lee, S. W., New York: Van Nostrand Reinhold Company, 1988.
- Durney, C. H., Antennas and other electromagnetic applicators in biology and medicine, *Proc. of the IEEE*, vol. 80, no. 1, pp. 194–199, 1992.

- Durney, C. H., Massoudi, H., and Iskander, M. F., Radiofrequency radiation dosimetry handbook, *USAF School Aerospace Med., Brooks AFB, TX, USAFSAM-TR-85-73*, 1986.
- Elek, F., Abhari, R., and Eleftheriades, G. V., A uni-directional ring-slot antenna achieved by using an electromagnetic band-gap surface, *IEEE Trans. Antennas Propag.*, vol. 53, pp. 181–190, 2005.
- EL-Genedy, M. S., Abdullah H. H., and Abdallah, E. A., Slot antenna for mobile base station using AMC. *Int. Journal of Microw. and wireless technologies.*, vol. 6, pp. 527–535, 2014.
- Feresidis, A. P., Goussetis, G., Wang, S., and Vardaxoglou, J. C., Artificial magnetic conductor surfaces and their application to low-profile high-gain planar antennas, *IEEE Trans. Antennas Propag.*, vol. 53, pp. 209–215, 2005.
- Foroozesh, A. and Shafai L., Investigation into the application of artificial magnetic conductors to bandwidth broadening, gain enhancement and beam shaping of low profile and conventional monopole antennas, *IEEE Trans. Antennas Propag.*, vol. 59, pp. 4–20, 2011.
- Gabriel C. Compilation of the dielectric properties of body tissues at RF and microwave frequencies, *Brooks AFB: TX, Tech. Rep. AL/OE-TR-1996-0037*, 1996.
- Giombini, *et al.*, Hyperthermia induced by microwave diathermy in the management of muscle and tendon injuries, *Br. Med. Bull.*, vol. 83, pp. 379–396, 2007.
- Gong, Y. and Wang, G., Superficial tumor hyperthermia with flat left-handed metamaterial lens, *Progr. Electromagn. Res.*, vol. 98, pp. 389–405, 2009.
- Gupta, R. C. and Singh, S. P., Analysis of the SAR distributions in three layered bio-media in direct contact with a water-loaded modified box-horn applicator, *IEEE Trans. Microw. Theory Tech.*, vol. 53, no. 9, pp. 2665–2671, 2005.

- Gupta, R. C. and Singh, S. P., Development and analysis of a microwave direct contact water-loaded box-horn applicator for therapeutic heating of bio-medium, *Progr. Electromagn. Res.*, vol. 62, pp. 217–235, 2006.
- Guy, A. W., Electromagnetic fields and relative heating patterns due to a rectangular aperture source in direct contact with bilayered biological tissue, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-19, no. 1, pp. 214–223, 1971.
- Guy, A. W., Lehmann, J. F., and Stonebridge, J. B., Therapeutic applications of electromagnetic power, *Proc. of the IEEE*, vol. 62, no. 1, 1974, pp. 55–75.
- Guy, A. W., Lehmann, J. F., Stonebride, J. B., and Sorenson, C. C., Development of 915 MHz direct-contact applicator for therapeutic heating of tissues, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-26, no. 8, pp. 550–556, 1978.
- Habash, R. W. Y., Bansal, R., Krewski, D., and Alhafid, H. T., Thermal Therapy, Part 2: Hyperthermia Techniques, *Critical Reviews in Biomedical Engineering*, vol. 34, no.6, pp. 491–542, 2006.
- Hahn, G. M., Hyperthermia for the engineer: A short biological primer, *IEEE Trans. Biomed. Eng.*, vol. BME-31, no. 1, pp. 3–8, 1984.
- Hand, J. W., Electromagnetic techniques in cancer therapy by hyperthermia, *IEE Proc. A*, vol. 128, pp. 593–601, 1981.
- Harrington, R. F., Time-harmonic Electromagnetic field, *McGraw-Hill Book Company*, New York, pp. 123–35, 1961.
- Holt, J. A., The extra nuclear control of mitosis & cell function. a theory of cellular organization, *Medical Hypotheses*, vol. 6, no. 2, pp. 145-192, 1980.
- Hosseinipanah, M. and Wu, Q., Equivalent circuit model for designing of Jerusalem cross-based artificial magnetic conductors, *Radio Eng.*, vol. 18, pp. 544–550, 2009.
- Jacobsen, S., Dual antenna concept for simultaneous thermography and hyperthermic heating, *IET Electronics Lett.*, vol. 34, no. 1, pp. 94–95, 1998.

- Jacobsen, S., Stauffer, P. R., and Neuman, D. G., Dual-mode antenna design for microwave heating and noninvasive thermometry of superficial tissue disease, *IEEE Trans. Biomed. Eng.*, vol. 47, no. 11, pp. 1500–1509, 2000.
- Johnson, C. C. and Guy, A. W., Nonionizing Electromagnetic wave effects in biological materials and systems, *Proc. of the IEEE*, vol. 60, no. 6, pp. 692–718, 1972.
- Johnson, R. H., James, J. R., Hand, J. W., Hopewell, J. W., Dunlop, P. R. C., and Dickinson R. J., New low-profile applicators for local heating of tissue, *IEEE Trans. Biomed. Eng.*, vol. 31, no. 1, pp. 28–37, 1984.
- Joines, W. T., Frequency-dependent absorption of electromagnetic energy in biological tissue, *IEEE Trans. Biomed. Eng.*, vol. BME-31, no. 1, pp. 17–20, 1984.
- Joubert, J., Vardaxoglou, J. C., Whittow, W. G., and Odendaal, J. W., CPW-fed cavity-backed slot radiator with an AMC reflector, *IEEE Trans. Antennas Propag.*, vol. 60, pp. 735–742, 2012.
- Kantor, G. and Cetas, T. C., A comparative heating pattern study of direct contact applicators in microwave diathermy, *Radio Science*, vol. 12, no. 6(S), pp. 111–120, 1977.
- Kantor, G. and Witters, D. M., A 2450 MHz slab-loaded direct contact applicator with choke, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-28, no.12, pp. 1418–1422, 1980.
- Kantor, G., Witters, D. M., and Greiser, J. W., The performance of a new direct-contact applicator for microwave diathermy, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-26, no. 8, pp. 563–568, 1978.
- Kok, *et al.*, FDTD simulations to asses the performance of CFMA–434 applicators for superficial hyperthermia, *Int. J. Hyperthermia*, vol. 25, no. 6, pp. 462–476, 2009.

- Koo, Y. S., Kazemi, R., Liu, Q., Phillips, J. C., and Fathy, A. E., Development of a high SAR conformal antenna for hyperthermia tumors treatment, *IEEE Trans. Antennas Propag.*, vol. 62, pp. 5830–5840, 2014.
- Ledee, R., Chive, M., and Plancot, M., Microstrip microslot antenna for biomedical applications: frequency analysis of different parameters of this type of applicator, *IET Electronics Lett.*, vol. 21, pp. 304–305, 1985.
- Lehmann, J. F., Guy, A. W., Stonebride, J. B., and DeLateur, B. J., Evaluation of a therapeutic direct contact 915 MHz microwave applicator for effective deep-tissue heating in humans, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-26, no. 8, pp. 556–563, 1978.
- Li, Tingye, A study of spherical reflectors as wide-angle scanning antennas, *IRE Trans. Antennas Propag.*, vol. AP-7, no. 3, pp. 223, 1959.
- Lin, J. C., Kantor, G., and Ghods, A., A class of new microwave therapeutic applicators, *Radio Science.*, vol. 17, pp. 119S–123S, 1982.
- Love, A.W., Electromagnetic horn antennas, *IEEE Press*, New York, 1976.
- Lovisol, *et. al.*, A multifrequency water-filled waveguide applicator: Thermal dosimetry in vivo, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-32, no. 8, pp. 893–896, 1984.
- Michaelson, S. M. and Lin, J. C., Biological effects and health implications of radio frequency radiation , *Plenum Press*, New York, 1987.
- Michel, C., Cresson, P. Y., Dubois, L., Chive, M., and Pribetich, J., Modelling and experimental analysis of multipatch planar applicators for microwave hyperthermia, *Microw. Opt. Tech. Lett.*, vol. 12, pp. 123-128, 1996.
- Michel, C., Cresson, P. Y., Dubois, L., Chive, M., and Pribetich, J., Design and modelling of microstrip-microslot applicators with several patches and apertures for microwave hyperthermia, *Microw. Opt. Tech. Lett.*, vol. 14, pp. 121-126, 1997.

- Montecchia, F., Microstrip-antenna design for hyperthermia treatment of superficial tumors, *IEEE Trans. Biomed. Eng.*, vol. 39, pp. 580–588, 1992.
- Nikawa, Y. and Okada, F., Dielectric-loaded lens applicator for microwave hyperthermia, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-39, no.7, pp. 1173–1177, 1991.
- Nikawa, Y., Katsumata, T., Kikuchi, M., and Mori, S., An electric field converging applicator with heating pattern controller for microwave hyperthermia, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-34, no.5, pp. 631–635, 1986.
- Nikawa, Y., Kikuchi, M., and Mori, S., Development and Testing of a 2450 MHz lens applicator for localized microwave hyperthermia, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-33, no.11, pp. 1212–1216, 1985.
- Nikawa, Y., Kikuchi, M., Terakawa, T., and Matsuda, T., Heating system with a lens applicator for 430 MHz microwave hyperthermia, *Int. J. Hyperthermia*, vol. 6, no.3, pp. 671–684, 1990.
- Nikawa, Y., Shima, M., Mori, S., and Okada, F., A flexible spiral antenna for medical application. *Asia-Pacific Microwave Conference-1992 (APMC' 92)*, Adelaide, Australia, vol. 1, pp. 217–220, 1992.
- Nikawa, Y., Wantanabe, H., Kikuchi, M., and Mori, S., A direct-contact microwave lens applicator with a microcomputer-controlled heating system for local hyperthermia, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-34, no.5, pp. 626–630, 1986.
- Nikita, K. S. and Uzunoglu, N. K., Analysis of the power coupling from a waveguide hyperthermia applicator into a three-layered tissue model, *IEEE Trans. Microw. Theory Tech.*, vol. 37, no. 7, pp. 1794–1800, 1989.
- Paulides, *et al.*, Simulation techniques in hyperthermia treatment planning, *Int. J. Hyperthermia*, vol. 29, no. 4, pp. 346–357, 2013.

- Pennes, H. H., Analysis of tissue and arterial blood temperatures in the resting human forearm, *J. Appl. Physiol*, vol. 1, pp. 93–122, 1948.
- Rizzi, P. A., Microwave Engineering: Passive circuits. *Prentice Hall Pvt. (I) Ltd.*, New Delhi, India, 1988.
- Saito, K., Yoshimura, H., Ito, K., Aoyagi, Y., and Horita, H., Clinical trials of interstitial microwave hyperthermia by use of coaxial-slot antenna with two slots, *IEEE Trans. Microw. Theory Tech.*, vol. 52, pp. 1987–1991, 2004.
- Samaras, T., Rietveld, P. J. M., and Van Rhoon, G. C., Effectiveness of FDTD in predicting SAR distributions from the Lucite cone applicator, *IEEE Trans. Microw. Theory Tech.*, vol. 48, no.11, pp. 2059–2063, 2000.
- Short, J. G., Physical hyperthermia and cancer therapy, *Proc. of the IEEE*, vol. 68, no. 1, Jan. 1980, pp. 133-142.
- Silver, S., Microwave Antenna Theory and Design: *McGraw-Hill*, New York, 1949.
- Smrkovski, *et al.*, Performance characteristics of a conformal ultra-wideband multilayer applicator (CUMLA) for hyperthermia in veterinary patients: A pilot evaluation of its use in the adjuvant treatment of non-resectable tumours, *Vet. Comp. Oncol.*, vol. 11, no. 1, pp. 14–29, 2013.
- Song, C. W., Park, H. J., Lee, C. K., and Griffin R., Implication of increased tumor blood flow and oxygenation caused by mild temperature hyperthermia in tumor treatment, *Int. J. Hyperthermia*. vol. 21, no. 8, pp. 761–767.
- Stauffer, P. R., Rossetto, F., Leoncini, M., and Gentilli, G. B., Radiation patterns of dual concentric conductor microstrip antennas for superficial hyperthermia, *IEEE Trans. Biomed. Eng.*, vol. 45, no. 5, pp. 605–613, 1998.
- Stuchly, M. A., Stuchly, S. S., and Kantor G., Diathermy applicators with circular aperture and corrugated flange, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-28, no.3, pp. 267–271, 1980.

- Stuchly, M. A., Stuchly, S. S., Dielectric properties of biological substances – Tabulated, *J. Microw. Power*, vol. 15, pp. 19–26, 1980.
- Tanabe, E., McEuen, A., Norris, C. S., Fessenden, P., and Samulski, T. V., A multi-element microstrip antenna for local hyperthermia, *Proc. IEEE MTT-S. Internat. Microwave Symp. Dig.*, 1983, pp. 183-185.
- Underwood, H. R., Peterson, A. F., and Magin, R. L., Electric-field distribution near rectangular microstrip radiators for hyperthermia heating: Theory versus experiment in water, *IEEE Trans. Biomed. Eng.*, vol. 39, pp. 146–153, 1992.
- Uzunoglu, N. K., Angelikas, E. A., and Cosmidis, P. A., A 432 MHz local hyperthermia system using an indirectly cooled, water-loaded waveguide applicator, *IEEE Trans. Microw. Theory Tech.*, vol. MTT-35, no. 2, pp. 106–111, 1987.
- Van Rhoon, G. C., Rietveld, P. J., and Van der Zee, J., A 433 MHz lucite cone waveguide applicator for superficial hyperthermia, *Int. J. Hyperthermia*, vol. 14, no.1 pp. 13-27, 1998.
- Wang, Q., Deng, Z.-S., Liu, J., Effects of nonuniform tissue properties on temperature prediction in magnetic nanohyperthermia, *Journal of nanotechnology in engineering and medicine*, vol. 2, pp. 021012-1– 021012-7, 2011.
- Weiland, T., A discretization method for the solution of Maxwell's equations for six-component fields, *Electron. Commun.*, vol. 31, no. 3, pp. 116–120, 1977.
- Yee, K. S., Numerical solution of initial boundary value problems involving Maxwell's equations in isotropic media, *IEEE Trans. Antennas Propag.*, vol. 14, no. 3, pp. 302-307, 1966.
- Zhangwei, *et al.*, SAR and temperature: Simulations and comparison to regulatory limits for MRI, *J. Magnetic Resonance Imaging*, vol. 26, no. 2, pp. 437-441, 2007.