


***Ab initio* conformational studies of selected alkanethiols and their clusters**



**THESIS SUBMITTED IN PARTIAL FULFILLMENT
FOR THE AWARD OF DEGREE**

DOCTOR OF PHILOSOPHY

By

MANISH KUMAR TRIPATHI

**Department of Chemistry
Indian Institute of Technology
(Banaras Hindu University)
Varanasi-221005**

Roll No: 17051016

Year of Submission: 2022

CERTIFICATE

It is certified that the work contained in this thesis titled "*Ab initio* conformational studies of selected alkanethiols and their clusters" by Manish Kumar Tripathi has been carried out under my supervision and that this work has not been submitted elsewhere for a degree.

It is further certified that the student has fulfilled all the requirements of comprehensive examination, candidacy and SOTA for the award of Ph.D. degree.



Dr. V. Ramanathan
Assistant Professor
Department of Chemistry
IIT (BHU) Varanasi-221005

Dr. V. Ramanathan
(Supervisor)


Department of Chemistry
Indian Institute of Technology
(Banaras Hindu University)
Varanasi-221005, India

DECLARATION BY THE CANDIDATE

I, **Manish Kumar Tripathi**, certify that the work embodied in this thesis is my own *bonafide* work and carried out by me under the supervision of **Dr. V. Ramanathan** from **July, 2017 to September, 2022** at the **Department of Chemistry Indian Institute of Technology (BHU) Varanasi**. The matter embodied in this thesis has not been submitted for the award of any other degree/diploma. I declare that I have faithfully acknowledged and given credits to the research workers wherever their works have been cited in my work in this thesis. I further declare that I have not willfully copied any other's work, paragraphs, text, data, results, etc., reported in journals, books, magazines, reports dissertations, theses, etc., or available at websites and have not included them in this thesis and have not cited as my own work.

Date: 26/09/2022


Place: Varanasi


(Manish Kumar Tripathi)

CERTIFICATE BY THE SUPERVISOR

It is certified that the above statement made by the student is correct to the best of my knowledge.


Dr. V. Ramanathan
(Supervisor)
Department of Chemistry
Indian Institute of Technology
Banaras Hindu University),
Varanasi-221005, India
Dr. V. Ramanathan
Assistant Professor
Department of Chemistry
IIT (BHU) Varanasi-221005


Prof. Y. C. Sharma
(Head)
Department of Chemistry
Indian Institute of Technology
Banaras Hindu University),
Varanasi-221005, India
विभागाध्यक्ष / HEAD
रसायन विज्ञान विभाग
Department of Chemistry
भारतीय प्रौद्योगिकी संस्थान (का.हि.वि.)
Indian Institute of Technology (B.H.U.)
वाराणसी-२२१००५ / Varanasi-221005

COPYRIGHT TRANSFER CERTIFICATE

Title of the Thesis: *Ab initio* conformational studies of selected alkanethiols and their clusters

Name of the Student: Manish Kumar Tripathi

COPYRIGHT TRANSFER

The undersigned hereby assigns to the Indian Institute of Technology (Banaras Hindu University) Varanasi all rights under copyright that may exist in and for the above thesis submitted for the award of the "**Doctor of Philosophy**" degree.

Date: 27 September 2022

Place: Varanasi

A handwritten signature in blue ink that reads "Manish". The signature is written in a cursive style with a horizontal line underneath the name.

(Manish Kumar Tripathi)

Note: However, the author may reproduce or authorize others to reproduce material extracted verbatim from the thesis or derivative of the thesis for author's personal use provided that the source and the Institute's copyright notice are indicated.

Acknowledgement

First of all, I would like to acknowledge my research supervisor Dr. V. Ramanathan for his extensive support, careful guidance, motivation, inspiration and crucial suggestions during my Ph. D. work. His immense expertise and continuous efforts have helped me to achieve my research goals successfully. The journey of my Ph. D. would not have been possible without his help and diligent participation. I want to thank him for his efforts to train me to become a good researcher and develop my skills in theoretical chemistry. Apart from helping me to develop my research skills he has also helped me to improve my writing, presentation, and communication skills. All of my learning from him will assist me in the future to become an independent researcher.

Apart from my supervisor, I am also grateful to my RPEC members, Dr. Sanjeev Kumar Mahto (School of Biomedical Sciences) and Dr. Indrajeet Sinha (Department of Chemistry) for their inspiration and valuable remarks.

I also express my gratitude to the current Head of Department of Chemistry, Prof. Y. C. Sharma and former Heads, Prof. R. B. Rastogi and Prof. Dhanesh Tiwary for providing research facilities in the Department that enabled me to complete my research works successfully.

I am very much thankful to Prof. D. Tiwary for his continuous support and motivations during my research work as well as extending lab-space to me.

I am also thankful to all faculty members of the Department of Chemistry, IIT(BHU), Varanasi for their support and encouragement.

I also acknowledge all the non-teaching staffs of my department for their support whenever I needed.

I am highly obligated to my Department seniors, Dr. Sunil Kumar, and Dr. Jyoti Kuntail for their continuous support and encouragement during my research work and toughest period of my Ph.D. tenure.

I also extend my deepest thanks to my lab-mates, Poonam, Arti, and Arnav, for their cooperation and encouraging discussions during my work.

I am indebted to my friend cum lab-mate Mr. Suresh Pandey for his encouragement, discussion, and care towards me.

I also like to thank my friends, Abhishek Rao and Ajai Krishna Pathak for being with me

and creating happy and unforgettable moments in my academic life.

It is my immense pleasure to thank all my friends, batch-mates and well-wishers for their timely suggestion and continuous support.

I am highly grateful to Dr. Pradeep Rao (Pracharji) (Principal of my Graduation and Post-Graduation college i.e. Maharana Pratap Mahavidyalay, Gorakhpur) for his invaluable support, love, care, and affection towards me during my whole study.

I gratefully acknowledge MHRD Govt. of India, and IIT(BHU) for providing me the financial support for my research work and travel grants.

I also acknowledge the Centre for Computing and Information Services (CCIS) for the computational facilities and support without which this work could not be completed.

I am thankful to the National Supercomputing Mission (NSM) for providing computing resources of 'PARAM SHIVAY' at Indian Institute of Technology (BHU), Varanasi, which is implemented by C-DAC and supported by the Ministry of Electronics and Information Technology (MeitY) and Department of Science and Technology (DST), Government of India.

Words are insufficient to express my heartfelt gratitude to my grandparents and parents for their constant prayer and encouragement at every stage of my life. I am especially thankful to my mother and elder brother for their unwavering trust in me and letting me to do whatever I wanted to do and for tolerating my tantrums.

I am also thankful towards my loving life partner and my daughter for their sacrifice, support, care, and love towards me.

I would also like to thank everyone whose names are mistakenly missing from this piece of paper for their direct or indirect assistance.

Lastly, whatever I am able to do, would not be possible without the almighty god. I acknowledge His guiding presence in my life.

Manish Kumar Tripathi

CONTENTS

Abbreviations	X-XI
List of symbols	XII
List of figures	XIII-XIV
List of tables	XV-XVII
Preface	XVIII-XX
CHAPTER-1 Introduction to computational details	1-30
1.1 Introduction	1
1.2 Conformational analysis	1
1.3 Non-covalent interaction	3
1.3.1 Types of NCI	3
1.3.2 Hydrogen bonding	4
1.3.3 Sulfur centered hydrogen bonds	7
1.4 Computational and theoretical methods	8
1.4.1 Born-Oppenheimer approximation	8
1.4.2 Density functional theory	9
1.4.2.1 Hohenberg-Kohn theorem	9
1.4.2.2 Kohn-Sham equation	10
1.4.3 Møller-Plesset Perturbation theory	13
1.4.4 Coupled cluster method	16
1.4.5 Basis Set	18
1.4.6 Interaction energy calculation	20
1.4.7 Complete basis set limit extrapolation	21
1.5 Computational tools and server credentials	21

1.6 Molecular Properties	23
1.6.1 Quantum theory of atoms in molecules	23
1.6.2 Natural bond orbital	24
1.6.3 Frontier molecular orbital	25
1.6.4 Electrostatic potential surface	27
1.6.5 Mullikan charge	27
1.6.6 Non-covalent interaction	28
1.6.7 Objective of thesis	29
CHAPTER-2 Conformational and structural stability of ethanethiol	31-52
2.1 Introduction	31
2.2 Computational methods	33
2.3 Results and discussion	34
2.3.1 Natural bond orbital	43
2.3.2 Mullikan charge	46
2.3.3 Population analysis	47
2.3.4 Frontier molecular orbital	48
2.3.5 Normal modes analysis	50
2.4 Conclusion	52
CHAPTER-3 Conformational and structural stability of propylthiol	53-86
3.1 Introduction	53
3.2 Computational methods	55
3.3 Results and discussion	56
3.3.1 Electrostatics potential surface plot	72
3.3.2 Mullikan charge analysis	75
3.3.3 Natural bond orbital	76
3.3.4 Frontier molecular orbital	81
3.3.5 Non-covalent interaction plot	84
3.4 Conclusion	85
CHAPTER-4 Conformational and structural stability of methanethiol clusters	87-120
4.1 Introduction	87
4.2 Computational methods	89

4.3 Results and discussion	90
4.3.1 Methanethiol dimer	90
4.3.2 Methanethiol trimer	97
4.3.3 Local energy decomposition analysis	102
4.3.4 Normal mode analysis	103
4.3.5 Atoms in molecule analysis	107
4.3.6 Frontier molecular orbital	110
4.3.7 Mullikan charge analysis	113
4.3.8 Natural bond orbital	115
4.4 Conclusion	119
CHAPTER-5 Sulfur centered hydrogen bonds in methanethiol-water cluster	121-145
5.1 Introduction	121
5.2 Computational methods	123
5.3 Results and discussion	124
5.3.1 Geometry	124
5.3.2 Local energy decomposition analysis	133
5.3.3 Atoms in molecules analysis	135
5.3.4 Frontier molecular orbital	139
5.3.5 Natural bond orbital	142
5.4 Conclusion	145
CHAPTER-6 Summary and future scope	146-149
6.1 Summary	146
6.2 Future scope	149
REFERENCES	150-167
LIST OF PUBLICATIONS	168

ABBREVIATIONS

IUPAC	International Union of Pure and Applied Chemistry
CHB	Conventional Hydrogen Bond
UHB	Unconventional Hydrogen Bond
NCI	Noncovalent Interaction
NC-bond	Noncovalent Bond
SCHBs	Sulfur Centered Hydrogen Bonds
HF	Hartree-Fock
DFT	Density Functional Theory
BLYP	Becke-Lee-Yang-Parr
B3LYP	Becke 3-parameter-Lee-Yang-Parr
LDA	Local Density Approximation
GGA	Generalized Gradient Approximation
MP1	Møller-Plesset first order theory
MP2	Møller-Plesset second order theory
CC	Coupled Cluster
MET	Many Electron Theory
CCSD	Coupled Cluster Single Double excitation
CCSD(T)	Coupled Cluster Single Double Triple excitation
DLPNO	Domain-based Local Pair Natural Orbital
BSSE	Basis Set Super Position Error
ZPE	Zero-Point Energy
CBS	Complete Basis Set
QTAIM	Quantum Theory of Atoms in Molecule
BCP	Bond Critical Point
NBO	Natural Bond Orbital
FMO	Frontier Molecular Orbital
HOMO	Highest Occupied Molecular Orbital
LUMO	Lowest Unoccupied Molecular Orbital
H-L gap	HOMO-LUMO gap
ABMO	Anti-Bonding Molecular Orbital
BMO	Bonding Molecular Orbital

ESP	Electrostatic Potential Surface charge
MC	Mullikan Charge
RDG	Reduced Density Gradient
PES	Potential Energy Surface plot
nP	n-propanethiol
2P	2-propanethiol
MOH	Methanol
LP	Lone pair of electron
IE	Interaction energy

List of Symbols

Ψ	Wave function
$\hat{H}$	Hamiltonian operator
ρ_{BCP}	Electron density
$\nabla^2 \rho_{\text{BCP}}$	Laplacian of electron density
G_{BCP}	Kinetic electron energy density
V_{BCP}	Potential electron density
H_{BCP}	Total electron density
E_{int}	Interaction energy
η	Hardness
μ	Chemical potential
χ	Electronegativity
ω	Electrophilicity index
S	Global softness
E_g	HOMO-LUMO gap
μ_m	Dipole moment
D	Debye
$\text{\AA}$	Angstrom
Θ	Theta
Φ	Phi
σ^*	Antibonding molecular orbital
σ	Bonding molecular orbital
ν	Stretching frequency
$E(2)$	Second order perturbation stabilization energy
a.u.	Atomic unit
kJ/mol	Kilo joule per mole
kcal/mol	Kilo calorie per mole
eV	Electron volt
cm⁻¹	Per centimeter

List of Figures

Figure No.	DESCRIPTION	Page No.
1.1	A schematic demonstration of different classes of Hydrogen bonds	5
1.2	Pictorial presentation of the parameter that affects hydrogen bonds	6
2.1	Optimized geometries (at CCSD/cc-pVTZ level of theory) of (a) anti, (b) gauche conformers of ethanethiol	34
2.2	Relative energy with respect to CBS limit at various level of theories corresponding to the gauche and anti-conformer	38
2.3	Potential energy curve generated at the CCSD/cc-pVDZ level of theory, by step-wise rotation of the C-C bond	39
2.4	Potential energy curve generated at the CCSD/cc-pVDZ level of theory, by step-wise rotation of the C-S bond	40
2.5	Potential energy surface generated at the CCSD/cc-pVDZ level of theory, by simultaneous rotation of the C-C and C-S bonds	41
2.6	H-L gap for gauche and anti-conformers of ethanethiol at CCSD/cc-pVTZ level of theory	49
3.1	Newman projection for conformers of nP molecule with respect to the C-C and C-S bonds	53
3.2	Optimized geometries of different conformers of nP at CCSD/cc-pVDZ level of theory	57
3.3	Optimized geometries of conformers of 2P molecule at CCSD/cc-pVDZ level of theory	57
3.4	Various relative potential energy curves obtained at CCSD/cc-pVDZ level of theory with respect to T-G conformer (clockwise relaxed scan with step size=5°) for nP molecule	60
3.5	Potential energy surface plots generated for nP molecule corresponding to (a) C-S and (b) C-C bonds both with step size=10° at B3LYP/6-311++G(2df 2pd) level of theory	60
3.6	Potential energy surface plots generated for nP molecule correspond to (a) C-S and (b) C-C bonds with step size=10° at CCSD/cc-pVDZ level of theory	61
3.7	NCI plot of conformers T-G, G-G, T-T, and G-T of nP molecule at CCSD/cc-pVDZ level of theory	64
3.8	Potential energy surface plot generated for nP molecule with two coordinates (CCCS and CSH) with step size=30° at CCSD/cc-pVDZ level of theory	65
3.9	Potential energy surface plot generated for nP molecule with two coordinates (CCCS and CSH) with step size=30° at CCSD/cc-pVDZ level of theory	66
3.10	Potential energy surface plot of 2P molecule at CCSD/cc-pVDZ level of theory with respect to the C-S bond	70

3.11	NCI plot of conformers anti, and gauche of 2P molecule at CCSD/cc-pVDZ level of theory	71
3.12	ESP surface plot of conformers of nP molecule at CCSD/cc-pVDZ level of theory	73
3.13	ESP surface plot of conformers of 2P at CCSD/cc-pVDZ level of theory	74
3.14	Schematic representation of frontier molecular orbitals of the different conformers of nP molecule at CCSD/cc-pVDZ level of theory	83
3.15	Schematic representation of FMO of different conformers of 2P molecule at CCSD/cc-pVDZ level of theory	84
4.1	Optimized geometry of methanethiol monomer at B3LYP/cc-pVDZ level of theory	90
4.2	Optimized geometry of the conformers of methanethiol dimer at B3LYP/cc-pVDZ	93
4.3	Counterpoise corrected thermodynamic parameters of methanethiol dimer at various levels of theory and different basis sets	94
4.4	Topological basin surface with BCP (3, -1) of methanethiol dimer (B3LYP/cc-pVDZ)	94
4.5	Optimized geometry of the conformers of methanethiol trimer at B3LYP/cc-pVDZ	98
4.6	Topological basin surface with BCP (3, -1) of methanethiol trimer	98
4.7	Counterpoise corrected thermodynamic parameters of methanethiol trimer at various levels of theory and different basis sets	99
4.8	FMO iso-surface of methanethiol dimer	111
4.9	FMO iso-surface of methanethiol trimer	112
5.1	Optimized geometries at B3LYP-D3/aug-cc-pVQZ level of theory of methanethiol–water clusters: M_mW_n , where $m+n \leq 4$ with $m=0$ to 4; $n=0$ to 4; m and n simultaneously not being 0	125
5.2	Inter-basin surfaces for methanethiol-water clusters at B3LYP-D3/aug-cc-pVQZ	137
5.3	Correlation between Laplacian electron density and interaction energy for O-H---O hydrogen bond of methanethiol–water (M_mW_n) mixed cluster system at B3LYP-D3/aug-cc-pVQZ level of theory	139
5.4	Correlation between H-L gap and hardness of the M_mW_n clusters at B3LYP/aug-cc-pVQZ level of theory	140
5.5	Global softness of different molecular clusters of M_mW_n cluster system at B3LYP-D3/aug-cc-pVQZ level of theory	141

List of Tables

Table No.	DESCRIPTION	Page No.
2.1	Geometrical parameters of gauche and anti-conformer at different levels of theory with different basis sets	35
2.2	Geometrical parameters of gauche and anti-conformer at different levels of theory with different basis sets	37
2.3	Impact on select geometrical parameters due to the rotation of C-S and C-C bonds (Bond distances in Å) at CCSD/cc-pVTZ level of theory	42
2.4	Relative change in energy (kcal/mol) of the anti-conformer with respect to the gauche conformer at different levels of theory	44
2.5	Natural orbital interaction (second order perturbation) energies for conformers	45
2.6	Mullikan charge (MC) for anti and gauche conformer of ethanethiol	46
2.7	Conformational analysis of ethanethiol at CCSD/cc-pVTZ	47
2.8	Calculated energy parameter for ethanethiol conformers at CCSD/cc-pVTZ level of theory	50
2.9	Normal modes of vibrations of gauche and anti-conformers at CCSD/cc-pVTZ level of theory scaled by a factor of 0.959	51
3.1	Fundamental vibrational [Infrared (IR)] frequencies (cm^{-1}) of the conformers of nP and 2P molecules at CCSD/cc-pVDZ level of theory	58
3.2	Geometrical parameters and rotational barriers of the different conformers of the nP and 2P molecules at CCSD/cc pVDZ level of theory	62
3.3	Summary of conformational analysis of nP molecule via relaxed scan at CCSD/cc-pVDZ level of theory	63
3.4	Relative change in energy (kcal/mol) of the local minima conformers of the nP and 2P molecules with respect to the global minima conformer at a different level of theory	67
3.5	Relative change in single-point energy (kcal/mol) of the local minima conformer of the nP (T-T) and 2P with respect to the global minimum conformer (T-G for nP) at different levels of theory	67
3.6	Conformational abundances of the nP and 2P molecules at CCSD/cc-pVDZ level of theory	69
3.7	Thermodynamic parameters of conformers of nP and 2P molecules at CCSD/cc-pVDZ level of theory	72
3.8	Absolute values of electrostatic potential charge (ESP) and Mullikan charges (MC) on the atoms of the conformers of nP and 2P molecules at CCSD/cc-pVDZ level of theory	75
3.9	Summary of NBO analysis of conformers of nP molecule at	78

	CCSD/cc-pVDZ level of theory	
3.10	Summary of NBO analysis of conformers of the 2P molecule at CCSD/cc-pVDZ level of theory	80
3.11	Calculated energy parameters of conformers of nP and 2P molecules at CCSD/cc-pVDZ level of theory	82
4.1	Optimized geometrical parameters of the methanethiol monomer	91
4.2	Optimized geometrical parameters of dimers of methanethiol at B3LYP	92
4.3	Relative change in interaction energy of different conformers of dimer and trimer of the methanethiol molecule	95
4.4	Thermodynamic parameters of different conformers of dimer and trimer of the methanethiol molecule	96
4.5	Optimized geometrical parameters of the methanethiol trimer	99
4.6	Selected optimized geometrical parameters of methanethiol monomer, its most stable dimer (1A and 1E) and its trimer (2B, 2C and 2E)	101
4.7	Local energy decomposition (LED) of methanethiol clusters at DLPNO-CCSD(T)/cc-pVNZ (where N= T, Q) level of theory	102
4.8	Relative change in vibrational frequency ($\Delta\nu$) and intensity (I) of S-H bonds in dimer and trimer of methanethiol with respect to monomer (I_0)	103
4.9	Relative change in torsion frequency HSCH in dimer and trimer of the methanethiol with respect to monomer	105
4.10	Absolute values of the S-H vibrational frequencies (ν) at B3LYP/cc-pVDZ level of theory	106
4.11	Topological parameters for bonds of interacting atoms: electron density (ρ_{BCP}), Laplacian of electron density ($\nabla^2\rho_{BCP}$), kinetic electron energy density (G_{BCP}), potential electronenergydensity (V_{BCP}), total electron energy density (H_{BCP}), estimated interaction energy (E_{int}) at bond critical point (BCP)	107
4.12	Summary of the computed energy parameter of methanethiol dimer and trimer at CCSD/cc-pVDZ level of theory	110
4.13	Mullikan charge on the atoms into the methanethiol dimer and trimer [CCSD/cc-pVDZ]	113
4.14	Summary of second order perturbation theory analysis of Fock-matrix in NBO analysis	116
5.1	Vibrational normal modes of methanethiol-water (M_mW_n) cluster and at CCSD/6-311++G(d,p) and B3LYP/cc-pVDZ levels of theory	126
5.2	Important geometrical parameters and interaction energies of methanethiol-water (M_mW_n) cluster systems calculated at B3LYP-D3/aug-cc-pVQZ level of theory	128
5.3	Comparison of interaction energies of M_mW_n clusters at various	131

	methods	
5.4	Interaction energy (Single point energy; IE) M_mW_n clusters at different level of theory	132
5.5	LED of methanethiol–water (M_mW_n) clusters at DLPNO-CCSD(T)/cc-pVTZ level of theory	134
5.6	Topological parameters for bonds of interacting atoms in methanethiol(M)–water(W) clusters: electron density (ρ_{BCP}), Laplacian of electron density ($\nabla^2\rho_{BCP}$), kinetic electron energy density (G_{BCP}), potential electron energy density (V_{BCP}), total electron energy density (H_{BCP}), estimated interaction energy (E_{int}) at bond critical points (BCP) at B3LYP-D3/aug-cc-pVQZ level of theory	135
5.7	Calculated energy parameters: chemical potential (μ), hardness (η), electrophilicity index (ω), electronegativity (χ), and softness (S) for M_mW_n clusters at B3LYP-D3/aug-cc-pVQZ level of theory	140
5.8	NBO analysis at B3LYP-D3/aug-cc-pVQZ level of theory	143
5.9	Comparison of interaction energy (kcal/mol) and bond length for M_mW_n cluster with its homologous methanol-water system at B3LYP/6-311++G(d,p) level of theory	144

PREFACE

In this thesis work, quantum chemical calculations were done by utilizing various methods like DFT, Møller-Plesset perturbation method, and coupled-cluster method using Gaussian16 suite of program with basis sets of different sizes. In the following paragraphs, the summary of each chapter of the thesis is presented.

Chapter 1 introduces different aspects of conformational analysis and non-covalent interactions. We have discussed the nature and strength of different kinds of non-covalent interactions. To probe the conformations and non-covalent interactions, we discuss various spectroscopic techniques and the utility of computational chemistry. This chapter also includes detailed information on quantum chemical methods, basis sets, computational tools and server credentials of quantum chemical calculations used to deduce various molecular properties. This chapter ends by stating the objectives of the thesis work.

Chapter 2 presents the conformational analysis of ethanethiol molecule. The rotational barriers were calculated for the first time and they were found to be in good agreement with the experimentally measured rotational barrier reported in literature. Results pertaining to the thermodynamic parameters, normal modes of vibration, and rotational barriers were in good agreement with the previously reported experimental finding about the existence of two conformers. Furthermore, our calculations at the CCSD/CBS limit revealed gauche conformer to be the most stable conformer with a higher relative abundance (49.82% & 64.07% corresponding to the dihedral angle HCCS and CCSH rotation parameters, respectively) at 298 K. The gauche conformer was 0.70 kcal/mol more stable with respect to the anti-conformer. The rotational barriers around the C-C bond and C-S bond rotations calculated at the CCSD/cc-pVTZ level of theory were 1.42 kcal/mol and 3.62 kcal/mol, respectively. NBO, Mullikan charges, and frontier molecular orbital calculations supported these results very well.

Chapter 3 is a revisit to the conformational and structural stability of n-propanethiol (nP). Hitherto prevailing literature was ambiguous and inconclusive on the conformational aspects of nP and there existed no physical chemistry insight to the stability of the conformers of 2-propanethiol (2P) and the same was brought to a decisive conclusion in this chapter. Based on the rotation around the C–C and C–S bonds, four conformers for nP and two conformers for 2-propanethiol (2P) were found to have the lowest energies at the CCSD/cc-pVDZ level of theory. The two conformers of 2P are anti (T), and gauche (G), and those of nP are T–G, G–G, T–T, and G–T. Rotational barriers, geometrical parameters, fundamental vibrational modes, and energy parameters reported herein agree exceedingly well with the reported experimental values for nP and 2P molecules. Furthermore, natural bond orbital (NBO), frontier molecular orbital (FMO), Mulliken charge (MC), electrostatic potential charge (ESP), and vibrational mode analyses were carried out to get a better understanding of both the thiols.

Chapter 4 discusses the conformation and structural stability of methanethiol molecular cluster. B3LYP/cc-pV(D/T/Q)Z and CCSD/cc-pVDZ levels of theory predict three minima for both dimers and trimers of methanethiol. Predictions at B3LYP/cc-pVDZ corroborate exceedingly well with the earlier reported experimental values but significantly differ from the previous computational predictions. It was observed that the interaction energy between the molecules decreased with an increase in the size of the basis set for both the dimer and trimer. The dipole moment of methanethiol dimer got reduced at the B3LYP/cc-pVDZ level of theory relative to all minima conformations, and the same was seen for trimer also. These new predictions were well supported by atoms in molecules (AIM), frontier molecular orbital (FMO), Mulliken charge (MC), and natural bond orbital (NBO) analysis.

Chapter 5 deals the nature and strength of noncovalent interaction in methanethiol-water clusters. Herein, methanethiol (M) and water (W) clusters like dimers (M_1W_1 , M_2 and W_2), trimers (M_1W_2 , M_2W_1 , M_3 and W_3) and tetramers (M_1W_3 , M_2W_2 , M_3W_1 , M_4 and W_4) were

studied to assess the strength of the sulfur centered hydrogen bonding using different levels of theories viz HF, MP2, MP3, MP4, B3LYP, B3LYP-D3, CCSD, CCSD(T)-F12, and CCSD(T)) along with aug-cc-pVNZ (where N= D, T, Q) basis sets. Interaction energies were found to be in the range 3.3-5.3 kcal/mol for the dimers, 8.0-16.7 kcal/mol for the trimers and 13.5-29.5 kcal/mol for the tetramers at B3LYP-D3/CBS limit level of theory. Normal modes of vibrations computed at B3LYP/cc-pVDZ level of theory were seen to be in good agreement with the experimental values. Local energy decomposition (LED) calculations using DLPNO-CCSD(T) level of theory indicated the domination of electrostatic interactions' contribution to the interaction energy in all cluster systems. Furthermore, atoms in molecules (AIM) and natural bond orbital (NBO) calculations both carried out at B3LYP-D3/aug-cc-pVQZ level of theory aided in visualizing the hydrogen bonds besides proving a rationale for the strength of the hydrogen bonds and thereby the stability of these cluster systems.

The thesis ends with a summary of the findings of the considered three objectives along with a brief discussion on the future scope of this work.

Acknowledgement

First of all, I would like to acknowledge my research supervisor Dr. V. Ramanathan for his extensive support, careful guidance, motivation, inspiration and crucial suggestions during my Ph. D. work. His immense expertise and continuous efforts have helped me to achieve my research goals successfully. The journey of my Ph. D. would not have been possible without his help and diligent participation. I want to thank him for his efforts to train me to become a good researcher and develop my skills in theoretical chemistry. Apart from helping me to develop my research skills he has also helped me to improve my writing, presentation, and communication skills. All of my learning from him will assist me in the future to become an independent researcher.

Apart from my supervisor, I am also grateful to my RPEC members, Dr. Sanjeev Kumar Mahto (School of Biomedical Sciences) and Dr. Indrajeet Sinha (Department of Chemistry) for their inspiration and valuable remarks.

I also express my gratitude to the current Head of Department of Chemistry, Prof. Y. C. Sharma and former Heads, Prof. R. B. Rastogi and Prof. Dhanesh Tiwary for providing research facilities in the Department that enabled me to complete my research works successfully.

I am very much thankful to Prof. D. Tiwary for his continuous support and motivations during my research work as well as extending lab-space to me.

I am also thankful to all faculty members of the Department of Chemistry, IIT(BHU), Varanasi for their support and encouragement.

I also acknowledge all the non-teaching staffs of my department for their support whenever I needed.

I am highly obligated to my Department seniors, Dr. Sunil Kumar, and Dr. Jyoti Kuntail for their continuous support and encouragement during my research work and toughest period of my Ph.D. tenure.

I also extend my deepest thanks to my lab-mates, Poonam, Arti, and Arnav, for their cooperation and encouraging discussions during my work.

I am indebted to my friend cum lab-mate Mr. Suresh Pandey for his encouragement, discussion, and care towards me.

I also like to thank my friends, Abhishek Rao and Ajai Krishna Pathak for being with me

and creating happy and unforgettable moments in my academic life.

It is my immense pleasure to thank all my friends, batch-mates and well-wishers for their timely suggestion and continuous support.

I am highly grateful to Dr. Pradeep Rao (Pracharji) (Principal of my Graduation and Post-Graduation college i.e. Maharana Pratap Mahavidyalay, Gorakhpur) for his invaluable support, love, care, and affection towards me during my whole study.

I gratefully acknowledge MHRD Govt. of India, and IIT(BHU) for providing me the financial support for my research work and travel grants.

I also acknowledge the Centre for Computing and Information Services (CCIS) for the computational facilities and support without which this work could not be completed.

I am thankful to the National Supercomputing Mission (NSM) for providing computing resources of 'PARAM SHIVAY' at Indian Institute of Technology (BHU), Varanasi, which is implemented by C-DAC and supported by the Ministry of Electronics and Information Technology (MeitY) and Department of Science and Technology (DST), Government of India.

Words are insufficient to express my heartfelt gratitude to my grandparents and parents for their constant prayer and encouragement at every stage of my life. I am especially thankful to my mother and elder brother for their unwavering trust in me and letting me to do whatever I wanted to do and for tolerating my tantrums.

I am also thankful towards my loving life partner and my daughter for their sacrifice, support, care, and love towards me.

I would also like to thank everyone whose names are mistakenly missing from this piece of paper for their direct or indirect assistance.

Lastly, whatever I am able to do, would not be possible without the almighty god. I acknowledge His guiding presence in my life.

Manish Kumar Tripathi

CONTENTS

Abbreviations	X-XI
List of symbols	XII
List of figures	XIII-XIV
List of tables	XV-XVII
Preface	XVIII-XX
CHAPTER-1 Introduction to computational details	1-29
1.1 Introduction	1
1.2 Conformational analysis	1
1.3 Non-covalent interaction	3
1.3.1 Types of NCI	3
1.3.2 Hydrogen bonding	4
1.3.3 Sulfur centered hydrogen bonds	7
1.4 Computational and theoretical methods	8
1.4.1 Born-Oppenheimer approximation	8
1.4.2 Density functional theory	9
1.4.2.1 Hohenberg-Kohn theorem	9
1.4.2.2 Kohn-Sham equation	10
1.4.3 Møller-Plesset Perturbation theory	13
1.4.4 Coupled cluster method	16
1.4.5 Basis Set	18
1.4.6 Interaction energy calculation	20
1.4.7 Complete basis set limit extrapolation	20
1.5 Computational tools and server credentials	21

1.6 Molecular Properties	22
1.6.1 Quantum theory of atoms in molecules	22
1.6.2 Natural bond orbital	24
1.6.3 Frontier molecular orbital	25
1.6.4 Electrostatic potential surface	26
1.6.5 Mullikan charge	26
1.6.6 Non-covalent interaction	27
1.6.7 Objective of thesis	28
CHAPTER-2 Conformational and structural stability of ethanethiol	30-50
2.1 Introduction	30
2.2 Computational methods	32
2.3 Results and discussion	33
2.3.1 Natural bond orbital	41
2.3.2 Mullikan charge	43
2.3.3 Population analysis	44
2.3.4 Frontier molecular orbital	46
2.3.5 Normal modes analysis	48
2.4 Conclusion	50
CHAPTER-3 Conformational and structural stability of propylthiol	51-84
3.1 Introduction	51
3.2 Computational methods	54
3.3 Results and discussion	55
3.3.1 Electrostatics potential surface plot	70
3.3.2 Mullikan charge analysis	73
3.3.3 Natural bond orbital	74
3.3.4 Frontier molecular orbital	79
3.3.5 Non-covalent interaction plot	81
3.4 Conclusion	83
CHAPTER-4 Conformational and structural stability of methanethiol clusters	85-119
4.1 Introduction	85
4.2 Computational methods	87

4.3 Results and discussion	88
4.3.1 Methanethiol dimer	88
4.3.2 Methanethiol trimer	96
4.3.3 Local energy decomposition analysis	101
4.3.4 Normal mode analysis	102
4.3.5 Atoms in molecule analysis	105
4.3.6 Frontier molecular orbital	108
4.3.7 Mullikan charge analysis	112
4.3.8 Natural bond orbital	113
4.4 Conclusion	118
CHAPTER-5 Sulfur centered hydrogen bonds in methanethiol-water cluster	120-146
5.1 Introduction	120
5.2 Computational methods	122
5.3 Results and discussion	123
5.3.1 Geometry	123
5.3.2 Local energy decomposition analysis	133
5.3.3 Atoms in molecules analysis	135
5.3.4 Frontier molecular orbital	138
5.3.5 Natural bond orbital	142
5.4 Conclusion	146
CHAPTER-6 Summary and future scope	147-150
6.1 Summary	147
6.2 Future scope	150
REFERENCES	151-168
LIST OF PUBLICATIONS	169

ABBREVIATIONS

IUPAC	International Union of Pure and Applied Chemistry
CHB	Conventional Hydrogen Bond
UHB	Unconventional Hydrogen Bond
NCI	Noncovalent Interaction
NC-bond	Noncovalent Bond
SCHBs	Sulfur Centered Hydrogen Bonds
HF	Hartree-Fock
DFT	Density Functional Theory
BLYP	Becke-Lee-Yang-Parr
B3LYP	Becke 3-parameter-Lee-Yang-Parr
LDA	Local Density Approximation
GGA	Generalized Gradient Approximation
MP1	Møller-Plesset first order theory
MP2	Møller-Plesset second order theory
CC	Coupled Cluster
MET	Many Electron Theory
CCSD	Coupled Cluster Single Double excitation
CCSD(T)	Coupled Cluster Single Double Triple excitation
DLPNO	Domain-based Local Pair Natural Orbital
BSSE	Basis Set Super Position Error
ZPE	Zero-Point Energy
CBS	Complete Basis Set
QTAIM	Quantum Theory of Atoms in Molecule
BCP	Bond Critical Point
NBO	Natural Bond Orbital
FMO	Frontier Molecular Orbital
HOMO	Highest Occupied Molecular Orbital
LUMO	Lowest Unoccupied Molecular Orbital
H-L gap	HOMO-LUMO gap
ABMO	Anti-Bonding Molecular Orbital
BMO	Bonding Molecular Orbital

ESP	Electrostatic Potential Surface charge
MC	Mullikan Charge
RDG	Reduced Density Gradient
PES	Potential Energy Surface plot
nP	n-propanethiol
2P	2-propanethiol
MOH	Methanol
LP	Lone pair of electron
IE	Interaction energy

List of Symbols

Ψ	Wave function
$\hat{H}$	Hamiltonian operator
ρ_{BCP}	Electron density
$\nabla^2 \rho_{\text{BCP}}$	Laplacian of electron density
G_{BCP}	Kinetic electron energy density
V_{BCP}	Potential electron density
H_{BCP}	Total electron density
E_{int}	Interaction energy
η	Hardness
μ	Chemical potential
χ	Electronegativity
ω	Electrophilicity index
S	Global softness
E_g	HOMO-LUMO gap
μ_m	Dipole moment
D	Debye
$\text{\AA}$	Angstrom
Θ	Theta
Φ	Phi
σ^*	Antibonding molecular orbital
σ	Bonding molecular orbital
ν	Stretching frequency
$E(2)$	Second order perturbation stabilization energy
a.u.	Atomic unit
kJ/mol	Kilo joule per mole
kcal/mol	Kilo calorie per mole
eV	Electron volt
cm⁻¹	Per centimeter

List of Figures

Figure No.	DESCRIPTION	Page No.
1.1	A schematic demonstration of different classes of Hydrogen bonds	5
1.2	Pictorial presentation of the parameter that affects hydrogen bonds	6
2.1	Optimized geometries (at CCSD/cc-pVTZ level of theory) of (a) anti, (b) gauche conformers of ethanethiol	33
2.2	Relative energy with respect to CBS limit at various level of theories corresponding to the gauche and anti-conformer	37
2.3	Potential energy curve generated at the CCSD/cc-pVDZ level of theory, by step-wise rotation of the C-C bond	38
2.4	Potential energy curve generated at the CCSD/cc-pVDZ level of theory, by step-wise rotation of the C-S bond	39
2.5	Potential energy surface generated at the CCSD/cc-pVDZ level of theory, by simultaneous rotation of the C-C and C-S bonds	40
2.6	H-L gap for gauche and anti-conformers of ethanethiol at CCSD/cc-pVTZ level of theory	47
3.1	Newman projection for conformers of nP molecule with respect to the C-C and C-S bonds	51
3.2	Optimized geometries of different conformers of nP at CCSD/cc-pVDZ level of theory	55
3.3	Optimized geometries of conformers of 2P molecule at CCSD/cc-pVDZ level of theory	55
3.4	Various relative potential energy curves obtained at CCSD/cc-pVDZ level of theory with respect to T-G conformer (clockwise relaxed scan with step size=5°) for nP molecule	58
3.5	Potential energy surface plots generated for nP molecule corresponding to (a) C-S and (b) C-C bonds both with step size=10° at B3LYP/6-311++G(2df 2pd) level of theory	58
3.6	Potential energy surface plots generated for nP molecule correspond to (a) C-S and (b) C-C bonds with step size=10° at CCSD/cc-pVDZ level of theory	59
3.7	NCI plot of conformers T-G, G-G, T-T, and G-T of nP molecule at CCSD/cc-pVDZ level of theory	62
3.8	Potential energy surface plot generated for nP molecule with two coordinates (CCCS and CCSH) with step size=30° at CCSD/cc-pVDZ level of theory	63
3.9	Potential energy surface plot generated for nP molecule with two coordinates (CCCS and CCSH) with step size=30° at CCSD/cc-pVDZ level of theory	64
3.10	Potential energy surface plot of 2P molecule at CCSD/cc-pVDZ level of theory with respect to the C-S bond	68

3.11	NCI plot of conformers anti, and gauche of 2P molecule at CCSD/cc-pVDZ level of theory	69
3.12	ESP surface plot of conformers of nP molecule at CCSD/cc-pVDZ level of theory	71
3.13	ESP surface plot of conformers of 2P at CCSD/cc-pVDZ level of theory	72
3.14	Schematic representation of frontier molecular orbitals of the different conformers of nP molecule at CCSD/cc-pVDZ level of theory	81
3.15	Schematic representation of FMO of different conformers of 2P molecule at CCSD/cc-pVDZ level of theory	82
4.1	Optimized geometry of methanethiol monomer at B3LYP/cc-pVDZ level of theory	88
4.2	Optimized geometry of the conformers of methanethiol dimer at B3LYP/cc-pVDZ	91
4.3	Counterpoise corrected thermodynamic parameters of methanethiol dimer at various levels of theory and different basis sets	92
4.4	Topological basin surface with BCP (3, -1) of methanethiol dimer (B3LYP/cc-pVDZ)	93
4.5	Optimized geometry of the conformers of methanethiol trimer at B3LYP/cc-pVDZ	97
4.6	Topological basin surface with BCP (3, -1) of methanethiol trimer	97
4.7	Counterpoise corrected thermodynamic parameters of methanethiol trimer at various levels of theory and different basis sets	98
4.8	FMO iso-surface of methanethiol dimer	110
4.9	FMO iso-surface of methanethiol trimer	111
5.1	Optimized geometries at B3LYP/aug-cc-pVDZ level of theory of methanethiol clusters	124
5.2	Optimized geometries at B3LYP-D3/aug-cc-pVQZ level of theory of methanethiol–water clusters: M_mW_n , where $m+n \leq 4$ with $m=0$ to 4; $n=0$ to 4; m and n simultaneously not being 0	125
5.3	Inter-basin surfaces for methanethiol-water clusters at B3LYP-D3/aug-cc-pVQZ	137
5.4	Correlation between Laplacian electron density and interaction energy for O-H---O hydrogen bond of methanethiol–water (M_mW_n) mixed cluster system at B3LYP-D3/aug-cc-pVQZ level of theory	139
5.5	Correlation between H-L gap and hardness of the M_mW_n clusters at B3LYP/aug-cc-pVQZ level of theory	140
5.6	Global softness of different molecular clusters of M_mW_n cluster system at B3LYP-D3/aug-cc-pVQZ level of theory	142

List of Tables

Table No.	DESCRIPTION	Page No.
2.1	Geometrical parameters of gauche and anti-conformer at different levels of theory with different basis sets	34
2.2	Geometrical parameters of gauche and anti-conformer at different levels of theory with different basis sets	36
2.3	Impact on select geometrical parameters due to the rotation of C-S and C-C bonds (Bond distances in Å) at CCSD/cc-pVTZ level of theory	41
2.4	Relative change in energy (kcal/mol) of the anti-conformer with respect to the gauche conformer at different levels of theory	42
2.5	Natural orbital interaction (second order perturbation) energies for conformers	43
2.6	Mullikan charge (MC) for anti and gauche conformer of ethanethiol	44
2.7	Conformational analysis of ethanethiol at CCSD/cc-pVTZ	45
2.8	Calculated energy parameter for ethanethiol conformers at CCSD/cc-pVTZ level of theory	48
2.9	Normal modes of vibrations of gauche and anti-conformers at CCSD/cc-pVTZ level of theory scaled by a factor of 0.959	49
3.1	Fundamental vibrational [Infrared (IR)] frequencies (cm^{-1}) of the conformers of nP and 2P molecules at CCSD/cc-pVDZ level of theory	56
3.2	Geometrical parameters and rotational barriers of the different conformers of the nP and 2P molecules at CCSD/cc pVDZ level of theory	60
3.3	Summary of conformational analysis of nP molecule via relaxed scan at CCSD/cc-pVDZ level of theory	61
3.4	Relative change in energy (kcal/mol) of the local minima conformers of the nP and 2P molecules with respect to the global minima conformer at a different level of theory	65
3.5	Relative change in single-point energy (kcal/mol) of the local minima conformer of the nP (T-T) and 2P with respect to the global minimum conformer (T-G for nP) at different levels of theory	65
3.6	Conformational abundances of the nP and 2P molecules at CCSD/cc-pVDZ level of theory	67
3.7	Thermodynamic parameters of conformers of nP and 2P molecules at CCSD/cc-pVDZ level of theory	70
3.8	Absolute values of electrostatic potential charge (ESP) and Mullikan charges (MC) on the atoms of the conformers of nP and 2P molecules at CCSD/cc-pVDZ level of theory	73
3.9	Summary of NBO analysis of conformers of nP molecule at	76

	CCSD/cc-pVDZ level of theory	
3.10	Summary of NBO analysis of conformers of the 2P molecule at CCSD/cc-pVDZ level of theory	78
3.11	Calculated energy parameters of conformers of nP and 2P molecules at CCSD/cc-pVDZ level of theory	80
4.1	Optimized geometrical parameters of the methanethiol monomer	89
4.2	Optimized geometrical parameters of dimers of methanethiol at B3LYP	90
4.3	Relative change in interaction energy of different conformers of dimer and trimer of the methanethiol molecule	94
4.4	Thermodynamic parameters of different conformers of dimer and trimer of the methanethiol molecule	95
4.5	Optimized geometrical parameters of the methanethiol trimer	98
4.6	Selected optimized geometrical parameters of methanethiol monomer, its most stable dimer (1A and 1E) and its trimer (2B, 2C and 2E)	100
4.7	Local energy decomposition (LED) of methanethiol clusters at DLPNO-CCSD(T)/cc-pVNZ (where N= T, Q) level of theory	101
4.8	Relative change in vibrational frequency ($\Delta\nu$) and intensity (I) of S-H bonds in dimer and trimer of methanethiol with respect to monomer (I_0)	102
4.9	Relative change in torsion frequency HSCH in dimer and trimer of the methanethiol with respect to monomer	104
4.10	Absolute values of the S-H vibrational frequencies (ν) at B3LYP/cc-pVDZ level of theory	105
4.11	Topological parameters for bonds of interacting atoms: electron density (ρ_{BCP}), Laplacian of electron density ($\nabla^2\rho_{BCP}$), kinetic electron energy density (G_{BCP}), potential electronenergydensity (V_{BCP}), total electron energy density (H_{BCP}), estimated interaction energy (E_{int}) at bond critical point (BCP)	106
4.12	Summary of the computed energy parameter of methanethiol dimer and trimer at CCSD/cc-pVDZ level of theory	109
4.13	Mullikan charge on the atoms into the methanethiol dimer and trimer [CCSD/cc-pVDZ]	112
4.14	Summary of second order perturbation theory analysis of Fock-matrix in NBO analysis	115
5.1	Vibrational normal modes of methanethiol-water (M_mW_n) cluster and at CCSD/6-311++G(d,p) and B3LYP/cc-pVDZ levels of theory	126
5.2	Important geometrical parameters and interaction energies of methanethiol-water (M_mW_n) cluster systems calculated at B3LYP-D3/aug-cc-pVQZ level of theory	128
5.3	Comparison of interaction energies of M_mW_n clusters at various	131

	methods	
5.4	CBS limit, single point Interaction energy (IE) of M_mW_n clusters at different level of theory	132
5.5	LED of methanethiol–water (M_mW_n) clusters at DLPNO-CCSD(T)/cc-pVTZ level of theory	134
5.6	Topological parameters for bonds of interacting atoms in methanethiol(M)–water(W) clusters: electron density (ρ_{BCP}), Laplacian of electron density ($\nabla^2\rho_{BCP}$), kinetic electron energy density (G_{BCP}), potential electron energy density (V_{BCP}), total electron energy density (H_{BCP}), estimated interaction energy (E_{int}) at bond critical points (BCP) at B3LYP-D3/aug-cc-pVQZ level of theory	135
5.7	Calculated energy parameters: chemical potential (μ), hardness (η), electrophilicity index (ω), electronegativity (χ), and softness (S) for M_mW_n clusters at B3LYP-D3/aug-cc-pVQZ level of theory	141
5.8	NBO analysis at B3LYP-D3/aug-cc-pVQZ level of theory	143
5.9	Comparison of interaction energy (kcal/mol) and bond length for M_mW_n cluster with its homologous methanol-water system at B3LYP/6-311++G(d,p) level of theory	145

PREFACE

In this thesis work, quantum chemical calculations were done by utilizing various methods like DFT, Møller-Plesset perturbation method, and coupled-cluster method using Gaussian16 suite of program with basis sets of different sizes. In the following paragraphs, the summary of each chapter of the thesis is presented.

Chapter 1 introduces different aspects of conformational analysis and non-covalent interactions. We have discussed the nature and strength of different kinds of non-covalent interactions. To probe the conformations and non-covalent interactions, we discuss various spectroscopic techniques and the utility of computational chemistry. This chapter also includes detailed information on quantum chemical methods, basis sets, computational tools and server credentials of quantum chemical calculations used to deduce various molecular properties. This chapter ends by stating the objectives of the thesis work.

Chapter 2 presents the conformational analysis of ethanethiol molecule. The rotational barriers were calculated for the first time and they were found to be in good agreement with the experimentally measured rotational barrier reported in literature. Results pertaining to the thermodynamic parameters, normal modes of vibration, and rotational barriers were in good agreement with the previously reported experimental finding about the existence of two conformers. Furthermore, our calculations at the CCSD/CBS limit revealed gauche conformer to be the most stable conformer with a higher relative abundance (49.82% & 64.07% corresponding to the dihedral angle HCCS and CCSH rotation parameters, respectively) at 298 K. The gauche conformer was 0.70 kcal/mol more stable with respect to the anti-conformer. The rotational barriers around the C-C bond and C-S bond rotations calculated at the CCSD/cc-pVTZ level of theory were 1.42 kcal/mol and 3.62 kcal/mol, respectively. NBO, Mullikan charges, and frontier molecular orbital calculations supported these results very well.

Chapter 3 is a revisit to the conformational and structural stability of n-propanethiol (nP). Hitherto prevailing literature was ambiguous and inconclusive on the conformational aspects of nP and there existed no physical chemistry insight to the stability of the conformers of 2-propanethiol (2P) and the same was brought to a decisive conclusion in this chapter. Based on the rotation around the C–C and C–S bonds, four conformers for nP and two conformers for 2-propanethiol (2P) were found to have the lowest energies at the CCSD/cc-pVDZ level of theory. The two conformers of 2P are anti (T), and gauche (G), and those of nP are T–G, G–G, T–T, and G–T. Rotational barriers, geometrical parameters, fundamental vibrational modes, and energy parameters reported herein agree exceedingly well with the reported experimental values for nP and 2P molecules. Furthermore, natural bond orbital (NBO), frontier molecular orbital (FMO), Mulliken charge (MC), electrostatic potential charge (ESP), and vibrational mode analyses were carried out to get a better understanding of both the thiols.

Chapter 4 discusses the conformation and structural stability of methanethiol molecular cluster. B3LYP/cc-pV(D/T/Q)Z and CCSD/cc-pVDZ levels of theory predict three minima for both dimers and trimers of methanethiol. Predictions at B3LYP/cc-pVDZ corroborate exceedingly well with the earlier reported experimental values but significantly differ from the previous computational predictions. It was observed that the interaction energy between the molecules decreased with an increase in the size of the basis set for both the dimer and trimer. The dipole moment of methanethiol dimer got reduced at the B3LYP/cc-pVDZ level of theory relative to all minima conformations, and the same was seen for trimer also. These new predictions were well supported by atoms in molecules (AIM), frontier molecular orbital (FMO), Mulliken charge (MC), and natural bond orbital (NBO) analysis.

Chapter 5 deals the nature and strength of noncovalent interaction in methanethiol-water clusters. Herein, methanethiol (M) and water (W) clusters like dimers (M_1W_1 , M_2 and W_2), trimers (M_1W_2 , M_2W_1 , M_3 and W_3) and tetramers (M_1W_3 , M_2W_2 , M_3W_1 , M_4 and W_4) were

studied to assess the strength of the sulfur centered hydrogen bonding using different levels of theories viz HF, MP2, MP3, MP4, B3LYP, B3LYP-D3, CCSD, CCSD(T)-F12, and CCSD(T)) along with aug-cc-pVNZ (where N= D, T, Q) basis sets. Interaction energies were found to be in the range 3.3-5.3 kcal/mol for the dimers, 8.0-16.7 kcal/mol for the trimers and 13.5-29.5 kcal/mol for the tetramers at B3LYP-D3/CBS limit level of theory. Normal modes of vibrations computed at B3LYP/cc-pVDZ level of theory were seen to be in good agreement with the experimental values. Local energy decomposition (LED) calculations using DLPNO-CCSD(T) level of theory indicated the domination of electrostatic interactions' contribution to the interaction energy in all cluster systems. Furthermore, atoms in molecules (AIM) and natural bond orbital (NBO) calculations both carried out at B3LYP-D3/aug-cc-pVQZ level of theory aided in visualizing the hydrogen bonds besides proving a rationale for the strength of the hydrogen bonds and thereby the stability of these cluster systems.

The thesis ends with a summary of the findings of the considered three objectives along with a brief discussion on the future scope of this work.