

Bibliography

Abdel-Rahman, A.-M.M.: A critical density cosmological model with varying gravitational and cosmological constants, *Gen. Rel. Grav.* **22** 655-663 (1990).

Adhav K. S., Bansod A. S. and Ajmire H. G.: Early decelerating and late time accelerating anisotropic cosmological models with dynamical EoS parameter, *Astrophys. Space Sci.* **345** 405-413 (2013).

Adhav K. S. et al.: LRS Bianchi type-I models with constant deceleration parameter in creation field cosmology, *Astrophys. Space Sci.* **331** 689-695 (2011).

Adhav K. S. et al.: Plane symmetric vacuum Bianchi type-III cosmological model in Brans-Dicke theory, *Int. J. Theor. Phys.* **48** 178-182 (2009).

Adhav K. S.: LRS Bianchi type-I cosmological model in $f(R, T)$ theory of gravity, *Astrophys. Space Sci.* **339** 365-369 (2012).

Agrawal S. and Pandey R. K. and Pradhan A.: Bianchi type-II string cosmological models in normal gauge for Lyra manifold with constant deceleration parameter, *Ind. J. Phys.* **86** 61-70 (2012) .

Ahmed N. and Pradhan A.: Bianchi Type-V cosmology in $f(R, T)$ gravity with $\Lambda(T)$, *Int. J. Theor. Phys.* **53** 289-306 (2014).

Akarsu Ö. and Kilinc C. B.: Bianchi type III models with anisotropic dark energy, *Gen. Rel. Grav.* **42** 763-775 (2010).

Akarsu Ö. and Kilinc C. B.: LRS Bianchi type I models with anisotropic dark energy and constant deceleration parameter, *Gen. Rel. Grav.* **42** 119-140 (2010).

Akarsu Ö. et al.: Cosmology with hybrid expansion law: scalar field reconstruction of cosmic history and observational constraints, arXiv:1307.4911 (2013).

Alam U. et al.: Is there supernova evidence for dark energy metamorphosis?, *Mon. Not. R. Astron. Soc.* **354** 275-291 (2004).

Alfonso F.: Cosmology with time varying G, *Int. J. Theor. Phys.* **25** 293-317 (1986).

Alpher R. A. and Herman R. C.: On the relative abundance of the elements, *Phys. Rev.* **74** 1737-1742 (1948).

Alpher R. A. and Herman R. C.: Remarks on the evolution of the expanding universe, *Phys. Rev.* **75** 1089-1095 (1949).

Alpher R. A., Bethe H. and Gamow G.: The origin of chemical elements, *Phys. Rev.* **73** 803-804 (1948).

Alvarenga F. G. et al.: Testing some $f(R, T)$ gravity models from energy conditions, *J. Mod. Phys.* **4** 130-139 (2013).

Ananda K. N. and Carloni S.: Evolution of cosmological gravitational waves in $f(R)$ gravity, *Phys. Rev. D* **77** 024033-024046 (2008).

Arbab A. I.: Cosmological models with variable cosmological and gravitational constants and bulk viscous models, *Gen. Rel. Grav.* **29** 61-74 (1997).

Asseo E. and Sol H.: Extragalactic magnetic field, *Phys. Rep.* **148** 307-436 (1987).

Audretsch J. and Schafer G.: Thermal particle production in a radiation dominated Robertson-Walker universe, *J. Phys. A: Math. Gen.* **11** 1583-1602 (1978).

Azizi T.: Wormhole geometries in $f(R, T)$ gravity, *Int. J. Theor. Phys.* **52**, 3486-3493 (2013).

Babichev E., Dokuchaev V. and Eroshenko Y.: Dark energy cosmology with generalized linear equation of state, *Class. Quantum Grav.* **22** 143-154 (2005).

Bahcall N. A. et al.: The cosmic triangle: Revealing the state of the universe, *Science* **284** 1481-1488 (1999).

Bali R. and Jain D. R.: Viscous fluid universe filled with stiff fluid in general relativity, *Astrophys. Space Sci.* **185** 211-222 (1991).

Bali R. and Jain V. C.: Generalized expanding and shearing anisotropic Bianchi type I magnetofluid cosmological model in general relativity, *Astrophys. Space Sci.* **262** 145-155 (1998).

Bali R. and Kumawat P.: Bulk viscous LRS Bianchi type V tilted stiff fluid cosmological model general relativity, *Phys. Lett. B* **665** 332-337 (2008).

Bali R. and Meena B. L.: Magnetized stiff fluid tilted universe for perfect fluid distribution in general relativity, *Astrophys. Space Sci.* **262**, 89-96 (1998).

Bali R. and Sharma K.: Tilted bianchi type I models with heat conduction filled with disordered radiations of perfect fluid in general relativity, *Astrophys. Space Sci.* **271** 227-235 (2000).

Bali R. and Pradhan A.: Bianchi type III string cosmological models with time dependent bulk viscosity, *Chin. Phys. Lett.* **24** 585-588 (2007)

Bali R. and Singh D. K.: LRS Bianchi Type V bulk viscous fluid string dust cosmological model in general relativity, *Astrophys. Space Sci.* **288**, 415-419 (2003).

Belinskii V. A. and Kalatnikov T. M.: Influence of viscosity on the character of cosmological evolution, *Sov. Phys. JETP* **42** 205-218 (1975).

Banerjee A. and Sanyal A. K.: Homogeneous anisotropic cosmological models with viscous fluid and magnetic field, *Gen. Rel. Grav.* **18** 1251-1262 (1986).

Banerjee A., Duttachoudhary S. B. and Sanyal A. K.: Bianchi type II cosmological model with viscous fluid, *Gen. Rel. Grav.* **18** 461-477 (1986).

Banerjee A. and Sanyal A. K.: Irrotational Bianchi V viscous fluid cosmology with heat flux, *Gen. Rel. Grav.* **20** 103-113 (1988).

Banerjee A. et al.: String cosmology in Bianchi I Space-time, *Pramana J. Phys.* **34**, 1-11 (1990).

Beesham A.: FLRW cosmological models in Lyra's Manifold with time dependent displacement field, *Aust. J. Phys.* **41** 833-842 (1988).

Bennett C. L. et al.: First year wilkinson microwave anisotropy probe (WMAP) observations: Preliminary maps and basic results, *Astrophys. J. Suppl. Ser.* **148**

1-27 (2003).

Bento M. C., Bertolami O. and Sen A. A.: Generalized Chaplygin Gas, accelerated expansion and dark energy-matter unification, *Phys. Rev. D* **66** 43507-43512 (2002).

Bergmann P. G.: Comments on the scale-tensor theory, *Int. J. Theor. Phys.* **1** 25-36 (1968).

Berman M. S. and Gomide F. M.: Cosmological models with constant deceleration parameter, *Gen. Rel. Grav.* **20** 191-198 (1988).

Berman M. S.: A special law of variation for Hubble's parameter, *IL Nuovo Cimento B* **74** 182-186 (1983).

Bernardis P. et al.: A flat universe from high-resolution maps of the cosmic microwave background radiation, *Nature* **404** 955-962 (2000).

Bertolami O. et al.: Extra force in $f(R)$ modified theories of gravity, *Phys. Rev. D* **75** 104016-104021 (2007).

Bhattacharjee R. and Baruah K. K.: String cosmologies with a scalar field, *Ind. J. Pure Appl. Math.* **32** 47-53 (2001).

Bianchi L., *Lezioni sulla teoria dei gruppi continui finiti di trasformazioni*, Pisa: E. Spoerri. Weyl H Preussische, Akademic der Wissenschaften Zu Berlin Sitzungsberichte 465-480 (1918).

Birrell N. D. and Davies P. C. W.: *Quantum fields in curved space* (Cambridge University Press, Cambridge), (1982).

Bogoyavlensky O. I.: Method in qualitative theory of dynamical systems in astrophysics and gas dynamics, Springer series in Soviet Mathematics, Springer-Verlag (1985).

Bradley J. M. and Sviestins E.: Some rotating, time-dependent Bianchi type VIII cosmologies with heat flow, *Gen. Rel. Grav.* **16** 1119-1133 (1984).

Brans C. and Dicke R. H.: Mach's principle and theory of gravitation, *Phys. Rev.* **124** 925-935 (1961).

Bronnikov K. A.: Magneto-dilatonic Bianchi-I cosmology: isotropization and singularity problems, *Class. Quantum Grav.* **21** 3389-3403 (2004).

Caldwell R. R.: A phantom menace? Cosmological consequences of a dark energy component with super-negative equation of state, *Phys. Lett. B* **545** 23-29 (2002).

Caldwell R. R. et al.: Sudden gravitational transition, *Phys. Rev. D* **73** 23513-23521 (2006).

Canuto V. et al.: Scale-covariant theory of gravitation and astrophysical applications, *Phys. Rev. D* **16** 1643-1663 (1977).

Canuto V., Hsieh S. H. and Adams P. J.: Scale-covariant theory of gravitation and astrophysical applications, *Phys. Rev. Lett.* **39** 429-432 (1977).

Capozziello S., Cardone V. F. and Troisi A.: Dark energy and dark matter as curvature effects? *J. Cosmol. Astropar. Phys.* **608** 1-14 (2006).

Capozziello S., Martin-Moruno P. and Rubano C: Dark energy and dust matter phases from an exact $f(R)$ -cosmology model, *Phys. Lett. B* **664** 12-15 (2008).

Capozziello S., Stabile A. and Troisi A: Spherical symmetry in $f(R)$ gravity, *Class. Quantum Grav.* **25** 085004-085017 (2008).

Carloni S., Dunsby P. K. S. and Troisi A. Evolution of density perturbations in $f(R)$ gravity, *Phys. Rev. D* **77** 024024-024040 (2008).

Carroll S. M. et al.: Cosmology of generalized modified gravity models, *Phys. Rev. D* **71** 063513-063523 (2005) Chakraborty S.: An alternative $f(R, T)$ gravity theory and the dark energy problem, *Gen. Rel. Grav.* **45** 2039-2052 (2013).

Chakraborty S.: String cosmology in Bianchi VI₀ space-time *Ind. J. Pure Appl. Phys.* **29** 31-33 (1991)

Chandel S. and Ram R.: Anisotropic Bianchi type-III perfect fluid cosmological models in $f(R, T)$ theory of gravity, *Ind. J. Phys.* **87** 1283-1287 (2013).

Chaubey R. and Shukla A. K.: A new class of Bianchi cosmological models in $f(R, T)$ gravity, *Astrophys. Space Sci.* **343** 415-422 (2012).

Chaubey R.: Bianchi type-V bulk viscous cosmological models with particle creation in Brans-Dicke theory, *Astrophys. Space Sci.* **342** 499-509 (2012).

Chawala C., Mishra R. K. and Pradhan A.: Anisotropic Bianchi-I cosmological models in string cosmology with variable deceleration parameter, *Rom. J. Phys.* **58** 1000-1013 (2013).

Chen C. M. and Kao W. F.: Stability analysis of anisotropic inflationary cosmology, *Phys. Rev. D* **64** 124019-124025 (2001).

Chiba T. et al.: Kinetically driven quintessence, *Phys. Rev. D* **62** 23511-23519

(2000).

Chiba T., Smith T. L. and Ericcek A. L.: Solar system constraints to general $f(R)$ gravity, *Phys. Rev. D* **75** 124014-124020 (2007).

Chimento L. P.: Extended tachyon field, Chaplygin gas, and solvable k-essence cosmologies, *Phys. Rev. D* **69** 123517 (2004).

Coley A. A. and Dunn K.: Qualitative analysis of a class of Bianchi V imperfect fluid cosmologies, *J. Math. Phys.* **33** 1772-1779 (1992).

Coley A. A. and Hogan R. J.: Qualitative analysis diagonal Bianchi V imperfect fluid cosmologies, *J. Math. Phys.* **35** 4117-4144 (1994).

Coley A. A.: Bianchi V imperfect fluid cosmology, *Gen. Rel. Grav.* **22** 3-18 (1990).

Collins C. B.: More qualitative cosmology, *Commun. Math. Phys.* **23** 137-158 (1971).

Copelend E. J., Sami M. and Tsujikawa S.: Dynamics of dark energy, *Int. J. Mod. Phys. D* **15** 1753-1936 (2006).

Cunha J. V.: Kinematic constraints to the transition redshift from supernovae type Ia union data, *Phys. Rev. D* **79** 47301-47305 (2009).

Cunha J. V., Lima J. A. S. and Pires N.: Deflationary $\Lambda(t)$ cosmology: Observational expressions, *Astron. Astrophys.* **390** 809-815 (2002).

de- Bernardis et al.: A flat universe from high-resolution maps of the cosmic microwave background radiation, *Nature* **404** 955-959 (2000).

de Sitter W.: On the relativity of inertia: Remarks concerning Einstein's latest hypothesis, Proc. Kon. Ned. Acad. Wet. **19** 1217-1225 (1917).

de Sitter W.: Some further computations regarding non-static universes, Bulletin Astron. Inst. Netherlands **6** 141-145 (1931).

de Sitter W.: The expanding universe. Discussion of Lemaitre's solution of the equations of the inertial field, Bulletin Astron. Inst. Netherlands **5** 211-218 (1930).

Deng Y.: Solutions of the Einstein equation with heat flow, Gen. Rel. Grav. **21** 503-507 (1989).

Desikan K.: Cosmological models with bulk viscosity in the presence of particle creation, Gen. Rel. Grav. **29** 435-443 (1997).

Dirac P. A. M.: Classical theory of radiating electrons, Proc. R. Soc. A **167** 148-169 (1938).

Drietein J.: Broken symmetry and the cosmological constant, Phys. Rev. Lett. **33** 1243-1244 (1974).

Duncan M. J. and Jensen L. G.: Extended inflation in closed cosmologies, Phys. Lett. B **247** 246-250 (1990).

Eckart C: The thermodynamics of irreversible processes. III. Relativistic theory of the simple fluid, Phys. Rev. **58** 919-924 (1940).

Einstein A.: Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie Preussische Akademie der Wissenschaften, Sitzungsberichte, 142-152 (1917).

- Einstein A.: Pre.Akad Wiss Sitzungsberichte, 778-786 (1915).
- Einstein A.: Zur Elektrodynamik bewegter Körper, Annalen der Physik **17** 891-921 (1905).
- Eisenstein D. J. et al.: Detection of the baryon acoustic peak in the large-scale correlation function of SDSS luminous red galaxies, *Astrophys. J.* **633** 560-574 (2005).
- Elst H. V., Dunsby P. K. S. and Tavakol R.: Constraints on inflationary solutions in the presence of shear and bulk viscosity, *Gen. Rel. Grav.* **27** 171-191 (1995).
- Enginöl T. B.: An inflationary cosmology with varying G, *Phys. Lett. A* **139** 127-129 (1989).
- Everelt A. E.: Cosmic strings in unified gauge theories, *Phys. Rev. D* **24** 858-868 (1981).
- Ferraro R. and Fiorini F.: Modified teleparallel gravity: Inflation without an inflaton, *Phys. Rev. D* **75** 084031-084035 (2007).
- Ford L. H.: Quantum vacuum energy in a closed universe, *Phys. Rev. D* **14** 3304-3313 (1976).
- Friedmann A.: Über die Krümmung des Raumes, *Zeitschrift für Physik* **10** 377-386 (1922).
- Friedmann A.: Über die Möglichkeit einer Welt mit konstanter negativer Krümmung des Raumes, *Zeitschrift für Physik* **21** 326-332 (1924).
- Gamow G.: Expanding universe and origin of the elements, *Phys. Rev.* **70** 572-575

(1946).

Gasperini M.: A thermal interpretation of cosmological constant, *Class. Quantum Grav.* **5** 521-531 (1988).

Goetz G.: The gravitational field of plane symmetric thick domain walls, *J. Math. Phys.* **31** 2683-2687 (1990).

Gron O.: Viscous inflationary universe models, *Astrophys. Space. Sci.* **173** 191-225 (1990).

Guarnizo A., Casta L. and Tejeiro J. M.: Geodesic deviation equation in $f(R)$ gravity, *Gen. Rel. Grav.* **43** 2713-2728 (2011).

Guth A. H.: The inflationary universe: A possible solution to the horizon and flatness problems, *Phys. Rev. D* **23** 347-356 (1981).

Hajj-Boutros J.: A method for generating exact Bianchi type II cosmological models, *J. Math. Phys.* **27** 1592-1594 (1986).

Hajj-Boutros J.: On hypersurface-homogeneous space-times, *J. Math. Phys.* **26** 2297-2301 (1985).

Halford W. D.: Cosmological theory based on Lyra's geometry, *Austr. J. Phys.* **23** 863-671 (1970).

Halford W. D.: Scalar-tensor theory of gravitation in a Lyra manifold, *J. Math. Phys.* **13** 1699-1704 (1972).

Harko T. et al.: $f(R, T)$ gravity, *Phys. Rev. D.* **84** 24020-24031 (2011).

Harko T.: Modified gravity with arbitrary coupling between matter and geometry, Phys. Lett. B **669** 376-379 (2008)

Hinshaw G. et al.: Five-year wilkinson microwave anisotropy probe observations: Data processing, sky maps and basic results, Astrophys. J. Suppl. Ser. **180** 225-245 (2009)

Houndjo M. J. S. et al.: Finite-time singularities in $f(R, T)$ gravity and the effect of conformal anomaly, Canadian J. Phys. **91** 548-553 (2013).

Hoyle F. and Narlikar J. V.: Electrodynamics of direct interparticle action II: Relativistic treatment of radiative processes, Annals of Physics 62 44-97 (1971).

Hoyle F. and Narlikar J. V.: Mach's principle and the creation of matter, Proc. R. Soc. Lond. A **270** 334-341 (1962).

Hoyle F., Burbidge G. and Narlikar J. V.: Further astrophysical quantities expected in a quasi-steady state universe, Astron. Astrophys. **289** 729-739 (1994).

Hubble E. P. and Humason M. L.: The velocity-distance relation among extragalactic nebulae, Astrophys. J. **74** 43-80 (1931).

Hubble E. P. and Humason M. L.: The velocity-distance relation for isolated extragalactic nebulae, Proc. Nat. Aca. Sci. Philand, **20** 264-268 (1934).

Hubble E. P.: A relation between distance and radial velocity among extra-galactic nebulae, Proc. Nat. Aca. Sci. United States of America, **15** 168-173 (1929).

Hu B. L.: Vacuum viscosity description of quantum processes in the early universe, Phys. Lett. A **90** 375-380 (1982).

Isham C. J. and Nelson J. E.: Quantization of a coupled Fermi field and Robertson-Walker metric, *Phys. Rev. D* **10** 3226-3234 (1974).

Jafe T. R. et al.: Evidence of vorticity and shear at large angular scales in the WMAP data: A violation of cosmological isotropy, *Astrophys. J.* **629** L1-L4 (2005)

Jain B. and Taylor A.: Cross-correlation tomography: Measuring dark energy evolution with weak lensing, *Phys. Rev. Lett.* **91** 141302-141306 (2003).

Johri V. B. and Pandey S. K.: Cosmological models with matter creation in open thermodynamic systems, *Int. J. Theor. Phys.* **38** 1981-1991 (1999).

Johri V. B. and Sudarshan R.: *Proc. Int. Conf. Mathematical Modelling Sci. Tech.*, World Scientific, Singapore (1988).

Johari V. B. and Sudarshan R.: *Proc. Int. Conf. on Mathematical Modelling (New York)* (1979).

Komatsu E. et al.: Five-year wilkinson microwave anisotropy probe (WMAP) observations: Cosmological interpretation, *Astrophys. J. Suppl. Ser.* **180** 330-376 (2009).

Kamenshchick A., Moschella U. and Pasquier V.: An alternative to quintessence, *Phys. Lett. B* **511** 265-268 (2001).

Katore S. D. and Shaikh A. Y.: Kantowski-Sachs dark energy model in $f(R, T)$ gravity, *Prespacetime J.* **3** 1087-1096 (2012).

Katore S.D. et al.: Accelerating and decelerating hypersurface-homogeneous cosmological models in barber's second self-creation theory, *Glob. J. Sci. Fron. Res.*

Math. and Decision. Sci. **12** 41-50 (2012).

Kibble T. W. B. and Turok N.: Self-intersection of cosmic strings, Phys. Lett. B **116** 141-143 (1982).

Kibble T. W. B.: Some implications of a cosmological phase transition, Phys. Rep. **67** 183-199 (1980).

Kibble T. W. B.: Topology of cosmic domains and strings, J. Phys. A Math. Gen. **9** 1387-1398 (1976).

Kilinc C. B. and Yavuz I.: Inhomogeneous cylindrically-symmetric models in string cosmology, Astrophys. Space Sci. **238** 239-245 (1996).

Koivisto T. and Mota D. F.: Anisotropic dark energy: dynamics of the background and perturbations, J. Cosmol. Astropart. Phys. **6** 18- 41 (2008).

Koivisto T.: Viable palatini- $f(R)$ cosmologies with generalized dark matter, Phys. Rev. D **76** 043527-043531 (2007).

Krori K. D. and Mukherjee A.: Bianchi cosmologies with particle creation and bulk viscosity, Gen. Relativ. Gravit. **32** 1429-1438 (2000).

Krori K. D. et al.: Some exact solutions in string cosmology, Gen. Rel. Grav. **22** 123-130 (1990).

Kroupa P. et al.: Local-Group tests of dark-matter concordance cosmology, Astron. Astrophys. **523** 1-22 (2010).

Kumar S. and Yadav A. K.: Some Bianchi type V models of accelerating universe

with dark energy, *Mod. Phys. Lett. A* **26** 647-659 (2011).

Kumar S.: Anisotropic model of dark energy dominated universe with hybrid expansion law , *Gravitation Cosmology* **19** 284-287 (2013).

Kumar S.: String cosmology in anisotropic Bianchi-II spacetime, *Mod. Phys. Lett. A* **26** 779-793 (2011).

Land K. and Maguejo J.: Examination of evidence for a preferred axis in the cosmic radiation anisotropy, *Phys. Rev. Lett.* **95** 71301-71305 (2005).

Lemaitre G.: Un Univers homogène de masse constante et de rayon croissant rendant compte de la vitesse radiale des nébuleuses extra-galactiques, *Annales Soc. Sci. Bruxelles* **A47** 49-59 (1927).

Letelier P. S.: Clouds of strings in general relativity, *Phys. Rev. D* **20** 1294-1302 (1979).

Letelier P. S.: String cosmologies, *Phys. Rev. D* **28** 2414-2419 (1983).

Levitt L. S.: The gravitational constant at time zero, *Lett. Al Nuovo Cimento* **29** 23-24 (1980).

Lichnerovich A.: *Relativistic hydrodynamics and magnetohydrodynamics*, Benjamin, New York (1967).

Lima J. A. S. and Germano A. S. M.: On the equivalence of bulk viscosity and matter creation, *Phys. Lett. A* **170** 373-378 (1992).

Linde A. D.: A new inflationary universe scenario: A possible solution of the hori-

zon, flatness, homogeneity, isotropy and primordial monopole problems, *Phys. Lett. B* **108** 389-393 (1982).

Linde A. D.: Is the cosmological constant a constant, *JETP Lett.* **19** 183-184 (1974).

Lorenz-Petzold D.: Tilted electromagnetic Bianchi type III cosmological solution, *Astrophys. Space Sci.* **85** 59-61 (1982).

Lue A. et al.: Probing Newton's constant on vast scales: DGP gravity, cosmic acceleration and large scale structure, *Phys Rev. D* **69** 124015-124025 (2004).

Lundmark K.: The determination of the curvature of space-time in de Sitter's world, *Mon. Not. R. Astr. Soc.* **84** 747-770 (1924)

Lyra G.: Uber eine modifikation der Riemannschen geometrie, *Math. Z.* **54** 52-64 (1951).

Maartens R.: Dissipative cosmology, *Class. Quantum Grav.* **12** 1455-1465 (1995).

Maartens R.: Cosmological magnetic field, *Pramana J. Phys.* **55** 575-583 (2000).

Mahanta P. and Mukherjee A.: String models in Lyra geometry, *Ind. J. Pure Appl. Math.* **32** 199-204 (2001).

Martin J.: Quintessence: a mini-review, *Mod. Phys. Lett. A* **23** 1252-1265 (2008).

Massa C.: Does the gravitational "constant" increase? *Astrophys. Space Sci.* **232** 143-148 (1995).

Matraverse D. R.: Solutions to Einstein's field equations with Kantowski-Sachs

- symmetry and string dust source, *Gen. Rel. Grav.* **20** 279-288 (1988).
- Misner C. W.: The isotropy of the universe, *Astrophys. J.* **151** 431-457 (1968) .
- Misner C. W.: Transport processes in the primordial fireball, *Nature* **214** 40-41 (1967).
- Mukherjee G.: Shear-free homogeneous cosmological model with heat flux, *J. Astrophys. Astron.* **7** 259-273 (1986).
- Murphy G. L.: Big-bang model without singularities, *Phys. Rev. D* **8** 4231-4233 (1973).
- Netterfield C. B. et al.: A measurement by boomerang of multiple peaks in the angular power spectrum of the cosmic microwave background, *Astrophys. J.* **571**, 604-614 (2002).
- Nojiri S. and Odintsov S. D.: Modified gravity with negative and positive powers of curvature: Unification of inflation and cosmic acceleration, *Phys. Rev. D* **68** 123512-123522 (2003).
- Nordtvedt K.: Post-Newtonian metric for a general class of scalar-tensor gravitational theories and observational consequences, *Astrophys. J.* **161** 1059-1067 (1970).
- Novello M. and Reboucas, M. J.: The stability of a rotating universe, *Astrophys. J.* **225** 719-724 (1978).
- Overduin F. M. and Cooperstock F. I.: Evolution of the scale factor with a variable cosmological term, *Phys. Rev. D* **85** 43506-43529 (1998).

Padmanabhan T. and Chaudhary T. R.: Accelerated expansion of the universe driven by tachyonic matter, *Phys. Rev. D* **66** 81301-81305 (2003).

Padmanabhan T. and Chitre S. M.: Viscous universe, *Phys. Lett. A* **120** 433-436 (1987).

Padmanabhan T.: Cosmological constant-the weight of the vacuum, *Phys. Rep.* **380** 235-320 (2003).

Parker L.: Particle creation in expanding universes, *Phys. Rev. Lett.* **21** 562-564 (1968).

Parker L.: Quantized fields and particle creation in expanding universes, *Phys. Rev. D* **3** 346-356 (1971).

Pasqua A., Chattopadhyay S. and Khomenko I.: A reconstruction of modified holographic Ricci dark energy in $f(R, T)$ gravity, *Canadian J. Phys.* **91** 632-638 (2013).

Pavon D., Bafaluy J. and Jou D.: Causal Friedmann-Robertson-Walker cosmology, *Class. Quantum grav.* **8** 347-360 (1991).

Peebles P. J. E. and Ratra B.: The cosmological constant and dark energy, *Rev. Mod. Phys.* **75** 559-606 (2003).

Penzias A. A. and Wilson R. W.: A measurement of excess antenna temperature at 4080 Mc/s, *Astrophys. J.* **142** 419-421 (1965).

Percival W. J. et al.: Measuring the baryon acoustic oscillation scale using the sloan digital sky survey and 2dF galaxy redshift survey, *Mon. Not. R. Astron. Soc.* **381** 1053-1066 (2007).

Perlmutter S. et al.: Measurements of ω and Λ from 42 high-redshift supernovae, *Astrophys. J.* **517** 565-586 (1999).

Pradhan A.: Accelerating dark energy models with anisotropic fluid in Bianchi type VI_0 space-time, *Res. Astron. Astrophys.* **13** 139-158 (2013).

Pradhan A. and Amirhashchi H.: Accelerating dark energy models in Bianchi type-V space-time, *Mod. Phys. Lett. A* **26** 2261-2275 (2011).

Pradhan A., Amirhashchi H. and Jaiswal R.: A new class of LRS Bianchi type-II dark energy models with variable EoS parameter, *Astrophys. Space Sci.* **334** 249-260 (2011).

Pradhan A. and Kumar S.: LRS Bianchi type II bulk viscous fluid universe with decaying vacuum energy density Λ , *Int. J. Theor. Phys.* **48** 1466-1477 (2009).

Pradhan A. and Mathur P.: Magnetized string cosmological model in cylindrically symmetric inhomogeneous universe-revisited, *Astrophys. Space Sci.* **318** 255-261 (2008).

Pradhan A. and Pandey H. R.: Bulk viscous cosmological models in Lyra geometry, *arXiv:gr-qc/0307038* (2003).

Pradhan A. and Pandey P.: Some Bianchi type I viscous fluid cosmological models with a variable cosmological constant, *Astrophys. Space Sci.* **301** 127-134 (2006).

Pradhan A. and Singh A. K.: Bianchi type I magnetofluid cosmological models with variable cosmological constant revisited, *Int. J. Mod. Phys. D* **13** 503-516 (2004).

Pradhan A. and Vishwakarma A. K.: A new class of LRS Bianchi type-I cosmolog-

ical models in Lyra geometry, *J. Geom. Phys.* **49** 332-342 (2004).

Pradhan A., Singh R. and Shahi J. P.: Cylindrically symmetric inhomogeneous string cosmological models of perfect fluid distribution with electromagnetic field, *EJTP* **7** 197-212 (2010).

Prigogine I. et al.: Thermodynamics of cosmological matter creation, *Proc. Nat. Acad. Sci.* **85** 7428-7432 (1988).

Ram S. and Singh J. K.: Some spatially homogeneous string cosmological models, *Gen. Rel. Grav.* **270** 1207-1213 (1995).

Ram S. and Singh P.: Anisotropic cosmological models of Bianchi types III and V in Lyra's geometry, *Int. J. Theor. Phys.* **31** 2095-2102 (1992).

Ram S. and Singh P.: Bianchi type-II string-dust universes, *Astrophys. Space Sci.* **192** 335-338 (1992).

Ram S. and Verma M. K.: Bulk viscous fluid hypersurface-homogeneous cosmological models with time varying G and Λ , *Astrophys. Space Sci.* **330** 151-156 (2010)

Ram S.: Generation of LRS Bianchi type I universes filled with perfect fluids, *Gen. Rel. Grav.* **21** 697-704 (1989).

Ram S., Priyanka and Singh M. K.: Anisotropic cosmological models in $f(R, T)$ theory of gravitation, *Pramana J. Phys.* **81** 67-74 (2013).

Ram S.: Spatially homogeneous cosmological models of Bianchi type III, *J. Math. Phys.* **30** 757-759 (1989).

Ram S., Zeyauddin M. and Singh C. P.: Bianchi type V cosmological models with perfect fluid and heat conduction in Lyra's geometry, *Int. J. Mod. Phys. A* **23** 4991-5005 (2008).

Ram S., Zeyauddin M. and Singh C. P.: Bianchi type-V cosmological models with perfect fluid and heat flow in Saez-Ballester theory, *Pramana J. Phys.* **72** 415-427 (2009).

Rao V. U. M. and Nilima D.: Bianchi type-VI₀ perfect fluid cosmological model in a modified theory of gravity, *Astrophys. Space Sci.* **345**, 427-430 (2013).

Rao V. U. M., Sireesha K. V. S. and Santhi M. V.: Bianchi types II, VIII, and IX string cosmological models with bulk viscosity in a theory of gravitation, *ISRN Math. Phys.* **2012** 341612-341627 (2012).

Ray D.: Gödel-like cosmological solutions, *J. Math. Phys.* **21** 2797-2798 (1980).

Reboucas M. J. and Lima J. A. S.: Time-dependent, finite, rotating universes, *J. Math. Phys.* **22** 2699-2703 (1981).

Reboucas M. J.: Time-dependent, Bianchi II, rotating universe, *IL Nuovo Cimento B* **67** 120-126 (1982).

Reddy D. R. K.: A string cosmological model in Brans-Dicke theory of gravitation, *Astrophys. Space Sci.* **286** 365-371 (2003).

Reddy D. R. K., Kumar R. S. and Kumar T. V. P.: Bianchi type-III dark energy model in $f(R, T)$ gravity, *Int. J. Theor. Phys.* **52** 239-245 (2013).

Reddy D. R. K., Santikumar R. and Naidu R. L.: Bianchi type-III cosmological

model in $f(R, T)$ theory of gravity, *Astrophys. Space Sci.* **342** 249-252 (2012).

Riess A. G. et al.: BVRI light curves for 22 type IA supernovae, *Astron. J.* **117** 707-724 (1999).

Riess A. G. et al.: Observational evidence from Supernovae for an accelerating universe and a cosmological constant, *Astron. J.* **116** 1009-1038 (1998).

Riess A.G. et al.: Type Ia supernova discoveries at $z > 1$, from the Hubble space telescope: evolution for past deceleration, *Astrophys. J.* **607** 665-687 (2004).

Robertson H. P.: Kinematics and world-structure, *Astrophys. J.* **82** 284-301 (1935).

Robertson H. P.: Kinematics and world-structure III, *Astrophys. J.* **83** 257-271 (1936).

Rodrigues D. C.: Anisotropic cosmological constant and the CMB quadrupole anomaly, *Physical Rev. D* **77** 023534-023540 (2008).

Rosquist K. and Jantzen R. T.: Unified regularization of Bianchi cosmologies, *Phys. Rep.* **166** 89-124 (1988).

Roy S. R. and Banerjee S. K.: Bianchi type II string cosmological models in general relativity, *Class. Quantum Grav.* **12** 1943-1948 (1995).

Roy S. R. and Prakash S.: An anisotropic magnetohydrodynamic cosmological model in general relativity, *Ind. J. Phys.* **52** 47-52 (1978).

Saez D. and Ballester V. J.: A simple coupling with cosmological implications, *Phys. Lett. A* **113** 467-470 (1985).

Saha B.: Bianchi type I universe with viscous fluid, *Mod. Phys. Lett. A* **20** 2127-2143 (2005).

Saha B. and Rikhvitsky V.: Bianchi type I universe with viscous fluid and a Λ term: A qualitative analysis, *Physica D* **219** 168-176 (2006).

Saha B. and Yadav A. K.: Dark energy model with variable q and ω in LRS bianchi-II space time, *Astrophys. Space Sci.* **341** 651-656 (2012).

Saha B., Amirhashchi A. and Pradhan A.: Two-fluid scenario for dark energy models in an FRW universe-revisited, *Astrophys. Space Sci.* **342** 257-267 (2012).

Sahni V. and Starobinsky A.: Reconstructing Dark Energy, *Int. J. Mod. Phys. D* **15** 2015-2132 (2006).

Sahni V. and Starobinsky A.: The case of positive Λ term, *Int. J. Mod. Phys. D* **9** 373-443 (2000).

Sahni V., Shafieloo A. and Starobinsky A.: Two new diagnostics of dark energy, *Phys. Rev. D* **78** 103502-103512 (2008).

Santos N. O., Dias R. S. and Banerjee A.: Isotropic homogeneous universe with viscous fluid, *J. Math. Phys.* **26** 878-881 (1985).

Seljak U. et al.: Cosmological parameter analysis including SDSS Ly α forest and galaxy bias: Constraints on the primordial spectrum of fluctuations, neutrino mass and dark energy *Phys. Rev. D* **71** 103515-20 (2005).

Sen D. K.: A static cosmological model, *Z. Phys.* **149** 311-323 (1957).

Sen D. K. and Dunn K. A.: A scalar-tensor theory of gravitation in a modified Riemannian manifold, *J. Math. Phys.* **12** 578-586 (1971).

Shamir M. F., Jhangeer A. and Bhatti A. A.: Exact solutions of Bianchi types I and V models in $f(R, T)$ Gravity, **arxiv:1207.0708v1(2012)**.

Shamir M. F.: Plane symmetric vacuum Bianchi type III cosmology in $f(R)$ gravity, *Int. J. Theor. Phys.* **50** 637-643 (2011).

Sharif M. and Zubair M.: Dynamics of a magnetized Bianchi VI_0 universe with anisotropic fluid, *Astrophys. Space Sci.* **339** 45-51 (2012).

Sharif M. and Zubair M.: Evolution of the universe in inverse and $\ln f(R)$ gravity, *Astrophys. Space Sci.* **342** 511-520 (2012).

Sharif M. and Zubair M.: Thermodynamics in $f(R, T)$ theory of gravity, *J. Cosmol. Astropart. Phys.* **21** 28-40 (2012).

Sharma N. K. and Singh J. K.: Bianchi type-II string cosmological model with magnetic field in $f(R, T)$ Gravity, *Int. J. Theor. Phys.* **53** 2912-2922 (2014).

Singh C. P. and Beesham A.: Anisotropic Bianchi-V perfect fluid space-time with variables G and Λ , *Int. J. Mod. Phys. A* **25** 3825-3834 (2010).

Singh C. P. and Beesham A.: Hypersurface homogeneous space time with anisotropic dark energy, *Gravitation Cosmology* **17** 284-290 (2011).

Singh C. P. and Kumar S.: Bianchi type-II cosmological models with constant deceleration parameter, *Int. J. Mod. Phys. D* **15** 419-438 (2006).

Singh C. P. and Singh V.: Reconstruction of modified $f(R, T)$ gravity with perfect fluid cosmological models, *Gen. Rel. Grav.* **46** 1696-14 (2014).

Singh C. P.: Imperfect fluid cosmology with heat flow, *Gravitation Cosmology* **15** 381-390 (2009)

Singh C. P.: Locally-rotationally-symmetric Bianchi type-V cosmology in general relativity, *Pramana J. Phys.* **72** 429-443 (2009).

Singh C. P., Zeyauddin M. and Ram S.: Some exact Bianchi type-V perfect fluid solutions with heat flow, *Int. J. Theor. Phys.* **47** 3162-3170 (2008).

Singh G. P. and Beesham A.: Bulk viscosity and particle creation in Brans-Dicke theory, *Aust. J. Phys.* **52** 1039-1049 (1999).

Singh G. P. and Kale A. Y.: Anisotropic bulk viscous cosmological models with particle creation, *Astrophys. Space Sci.* **331** 207-219 (2011).

Singh G. P. and Kale A. Y.: Bianchi type I bulk viscous cosmological models with particle creation in Brans-Dicke theory, *Eur. Phys. J. Plus* **126** 83-99 (2011).

Singh G. P., Deshpande R. V. and Singh T.: Viscous cosmological models with particle creation in Brans-Dicke theory, *Astrophys. Space Sci.* **282** 489-498 (2002).

Singh J. K. and Ram S: A class of new Bianchi I perfect fluid space-times, *Astrophys. Space Sci.* **225** 57-65 (1995).

Singh J. K. and Ram S.: String cosmological models of Bianchi type-III, *Astrophys. Space Sci.* **246**, 65-72 (1997).

- Singh J. K.: Some cosmological models with heat and null radiation flow, *Astrophys. Space Sci.* **310** 241-244 (2007).
- Singh J. K.: Some exact solutions of string cosmological models in Bianchi type-V space-time, *Astrophys. Space Sci.* **281** 585-594 (2002).
- Singh T. and Agrawal A. K.: Some Bianchi-type cosmological models in a new scalar-tensor theory, *Astrophys. Space Sci.* **182** 289-312 (1991).
- Slipher V. M.: Spectrographic observations of nebulae, *Pop. Astr.* **23** 21-24 (1915).
- Spergel D. N. et al.: First year wilkinson microwave anisotropy probe (WMAP) observations: Determination of cosmological parameters, *Astrophys. J. Supple.* **148** 175-194 (2003).
- Stachel J.: Thickening the string. I. The string perfect dust, *Phys. Rev. D* **21** 2171-2181 (1980) .
- Steinhardt P. J., Wang L. and Zlatev I.: Cosmological tracking solutions, *Phys. Rev. D* **59** 123504-123517 (1999).
- Stephani H. et al.: Exact solutions to Einstein's field equations 2nd ed., Cambridge University Press (2003).
- Stewart J. M. and Ellis G. F. R.: Solution of Einstein's equations for a fluid which exhibit local rotational symmetry, *J. Math. Phys.* **9** 1072-1082 (1968).
- Sviestins E.: Some rotating, time-dependent Bianchi type-IX cosmologies with heat flow, *Gen. Rel. Grav.* **17** 521-523 (1985).

Tegmark M. et al.: Cosmological parameters from SDSS and WMAP, *Phys. Rev. D* **69** 103501-103527 (2004).

Thorne K. S.: Primordial element formation, primordial magnetic field and the isotropy of the universe, *Astrophys. J.* **148** 51-68 (1967).

Tikekar R. and Patel L. K.: Some exact solutions of string cosmology in Bianchi III space-time, *Gen. Relativ. Gravit.* **24** 397-404 (1992).

Tikekar R., Patel L. K. and Dadhich N.: A class of cylindrically-symmetric models in string cosmology, *Gen. Rel. Grav.* **26** 647-653 (1994).

Tolman R. C.: On the theoretical requirements for a periodic behavior of the universe, *Phys. Rev.* **38** 1758-1771 (1931).

Tolman R. C.: *Relativity, Thermodynamics and Cosmology*, Oxford University Press, London (1934).

Tonry J. L. et al.: Cosmological results from high-z supernovae, *Astrophys. J.* **594** 1-24 (2003).

Triginer J. and Pavon D.: Particle production in a viscous cosmological fluid, *Gen. Relativ. Gravit.* **26** 513-524 (1994).

Tripathi S. K., Behera D. and Routray T. R.: Anisotropic universe with cosmic strings and bulk viscosity, *Astrophys. Space Sci.* **325** 93-97 (2010).

Tripathi S. K. et al.: Bulk viscous barotropic magnetised string cosmological models, *Astrophys. Space Sci.* **323** 281-287 (2009).

Tyagi A. and Sharma K.: Locally rotationally symmetric Bianchi type-II magnetized string cosmological model with bulk viscous fluid in general relativity, *Chin. Phys. Lett.* **28** 899802-899806 (2011).

Turner M. S.: The dark side of universe: from Zwicky to accelerated expansion, *Phys. Rep.* **333** 619-635 (2000).

Uehara K. and Kim C. W.: Brans-Dicke cosmology with cosmological constant, *Phys. Rev. D* **26** 2575-2579 (1982).

Upadhaya R. D. and Dave S.: Some magnetized bianchi type-III massive string cosmological models in general relativity, *Braz. J. Phys.* **38** 615-620 (2008).

Verma M. K. and Ram S.: Bulk viscous Bianchi type III cosmological model with time-dependent G and Λ , *Int. J. Theor. Phys.* **49** 693-700 (2010)

Verma M. K. and Ram S.: Hypersurface-homogeneous bulk viscous fluid space-times with time-dependent cosmological term, *Astrophys. Space Sci.* **326** 299-304 (2010)

Vilenkin A.: Cosmic strings, *Phys. Rev. D* **24** 2082-2089 (1981).

Vilenkin A.: Gravitational field of vacuum domain walls and strings, *Phys. Rev. D* **23** 852-857 (1981).

Villalba V. M. and Percoco U. J.: Separation of variables and exact solution to Dirac and Weyl equations in Robertson-Walker space-times, *J. Math. Phys.* **31** 715-720 (1990).

Vishwakarma R. G.: Consequences on some dark energy-candidates from the type

- Ia supernova SN 1997ff, *Mon. Not. R. Astron. Soc.* **331**, 776-784 (2002).
- Vishwakarma R. G.: Is the present universe really accelerating?, *Mon. Not. R. Astron. Soc.* **345** 545-551 (2003).
- Wagoner R. V.: Scale tensor theory and gravitational waves, *Phys. Rev. D* **1** 3209-3216 (1970).
- Walker A. G.: On Milne's theory of world-structure, *Proc. London Math. Soc.* **42** 90-127 (1936).
- Walker A. G.: On Riemannian spaces with spherical symmetry about a line, and the conditions for isotropy in general relativity, *Quart.J. Math. Oxford Ser.* **6** 81-93 (1935).
- Wang X. X.: Kantowski-Sachs string cosmological model with bulk viscosity in general relativity, *Astrophys. Space Sci.* **298** 433-440 (2005).
- Wang Y. et al.: Future type Ia supernova data as tests of dark energy from modified Friedmann equations, *Astrophys. J.* **594** 25-32 (2003).
- Weinberg S.: A model of leptons, *Phys. Rev. Lett.* **19** 1264-1266 (1967).
- Weinberg S.: Non linear realizations of chiral symmetry, *Phys. Rev.* **166** 1568-1577 (1968).
- Weinberg S.: The cosmological constant problem, *Rev. Mod. Phys.* **61** 1-23 (1989).
- Wesson P. S.: Gravity, Particles and Astrophysics-A review of modern theories of gravity and G-variability and their relation to elementary particle physics and as-

trophysics, Dordrecht (Holland), (1980).

Weyl H.: Preussische Akademie der Wissenschaften Zu Berlin Sitzungsberichte 465-480 (1918).

Yadav A. K.: Some anisotropic dark energy models in Bianchi type-V space-time, *Astrophys. Space Sci.* **335** 565-575 (2011).

Yadav A. K. et al.: Dark energy model with variable equation of state parameter, *Int. J. Theor. Phys.* **50** 871-881 (2011).

Yadav A. K. and Saha B.: LRS Bianchi-I anisotropic cosmological model with dominance of dark energy *Astrophys. Space Sci.* **337** 759-765 (2012).

Yadav A. K. and Yadav L.: Bianchi type III anisotropic dark energy models with constant deceleration parameter, *Int. J. Theor. Phys.* **50** 218-227 (2011).

Zel'dovich Y. B.: A hypothesis, unifying the structure and the entropy of the universe, *Mon. Not. R. Astron. Soc.* **160** 1-19 (1972).

Zel'dovich Y. B.: Cosmological fluctuations produced near a singularity, *Mon. Not. R. Astro. Soc.* **192** 663-667 (1980).

Zel'dovich Y. B.: Particle production in cosmology, *JETP Lett.* **12** 307-311 (1970).

Zimdhal W.: Bulk viscous cosmology, *Phys. Rev. D* **53** 5483-5493 (1996).

Zimdahl W. and Pavon D.: Cosmology with adiabatic matter creation, *Phys. Lett. A* **176** 57-61 (1993).