

Bibliography

2014. CMU MONARCH EXTENSIONS to ns. (2014). <http://www.monarch.cs.cmu.edu>.
- F. Abbasi, A. Mesbahi, and J. M. Velni. 2017. A New Voronoi-Based Blanket Coverage Control Method for Moving Sensor Networks. *IEEE Transactions on Control Systems Technology* PP, 99 (2017), 1–9.
- Ehsan Ahvar, Antonio M Ortiz, and Noel CRESPI. 2013. Improving Decision-Making for Fuzzy Logic-based Routing in Wireless Sensor Networks. In *2013 IEEE 10th International Conference on Ubiquitous Intelligence & Computing (UIC Symposium)*. Vietri sul Mare, Italy. <https://hal.archives-ouvertes.fr/hal-01111504>
- J. N. Al-Karaki and A. Gawanmeh. 2017. The Optimal Deployment, Coverage, and Connectivity Problems in Wireless Sensor Networks: Revisited. *IEEE Access* 5 (2017), 18051–18065. <https://doi.org/10.1109/ACCESS.2017.2740382>
- Raja Mubarik Al-Kiyumi, Chuan Heng Foh, Serdar Vural, Periklis Chatzimisios, and Rahim Tafazolli. 2018. Fuzzy Logic-based Routing Algorithm for Lifetime Enhancement in Heterogeneous Wireless Sensor Networks. *IEEE Transactions on Green Communications and Networking* 2, 2 (2018), 517–532.
- S. M. Nazrul Alam and Zygmunt J. Haas. 2006. Coverage and connectivity in three-dimensional networks. In *Proc. of MOBICOM*. 346–357.
- S.M. Nazrul Alam and Zygmunt J. Haas. 2015. Coverage and connectivity in three-

- dimensional networks with random node deployment. *Ad Hoc Networks* 34 (2015), 157–169.
- F. Alduraibi, N. Lasla, and M. Younis. 2016. Coverage-based node placement optimization in wireless sensor network with linear topology. In *Proc. of IEEE ICC*. 1–6. <https://doi.org/10.1109/ICC.2016.7511421>
- O. M. Alia and A. Al-Ajouri. 2017. Maximizing Wireless Sensor Network Coverage With Minimum Cost Using Harmony Search Algorithm. *IEEE Sensors Journal* 17, 3 (Feb 2017), 882–896. <https://doi.org/10.1109/JSEN.2016.2633409>
- Imad S AlShawi, Lianshan Yan, Wei Pan, and Bin Luo. 2012. Lifetime enhancement in wireless sensor networks using fuzzy approach and A-star algorithm. (2012).
- Habib M. Ammari. 2009. *Challenges and Opportunities of Connected k-Covered Wireless Sensor Networks: From Sensor Deployment to Data Gathering* (1st ed.). Springer Publishing Company, Incorporated.
- Habib M. Ammari and Sajal K. Das. 2009. Critical Density for Coverage and Connectivity in Three-Dimensional Wireless Sensor Networks Using Continuum Percolation. *IEEE Trans. Parallel Distrib. Syst.* 20, 6 (2009), 872–885.
- Habib M. Ammari and Sajal K. Das. 2010. A Study of k-Coverage and Measures of Connectivity in three dimensional Wireless Sensor Networks. *IEEE Trans. Computers* 59, 2 (2010), 243–257.
- M. Argany, M. A. Mostafavi, and F. Karimipour. 2010. Voronoi-Based Approaches for Geosensor Networks Coverage Determination and Optimisation: A Survey. In *Proc. of ISVD*. 115–123.
- Nauman Aslam and William Robertson. 2010. Distributed coverage and connectivity

- in three dimensional wireless sensor networks. In *Proc. of ACM IWCMC*. New York, 1141–1145.
- T. Bai and R. W. Heath. 2013. Location-Specific Coverage in Heterogeneous Networks. *IEEE Signal Processing Letters* 20, 9 (Sept 2013), 873–876. <https://doi.org/10.1109/LSP.2013.2272400>
- Xiaole Bai, Santosh Kumar, Dong Xuan, Ziqiu Yun, and Ten H. Lai. 2006. Deploying Wireless Sensors to Achieve Both Coverage and Connectivity. In *MobiHoc*. 131–142.
- Xiaole Bai, Ziqiu Yun, Dong Xuan, T.H. Lai, and Weijia Jia. 2010. Optimal Patterns for Four-Connectivity and Full Coverage in Wireless Sensor Networks. *IEEE Transactions on Mobile Computing* 9, 3 (March 2010), 435–448.
- Xiaole Bai, Chuanlin Zhang, Dong Xuan, and Weijia Jia. 2009. Full-Coverage and k-Connectivity (k=14, 6) Three Dimensional Networks. In *Proc. of IEEE INFOCOM*. 388–396.
- F. S. Bao, Y. Pang, W. J. Zhou, W. Jiang, Y. Yang, Y. Liu, and C. Qian. 2016. Coverage-Based Lossy Node Localization for Wireless Sensor Networks. *IEEE Sensors Journal* 16, 11 (2016), 4648–4656.
- P. Berman and G. Calinescu. 2004. Power Efficient Monitoring Management in Sensor Networks. In *Proc. of IEEE WCNC*. 2329–2334.
- P.A. Birjandi, L. Kulik, and E. Tanin. 2013. K-coverage in regular deterministic sensor deployments. In *ISSNIP*. 521–526.
- R. Birkeland. 2017. Freely drifting cubesat constellations for improving coverage for Arctic sensor networks. In *Proc. of IEEE ICC*. 1–6. <https://doi.org/10.1109/ICC.2017.7997293>

- Maurizio Bocca, Ossi Kaltiokallio, Neal Patwari, and Suresh Venkatasubramanian. 2014. Multiple target tracking with RF sensor networks. *IEEE Transactions on Mobile Computing* 13, 8 (2014), 1787–1800.
- Azzedine Boukerche and Xin Fei. 2007. A Voronoi Approach for Coverage Protocols in Wireless Sensor Networks. In *Proc. of IEEE GLOBECOM*. 5190–5194.
- G. Brante, G. de Santi Peron, R. D. Souza, and T. Abro. 2013. Distributed Fuzzy Logic-Based Relay Selection Algorithm for Cooperative Wireless Sensor Networks. *IEEE Sensors Journal* 13, 11 (Nov 2013), 4375–4386. <https://doi.org/10.1109/JSEN.2013.2269798>
- Bogdan Carbutar, Ananth Grama, and Jan Vitek. 2004. Coverage preserving redundancy elimination in sensor networks. In *Proc. of SECON*. 377–386.
- Bogdan Carbutar, Ananth Grama, Jan Vitek, and Octavian Carbutar. 2006. Redundancy and coverage detection in sensor networks. *IEEE Transactions on Sensor Networks* 2, 1 (2006), 94–128.
- Mihaela Cardei, My T. Thai, Yingshu Li, and Weili Wu. 2005. Energy-efficient target coverage in wireless sensor networks. In *Proc. of IEEE Infocom*. 1976–1984.
- Mihaela Cardei and Jie Wu. 2006. Energy-efficient coverage problems in wireless ad-hoc sensor networks. *Computer Communications* 29, 4 (2006), 413–420.
- Krishnendu Chakrabarty, Senior Member, S. Sitharama Iyengar, Hairong Qi, and Eungchun Cho. 2002. Grid Coverage for Surveillance and Target Location in Distributed Sensor Networks. *IEEE Transactions on Computers* 51 (2002), 1448–1453.
- P. Chatterjee, S. C. Ghosh, and N. Das. 2017. Load Balanced Coverage with Graded Node Deployment in Wireless Sensor Networks. *IEEE Transactions on Multi-Scale Computing Systems* 3, 2 (April 2017), 100–112. <https://doi.org/10.1109/TMSCS.2017.2672553>

- Sriram Chellappan, Xiaole Bai, Bin Ma, Dong Xuan, and Changqing Xu. 2007a. Mobility Limited Flip-Based Sensor Networks Deployment. *IEEE Trans. Parallel Distrib. Syst.* 18, 2 (2007), 199–211.
- Sriram Chellappan, Wenjun Gu, Xiaole Bai, Dong Xuan, Bin Ma, and Kaizhong Zhang. 2007b. Deploying Wireless Sensor Networks under Limited Mobility Constraints. *IEEE Trans. Mob. Comput.* 6, 10 (2007), 1142–1157.
- C. F. Cheng and C. W. Wang. 2017a. The Barrier-Breach Problem of Barrier Coverage in Wireless Sensor Networks. *IEEE Communications Letters* 21, 10 (Oct 2017), 2262–2265. <https://doi.org/10.1109/LCOMM.2017.2694432>
- C. F. Cheng and C. W. Wang. 2017b. The Target-Barrier Coverage Problem in Wireless Sensor Networks. *IEEE Transactions on Mobile Computing* PP, 99 (2017), 1–1. <https://doi.org/10.1109/TMC.2017.2751040>
- H. H. Cho, T. K. Shih, and H. C. Chao. 2016. A Robust Coverage Scheme for UWSNs Using the Spline Function. *IEEE Sensors Journal* 16, 11 (June 2016), 3995–4002. <https://doi.org/10.1109/JSEN.2015.2429914>
- D. Dash and A. Dasgupta. 2017. Distributed restoring of barrier coverage in wireless sensor networks using limited mobility sensors. *IET Wireless Sensor Systems* 7, 6 (2017), 198–207. <https://doi.org/10.1049/iet-wss.2017.0020>
- X. Deng, Z. Tang, L. T. Yang, M. Lin, and B. Wang. 2017. Confident Information Coverage Hole Healing in Hybrid Industrial Wireless Sensor Networks. *IEEE Transactions on Industrial Informatics* PP, 99 (2017), 1–1. <https://doi.org/10.1109/TII.2017.2764038>
- K. Derr and M. Manic. 2015. Wireless Sensor Networks-Node Localization for Various Industry Problems. *IEEE Transactions on Industrial Informatics* 11, 3 (June 2015), 752–762.

- Sofia Maria Dima, Christos Panagiotou, Dimitris Tsitsipis, Christos Antonopoulos, John Gialelis, and Stavros Koubias. 2014. Performance evaluation of a WSN system for distributed event detection using fuzzy logic. *Ad Hoc Networks* 23 (2014), 87–108.
- D. Djenouri and M. Bagaa. 2015. Energy harvesting aware relay node addition for power-efficient coverage in wireless sensor networks. In *Proc. of IEEE ICC*. 86–91. <https://doi.org/10.1109/ICC.2015.7248303>
- R. Dou and G. Nan. 2017. Optimizing Sensor Network Coverage and Regional Connectivity in Industrial IoT Systems. *IEEE Systems Journal* 11, 3 (Sept 2017), 1351–1360. <https://doi.org/10.1109/JSYST.2015.2443045>
- Tanima Dutta. 2015. Medical data compression and transmission in wireless ad hoc networks. *IEEE Sensors Journal* 15, 2 (2015), 778–786.
- A. Elfes. 1991. Occupancy grids: a stochastic spatial representation for active robot perception. In *Autonomous Mobile Robots: Perception, Mapping and Navigation*. 60–70.
- M. Elhoseny, A. Tharwat, A. Farouk, and A. E. Hassanien. 2017. K-Coverage Model Based on Genetic Algorithm to Extend WSN Lifetime. *IEEE Sensors Letters* 1, 4 (Aug 2017), 1–4. <https://doi.org/10.1109/LSENS.2017.2724846>
- M. P. Fanti, G. Faraut, J. J. Lesage, and M. Roccotelli. 2016. An Integrated Framework for Binary Sensor Placement and Inhabitants Location Tracking. *IEEE Transactions on Systems, Man, and Cybernetics: Systems* PP, 99 (2016), 1–7.
- Raquel Fernandez-Peralta, Sebastia Massanet, and Arnau Mir. 2017. A New Edge Detector Based on SMOTE and Logistic Regression. In *Advances in Fuzzy Logic and Technology 2017*. Springer, 48–57.

- A. Feyzi and V. Sattari-Naeini. 2015. Application of fuzzy logic for selecting the route in AODV routing protocol for vehicular ad hoc networks. In *2015 23rd Iranian Conference on Electrical Engineering*. 684–687. <https://doi.org/10.1109/IranianCEE.2015.7146301>
- J. Gao, J. Li, Z. Cai, and H. Gao. 2015. Composite event coverage in wireless sensor networks with heterogeneous sensors. In *Proc. of IEEE INFOCOM*. 217–225. <https://doi.org/10.1109/INFOCOM.2015.7218385>
- X. Gao, Z. Chen, F. Wu, and G. Chen. 2017. Energy Efficient Algorithms for k -Sink Minimum Movement Target Coverage Problem in Mobile Sensor Network. *IEEE/ACM Transactions on Networking* 25, 6 (Dec 2017), 3616–3627. <https://doi.org/10.1109/TNET.2017.2756925>
- Mohammad Samadi Gharajeh and Sohrab Khanmohammadi. 2016. DF RTP: Dynamic 3D fuzzy routing based on traffic probability in wireless sensor networks. *IET Wireless Sensor Systems* 6, 6 (2016), 211–219.
- Amitabha Ghosh. 2004. Estimating Coverage Holes and Enhancing Coverage in Mixed Sensor Networks. In *Proc. of IEEE LCN*. Washington, 68–76.
- Amitabha Ghosh and Sajal K. Das. 2005. A Distributed Greedy Algorithm for Connected Sensor Cover in Dense Sensor Networks. In *Proc. of DCOSS*. 340–353.
- B. Gonen, K. Akkaya, and F. Senel. 2015. Efficient camera selection for maximized target coverage in underwater acoustic sensor networks. In *Proc. of IEEE LCN*. 470–473. <https://doi.org/10.1109/LCN.2015.7366355>
- P. Guo, X. Liu, S. Tang, and J. Cao. 2016. Enabling Coverage-Preserving Scheduling in Wireless Sensor Networks for Structural Health Monitoring. *IEEE Transactions on Computers* 65, 8 (Aug 2016), 2456–2469. <https://doi.org/10.1109/TC.2015.2485204>

- Z. Guo, Q. Wang, M. Li, and J. He. 2013. Fuzzy Logic Based Multidimensional Link Quality Estimation for Multi-Hop Wireless Sensor Networks. *IEEE Sensors Journal* 13, 10 (Oct 2013), 3605–3615. <https://doi.org/10.1109/JSEN.2013.2272054>
- Himanshu Gupta, Samir R. Das, and Quinyi Gu. 2003. Connected sensor cover: self-organization of sensor networks for efficient query execution. In *Proc. of ACM MobiHoc*. New York, 189–200.
- H. P. Gupta, S.V. Rao, and T. Venkatesh. 2016a. Analysis of stochastic coverage and connectivity in three-dimensional heterogeneous directional wireless sensor networks. *Pervasive and Mobile Computing* 29 (2016), 38–56.
- H. P. Gupta and S. V. Rao. 2016. Demand-Based Coverage and Connectivity-Preserving Routing in Wireless Sensor Networks. *IEEE Systems Journal* 10, 4 (2016), 1380–1389.
- H. P. Gupta, S. V. Rao, and V. Tamarapalli. 2015a. Analysis of Stochastic k -Coverage and Connectivity in Sensor Networks With Boundary Deployment. *IEEE Transactions on Intelligent Transportation Systems* 16, 4 (Aug 2015), 1861–1871.
- H. P. Gupta, S. V. Rao, and T. Venkatesh. 2013. Sleep scheduling for partial coverage in heterogeneous wireless sensor networks. In *Proc. of COMSNETS*. 1–10.
- H. P. Gupta, S. V. Rao, and T. Venkatesh. 2014. Critical Sensor Density for Partial Coverage under Border Effects in Wireless Sensor Networks. *IEEE Transactions on Wireless Communications* 13, 5 (2014), 2374–2382.
- Hari Prabhat Gupta, S. V. Rao, and T. Venkatesh. 2016b. Sleep Scheduling Protocol for k -Coverage of Three-Dimensional Heterogeneous WSNs. *IEEE Transactions on Vehicular Technology* 65, 10 (Oct 2016), 8423–8431. <https://doi.org/10.1109/TVT.2015.2508801>
- H. P. Gupta, P. K. Tyagi, and M. P. Singh. 2015b. Regular Node Deployment for k -

- Coverage in m-Connected Wireless Networks. *IEEE Sensors Journal* 15, 12 (Dec 2015), 7126–7134. <https://doi.org/10.1109/JSEN.2015.2471837>
- H. P. Gupta, T. Venkatesh, S. V. Rao, T. Dutta, and R. R. Iyer. 2017. Analysis of Coverage Under Border Effects in Three-Dimensional Mobile Sensor Networks. *IEEE Transactions on Mobile Computing* 16, 9 (Sept 2017), 2436–2449.
- J. Habibi, H. Mahboubi, and A. G. Aghdam. 2016. Distributed Coverage Control of Mobile Sensor Networks Subject to Measurement Error. *IEEE Transactions on Automatic Control* 61, 11 (Nov 2016), 3330–3343.
- J. Habibi, H. Mahboubi, and A. G. Aghdam. 2017. A Gradient-Based Coverage Optimization Strategy for Mobile Sensor Networks. *IEEE Transactions on Control of Network Systems* 4, 3 (Sept 2017), 477–488.
- N. Haider, M. Imran, M. Younis, N. Saad, and M. Guizani. 2015. A novel mechanism for restoring actor connected coverage in wireless sensor and actor networks. In *Proc. of IEEE ICC*. 6383–6388. <https://doi.org/10.1109/ICC.2015.7249341>
- C. Han, L. Sun, F. Xiao, and J. Guo. 2016. An Energy Efficiency Node Scheduling Model for Spatial-Temporal Coverage Optimization in 3D Directional Sensor Networks. *IEEE Access* 4 (2016), 4408–4419. <https://doi.org/10.1109/ACCESS.2016.2592184>
- G. Han, L. Liu, J. Jiang, L. Shu, and G. Hancke. 2017. Analysis of Energy-Efficient Connected Target Coverage Algorithms for Industrial Wireless Sensor Networks. *IEEE Transactions on Industrial Informatics* 13, 1 (Feb 2017), 135–143. <https://doi.org/10.1109/TII.2015.2513767>
- D. C. Harrison, W. K. G. Seah, and R. K. Rayudu. 2015. Coverage preservation in energy harvesting wireless sensor networks for rare events. In *Proc. of IEEE LCN*. 181–184. <https://doi.org/10.1109/LCN.2015.7366301>

- Amin Hassani, Alexander Bertrand, and Marc Moonen. 2012. Tracking of a rotating object in a wireless sensor network using fuzzy based adaptive IMM filter. In *Communications and Vehicular Technology in the Benelux (SCVT), 2012 IEEE 19th Symposium on*. IEEE, 1–6.
- Z. He and B. Zhang. 2016. An Improved Algorithm for Minimizing the Maximum Sensor Movement in Linear Barrier Coverage. In *Proc. of IEEE GLOBECOM*. 1–6. <https://doi.org/10.1109/GLOCOM.2016.7841593>
- Thomas R Henderson, Mathieu Lacage, George F Riley, Craig Dowell, and Joseph Kopena. 2008. Network simulations with the ns-3 simulator. *SIGCOMM demonstration* 14, 14 (2008), 527.
- Duc Chinh Hoang, Rasjesh Kumar, and Sanjib Kumar Panda. 2013. Realisation of a cluster-based protocol using fuzzy C-means algorithm for wireless sensor networks. *IET Wireless Sensor Systems* 3, 3 (2013), 163–171.
- P Honzik, L Krivan, P Lokaj, R Lábrová, Z Nováková, B Fiser, and N Honzík. 2010. Logit and fuzzy models in data analysis: estimation of risk in cardiac patients. *Physiol Res* 59, Suppl 1 (2010), S89–S96.
- Chi-Fu Huang and Yu-Chee Tseng. 2005. The Coverage Problem in a Wireless Sensor Network. *MONET* 10, 4 (2005), 519–528.
- Chi-Fu Huang, Yu-Chee Tseng, and Hsiao-Lu Wu. 2007. Distributed protocols for ensuring both coverage and connectivity of a wireless sensor network. *ACM Transactions on Sensor Networks* 3, 1 (2007), 1–24.
- Yong hwan Kim, Chan-Myung Kim, Dong-Sun Yang, Young jun Oh, and Youn-Hee Han. 2012. Regular sensor deployment patterns for p-coverage and q-connectivity in wireless sensor networks. In *ICOIN*. 290–295.

- Toleen Jaradat, Driss Benhaddou, Manikanden Balakrishnan, and Ala Al-Fuqaha. 2013. Energy efficient cross-layer routing protocol in wireless sensor networks based on fuzzy logic. In *Wireless Communications and Mobile Computing Conference (IWCMC), 2013 9th International*. IEEE, 177–182.
- Jie Jiang, Zhen Song, Heying Zhang, and Wenhua Dou. 2005. Voronoi-Based Improved Algorithm for Connected Coverage Problem in Wireless Sensor Networks. In *Proc. of EUC*. 224–233.
- HYan Jin, Ling Wang, Ju-Yeon Jo, Yoohwan Kim, Mei Yang, and Yingtao Jiang. 2009. EECCR: An Energy-Efficient m -Coverage and n -Connectivity Routing Algorithm Under Border Effects in Heterogeneous Sensor Networks. *IEEE Trans. Vehicular Technology* 58, 3 (2009), 1429 – 1442.
- Wei-Chieh Ke, Bing-Hong Liu, and Ming-Jer Tsai. 2007. Constructing a Wireless Sensor Network to Fully Cover Critical Grids by Deploying Minimum Sensors on Grid Points Is NP-Complete. *IEEE Trans. Computers* 56, 5 (2007), 710–715.
- Z. Khalfallah, I. Fajjari, N. Aitsaadi, P. Rubin, and G. Pujolle. 2016. A novel 3D underwater WSN deployment strategy for full-coverage and connectivity in rivers. In *Proc. of IEEE ICC*. 1–7. <https://doi.org/10.1109/ICC.2016.7510979>
- B. Khalifa, Z. Al Aghbari, A. M. Khedr, and J. H. Abawajy. 2017. Coverage Hole Repair in WSNs Using Cascaded Neighbor Intervention. *IEEE Sensors Journal* 17, 21 (Nov 2017), 7209–7216. <https://doi.org/10.1109/JSEN.2017.2755122>
- M. Khan, K. Heurtefeux, A. Mohamed, K. A. Harras, and M. M. Hassan. 2017. Mobile Target Coverage and Tracking on Drone-Be-Gone UAV Cyber-Physical Testbed. *IEEE Systems Journal* (2017), 1–12. <https://doi.org/10.1109/JSYST.2017.2777866>
- M. Khanjary, M. Sabaei, and M.R. Meybodi. 2014. Critical Density for Coverage and Con-

- nectivity in Two-Dimensional Aligned-Orientation Directional Sensor Networks Using Continuum Percolation. *IEEE Sensors Journal* 14, 8 (Aug 2014), 2856–2863.
- D. Kilinc, M. Ozger, and O. B. Akan. 2015. On the Maximum Coverage Area of Wireless Networked Control Systems With Maximum Cost-Efficiency Under Convergence Constraint. *IEEE Transactions on Automatic Control* 60, 7 (July 2015), 1910–1914. <https://doi.org/10.1109/TAC.2014.2366611>
- D. Kim, W. Wang, J. Son, W. Wu, W. Lee, and A. O. Tokuta. 2017. Maximum Lifetime Combined Barrier-Coverage of Weak Static Sensors and Strong Mobile Sensors. *IEEE Transactions on Mobile Computing* 16, 7 (July 2017), 1956–1966. <https://doi.org/10.1109/TMC.2016.2606403>
- Jung-Eun Kim, Junghee Han, and Chang-Gun Lee. 2009. Optimal 3-Coverage with Minimum Separation Requirements for Ubiquitous Computing Environments. *Mobile Network Application* 14, 5 (Jan 2009), 556–570.
- Evangelos Kranakis, Danny Krizanc, and Eric Williams. 2005. Directional Versus Omnidirectional Antennas for Energy Consumption and K-connectivity of Networks of Sensors. In *OPODIS*. 357–368.
- R. V. Kulkarni, A. Forster, and G. K. Venayagamoorthy. 2011. Computational Intelligence in Wireless Sensor Networks: A Survey. *IEEE Communications Surveys Tutorials* 13, 1 (First 2011), 68–96.
- J. Kumagai. 2004. Life of birds [wireless sensor network for bird study]. *IEEE Spectrum Magazine* 41, 4 (2004), 42–49.
- A. A. Kumar and K. M. Sivalingam. 2012. Target tracking in a WSN with directional sensors using electronic beam steering. In *COMSNETS*. 1–10.

- Santosh Kumar, Ten-Hwang Lai, and József Balogh. 2004. On k -coverage in a mostly sleeping sensor network. In *Proc. of MOBICOM*. 144–158.
- W. Lalouani, M. Younis, M. E. A. Chergui, and N. Badache. 2015. Load-Balanced and Energy-Efficient Coverage of Dispersed Events Using Mobile Sensor/Actuator Nodes. In *Proc. of IEEE GLOBECOM*. 1–7. <https://doi.org/10.1109/GLOCOM.2015.7417482>
- K. Latif, N. Javaid, A. Ahmad, Z. A. Khan, N. Alrajeh, and M. I. Khan. 2016. On Energy Hole and Coverage Hole Avoidance in Underwater Wireless Sensor Networks. *IEEE Sensors Journal* 16, 11 (June 2016), 4431–4442. <https://doi.org/10.1109/JSEN.2016.2532389>
- K. Lee, S. Hong, S. J. Kim, I. Rhee, and S. Chong. 2009. SLAW: A New Mobility Model for Human Walks. In *IEEE INFOCOM*. 855–863.
- S. Li and H. Shen. 2015. Minimizing the maximum sensor movement for barrier coverage in the plane. In *Proc. of IEEE INFOCOM*. 244–252. <https://doi.org/10.1109/INFOCOM.2015.7218388>
- Yingshu Li and Shan Gao. 2008. Designing k -coverage schedules in wireless sensor networks. *J. Comb. Optim.* 15, 2 (2008), 127–146.
- Lin Liao, Weifeng Chen, Chuanlin Zhang, Lizhuo Zhang, Dong Xuan, and Weijia Jia. 2011. Two Birds With One Stone: Wireless Access Point Deployment for Both Coverage and Localization. *IEEE Transactions on Vehicular Technology* 60, 5 (June 2011), 2239–2252.
- Z. Liao, J. Wang, S. Zhang, J. Cao, and G. Min. 2015. Minimizing Movement for Target Coverage and Network Connectivity in Mobile Sensor Networks. *IEEE Transactions on Parallel and Distributed Systems* 26, 7 (July 2015), 1971–1983. <https://doi.org/10.1109/TPDS.2014.2333011>

- Benyuan Liu and Don Towsley. 2004. A study of the coverage of large-scale sensor networks. In *Proc. of MASS*. Fort Lauderdale, FL, 475–483.
- C. Liu, H. Du, and Q. Ye. 2016. Sweep Coverage with Return Time Constraint. In *Proc. of IEEE GLOBECOM*. 1–6. <https://doi.org/10.1109/GLOCOM.2016.7842310>
- C. Liu, H. Du, and Q. Ye. 2017. Utilizing communication range to shorten the route of sweep coverage. In *Proc. of IEEE ICC*. 1–6. <https://doi.org/10.1109/ICC.2017.7997084>
- J. Lu, T. Zhang, F. Hu, and Q. Hao. 2017. Preprocessing Design in Pyroelectric Infrared Sensor-Based Human-Tracking System: On Sensor Selection and Calibration. *IEEE Transactions on Systems, Man, and Cybernetics: Systems* 47, 2 (Feb 2017), 263–275.
- Huadong Ma, Xi Zhang, and Anlong Ming. 2009. A Coverage-Enhancing Method for 3D Directional Sensor Networks. In *Proc. of INFOCOM*. 2791–2795.
- H. Mahboubi and A. G. Aghdam. 2017. Distributed Deployment Algorithms for Coverage Improvement in a Network of Wireless Mobile Sensors: Relocation by Virtual Force. *IEEE Transactions on Control of Network Systems* 4, 4 (Dec 2017), 736–748.
- H. Mahboubi, W. Masoudimansour, A. G. Aghdam, and K. Sayrafian-Pour. 2017. An Energy-Efficient Target-Tracking Strategy for Mobile Sensor Networks. *IEEE Transactions on Cybernetics* 47, 2 (Feb 2017), 511–523.
- H. Mahboubi, K. Moezzi, A. G. Aghdam, and K. Sayrafian-Pour. 2014a. Distributed Deployment Algorithms for Efficient Coverage in a Network of Mobile Sensors With Nonidentical Sensing Capabilities. *IEEE Transactions on Vehicular Technology* 63, 8 (Oct 2014), 3998–4016. <https://doi.org/10.1109/TVT.2014.2302232>
- H. Mahboubi, K. Moezzi, A. G. Aghdam, K. Sayrafian-Pour, and V. Marbukh. 2014b. Distributed Deployment Algorithms for Improved Coverage in a Network of Wireless

- Mobile Sensors. *IEEE Transactions on Industrial Informatics* 10, 1 (Feb 2014), 163–174. <https://doi.org/10.1109/TII.2013.2280095>
- J. A. Manjate, M. Hidell, and P. Sjdin. 2018. Can Energy-Aware Routing Improve the Energy Savings of Energy-Efficient Ethernet? *IEEE Transactions on Green Communications and Networking* 2, 3 (Sept 2018), 787–794. <https://doi.org/10.1109/TGCN.2018.2808701>
- A. Messaoudi, R. Elkamel, A. Helali, and R. Bouallegue. 2016. Distributed fuzzy logic based routing protocol for wireless sensor networks. In *2016 24th International Conference on Software, Telecommunications and Computer Networks (SoftCOM)*. 1–7.
- S. Miah, B. Nguyen, A. Bourque, and D. Spinello. 2015. Nonuniform Coverage Control With Stochastic Intermittent Communication. *IEEE Transactions on Automatic Control* 60, 7 (July 2015), 1981–1986. <https://doi.org/10.1109/TAC.2014.2368233>
- S. Misra, S. Singh, and M. Khatua. 2016. MIRACLE: Mobility Prediction Inside a Coverage Hole Using Stochastic Learning Weak Estimator. *IEEE Transactions on Cybernetics* 46, 7 (July 2016), 1486–1497. <https://doi.org/10.1109/TCYB.2015.2450836>
- F. Mohseni, A. Doustmohammadi, and M. B. Menhaj. 2016. Distributed Receding Horizon Coverage Control for Multiple Mobile Robots. *IEEE Systems Journal* 10, 1 (March 2016), 198–207.
- Y. Al Mtawa, H. S. Hassanein, and N. Nasser. 2015. Identifying Bounds on Sensing Coverage Holes in IoT Deployments. In *Proc. of IEEE GLOBECOM*. 1–6. <https://doi.org/10.1109/GLOCOM.2015.7417792>
- P. G. Namboothiri, A. A. Kumar, K. M. Sivalingam, and S. A. V. S. Murty. 2011. A testbed for distributed target tracking with directional sensors. In *IFIP Wireless Days*. 1–6.

- A. Pananjady, V. K. Bagaria, and R. Vaze. 2017. Optimally Approximating the Coverage Lifetime of Wireless Sensor Networks. *IEEE/ACM Transactions on Networking* 25, 1 (Feb 2017), 98–111. <https://doi.org/10.1109/TNET.2016.2574563>
- C. Qiu, H. Shen, and K. Chen. 2017. An Energy-Efficient and Distributed Cooperation Mechanism For k -Coverage Hole Detection And Healing in WSNs. *IEEE Transactions on Mobile Computing* PP, 99 (2017), 1–1. <https://doi.org/10.1109/TMC.2017.2767048>
- Vlady Ravelomanana. 2004. Extremal Properties of Three Dimensional Sensor Networks with Applications. *IEEE Transactions on Mobile Computing* 3 (2004), 246 – 257. Issue 3.
- M. Rout and R. Roy. 2016a. Self-Deployment of Mobile Sensors to Achieve Target Coverage in the Presence of Obstacles. *IEEE Sensors Journal* 16, 14 (July 2016), 5837–5842. <https://doi.org/10.1109/JSEN.2016.2571064>
- M. Rout and R. Roy. 2016b. Self-Deployment of Randomly Scattered Mobile Sensors to Achieve Barrier Coverage. *IEEE Sensors Journal* 16, 18 (Sept 2016), 6819–6820. <https://doi.org/10.1109/JSEN.2016.2590572>
- K. Sakai, M. T. Sun, W. S. Ku, T. H. Lai, and A. V. Vasilakos. 2015. A Framework for the Optimal k -Coverage Deployment Patterns of Wireless Sensors. *IEEE Sensors Journal* 15, 12 (2015), 7273–7283. <https://doi.org/10.1109/JSEN.2015.2474711>
- P. Sarigiannidis, T. Zygiridis, A. Sarigiannidis, T. D. Lagkas, M. Obaidat, and N. Kantartzis. 2017. Connectivity and coverage in machine-type communications. In *Proc. of IEEE ICC*. 1–6. <https://doi.org/10.1109/ICC.2017.7996897>
- M. Schwager, M. P. Vitus, S. Powers, D. Rus, and C. J. Tomlin. 2017. Robust Adaptive Coverage Control for Robotic Sensor Networks. *IEEE Transactions on Control of Network Systems* 4, 3 (Sept 2017), 462–476.

- K. Scott, R. Dai, and M. Kumar. 2016. Occlusion-Aware Coverage for Efficient Visual Sensing in Unmanned Aerial Vehicle Networks. In *Proc. of IEEE GLOBECOM*. 1–6. <https://doi.org/10.1109/GLOCOM.2016.7842033>
- Joon-Hong Seok, Joon-Yong Lee, Won Kim, and Ju-Jang Lee. 2013. A Bipopulation-Based Evolutionary Algorithm for Solving Full Area Coverage Problems. *IEEE Sensors Journal* 13, 12 (Dec 2013), 4796–4807.
- M. Shahidehpour and H. Wu. 2016. Applications of Wireless Sensor Networks for Area Coverage in Microgrids. *IEEE Transactions on Smart Grid* PP, 99 (2016), 1–1. <https://doi.org/10.1109/TSG.2016.2594203>
- Anthony Man-Cho So and Yinyu Ye. 2005. On Solving Coverage Problems in a Wireless Sensor Network Using Voronoi Diagrams. In *Proc. of WINE*. 584–593.
- S. S. Sran, J. Singh, and L. Kaur. 2018. Structure Free Aggregation in Duty Cycle Sensor Networks for Delay Sensitive Applications. *IEEE Transactions on Green Communications and Networking* (2018), 1–1. <https://doi.org/10.1109/TGCN.2018.2864582>
- Yiannis Stergiopoulos, Yiannis Kantaros, and Anthony Tzes. 2012. Connectivity-aware Coordination of Robotic Networks for Area Coverage Optimization. In *Proc. of ICIT*. 31–35.
- Y. Stergiopoulos, M. Thanou, and A. Tzes. 2015. Distributed Collaborative Coverage-Control Schemes for Non-Convex Domains. *IEEE Transactions on Automatic Control* 60, 9 (2015), 2422–2427. <https://doi.org/10.1109/TAC.2015.2409903>
- Di Tian and Nicolas D. Georganas. 2002. A Coverage-Preserving Node Scheduling Scheme for Large Wireless Sensor Networks.. In *Proceedings of the 1st ACM international workshop on Wireless sensor networks and applications*. 32–41.

- Di Tian and Nicolas D. Georganas. 2004. Location and calculation-free node-scheduling schemes in large wireless sensor networks. *Ad Hoc Networks* 2, 1 (2004), 65–85.
- F. D. Tolba, C. Tolba, and P. Lorenz. 2016. Topology control by controlling mobility for coverage in wireless sensor networks. In *Proc. of IEEE ICC*. 1–6. <https://doi.org/10.1109/ICC.2016.7511232>
- A. Tripathi, H. P. Gupta, T. Dutta, R. Mishra, K. K. Shukla, and S. Jit. 2018. Coverage and Connectivity in WSNs: A Survey, Research Issues and Challenges. *IEEE Access* 6 (2018), 26971–26992.
- Peng-Jun Wan and Chih-Wei Yi. 2006. Coverage by randomly deployed wireless sensor networks. *IEEE Transactions on Information Theory* 52, 6 (2006), 2658–2669.
- B. Wang, J. Chen, W. Liu, and L. T. Yang. 2016a. Minimum Cost Placement of Bistatic Radar Sensors for Belt Barrier Coverage. *IEEE Transactions on Computers* 65, 2 (Feb 2016), 577–588. <https://doi.org/10.1109/TC.2015.2423679>
- B. Wang, J. Zhu, L. T. Yang, and Y. Mo. 2016b. Sensor Density for Confidential Information Coverage in Randomly Deployed Sensor Networks. *IEEE Transactions on Wireless Communications* 15, 5 (May 2016), 3238–3250. <https://doi.org/10.1109/TWC.2016.2518689>
- Guiling Wang, Guohong Cao, and Thomas F. La Porta. 2006. Movement-Assisted Sensor Deployment. *IEEE Transactions on Mobile Computing* 5 (June 2006), 640–652. Issue 6.
- Jingqing Wang and Xi Zhang. 2014. 3D percolation theory-based exposure-path prevention for optimal power-coverage tradeoff in clustered wireless camera sensor networks. In *GLOBECOM*. 305–310.

- R. Wang, S. He, J. Chen, Z. Shi, and F. Hou. 2015. Energy-efficient barrier coverage in bistatic radar sensor networks. In *Proc. of IEEE ICC*. 6743–6748. <https://doi.org/10.1109/ICC.2015.7249400>
- Wei Wang, Vikram Srinivasan, and Kee-Chaing Chua. 2008. Coverage in Hybrid Mobile Sensor Networks. *IEEE Transactions on Mobile Computing* 7 (2008), 1374–1387. Issue 11.
- Xue Wang, Junjie Ma, Sheng Wang, and Daowei Bi. 2010. Distributed energy optimization for target tracking in wireless sensor networks. *IEEE Transactions on Mobile Computing* 9, 1 (2010), 73–86.
- W. Wei, Z. Sun, H. Song, H. Wang, and X. Fan. 2017. Energy Balance-Based Steerable Arguments Coverage Method in WSNs. *IEEE Access* PP, 99 (2017), 1–1. <https://doi.org/10.1109/ACCESS.2017.2682845>
- Vikram Srinivasan Wei Wang and Kee Chaing Chua. 2007. Trade-offs Between Mobility and Density for Coverage in Wireless Sensor Networks. In *Proc. of ACM MobiCom*. 39–50.
- C. I. Weng, C. Y. Chang, C. Y. Hsiao, C. T. Chang, and H. Chen. 2018. On-Supporting Energy Balanced k-Barrier Coverage in Wireless Sensor Networks. *IEEE Access* PP, 99 (2018), 1–1. <https://doi.org/10.1109/ACCESS.2018.2792678>
- J. Willson, Z. Zhang, W. Wu, and D. Z. Du. 2015. Fault-tolerant coverage with maximum lifetime in wireless sensor networks. In *Proc. of IEEE INFOCOM*. 1364–1372. <https://doi.org/10.1109/INFOCOM.2015.7218513>
- Chenshu Wu, Zheng Yang, and Yunhao Liu. 2015. Smartphones Based Crowdsourcing for Indoor Localization. *IEEE Transactions on Mobile Computing* 14, 2 (Feb 2015), 444–457.

- Yibo Wu and Xinbing Wang. 2012. Achieving Full View Coverage with Randomly-Deployed Heterogeneous Camera Sensors. In *ICDCS*. 556–565.
- Guoliang Xing, Xiaorui Wang, Yuanfang Zhang, Chenyang Lu, Robert Pless, and Christopher Gill. 2005. Integrated coverage and connectivity configuration for energy conservation in sensor networks. *ACM Transactions on Networking* 1 (August 2005), 36–72. Issue 1.
- J. Xiong, L. Shu, Q. Wang, W. Xu, and C. Zhu. 2017. A Scheme on Indoor Tracking of Ship Dynamic Positioning Based on Distributed Multi-Sensor Data Fusion. *IEEE Access* 5 (2017), 379–392.
- Han Xu, Wenyu Liu, and Bang Wang. 2014. Subarea Localization Performance of the Divide-and-Cover Node Deployment in a Long-Bounded Belt Scenario. *IEEE Trans. Comput.* 63, 11 (Nov 2014), 2842–2850.
- C. Yang and K. W. Chin. 2017. On Nodes Placement in Energy Harvesting Wireless Sensor Networks for Coverage And Connectivity. *IEEE Transactions on Industrial Informatics* 13, 1 (Feb 2017), 27–36. <https://doi.org/10.1109/TII.2016.2603845>
- R. Yang, X. Gao, F. Wu, and G. Chen. 2015. Distributed Algorithm for Full-View Barrier Coverage with Rotatable Camera Sensors. In *Proc. of IEEE GLOBECOM*. 1–6. <https://doi.org/10.1109/GLOCOM.2015.7417409>
- J. Yu, S. Wan, X. Cheng, and D. Yu. 2017. Coverage Contribution Area Based k -Coverage for Wireless Sensor Networks. *IEEE Transactions on Vehicular Technology* 66, 9 (Sept 2017), 8510–8523. <https://doi.org/10.1109/TVT.2017.2681692>
- Z. Yu, J. Teng, X. Bai, D. Xuan, and W. Jia. 2011. Connected coverage in wireless networks with directional antennas. In *IEEE INFOCOM*. 2264–2272.

- Z. Yu, F. Yang, J. Teng, A. C. Champion, and D. Xuan. 2015. Local face-view barrier coverage in camera sensor networks. In *Proc. of IEEE INFOCOM*. 684–692. <https://doi.org/10.1109/INFOCOM.2015.7218437>
- Z. Yun, X. Bai, D. Xuan, W. Jia, and W. Zhao. 2012. Pattern Mutation in Wireless Sensor Deployment. *IEEE/ACM Transactions on Networking* 20, 6 (Dec 2012), 1964–1977.
- Ziqiu Yun, Xiaole Bai, Dong Xuan, T.H. Lai, and Weijia Jia. 2010. Optimal Deployment Patterns for Full Coverage and k -Connectivity ($k \leq 6$) Wireless Sensor Networks. *IEEE/ACM Transactions on Networking* 18, 3 (June 2010), 934–947.
- Chuanlin Zhang, Xiaole Bai, Jin Teng, Dong Xuan, and Weijia Jia. 2010. Constructing low-connectivity and full-coverage three dimensional sensor networks. *IEEE Journal on Selected Areas in Communications* 28, 7 (2010), 984–993.
- Honghai Zhang and Jennifer C. Hou. [n. d.]. Maintaining Sensing Coverage and Connectivity in Large Sensor Networks. *Ad Hoc & Sensor Wireless Networks* 1, 1-2 ([n. d.]), 89–124.
- Honghai Zhang and Jennifer C. Hou. 2004. On deriving the upper bound of alpha-lifetime for large sensor networks. In *Proc. of MobiHoc*. 121–132.
- Honghai Zhang and Jennifer C. Hou. 2006. Is Deterministic Deployment Worse than Random Deployment for Wireless Sensor Networks?. In *Proc. of INFOCOM*. 1–10.
- Q. Zhang, S. He, and J. Chen. 2016a. Toward Optimal Orientation Scheduling for Full-View Coverage in Camera Sensor Networks. In *Proc. of IEEE GLOBECOM*. 1–6. <https://doi.org/10.1109/GLOCOM.2016.7842336>
- W. Li W. Zhang. 2012. Coverage analysis and active scheme of wireless sensor networks. *IET Wireless Sensor Systems* 2, 2 (2012), 86–91.

- X. Zhang, M. L. Wymore, and D. Qiao. 2016c. An iterative method for strong barrier coverage under practical constraints. In *Proc. of IEEE ICC*. 1–7. <https://doi.org/10.1109/ICC.2016.7510605>
- X. Zhang, M. L. Wymore, and D. Qiao. 2017a. Cost-efficient barrier coverage with a hybrid sensor network under practical constraints. In *Proc. of IEEE ICC*. 1–7. <https://doi.org/10.1109/ICC.2017.7996853>
- X. Zhang, Y. Zhou, Q. Zhang, V. C. S. Lee, and M. Li. 2017b. Problem Specific MOEA for Barrier Coverage with Wireless Sensors. *IEEE Transactions on Cybernetics* 47, 11 (Nov 2017), 3854–3865. <https://doi.org/10.1109/TCYB.2016.2585745>
- Z. Zhang, J. Willson, Z. Lu, W. Wu, X. Zhu, and D. Z. Du. 2016b. Approximating Maximum Lifetime k -Coverage Through Minimizing Weighted k -Cover in Homogeneous Wireless Sensor Networks. *IEEE/ACM Transactions on Networking* 24, 6 (December 2016), 3620–3633. <https://doi.org/10.1109/TNET.2016.2531688>
- P. Zhao, H. Zhu, H. Li, and T. Shibata. 2013. A Directional-Edge-Based Real-Time Object Tracking System Employing Multiple Candidate-Location Generation. *IEEE Transactions on Circuits and Systems for Video Technology* 23, 3 (March 2013), 503–517.
- K. Zheng, H. Wang, H. Li, L. Lei, W. Xiang, J. Qiao, and X. Shen. 2016. Energy-Efficient Localization and Tracking of Mobile Devices in Wireless Sensor Networks. *IEEE Transactions on Vehicular Technology* PP, 99 (2016), 1–1.
- Zongheng Zhou, Samir Das, and Himanshu Gupta. 2004. Connected K -Coverage Problem in Sensor Networks. In *Proc. of IC3N*. 373–378.
- X. Zhu, J. Li, M. Zhou, and X. Chen. 2018. Optimal Deployment of Energy-Harvesting Directional Sensor Networks for Target Coverage. *IEEE Systems Journal* (2018), 1–12. <https://doi.org/10.1109/JSYST.2018.2820085>

Y. Zhuang, C. Wu, Y. Zhang, and Z. Jia. 2017. Compound Event Barrier Coverage Algorithm Based on Environment Pareto Dominated Selection Strategy in Multi-Constraints Sensor Networks. *IEEE Access* 5 (2017), 10150–10160. <https://doi.org/10.1109/ACCESS.2017.2713442>