

<u>TABLE OF CONTENTS</u>	Page No.
List of Figures.....	viii
List of Tables	xiii
Preface.....	xiv
Chapter-1 Introduction and Literature Review	(1-42)
1.1 Introduction	1
1.2 Motivation	2
1.3 History of Solder	3
1.4 Soldering Material	5
1.5 Issue with lead-based solder alloys	6
1.5.1 Lead Poisoning.....	6
1.5.2 Adverse Effects of Pb On Human Life	6
1.5.2.1 Immediate Effects.....	6
1.5.2.2 Ultimate Effects.....	7
1.5.3 Adverse Effects of Pb on Environment and Other Species.....	8
1.5.3.1 Accidental Cases	9
1.6 Source of exposure of lead	10
1.6.1 Electronic waste	10
1.6.2 Drinking Water.....	11
1.6.3 Lead Paint.....	11

1.6.4	Lead at Work	11
1.6.5	Contaminated Soil	11
1.6.6	Lead-based items.....	12
1.7	Legislation on lead-based solder alloys.....	12
1.8	Challenges associated with lead-free solder alloys	12
1.9	Lead-free solder alloys as green material.....	14
1.10	General criteria for selecting solder alloys	15
1.11	Importance of thermodynamic study of lead-free solder alloys	15
1.12	Calorimetric technique.....	18
1.12.1	Principle of calorimeter	18
1.12.2	Classification of calorimeters	19
1.12.2.1	Adiabatic calorimeters	20
1.12.2.2	Isothermal calorimeter	20
1.12.2.3	Isoperibol calorimeter	21
1.12.2.4	Solution calorimeter.....	22
1.12.2.5	Bomb calorimeter	23
1.12.2.6	Constant temperature gradient calorimeter	24
1.12.2.7	Variable temperature gradient calorimeter.....	25
1.12.2.8	Drop Calorimeter	26
1.13	Literature Survey on Calorimetric Measurements of Binary and Ternary alloys.....	32
1.13.1	Thermodynamic Investigations of Binary systems	32

1.13.1.1	Bi–Sn system	32
1.13.1.2	Sb–Sn binary system.....	33
1.13.1.3	Bi-Sb binary system	34
1.13.1.4	Ga-In system	34
1.13.1.5	Ga-Sn system	35
1.13.1.6	In-Sn system.....	36
1.13.2	Thermodynamic Investigations of Ternary systems	37
1.13.2.1	Sn-Bi-Sb ternary system	37
1.13.2.2	Sn-Ga-In alloys.....	39
1.14	Research Gap.....	40
1.15	Objective.....	41
Chapter-2 Experimental Setup and Methodology		(43-62)
2.1	Introduction	43
2.2	Materials	43
2.3	MHTC 96 LINE EVO high temperature drop calorimeter from SETARAM, France	44
2.3.1	Motorized lifting device.....	46
2.3.2	Multi-Sample Introducer.....	46
2.3.3	High temperature furnace	47
2.3.4	Degassing unit.....	49
2.3.5	Drop tube	49
2.3.6	Crucibles	49

2.3.7 Software evolution controller.....50

 2.3.7.1 CPU module50

 2.3.7.2 Temperature acquisition modules.....50

 2.3.7.3 Gas panel module50

 2.3.7.4 Controller modules part50

2.3.8 Rear Power rack part.....45

2.4 Calorimetric technique and procedure 51

2.4.1 Experimental Procedure51

 2.4.1.1 Starting up the instrument.....51

 2.4.1.2 Starting up the Calisto software.....51

 2.4.1.3 Programming the experiment52

 2.4.1.4 Sample Loading.....53

 2.4.1.5 Starting the experiment.....53

 2.4.1.6 Area measurement54

 2.4.1.7 Necessity of calibration54

 2.4.1.8 Enthalpy calculations.....55

2.5 Geometric modelling 56

2.5.1 Kohler model57

2.5.2 Muggianu model57

2.5.3 Chou model.....57

2.5.4 Toop model.....57

2.5.5 Hillert model 58

2.6 Redlich Kister Muggianu (RKM) Polynomial Modelling Equation 61

2.6.1 For Binary Systems 61

2.6.2 For Ternary System 61

2.7 Iso-Enthalpy plots 61

2.8 CALPHAD Method 62

Chapter-3 Enthalpies of Mixing in Ga-In, Ga-Sn and In-Sn Binary Systems

..... **(63-92)**

3.1 Introduction 63

3.2 Experimental..... 65

3.2.1 Materials..... 65

3.2.2 Calorimetric Measurements 66

3.3 Results and Discussion 68

3.4 Conclusions 91

Chapter-4 Enthalpies of mixing in Sn-Ga-In Ternary System..... (93-140)

4.1 Introduction 93

4.2 Experimental details 95

4.2.1 Materials..... 95

4.2.2 Calorimetric Measurements 96

4.3 Results and Discussion 96

4.3.1	Experimental Results.....	99
4.3.2	Theoretical Models.....	124
4.3.2.1	Kohler model.....	137
4.3.2.2	Muggianu model.....	137
4.3.2.3	Chou model.....	137
4.3.2.4	Toop model.....	137
4.3.2.5	Hillert model.....	138
4.4	Conclusions	139
Chapter-5 Enthalpies of Mixing in Sn-Bi-Sb Ternary System		(141-192)
5.1	Introduction	141
5.2	Experimental details	142
5.2.1	Materials.....	142
5.2.2	Calorimetric Measurements	143
5.3	Results and Discussion	145
5.3.1	Experimental Results.....	146
5.3.2	Theoretical Models.....	175
5.3.2.1	Kohler model.....	189
5.3.2.2	Muggianu model.....	189
5.3.2.3	Chou model.....	189
5.3.2.4	Toop model.....	189

5.3.2.5 Hillert model..... 190

5.4 Conclusions 190

Chapter-6 Summary and Major Conclusions..... (193-196)

Scope for future work197

References..... (198-216)

List of publications (217-219)

<u>LIST OF FIGURES</u>	Page No.
Fig.1.1 History of use of solder	4
Fig.1.2 Effect of lead.....	8
Fig.1.3 Representation of the lead cycle and its impacts on environment.....	10
Fig.1.4 Direct drop calorimeter	28
Fig.1.5 Solution drop calorimeter	31
Fig. 2.1 MHTC 96 LINE EVO High Temperature Drop Calorimeter with all accessories.....	45
Fig. 2.2 Multi-Sample Introducer	47
Fig. 2.3 Schematic representation of High temperature furnace section.....	48
Fig. 2.4 Experiment Programming	53
Fig. 2.5 Geometrical path followed by kohler model.....	58
Fig. 2.6 Geometrical path followed by Muggianu model.	59
Fig. 2.7 Geometrical path followed by Chou model.	59
Fig. 2.8 Geometrical path followed by Toop model.....	60
Fig. 2.9 Geometrical path followed by Hillert model.....	60
Fig.3.1 The enthalpies of mixing of Ga-In binary system with RK polynomial fitted curves at 673 K,723 K & 773 K.	80
Fig.3.2 The enthalpies of mixing of Ga-Sn binary system with RK polynomial fitted curves at 673 K,723 K & 773K.	82
Fig.3.3 The enthalpies of mixing of the In-Sn binary system at 673 K,723 K & 773 K along with RK polynomial fitted curve	83

Fig.3.4 The comparison of experimental partial mixing enthalpy data of the Ga-In binary system at 673 K with the data available in literature [116]	84
Fig.3.5 The comparison of experimental partial mixing enthalpy data of the Ga-Sn binary system at 673 K with the data available in literature [120]	85
Fig.3.6 The comparison of experimental partial mixing enthalpy data of the In-Sn binary system at 673 K with the data available in literature [125], [127]	86
Fig.3.7 Comparison of RK Polynomial fitted results of this study with data available in literature for the Ga–In system at 673 K [113], [114], [116], [117].....	88
Fig.3.8 Comparison of RK Polynomial Fitted results of this study with data available in literature [118], [120], [121], [124] for the Ga-Sn system.	89
Fig.3.9 Comparison of RK Polynomial fitted results of this study with data available in literature [95], [125]–[127] for the In–Sn system.....	90
Fig. 4.1 Measured cross-sections (intersections a to h indicated, see Table 4.5) and alloy compositions in the Sn-Ga-In ternary system.....	126
Fig. 4.2 Plot representing the enthalpies of mixing of the given ternary alloy system corresponding to cross-section of $(\text{Ga}_{0.25}\text{In}_{0.75})_{1-x}\text{Sn}_x$; circle, $(\text{Ga}_{0.50}\text{In}_{0.50})_{1-x}\text{Sn}_x$; triangle and $(\text{Ga}_{0.75}\text{In}_{0.25})_{1-x}\text{Sn}_x$; star at 673 K, In-Sn binary data from the literature [155] ; square ,Ga-Sn binary data from the literature [155]; half-filled circle and solid line represents RKM fitted polynomial curve.....	127
Fig. 4.3 Plot representing the enthalpies of mixing of the given ternary alloy system corresponding to cross-section of $(\text{Ga}_{0.25}\text{In}_{0.75})_{1-x}\text{Sn}_x$; circle, $(\text{Ga}_{0.50}\text{In}_{0.50})_{1-x}\text{Sn}_x$; triangle and $(\text{Ga}_{0.75}\text{In}_{0.25})_{1-x}\text{Sn}_x$; star at 723 K, In-Sn binary data from the literature [155]; square, Ga-Sn binary data from the literature [155]; half-filled circle and solid line represents RKM	

fitted polynomial curve..... 128

Fig. 4.4 Plot representing the enthalpies of mixing of the given ternary alloy system corresponding to cross-section of $(\text{Ga}_{0.25}\text{In}_{0.75})_{1-x}\text{Sn}_x$; circle, $(\text{Ga}_{0.50}\text{In}_{0.50})_{1-x}\text{Sn}_x$; triangle and $(\text{Ga}_{0.75}\text{In}_{0.25})_{1-x}\text{Sn}_x$; star at 773 K, In-Sn binary data from the literature [155]; square, Ga-Sn binary data from the literature [155]; half filled circle and solid line represents RKM fitted polynomial curve 129

Fig. 4.5 Plot representing the enthalpies of mixing of the given ternary alloy system corresponding to cross-section of $(\text{Ga}_{0.25}\text{Sn}_{0.75})_{1-x}\text{In}_x$; circle, $(\text{Ga}_{0.50}\text{Sn}_{0.50})_{1-x}\text{In}_x$; triangle and $(\text{Ga}_{0.75}\text{Sn}_{0.25})_{1-x}\text{In}_x$; star, In-Sn binary data from the literature [155]; square, Ga-In binary data from the literature [155]; half-filled circle at 673 K and solid line represents RKM fitted polynomial curve 130

Fig. 4.6 Plot representing the enthalpies of mixing of the given ternary alloy system corresponding to cross-section of $(\text{Ga}_{0.25}\text{Sn}_{0.75})_{1-x}\text{In}_x$; circle, $(\text{Ga}_{0.50}\text{Sn}_{0.50})_{1-x}\text{In}_x$; triangle and $(\text{Ga}_{0.75}\text{Sn}_{0.25})_{1-x}\text{In}_x$; star at 723 K, In-Sn binary data from the literature [155]; square, Ga- In binary data from the literature [155]; half-filled circle and solid line represents RKM fitted polynomial curve 131

Fig. 4.7 Plot representing the enthalpies of mixing of the given ternary alloy system corresponding to cross-section of $(\text{Ga}_{0.25}\text{Sn}_{0.75})_{1-x}\text{In}_x$; circle, $(\text{Ga}_{0.50}\text{Sn}_{0.50})_{1-x}\text{In}_x$; triangle and $(\text{Ga}_{0.75}\text{Sn}_{0.25})_{1-x}\text{In}_x$; star at 773 K, In-Sn binary data from the literature [155]; square, Ga- In binary data from the literature [155]; half-filled circle and solid line represents RKM fitted polynomial curve 132

Fig. 4.8 Plot representing the enthalpies of mixing of the given ternary alloy system for the cross-section of $(\text{Ga}_{0.25}\text{In}_{0.75})_{1-x}\text{Sn}_x$ 133

Fig. 4.9 Plot representing the enthalpies of mixing of the given ternary alloy system for the cross-section of $(\text{Ga}_{0.25}\text{Sn}_{0.75})_{1-x}\text{In}_x$	134
Fig. 4.10 Plot representing different Iso-enthalpy curves of given liquid ternary alloy at 773 K; values are in kJ/mol.	135
Fig. 4.11 Experimental and calculated integral enthalpy of mixing for the isopleth $(\text{Ga}_{0.50}\text{In}_{0.50})_{1-x}\text{Sn}_x$ by using the five geometric models (kohler, Muggianu, Chou, Toop and Hillert) at 773 K along with RKM Polynomial fitted Curve	136
Fig. 4.12 Experimental and calculated integral enthalpy of mixing for the isopleth $(\text{Ga}_{0.75}\text{Sn}_{0.25})_{1-x}\text{In}_x$ by using the five geometric models (kohler, Muggianu, Chou, Toop and Hillert) at 773 K along with RKM Polynomial fitted Curve and data predicted from CALPHAD technique.....	139
Fig. 5.1 Measured cross-sections (intersections a to e indicated, see Table 5.5) and alloy compositions in the Sn-Bi-Sb ternary system.....	177
Fig. 5.2 Plot representing the enthalpies of mixing of the given ternary alloy system corresponding to cross-section of $(\text{Sb}_{0.25}\text{Bi}_{0.75})_{1-x}\text{Sn}_x$; circle, $(\text{Sb}_{0.50}\text{Bi}_{0.50})_{1-x}\text{Sn}_x$; triangle and $(\text{Sb}_{0.75}\text{Bi}_{0.25})_{1-x}\text{Sn}_x$; star at 973 K, Sb-Sn binary data from literature[130]; pentagon and Bi-Sn binary data from literature; square[130]	178
Fig. 5.3 Plot representing the enthalpies of mixing of the given ternary alloy system for the cross-section of $(\text{Sb}_{0.25}\text{Bi}_{0.75})_{1-x}\text{Sn}_x$	180
Fig. 5.4 Plot representing the enthalpies of mixing of the given ternary alloy system for the cross-section of $(\text{Sb}_{0.50}\text{Bi}_{0.50})_{1-x}\text{Sn}_x$	181
Fig. 5.5 Plot representing the enthalpies of mixing of the given ternary alloy system for the cross-section of $(\text{Sb}_{0.75}\text{Bi}_{0.25})_{1-x}\text{Sn}_x$	181

- Fig. 5.6** Plot representing the enthalpies of mixing of the given ternary alloy system for the cross-section of $(\text{Sb}_{0.50}\text{Sn}_{0.50})_{1-x}\text{Bi}_x$ at 973 K; star. Bi-Sb binary data from literature [130]; circle and Bi-Sn binary data from literature; square[130]..... 182
- Fig. 5.7** Plot representing the enthalpies of mixing of the given ternary alloy system for the cross-section of $(\text{Sb}_{0.50}\text{Sn}_{0.50})_{1-x}\text{Bi}_x$ 183
- Fig. 5.8** Plot representing the enthalpies of mixing of the given ternary alloy system for the cross-section of $(\text{Bi}_{0.50}\text{Sn}_{0.50})_{1-x}\text{Sb}_x$ at 973 K; star. Bi-Sb binary data from literature [130]; square and Sb-Sn binary data from literature; triangle [130]..... 184
- Fig. 5.9** Plot representing the enthalpies of mixing of the given ternary alloy system for the cross-section of $(\text{Bi}_{0.50}\text{Sn}_{0.50})_{1-x}\text{Sb}_x$ 185
- Fig. 5.10** Plot representing different Iso-enthalpy curves of given liquid ternary alloy at 973 K; values are in kJ/mol. 186
- Fig. 5.11** Comparison of mixing enthalpies between R-K Muggianu modeled data; bold line and experimental data of liquid Sn-Sb-Bi alloys along the cross-sections of $(\text{Sb}_{0.25}\text{Bi}_{0.75})_{1-x}\text{Sn}_x$; circle, $(\text{Sb}_{0.50}\text{Bi}_{0.50})_{1-x}\text{Sn}_x$; triangle and $(\text{Sb}_{0.75}\text{Bi}_{0.25})_{1-x}\text{Sn}_x$; star at 973 K. 187
- Fig. 5.12** Experimental and calculated integral enthalpy of mixing for the isopleth $(\text{Bi}_{0.50}\text{Sb}_{0.50})_{1-x}\text{Sn}_x$ by using the five geometric models (kohler, Muggianu, Chou, Toop and Hillert) at 973 K along with RKM Polynomial fitted Curve and data predicted from CALPHAD technique..... 188

LIST OF TABLES**Page No.**

Table 2.1 Purity, Sources and Physical state of Materials.....	44
Table 3.1 The materials used for this study.....	65
Table 3.2 Partial and integral mixing enthalpies of Ga-In alloys when In dropped.....	70
Table 3.3 Partial and integral mixing enthalpies of Ga-Sn alloy when Sn dropped.....	73
Table 3.4 Partial and integral mixing enthalpies of In-Sn alloys when Sn dropped.	76
Table 3.5 Binary interaction parameters as a function of temperature(T).....	80
Table 4.1 The materials used for this study.....	96
Table 4.2 Integral and partial mixing enthalpies of Sn-Ga-In alloys when Sn dropped.	100
Table 4.3 Integral and partial mixing enthalpies of Sn-Ga-In alloys when In dropped.	113
Table 4.4 List of all series of measurements along different isopleths and at different temperatures.....	123
Table 4.5 Binary interaction parameters as a function of temperature(T).....	125
Table 4.6 Integral enthalpy of mixing values at the sites of intersection a, b, c, d, e, f, g, h also sees Figure 4.1.	125
Table 5.1 The materials used for this study.....	142
Table 5.2 Integral and partial mixing enthalpies of Sn-Bi-Sb alloys when Sn dropped.	147
Table 5.3 Partial and integral mixing enthalpies of Sn-Bi-Sb alloys when Bi dropped.....	162
Table 5.4 Partial and integral mixing enthalpies of Sn-Bi-Sb alloys when Sb dropped.	168
Table 5.5 Integral enthalpy of mixing values at the sites of intersection a, b, c, d, and e; also see figure 5.1.....	176
Table 5.6 Binary and Ternary interaction parameters.....	176