

References

- [1] B. Chambers, "Optimum design of a salisbury screen radar absorber", *Electron. Lett.*, vol. 30, no. 16, pp. 1353-1354, Aug. 1994.
- [2] Laird Technologies. *Theory and application of RF/Microwave absorber*. Randolph, Massachusetts, November 23, 2018.
- [3] F. Costa, A. Monorchio and G. Manara, "Theory, design and perspectives of electromagnetic wave absorbers," *IEEE Electromagnetic Compatibility Magazine*, vol. 5, no. 2, pp. 67-74, Second Quarter 2016.
- [4] C. L. Holloway, E. F. Kuester and A. Dienstfrey, "Characterizing metasurfaces/metafilms: the connection between surface susceptibilities and effective material properties," *IEEE Antennas and Wireless Propag. Lett.*, vol. 10, pp. 1507-1511, 2011
- [5] C. L. Holloway, E. F. Kuester, J. A. Gordan, J. O'Hara J. Booth, and D. R. Smith, "An overview of the theory and applications of metasurfaces: The two-dimensional equivalents of metamaterials," *IEEE Antennas Propag. Mag.*, vol. 54, no. 2, pp. 10-35, Apr. 2012.
- [6] M. M. Tirkey and N. Gupta, "The quest for perfect electromagnetic absorber: a review," *Int. J. Microw. Wireless Technol.*, vol. 11, no. 2, pp. 151-167, 2019.
- [7] F. Costa, A. Monorchio and G. Manara, "Analysis and design of ultrathin electromagnetic absorbers comprising resistively loaded high impedance surfaces," *IEEE Trans. Antennas Propag.*, vol. 58, no. 5, pp. 1551-1558, May 2010
- [8] A. Kazemzadeh and A. Karlsson, "Capacitive circuit method for fast and efficient design of wideband radar absorber," *IEEE Trans. Antennas Propag.*, vol. 57, no. 8, pp. 2307-2314, Aug. 2009.
- [9] F. Costa, S. Genovesi and A. Monorchio, "A frequency selective absorbing ground plane for low-RCS microstrip antenna arrays", *Prog. Electromagn. Res.*, vol. 126, pp. 317-332, 2012.
- [10] F. Costa and A. Monorchio, "A frequency selective radome with wideband absorbing properties," *IEEE Trans. Antennas Propag.*, vol. 60, no. 6, pp. 2740-2747, Jun. 2012.
- [11] A. A. Omar, H. Huang and Z. Shen, "Absorptive frequency-selective reflection/transmission structures: a review and future perspectives," *IEEE Antennas and Propag. Mag.*, vol. 62, no. 4, pp. 62-74, Aug. 2020.
- [12] F. Costa, S. Genovesi and A. Monorchio, "A chipless RFID based on multi resonant high-impedance surfaces," *IEEE Trans on Microw. Theory and Techn.*, vol. 61, no. 1, pp. 146-153, Jan. 2013.
- [13] A. Sundsmo, "Microwave absorbers: reducing cavity resonances," *Compliance Eng. Mag.*, Jun. 2006.
- [14] P. Del Prete, "Reducing cavity resonance in wireless applications", *RF Globalnet*, 2007-May.
- [15] Y. Wei *et al.*, "A multiband, polarization-controlled metasurface absorber for electromagnetic energy harvesting and wireless power transfer," in *IEEE Trans. on Microw. Theory and Techn.*, vol. 70, no. 5, pp. 2861-2871, May 2022.
- [16] C. Sabah, O. Turkmen-Kucuksari and G. Turhan-Sayan, "Metamaterial absorber-based sensor embedded into X-band waveguide," *Electron. Lett.*, vol. 50, no. 15, pp. 1074-1076, 2014.
- [17] G. G. Machado, V. Fusco and G. Gonway, "Resistively loaded ultra-thin FSS absorbers for RF enhancement of spacecraft thermal blankets," *Microw Antennas Propag.*, vol. 13, no. 11, pp. 1928-1933, Jun. 2019.
- [18] Yu, W., G. Q. Luo, Y. Yu, Y. Pan, W. Cao and Z. Shen, "Dual-polarized band absorptive frequency selective rasorber using meander-line and lumped resistors," *IEEE Trans. on Antennas and Propag.*, vol. 67, No. 2, 1318-1322, 2019.
- [19] S. Ghosh and S. Lim, "Perforated lightweight broadband metamaterial absorber based on 3-D printed honeycomb," *IEEE Antennas and Wireless Propag. Lett.*, vol. 17, no. 12, pp. 2379-2383, Dec. 2018.
- [20] F. Costa, S. Genovesi, A. Monorchio and G. Manara, "A circuit-based model for the interpretation of perfect metamaterial absorbers," *IEEE Trans. on Antennas and Propag.*, vol. 61, no. 3, pp. 1201-1209, March 2013.

- [21] F. Costa and A. Monorchio, "Electromagnetic absorbers based on high impedance surfaces: from ultra-narrowband to ultra-wideband absorption," *Adv. Electromagn.*, vol. 1, no. 3, pp. 7-12, Oct. 2012.
- [22] N. I. Landy, S. Sajuyigbe, J. J. Mock, D. R. Smith, & W. J. Padilla, "Perfect Metamaterial Absorber," *Physical Review Letters*, 23 May, pp. 207402, 2008.
- [23] H. Wakatsuchi, J. Paul, and C. Christopoulos, "Performance of customizable cut-wire-based metamaterial absorbers: absorbing mechanism and experimental demonstration," *IEEE Trans. Antennas Propag.*, vol. 60, no. 12, pp. 5743-5752, Dec. 2012.
- [24] T. Nguyen, S. Lim, "Wide Incidence Angle-Insensitive Metamaterial Absorber for Both TE and TM Polarization using Eight-Circular-Sector" *Sci. Rep.* 7, 3204 (2017).
- [25] D. R. Smith, D. C. Vier, T. Koschny and C. M. Soukoulis, "Electromagnetic parameter retrieval from inhomogeneous metamaterials," *Phys. Rev. E Stat. Phys. Plasmas Fluids Relat. Interdiscip. Top.*, vol. 71, Mar. 2005.
- [26] A. D. Scher and E. F. Kuester, "Extracting the bulk effective parameters of a metamaterial via the scattering from a single planar array of particles," *Metamaterials*, vol. 3, no. 1, pp. 44-55, Mar. 2009.
- [27] C. M. Watts, X. Liu and W. J. Padilla, "Metamaterial electromagnetic wave absorbers," *Adv. Mater.*, vol. 24, no. 23, pp. OP98-OP120, 2012.
- [28] N. Engheta, "Thin absorbing screens using metamaterial surfaces," *IEEE Antennas and Propag. Society International Symposium (IEEE Cat. No.02CH37313)*, San Antonio, TX, USA, 2002, pp. 392-395 vol.2.
- [29] F. Bilotti, L. Nucci and L. Vegni, "An SRR-based microwave absorber," *Microwave and Optical Technology Letters*, Vol. 48, No. 11, pp. 2171-2175, Nov. 2006.
- [30] M. Agarwal and M. K. Meshram, "Metamaterial-based dual-band microwave absorber with polarization insensitive and wide-angle performance," *AIP Advances*, vol. 8, no. 9, p.095016, Sep. 2018.
- [31] M. Agarwal, A. K. Behera, and M. K. Meshram, "Wide-angle quad-band polarization-insensitive metamaterial absorber," *Electron. Lett.*, vol. 52, no. 5, pp. 340-342, Jan. 2016.
- [32] S. Ghosh, S. Bhattacharyya, D. Chaurasiya, and K. V. Srivastava, "An ultrawideband ultrathin metamaterial absorber based on circular split rings," *IEEE Antennas Wireless Propag. Lett.*, vol. 14, pp. 1172-1175, 2015.
- [33] S. -J. Li, X. -Y. Cao, J. Gao, T. Liu, Y. -J. Zheng, and Z. Zhang, "Analysis and design of three-layer perfect metamaterial-inspired absorber based on double split-serration-rings structure," *IEEE Trans. Antennas Propag.*, vol. 63, no. 11, pp. 5155-5160, Nov. 2015.
- [34] P. Zuo, T. Li, M. Wang, H. Zheng, and E. -P. Li, "Miniaturized polarization insensitive metamaterial absorber applied on EMI suppression," *IEEE Access*, vol. 8, pp. 6583-6590, 2020.
- [35] J. B. O. de Araujo, G. L. Siqueira, E. Kemptner, M. Weber, C. Junqueira, and M. M. Mosso, "An ultrathin and ultrawideband metamaterial absorber and equivalent-circuit parameter retrieval method," *IEEE Trans. Antennas Propag.*, vol. 68, no. 5, pp. 3739-3746, May 2020.
- [36] S. -J. Li *et al.*, "Analysis and design of three-layer perfect metamaterial-inspired absorber based on double split-serration-rings structure," *IEEE Trans. Antennas Propag.*, vol. 63, no. 11, pp. 5155-5160, Nov. 2015.
- [37] J. B. O. de Araujo, G. L. Siqueira, E. Kemptner, M. Weber, C. Junqueira, and M. M. Mosso, "An ultrathin and ultrawideband metamaterial absorber and equivalent-circuit parameter retrieval method," *IEEE Trans. Antennas Propag.*, vol. 68, no. 5, pp. 3739-3746, May 2020.
- [38] D. Kundu, A. Mohan, and A. Chakrabarty, "Comment on wide-angle broadband microwave metamaterial absorber with octave bandwidth," *IET Microw. Antennas Propag.*, vol. 11, no. 3, pp. 442-443, 2017.
- [39] S. U. Rahman, W. Yi and Q. Cao, "Comment on "An Ultrathin and Ultrawideband Metamaterial Absorber and an Equivalent-Circuit Parameter Retrieval Method,"" *IEEE Trans. Antennas Propag.* vol. 68, no. 12, pp. 8272-8273, Dec 2020.

- [40] Q. Guo and F Hao, "Comments on "Wideband microwave absorber comprising metallic split-ring resonators surrounded with e-shaped fractal metamaterial polarization insensitive metamaterial absorber," *IEEE Access*, vol. 9, pp. 121302-121304, 2021.
- [41] C. Dietlein, A. Luukanen, Z. B. Popovic, and E. Grossman, "A W-band polarization converter and isolator," *IEEE Trans. Antennas and Propag.*, vol. 55, no. 7, pp. 1804-1809, June 2007.
- [42] M. Euler, and V. Fusco, "Split slot ring spatial quasi-circulator for RCS characterisation," *Electron. Lett.*, vol. 46, pp. 394-395, March 2010.
- [43] M. Euler, V. Fusco, R. Cahill, and R. Dickie, "325 GHz Single layer sub-millimeter wave FSS based Split Slot Ring Linear to Circular polarization Converter," *IEEE Trans. Antennas and Propag.*, vol. 58, no. 7, pp. 2457-2459 July 2010.
- [44] M. Mutlu and E. Ozbay, "A transparent 90 degrees polarization rotator by combining chirality and electromagnetic wave tunnelling," *Appl. Phys. Lett.*, vol. 100, pp. 051909-1-051909-4, Feb. 2012.
- [45] J. Xu, T. Li, F. F. Lu, S. M. Wang, and S. N. Zhu, "Manipulating optical polarization by stereo plasmonic structure," *Opt. Express*, vol. 19, pp. 748-756, Jan. 2011.
- [46] S. K. Srivastava and M. Kumar Meshram, "Ultra wideband reflective polarization converter based on double slit split ring resonators shaped metasurface," *2018 IEEE MTT-S International Microwave and RF Conference (IMaRC)*, Kolkata, India, 2018, pp. 1-4.
- [47] A. K. Rashid, Z. Shen and S. Aditya, "Wideband microwave absorber based on a two-dimensional periodic array of microstrip lines," in *IEEE Trans. on Antennas and Propag.*, vol. 58, no. 12, pp. 3913-3922, Dec. 2010.
- [48] A. A. Omar and Z. Shen, "Double-sided parallel-strip line resonator for dual-polarized 3-d frequency-selective structure and absorber," in *IEEE Trans. on Microw. Theory and Tech.*, vol. 65, no. 10, pp. 3744-3752, Oct. 2017..
- [49] M. Yoo and S. Lim, "Polarization-independent and ultrawideband metamaterial absorber using a hexagonal artificial impedance surface and a resistor-capacitor layer," *IEEE Trans. on Antennas and Propag.*, vol. 62, no. 5, pp. 2652-2658, May 2014.
- [50] A. Kazemzadeh, "Nonmagnetic ultrawideband absorber with optimal thickness," *IEEE Trans. on Antennas and Propag.*, vol. 59, no. 1, pp. 135-140, Jan. 2011.
- [51] T. Shi, L. Jin, L. Han, M. -C. Tang, H. -X. Xu and C. -W. Qiu, "Dispersion-engineered, broadband, wide-angle, polarization-independent microwave metamaterial absorber," *IEEE Trans. on Antennas and Propag.*, vol. 69, no. 1, pp. 229-238, Jan. 2021.
- [52] B. Zhang, C. Jin and Z. Shen, "Low-profile broadband absorber based on multimode resistor-embedded metallic strips," *IEEE Trans. on Microw. Theory and Techn.*, vol. 68, no. 3, pp. 835-843, March 2020.
- [53] J. Chen *et al.*, "High-impedance surface-based broadband absorbers with interference theory," *IEEE Trans. on Antennas and Propag.*, vol. 63, no. 10, pp. 4367-4374, Oct. 2015.
- [54] Y. Zhang, W. Yang, X. Li and G. Liu, "Design and analysis of a broadband microwave metamaterial absorber," *IEEE Photonics Journal*, vol. 15, no. 3, pp. 1-10, June 2023, Art no. 4600810.
- [55] B. Zhang, C. Jin and J. Chen, "Wideband and ultrathin absorber using frequency selective surfaces," *2019 IEEE MTT-S International Wireless Symposium (IWS)*, Guangzhou, China, 2019, pp. 1-3.
- [56] S. Sambhav, J. Ghosh and A. K. Singh, "Ultra-wideband polarization insensitive thin absorber based on resistive concentric circular rings," *IEEE Trans. on Electromag. Comp.*, vol. 63, no. 5, pp. 1333-1340, Oct. 2021.
- [57] F. Costa, S. Genovesi, A. Monorchio and G. Manara, "A circuit-based model for the interpretation of perfect metamaterial absorbers," *IEEE Trans. Antennas Propag.*, vol. 61, no. 3, pp. 1201-1209, Mar. 2013.
- [58] M. Ohira, H. Deguchi, M. Tsuji and H. Shigesawa, "Analysis of frequency selective surface with arbitrarily shaped element by equivalent circuit model", *Electron. Commun. Jpn. II Electron.*, vol. 88, no. 6, pp. 9-17, 2005.
- [59] L. Zhang, H. Lu, P. Zhou, J. Xie and L. Deng, "Oblique incidence performance of microwave absorbers based on magnetic polymer composites," *IEEE Trans. Magn.*, vol. 51, no. 11, pp. 1-4, Nov. 2015.

- [60] D. Ye et al., "Towards experimental perfectly-matched layers with ultra-thin metamaterial surfaces," *IEEE Trans. Antennas Propag.*, vol. 60, no. 11, pp. 5164-5172, Nov. 2012
- [61] B. Zhu, Z. Wang, C. Huang, Y. Feng, J. Zhao and T. Jiang, "Polarization insensitive metamaterial absorber with wide incident angle," *Prog. Electromagn. Res.*, vol. 101, pp. 231-239, 2010.
- [62] M. Yoo, H. K. Kim and S. Lim, "Angular-and polarization-insensitive metamaterial absorber using sub wavelength unit cell in multilayer technology," *IEEE Antennas Wireless Propag. Lett.*, vol. 15, pp. 414-417, 2016.
- [63] D. Lee, J. G. Hwang, D. Lim, T. Hara, and S. Lim, "Incident angle-and polarization insensitive metamaterial absorber using circular sectors," *Sci. Rep.*, vol.6, Jun.2016, Art no. 27155.
- [64] Y. Cheng, H. Yang, Z. Cheng, and N. Wu, "Perfect metamaterial absorber based on a splitting-cross resonator." *Appl.Phys.A*, vol. 102,no.1,pp.99-103,Jan.2011.
- [65] X. Liu, C. Lan, K. Bi, B. Li, Q. Zhao and J. Zhou, "Dual band metamaterial perfect absorber based on mie resonances," *Appl. Phys. Lett.*, vol. 109, no. 6, Aug. 2016.
- [66] J. Wang, R. Yang, J. Tian, X. Chen and W. Zhang, "A dual-band absorber with wide-angle and polarization insensitivity," *IEEE Antennas Wireless Propag. Lett.*, vol. 17, no. 7, pp. 1242-1246, Jul. 2018.
- [67] H.-X. Xu, G.-M. Wang, M.-Q. Qi, J.-G. Liang, J.-Q. Gong and Z.-M. Xu, "Triple-band polarization-insensitive wide-angle ultra-miniature metamaterial transmission line absorber," *Phys. Rev. B Condens. Matter*, vol. 86, no. 20, Nov. 2012
- [68] M. Agarwal, A. K. Behera, and M. K. Meshram, "Wide-angle quad-band polarization insensitive metamaterial absorber." *Electron. Lett.*, vol.52, no.5, pp.340-342, Mar.2016.
- [69] H. Zhai, C. Zhan, L. Liu and Y. Zang, "Reconfigurable wideband metamaterial absorber with wide angle and polarisation stability," *Electron. Lett.*, vol.51, no.21, pp.1624-1626, Oct.2015.
- [70] T. T. Nguyen and S. Lim, "Design of metamaterial absorber using eight-resistive-arm cell for simultaneous broadband and wide-incidence-angle absorption." *Sci. Rep.*, 8, 6633, 2018.
- [71] T. Shi, L. Jin, L. Han, M.-C. Tang, H.-X. Xu and C.-W. Qiu, "Dispersion-engineered broadband wide-angle polarization-independent microwave metamaterial absorber," *IEEE Trans. Antennas Propag.*, vol. 69, no. 1, pp. 229-238, Jan. 2021.
- [72] S. Chejarla, S. R. Thummaluru, and R. K. Chaudhary, "Flexible metamaterial absorber with wide angle insensitivity for conformal applications," *Electron. Lett.*, vol. 55, no. 3, pp. 133-134, Dec. 2019.
- [73] N. Hakla, S. Ghosh, K. V. Srivastava, and A. Shukla, "A dual-band conformal metamaterial absorber for curved surface," *Proc. URSI Int. Symp. Electromagn. Theory (EMTS)*, pp. 771-774, Aug. 2016.
- [74] A. K. Singh, M. P. Abegaonkar, and S. K. Koul, "Dual and triple band polarization insensitive ultrathin conformal metamaterial absorbers with wide angular stability," *IEEE Trans. Electromagn. Compat.*, vol. 61, no. 3, pp. 878-886, Jun. 2019.
- [75] S. Kalraiya, R. K. Chaudhary and R. K. Gangwar, "Polarization independent triple band ultrathin conformal metamaterial absorber for C- and X-frequency bands," *AEU - Int. J. Electron. Commun*, vol. 135, no. April, pp. 153752, 2021.
- [76] A. Kumar, G. S. Reddy and S. Narayan, "Flexible EM Wave Absorber with High Angular Stability and Low Cross Polarization Reflection Level," *Proc. 34th Gen. Assem. Sci. Symp. Int. Union Radio Sci. (URSI GASS)*, Aug. 2021, pp. 1-4.
- [77] M. M. Tirkey and N. Gupta, "Broadband polarization-insensitive inkjet-printed conformal metamaterial absorbers," *IEEE Trans. Electromagn. Compat.*, vol. 63, no. 6, pp. 1829-1836, Dec. 2021.
- [78] M. Yoo, H. K. Kim, S. Kim, M. Tentzeris and S. Lim, "Silver nanoparticle-based inkjet-printed metamaterial absorber on flexible paper," *IEEE Antennas and Wireless Propagation Letters*, vol. 14, pp. 1718-1721, 2015.
- [79] M. Yoo, S. Lim and M. Tentzeris, "Flexible inkjet-printed metamaterial paper absorber," *2014 IEEE Antennas and Propag. Society Int. Symp. (APSURSI)*, Memphis, TN, USA, 2014, pp. 2060-2061.

- [80] H. K. Kim, K. Ling, K. Kin and S. Lim, "Flexible inkjet-printed metamaterial absorber for coating a cylindrical object," *Opt. Exp.*, vol. 23, pp. 5898-5905, Mar. 2015.
- [81] Screen Graphene-X. Huang, K. Pan, and Z. Hu, "Experimental demonstration of printed graphene nano-flakes enabled flexible and conformable wideband radar absorbers," *Sci. Rep.*, vol. 6, no. 1, 2016, Art. No. 38197.
- [82] A. Singh and N. Gupta, "Screen-printed wideband absorber for the x and ku bands," *IEEE Trans. on Electromag. Compat.*, vol. 64, no. 5, pp. 1321-1329, Oct. 2022.
- [83] X. Kong, J. Xu, J. J. Mo, and S. Liu, "Broadband and conformal metamaterial absorber," *Frontiers Optoelectron.*, vol. 10, no. 2, pp. 124-131, 2017.
- [84] S. Kalraiya, R. K. Chaudhary, and M. A. Abdalla, "Design and analysis of polarization independent conformal wideband metamaterial absorber using resistor loaded sector shaped resonators," *J. Appl. Phys.*, vol. 125, no. 13, Apr. 2019, Art. No. 134904.
- [85] H. Chen et al., "Flexible and conformable broadband metamaterial absorber with wide-angle and polarization stability for radar application," *Mater. Res. Exp.*, vol.5, no. 1, 2018, Art. No. 015804.
- [86] F. Ahmed, T. Hassan and N. Shoaib, "Comments on "An ultrawideband ultrathin metamaterial absorber based on circular split rings"," *IEEE Antennas Wireless Propag. Lett.*, vol. 19, pp. 512-514, 2020.
- [87] S. Yin, J. Zhu, W. Jiang, J. Yuan, G. Yin, and Y. Ma, "Comment on "Triple - band perfect metamaterial absorption, based on single cut-wire bar"," *Appl. Phys. Lett.*, vol. 107, no. 02, July 2015, Art. No. 026101.
- [88] L. Liu *et al.* "Comment on "Size-efficient metamaterial absorber at low frequencies: Design, fabrication, and characterization"," *J. Appl. Phys.*, vol. 119, no. 22, June 2016, Art. No. 226101.
- [89] L. Zhang, P. Zhou, H. Lu, H. Chen, J. Xie, and L. Deng, "Ultra-thin reflective metamaterial polarization rotator based on multiple plasmon resonances," *IEEE Antennas Wireless Propag. Lett.*, vol. 14, pp. 1157-1160, 2015.
- [90] B. Lin, B. Wang, W. Meng, X. Da, W. Li, Y. Fang, and Z. Zhu, "Dual-band high-efficiency polarization converter using an isotropic metasurface," *J. Appl. Phys.*, vol. 119, no. 18, May 2016, Art. No. 183103.
- [91] X. Gao, X. Han, W. -P. Cao, H. O. Li, H. F. Ma, and T. J. Cui, "Ultrawideband and high-efficiency linear polarization converter based on double V-shaped metasurface," *IEEE Trans. Antennas Propag.*, vol. 63, no. 8, pp. 3522-3530, Aug. 2015.
- [92] T. M. Nguyen *et al.*, "Ultra-wideband and lightweight electromagnetic polarization converter based on multi resonant metasurface," *IEEE Access*, vol. 10, pp. 92097-92104, 2022.
- [93] S. K. Srivastava, B. Satyanarayana, A. K. Saurabh and M. Kumar Meshram, "Low rcs polarization-insensitive ultra wideband absorber based on resistive metasurface," *2019 IEEE MTT-S International Microwave and RF Conference (IMARC)*, Mumbai, India, 2019, pp. 1-4.
- [94] Hailin Cao, Meng Shan, Tao Chen, Jianmei Lei, Linhua Yang, and Xiaoheng Tan, "Triple-band polarization-independent ultrathin metamaterial absorber," *Progress In Electromag. Research M*, Vol. 77, 93-102, 2019.
- [95] Prakash Ranjan, Arvind Choubey, Santosh Kumar Mahto, and Rashmi Sinha, "An ultrathin five-band polarization insensitive metamaterial absorber having hexagonal array of 2d-bravais-lattice," *Prog. In Electromag. Research C*, Vol. 87, 13-23, 2018.
- [96] Guoqing Xu, Jie Huang, Zongde Ju, Zhihua Wei, Jing Li, and Qian Zhao, "A novel six-band polarization-insensitive metamaterial absorber with four multiple-mode resonators," *Prog. In Electromag. Research C*, Vol. 77, 133-144, 2017.
- [97] Li. Huang, D. R. Chowdhury, S. Ramani, M. Reiten, S. Luo, A. Taylor, and H. Chen, "Experimental demonstration of terahertz metamaterial absorbers with a broad and flat high absorption band," *Optics Letters*, Vol. 37, 154-156, 2012.
- [98] F. Ahmed, T. Hassan and N. Shoaib, "Comments on "An ultrawideband ultrathin metamaterial absorber based on circular split rings"," *IEEE Antennas Wireless Propag. Lett.*, vol. 19, pp. 512-514, 2020.

- [99] H. Zhang, Yu Ma, Hai Feng Zhang, Jing Yang, and Jia-Xuan Liu, "Comment on "Frequency tunable low-cost microwave absorber for EMI/EMC application";" *Prog. In Electromag. Research Letters*, Vol. 78, 39-43, 2018.
- [100] M. Amin, A. Fida, A. Rashid, O. Siddiqui and F. A. Tahir, "Anti-reflecting metasurface for broadband polarization independent absorption at Ku band frequencies." *Sci. Rep.* Vol. 12, 2045-2322, 2022.
- [101] F. Costa, "A simple effective permittivity model for metasurfaces within multilayer stratified media," *IEEE Trans. on Antennas Propag.*, Vol. 69, No. 8, 5184-5153, 2021.
- [102] B. A. Munk, *Frequency Selective Surface: Theory and Design*, Wiley, New York, 2000.
- [103] W. Yu, G. Q. Luo, Y. Yu, Y. Pan, W. Cao and Z. Shen, "Dual-polarized band-absorptive frequency selective rasorber using meander-line and lumped resistors," *IEEE Trans. on Antennas and Propag.*, vol. 67, No. 2, 1318-1322, 2019.
- [104] K. Carver, and J. Mink, "Microstrip antenna technology," *IEEE Trans. on Antennas Propag.*, Vol. 29, No. 1, 2-24, 1981.
- [105] F. Costa, S. Genovesi, A. Monorchio, and G. Manara, "A circuit-based model for the interpretation of perfect metamaterial absorbers," *IEEE Transaction on Antennas Propagation*, Vol. 61, No. 3, 1201-1209, 2013.
- [106] Z. L. Wang, K. Hashimoto, N. Shinohara, and H. Matsumoto, "Frequency- selective surface for microwave power transmission," *IEEE Trans. on Microw. Theory Techn.*, Vol. 47, No. 10, 2039-2042, 1999.
- [107] I. Bahal, Prakash Bhartia, "*Microwave Solid State Circuit Design*," Hoboken, NJ, USA: John-Wiley& Sons, p. 57-60, 2003,
- [108] C. A. Balanis, *Advanced Engineering Electromagnetics*. USA: John-Wiley & Sons, p. 584, 2012.
- [109] H. Yang, X. Y. Cao, J. Gao, W. Li, Z. Yuan, and K. Shang, "Low rcs metamaterial absorber and extending bandwidth based on electromagnetic resonances," *Prog. in Electromag. Research M*, Vol. 33, 31-34, 2013.
- [110] Product information [Online]. Available: <http://www.qdruigao.com/en/>
- [111] M. Amiri, F. Tofigh, N. Shariati, J. Lipman and M. Abolhasan, "Review on metamaterial perfect absorbers and their applications to IoT," in *IEEE Internet of Things Journal*, vol. 8, no. 6, pp. 4105-4131, 15 March15, 2021.
- [112] Y. Kato, S. Morita, H. Shiomi and A. Sanada, "Ultrathin perfect absorbers for normal incident waves using dirac cone metasurfaces with critical external coupling," *IEEE Microw. and Wireless Comp. Lett.*, vol. 30, no. 4, pp. 383-386, April 2020.
- [113] G. Deng, Z. Yu, J. Yang, Z. Yin, Y. Li and B. Chi, "A Miniaturized 3-D metamaterial absorber with wide angle stability," *IEEE Microw. and Wireless Comp. Lett.*, vol. 32, no. 9, pp. 1111-1114, Sept. 2022.
- [114] Y. Shen, Y. Pang, J. Wang, H. Ma, Z. Pei, and S. Qu, "Origami-inspired metamaterial absorbers for improving the larger-incident angle absorption", in *J. Phys. D: Appl. Phys.*, vol.48, no. 44, Oct. 2015.
- [115] A. Kazem Zadeh and A. Karlsson, "Capacitive circuit method for fast and efficient design of wideband radar absorbers," *IEEE Trans. on Antennas and Propag.*, vol. 57, no. 8, pp. 2307-2314, Aug. 2009.
- [116] F. Ding, Y. Cui, X. Ge, Y. Jin and S. He, "Ultra-broadband microwave metamaterial absorber", *Appl. Phys. Lett.*, vol. 100, no. 10, Mar. 2012.
- [117] D. Kundu, S. Baghel, A. Mohan and A. Chakrabarty, "design and analysis of printed lossy capacitive surface-based ultrawideband low-profile absorber," *IEEE Trans. on Antennas and Propag.*, vol. 67, no. 5, pp. 3533-3538, May 2019.

- [118] M. Zhang, B. Zhang, X. Liu, S. Sun, and C. Jin, "Design of wideband absorber based on dual-resistor-loaded metallic strips", *International Journal of Antennas and Propag.*, vol. 2020, no. 10, Art. Id. 1238656, 2012.
- [119] W. Tang, G. Goussetis, H. Legay and N. J. G. Fonseca, "Efficient synthesis of low-profile angularly-stable and polarization-independent frequency-selective absorbers with a reflection band," *IEEE Trans. on Antennas and Propag.*, vol. 63, no. 2, pp. 621-629, Feb. 2015.
- [120] Y. Shang, Z. Shen and S. Xiao, "On the Design of Single-Layer Circuit Analog Absorber Using Double-Square-Loop Array," *IEEE Trans. on Antennas and Propag.*, vol. 61, no. 12, pp. 6022-6029, Dec. 2013.
- [121] D. Lim and S. Lim, "Ultrawideband Electromagnetic Absorber Using Sandwiched Broadband Metasurfaces," *IEEE Antennas and Wireless Propag. Lett.*, vol. 18, no. 9, pp. 1887-1891, Sept. 2019.
- [122] Y. Li, P. Ren, Z. Xiang, B. Xu and R. Chen, "Design of dual-stop band fss with tightly spaced frequency response characteristics," *IEEE Microw. and Wireless Comp. Lett.*, vol. 32, no. 8, pp. 1011-1014, Aug. 2022.
- [123] Saurabh Kumar Srivastava, Rahul Dubey, and Manoj Kumar Meshram, "Design, modeling and analysis of low cross polarization level low radar cross section conformal ultra wideband absorber based on resistive metasurface," *Prog. In Electromag. Research M*, Vol. 121, 147-156, 2023.
- [124] A. Sharma, S. Ghosh and K. V. Srivastava, "A polarization-insensitive band-notched absorber for radar cross section reduction," *IEEE Antennas and Wireless Propag. Lett.*, vol. 20, no. 2, pp. 259-263, Feb. 2021.
- [125] D. Kundu, A. Mohan and A. Chakrabarty, "Reduction of cross-polarized reflection to enhance dual-band absorption," *J. Appl. Phys.*, vol. 120, no. 20, 2016.

List of Publications

Journal Papers (Related to Ph.D. Thesis)

- [1] **Saurabh Kumar Srivastava** and Manoj Kumar Meshram, "Comments on "Analysis and Design of Three-Layer Perfect Metamaterial-Inspired Absorber Based on Double Split-Serration Rings Structure"," in *IEEE Transaction on Antennas and Propagation*, doi: 10.1109/TAP.2024.3371570.
- [2] **Saurabh Kumar Srivastava**, Rahul Dubey, and Manoj Kumar Meshram, "Design, Modeling and Analysis of Low Cross Polarization Level Low Radar Cross Section Conformal Ultra Wideband Absorber based on Resistive Metasurface" in *Progress In Electromagnetics Research M*, Vol. 121, 147-156, 2023, doi: 10.2528/PIERM23082803.
- [3] **Saurabh Kumar Srivastava** and Manoj Kumar Meshram, "Design of Low Profile Low Cross Polarization Level Conformal Ultra-Wideband Absorber Using Resistor Embedded Rings," in *IEEE Microwave and Wireless Technology Letters* (under review).

Conference Papers (Related to Ph.D. Thesis)

- [1] **Saurabh Kumar Srivastava** and M. Kumar Meshram, "Ultra Wideband Reflective Polarization Converter Based on Double Slit Split Ring Resonators Shaped Metasurface," **2018 IEEE MTT-S International Microwave and RF Conference (IMaRC)**, 2018, pp. 1-4, doi: 10.1109/IMaRC.2018.8877118.
- [2] **Saurabh Kumar Srivastava**, B. Satyanarayana, Arun Kumar Saurabh and Manoj Kumar Meshram, "Polarization-Insensitive Ultra wideband Absorber Based on Resistive Rising Sun-Shaped Metasurface," **2019 IEEE Asia-Pacific Microwave Conference (APMC)**, 2019, pp. 548-550, doi: 10.1109/APMC46564.2019.9038357.
- [3] **Saurabh Kumar Srivastava**, B. Satyanarayana, Arun Kumar Saurabh and Manoj Kumar Meshram,, "Low RCS Polarization-Insensitive Ultra Wideband Absorber Based on Resistive Metasurface," **2019 IEEE MTT-S International Microwave and RF Conference (IMARC)**, 2019, pp. 1-4, doi: 10.1109/IMaRC45935.2019.9118622.

Journal Papers (Not related to Ph.D. Thesis)

- [1] R. Dubey, **Saurabh Kumar Srivastava**, A. Singh and M. K. Meshram, "Compact and Efficient Dual-Band Rectifier Using Modified T-Section Matching Network," in *IEEE Microwave and Wireless Technology Letters*, vol. 33, no. 6, pp. 755-758, June 2023, doi: 10.1109/LMWT.2023.3248786.
- [2] Akanksha Singh, Rahul Dubey, Ajitesh, **Saurabh Kumar Srivastava**, and Manoj Kumar Meshram, "Circular Polarization-agile and beam switching enabled reconfigurable cavity- backed antenna," *AEU-Int. J. Electron. Commun.*, vol. 165, June 2023, p. 154664, 2022, <https://doi.org/10.1016/j.aeue.2023.154664>.
- [3] Rahul Dubey, Akanksha Singh, **Saurabh Kumar Srivastava**, Ajitesh, and Manoj Kumar Meshram, "A dual wide-band ingestible antenna design for wireless capsule endoscopy," *AEU-Int. J. Electron. Commun.*, vol. 172, December 2023, p. 154935,2023, <https://doi.org/10.1016/j.aeue.2023.154935>.

Conference Papers (Not related to Ph.D. Thesis)

- [1] Boya Satyanarayana, **Saurabh Kumar Srivastava**, Arun Kumar Saurabh, Rahul Dubey, P. K. Bharti and Manoj Kumar Meshram, "Side-Edge Frame Coupled-Fed Printed Eight-Port MIMO Antenna Array for Sub-6 GHz 5G Smartphone Applications," **2019 IEEE MTT-S International Microwave and RF Conference (IMARC)**, 2019, pp. 1-4, doi: 10.1109/IMaRC45935.2019.9118779.
- [2] Boya Satyanarayana, **Saurabh Kumar Srivastava** and Manoj Kumar Meshram, "Eight-Element Dual-Band MIMO Antenna System for Sub-6 GHz 5G Smartphone Applications," **2019 IEEE Indian Conference on Antennas and Propagation (InCAP)**, 2019, pp. 1-4, doi: 10.1109/InCAP47789.2019.9134684.
- [3] Arun Kumar Saurabh, **Saurabh Kumar Srivastava** and Manoj Kumar Meshram, "CSRR Loaded Compact Quad-Element MIMO Antenna for Wireless Applications," **2021 IEEE MTT-S International Microwave and RF Conference (IMARC)**, 2021, pp. 1-4, doi: 10.1109/IMaRC49196.2021.9714635.
- [4] Arun Kumar Saurabh, **Saurabh Kumar Srivastava** and Manoj Kumar Meshram, " Compact Eight Element MIMO Antenna for UWB Applications," **2022 IEEE Microwaves, Antennas and Propagation Conference (MAPCON)**, 2022, pp. 1193-1147, doi: 10.1109/MAPCON56011.2022.10046713.
- [5] Ajitesh, **Saurabh Kumar Srivastava**, Akanksha Singh, Rupam Bharti, and Manoj Kumar Meshram, "A Single Layer dual band Reflectarray antenna for millimeter-wave application," **2022 IEEE Microwaves, Antennas and Propagation Conference (MAPCON)**, 2022, pp. 1615-1619, doi: 10.1109/MAPCON56011.2022.10047644.

