
References

References

- ❖ Ahmadi, H., A. Rashidi, S.S. Mohtasebi and M. Alaei, “Experimental evaluation of engine oil properties containing copper oxide nanoparticles as a nanoadditive,” *Int. J. Ind. Chem.* **4** (2013) 28-33.
- ❖ Alam, U., Khan, A., Raza, W., Khan, A., Bahnemann, D. and Muneer, M. “Highly efficient Y and V co-doped ZnO photocatalyst with enhanced dye sensitized visible light photocatalytic activity” *Catal. Today* **284** (2017) 169-178.
- ❖ Ali, M.K.A., H. Xianjun, M.A. Abdelkareem, M. Gulzar and A.H. Elsheikh “Novel approach of the graphene nanolubricant for energy saving via anti-friction/wear in automobile engines” *Tribol. Int.* **124** (2018) 209-229.
- ❖ Ali, M.K.A., X. Hou and M.A. Abdelkareem “Anti-wear properties evaluation of frictional sliding interfaces in automobile engines lubricated by copper/graphene nanolubricants” *Friction* **8** (2019) 905-916.
- ❖ Amrollahi, S., Ramezanzadeh, B., Yari, H., Ramezanzadeh, M. and Mahdavian, M. “Synthesis of polyaniline-modified graphene oxide for obtaining a high performance epoxy nanocomposite film with excellent UV blocking/anti-oxidant/anti-corrosion capabilities” *Compos. B. Eng.* **173** (2019) 106804.
- ❖ Bai, G., J. Wang, Z. Yang, H. Wang, Z. Wang and S. Yang “Preparation of a Highly Effective Lubricating Oil Additive-Ceria/Graphene Composite,” *RSC Adv.* **4** (2014) 47096-47105.
- ❖ Battez, A. H., J. F. Rico, A. N. Arias, J. V. Rodriguez, R. C. Rodriguez and J. D. Fernandez, “The Tribological Behaviour of ZnO Nanoparticles as an Additive to PAO6,” *Wear* **261** (2006) 256-263.
- ❖ Battez, A. H., R. González, J. L. Viesca, J. E. Fernández, J. D. Fernández, A. Machado, R. Chou and J. Riba, “CuO, ZrO₂ and ZnO Nanoparticles as Antiwear Additive in Oil Lubricants,” *Wear* **265** (2008) 422-428.
- ❖ Berman, D., A. Erdemir and A. V. Sumant, “Approaches for Achieving

References

- Superlubricity in Two-Dimensional Materials,” *ACS Nano* **12** (2018) 2122-2137.
- ❖ Berman, D., A. Erdemir and A.V. Sumant, “Graphene: A New Emerging Lubricant,” *Mater. Today* **17** (2014) 31-42.
 - ❖ Bhushan, B. Modern tribology handbook. 1. Principles of tribology. CRC Press 2001.
 - ❖ Bhushan, B., Principle and applications of tribology, John Wiley & Sons, 1999.
 - ❖ Bondarev, A.V., Fraile, A., Polcar, T. and Shtansky, D.V. “Mechanisms of friction and wear reduction by h-BN nanosheet and spherical W nanoparticle additives to base oil: Experimental study and molecular dynamics simulation” *Tribol. Int.* **151** (2020) 106493.
 - ❖ Bonu, V., N. Kumar, A. Das, S. Dash and A. K. Tyagi “Enhanced Lubricity of SnO₂ Nanoparticles Dispersed Polyolester Nanofluid” *Ind. Eng. Chem. Res.* **55** (2016) 2696-2703.
 - ❖ Boyde, S. “Environmental Benefits and Impacts of Lubrication,” *Green Chemistry* **4** (2002) 293-307.
 - ❖ Cai, K., Zuo, S., Luo, S., Yao, C., Liu, W., Ma, J., Mao, H. and Li, Z. Preparation of polyaniline/graphene composites with excellent anti-corrosion properties and their application in waterborne polyurethane anticorrosive coatings. *RSC Adv.* (98)**6** (2016) 95965-95972.
 - ❖ Cao, Z. and Xia, Y. “Corrosion resistance and tribological characteristics of polyaniline as lubricating additive in grease” *J. Tribol.* (6)**139** (2017) 061801
 - ❖ Chen, C., W. Mei, W. Yu, X. Chen, L. Zeng, Y. Tsang, Z. Chao and X. Liu, “Enhanced Sunlight-Driven Photocatalytic Property of Mg-Doped ZnO Nanocomposites with Three-Dimensional Graphene Oxide/MoS₂ Nanosheet Composites,” *RSC Adv.* **8** (2018) 17399-17409.
 - ❖ Chen, C.S., Chen, X.H., Xu, L.S., Yang, Z. and Li, W.H., Modification of multi-walled carbon nanotubes with fatty acid and their tribological properties as lubricant

References

- additive. *Carbon*, (8)**43** (2005)1660-1666.
- ❖ Chen, Y., Renner, P. and Liang, H. “Dispersion of nanoparticles in lubricating oil: A critical review” *Lubricants* (1)**7** (2019) 7-27.
 - ❖ Chimeno-Trinchet, C., Pacheco, M.E., Fernández-González, A., Díaz-García, M.E. and Badía-Laíño, R. “New metal-free nanolubricants based on carbon-dots with outstanding antiwear performance” *J. Ind. Eng. Chem.* **87** (2020) 152-161.
 - ❖ Chou, R., A. H. Battez, J. J. Cabello, J. L. Viesca, A. Osorio and A. Sagastume, “Tribological Behavior of Polyalphaolefin with the Addition of Nickel Nanoparticles,” *Tribol. Int.* **43** (2010) 2327-2332.
 - ❖ Choudhary, S., H. P. Mungse and O. P. Khatri “Dispersion of alkylated graphene in organic solvents and its potential for lubrication applications” *J. Mater. Chem.* **22** (2012) 21032-21039.
 - ❖ Chouhan, A., H. P. Mungse, O. P. Sharma, R. K. Singh and O. P. Khatri “Chemically functionalized graphene for lubricant applications: Microscopic and spectroscopic studies of contact interfaces to probe the role of graphene for enhanced tribo-performance” *J. Colloid Interface Sci.* **513** (2018) 666-676.
 - ❖ Chouhan, A., Mungse, H.P. and Khatri, O.P. “Surface chemistry of graphene and graphene oxide: A versatile route for their dispersion and tribological applications” *Adv. Colloid Interface Sci.* **283** (2020) 102215-102242.
 - ❖ Chunder, A., Pal, T. S.I. Khondaker and L. Zhai, “Reduced graphene oxide/copper phthalocyanine composite and its optoelectrical properties,” *J. Phys. Chem. C* **114** (2010) 15129-15135.
 - ❖ Dai, W., B. Kheireddin, H. Gao and H. Liang, “Roles of Nanoparticles in Oil Lubrication,” *Tribol. Int.* **102** (2016) 88-98.
 - ❖ Davim, J.P., Kretzer, J.P., *Biotribology of total hip replacement: the metal-on-metal articulation*, John Wiley & Sons, 2010.

References

- ❖ Dewar, M.J.; Thiel, W. “Ground states of molecules. 38. The MNDO method. Approximations and parameters” *J. Am. Chem. Soc.* (15) **99** (1977) 4899-4907.
- ❖ Dhand, C., Das, M., Datta, M. and Malhotra, B.D. “Recent advances in polyaniline based biosensors” *Biosens. Bioelectron.* (6)**26** (2011) 2811-2821.
- ❖ Dietzel, D., J. Brndiar, I. Stich and A. Schirmeisen, “Limitations of Structural Superlubricity: Chemical Bonds versus Contact Size,” *ACS Nano* **11** (2017) 7642-647.
- ❖ Dorinson, A., & Ludema, K. C. *Mechanics and chemistry in lubrication*. Elsevier **9** 1985.
- ❖ Enhancement on the Friction and Adhesion of Graphene, Graphene Oxide, and Fluorinated Graphene,” *ACS Appl. Mater. Interfaces* **10** (2018) 8214-8224.
- ❖ Eswaraiah, V., V. Sankaranarayanan and S. Ramaprabhu, “Graphene-Based Engine Oil Nanofluids for Tribological Applications,” *ACS Appl. Mater. Interfaces* **3** (2011) 4221-4227.
- ❖ Fan, X., L. Wang and W. Li, “In Situ Fabrication of Low-Friction Sandwich Sheets through Functionalized Graphene Cross Linked by Ionic Liquids,” *Tribol. Lett.* **58** (2015) 12.
- ❖ Ferrari, A. C., F. Bonaccorso, V. Fal'Ko, K. S. Novoselov, S. Roche, P. Bøggild, ... and J. A. Garrido “Science and Technology Roadmap for Graphene, Related Two-Dimensional Crystals, and Hybrid Systems” *Nanoscale* **7** (2015) 4598-4810.
- ❖ Gan, C., T. Liang, W. Li, X. Fan and M. Zhu, “Amine-terminated ionic liquid modified graphene oxide/copper nanocomposite toward efficient lubrication,” *Appl. Surf. Sci.* **491** (2019) 105-115.
- ❖ García-Iglesias, M., J. J. Cid, J. H. Yum, A. Forneli, P. Vázquez, M.K. Nazeeruddin, E. Palomares, M. Grätzel and T. Torres, “Increasing the efficiency of zinc-phthalocyanine based solar cells through modification of the anchoring

References

- ligand,” *Energy Environ. Sci.* **4** (2011) 189-194.
- ❖ Geim, A. K. “Graphene: Status and Prospects,” *Science* **324** (2009) 1530-1534.
 - ❖ Georgakilas, V., M. Otyepka, A.B. Bourlinos, V. Chandra, N. Kim, K.C. Kemp, P. Hobza, R. Zboril and K.S. Kim, “Functionalization of graphene: covalent and non-covalent approaches, derivatives and applications,” *Chem. Rev.* (11)**112** (2012) 6156-6214.
 - ❖ Gong, K., X. Wu, G. Zhao and X. Wang, “Nanosized MoS₂ Deposited on Graphene as Lubricant Additive in Polyalkylene Glycol for Steel/Steel Contact at Elevated Temperature,” *Tribol. Int.* **110** (2017) 1-7.
 - ❖ Gregory, P. “Industrial applications of phthalocyanines” *J. Porphyr. Phthalocyanines* **4** (2000) 432-437.
 - ❖ Grupp, T.M., Utzschneider, S., Schroder, C., Schwiesau, J., Fritz, B., Maas, A., Biomer, W., Jansson, V., Biotribology of alternative bearing materials for unicompartmental knee arthroplasty, *Acta Biomater.* **6** (2010) 3601-3610.
 - ❖ Guo, J., Peng, R., Du, H., Shen, Y., Li, Y., Li, J. and Dong, G. The application of nano-MoS₂ quantum dots as liquid lubricant additive for tribological behavior improvement” *Nanomaterials* **10** (2020) 200-211.
 - ❖ Guo, P., L. Chen, J. Wang, Z. Geng, Z. Lu and G. Zhang, “Enhanced tribological performance of aminated nano-silica modified graphene oxide as water-based lubricant additive” *ACS Appl. Nano Mater.* **1** (2018) 6444-6453.
 - ❖ Guo, Y., A. Li, S. Liu, Q. He, L. Kong and Y. Zhang, “Tribological Properties of Nanometer Cerium Oxide as Additives in Lithium Grease,” *J. Rare Earths* **36** (2018a) 209-214.
 - ❖ Guo, Y., L. Zhang, G. Zhang, D. Wang, T. Wang and Q. Wang, “High Lubricity and Electrical Responsiveness of Solvent-Free Ionic SiO₂ Nanofluids,” *J. Mater. Chem. A* **6** (2018b) 2817-2827.

References

- ❖ Guo, Z., Zhang, Y., Wang, J., Gao, C., Zhang, S., Zhang, P. and Zhang, Z. “Interactions of Cu nanoparticles with conventional lubricant additives on tribological performance and some physicochemical properties of an ester base oil” *Tribol. Int.* **141** (2020) 105941-105953.
- ❖ Gupta, B., Kumar, N., Panda, K., Dash, S. and Tyagi, A.K. “Energy efficient reduced graphene oxide additives: Mechanism of effective lubrication and antiwear properties” *Sci. Rep.* **6** (2016) 18372-18381.
- ❖ Gusain, R. and O. P. Khatri, “Ultrasound Assisted Shape Regulation of CuO Nanorods in Ionic Liquids and their Use as Energy Efficient Lubricant Additives,” *J. Mater. Chem. A* **1** (2013) 5612-5619.
- ❖ Gusain, R., H. P. Mungse, N. Kumar, T. R. Ravindran, R. Pandian, H. Sugimura and O. P. Khatri “Covalently Attached Graphene-Ionic Liquid Hybrid Nanomaterials: Synthesis, Characterization and Tribological Application,” *J. Mater. Chem. A* **4** (2016) 926-937.
- ❖ Hamrock, B.J. and D. Dowson “Minimum film thickness in elliptical contacts for different regimes of fluid-film lubrication” NASA Technical Paper **1342**, (1978) 1-26.
- ❖ Hamrock, B.J.; Schmid, S.R.; Jacobson, B.O. “Fundamentals of fluid film lubrication” *CRC Press*, Second Edition, Marcel Dekker, Inc. New York, **2004**.
- ❖ Han, G., Liu, Y., Zhang, L., Kan, E., Zhang, S., Tang, J. and Tang, W., 2014. MnO₂ nanorods intercalating graphene oxide/polyaniline ternary composites for robust high-performance supercapacitors. *Sci. Rep.*, **4**, 4824-4830.
- ❖ Haruna, K., T.A. Saleh, I.B. Obot and S.A. Umoren, “Cyclodextrin-based functionalized graphene oxide as an effective corrosion inhibitor for carbon steel in acidic environment,” *Prog. Org. Coat.* **128** (2019) 157-167.
- ❖ He, C., Yan, H., Wang, X. and Bai, M. “Graphene quantum dots prepared by gaseous

References

- detonation toward excellent friction-reducing and antiwear additives” *Diam. Relat. Mater.* **89** (2018) 293-300.
- ❖ Holmberg, K., and A. Erdemir “Influence of Tribology on Global Energy Consumption, Costs and Emissions” *Friction* **5** (2017) 263-284.
 - ❖ Holmberg, K., P. Andersson and A. Erdemir, “Global Energy Consumption due to Friction in Passenger Cars,” *Tribol. Int.* **47** (2012) 221-234.
 - ❖ Hong, F.T., Schneider, A. and Sarathy, S.M. “Enhanced lubrication by core-shell TiO₂ nanoparticles modified with gallic acid ester” *Tribol. Int.* **146** (2020) 106263-106272.
 - ❖ Hou, X., C. Yang, J. He, Z. Li and Z. Zhang, “Preparation and tribological properties of lanthanum trifluoride nanoparticles-decorated graphene oxide nanosheets,” *Ind. Eng. Chem. Res.* **54** (2015) 4773-4780.
 - ❖ Hsu, S.M. “Fundamental mechanisms of friction and lubrication of materials” *Langmuir* **12** (1996) 4482-4485.
 - ❖ Hsu, S.M., Gates, R.S. “Boundary lubricating films: formation and lubrication mechanism” *Tribol. Int.* **38** (2005) 305-312.
 - ❖ Hsu, S.M., Zhang, J., Yin, Z., The nature and origin of tribochemistry, *Tribol. Lett.*, **13** (2002) 131-139.
 - ❖ Hubson, P.D., Industrial lubrication practices, The Industrial Press New York, 13, 1955.
 - ❖ Hutchings, I.M., Tribology, friction and wear of engineering materials, Butterworth-Heinemann Ltd, London, 1992.
 - ❖ Ingole, S., A. Charanpahari, A. Kakade, S. S. Umare, D. V. Bhatt and J. Menghani, “Tribological Behavior of Nano TiO₂ as an Additive in Base Oil,” *Wear* **301** (2013) 776-785.
 - ❖ Jain, Y.M., J. Kuntail, A.K. Mukherjee and I. Sinha “Computational insight into the

References

- mechanism of arsenous acid adsorption on magnetite (311) surface,” *Ind. Eng. Chem. Res.* **58** (2019) 19197-19201.
- ❖ Jaiswal, V., Gupta, S.R., Rastogi, R.B., Kumar, R. and Singh, V.P. “Evaluation of antiwear activity of substituted benzoylhydrazones and their copper (II) complexes in paraffin oil as efficient low SAPS additives and their interactions with the metal surface using density functional theory” *J. Mater. Chem. A* (9)**3** (2015) 5092-5109.
 - ❖ Jaiswal, V., R. B. Rastogi, R. Kumar, L. Singh and K. D. Mandal “Tribological Studies of Stearic Acid-Modified $\text{CaCu}_{2.9}\text{Zn}_{0.1}\text{Ti}_4\text{O}_{12}$ Nanoparticles as Effective Zero SAPS Antiwear Lubricant Additives in Paraffin Oil,” *J. Mater. Chem. A* **2** (2014) 375-386.
 - ❖ Jaiswal, V., R.B. Rastogi and R. Kumar, “Tribological studies of some SAPS-free Schiff bases derived from 4-aminoantipyrine and aromatic aldehydes and their synergistic interaction with borate ester” *J. Mater. Chem. A*, **2** (2014) 10424-10434.
 - ❖ Jaiswal, V., S. Umrao, R. B. Rastogi, R. Kumar and A. Srivastava, “Synthesis, Characterization, and Tribological Evaluation of TiO_2 -Reinforced Boron and Nitrogen co-doped Reduced Graphene Oxide Based Hybrid Nanomaterials as Efficient Antiwear Lubricant Additives,” *ACS Appl. Mater. Interfaces* **8** (2016) 11698-11710.
 - ❖ Jha, A., U.K. Ghorai, D. Banerjee, S. Mukherjee and K.K. Chattopadhyay, “Surface modification of amorphous carbon nanotubes with copper phthalocyanine leading to enhanced field emission,” *RSC advances* **3** (2013) 1227-1234.
 - ❖ Jia, X., J. Huang, Y. Li, J. Yang and H. Song, “Monodisperse Cu nanoparticles@ MoS_2 nanosheets as a lubricant additive for improved tribological properties,” *Appl. Surf. Sci.* **494** (2019) 430-439.
 - ❖ Jones, M. H., & Scott, D. (Eds.). *Industrial tribology: the practical aspects of friction, lubrication and wear.* Elsevier, **8**, 1983.

References

- ❖ Joshi, R., Kumar, P., Gaur, A. and Asokan, K., “Structural, optical and ferroelectric properties of V doped ZnO” *Appl. Nanosci.* (5)**4** (2014) 531-536.
- ❖ Kalyani, R. B. Rastogi and D. Kumar, “Synthesis, Characterization, and Tribological Evaluation of SDS-Stabilized Magnesium-Doped Zinc Oxide ($Zn_{0.88}Mg_{0.12}O$) Nanoparticles as Efficient Antiwear Lubricant Additives,” *ACS Sustain. Chem. Eng.* **4** (2016) 3420-3428.
- ❖ Kang, X., B. Wang, L. Zhu and H. Zhu, “Synthesis and Tribological Property Study of Oleic Acid-Modified Copper Sulfide Nanoparticles,” *Wear* **265** (2008) 150-154.
- ❖ Kavita, P. Verma, D.K Verma, B. Kumar, A.K. Singh, N. Shukla, V. Srivastava and R.B. Rastogi “Tetrahydropyrazolopyridines as antifriction and antiwear agents: experimental and DFT calculations” *RSC Advances* **10** (2020) 10188-10196.
- ❖ Khalil, W., A. Mohamed, M. Bayoumi and T.A. Osman, “Tribological properties of dispersed carbon nanotubes in lubricant,” *Fuller. Nanotub. Car. N.* **24** (2016) 479-485.
- ❖ Khare, V., M. Pham, N. Kumari, H. Yoon, C. Kim, J. Park and S. Ahn “Graphene-Ionic Liquid Based Hybrid Nanomaterials as Novel Lubricant for Low Friction and Wear” *ACS Appl. Mater. Interfaces* **5** (2013) 4063-4075.
- ❖ Kim, M. and R. M. Laine, “One-Step Synthesis of Core-Shell $(Ce_{0.7}Zr_{0.3}O_2)_x(Al_2O_3)_{1-x}$ $[(Ce_{0.7}Zr_{0.3}O_2)@Al_2O_3]$ Nanopowders via Liquid-Feed Flame Spray Pyrolysis (LF-FSP)” *J. Am. Chem. Soc.* **131** (2009) 9220-9229.
- ❖ Koshy, C. P., P. K. Rajendra kumar and M. V. Thottackkad, “Evaluation of the Tribological and Thermo-Physical Properties of Coconut Oil added with MoS_2 Nanoparticles at Elevated Temperatures” *Wear* **330** (2015) 330, 288-308.
- ❖ Koyun, O., S. Gorduk, M. Gencten and Y. Sahin, “A novel copper (II) phthalocyanine-modified multiwalled carbon nanotube-based electrode for sensitive electrochemical detection of bisphenol” *A. New J. Chem.* **43** (2019) 85-92.

References

- ❖ Kudin, K.N., Ozbas, B., Schniepp, H.C., Prud'Homme, R.K., Aksay, I.A. and Car, R., “Raman spectra of graphite oxide and functionalized graphene sheets” *Nano lett.* (1)**8** (2008) 36-41.
- ❖ Kuila, T.; Bose, S.; Mishra, A. K.; Khanra, P.; Kim, N. H.; Lee, J. H. Chemical functionalization of graphene and its applications. *Prog. Mater. Sci.* (7)**57** (2012) 1061-1105.
- ❖ Kumar, B., D.K. Verma, A.K. Singh, Kavita, N. Shukla and R.B. Rastogi, “Nanohybrid Cu@C: synthesis, characterization and application in enhancement of lubricity,” *Compos. Interfaces* (2019), 1697134-1697151.
- ❖ Kumar, B., D.K. Verma, N. Shukla, A.K. Singh and R.B. Rastogi, “Ionic liquid stabilized Ag@C composite for improvement of triboactivity,” *J. Mol. Liq.* **307** (2020) 113012-113021.
- ❖ Kumar, B., J. Kuntail, D.K. Verma, R.B. Rastogi and I. Sinha, “Mechanism of triboactivity of Schiff bases: Experimental and molecular dynamics simulations studies,” *J. Mol. Liq.* **289** (2019) 111171-111179.
- ❖ Kumar, N., Kozakov, A. T., Sidashov, A. V., & Nicolskii, A. V. “Tribofilm stability of ionic liquid functionalized graphene-oxide in metallic contact interfaces” *J. Mol. Liq.* **296** (2019) 111813.
- ❖ Kumar, N.A., Choi, H.J., Shin, Y.R., Chang, D.W., Dai, L. and Baek, J.B. “Polyaniline-grafted reduced graphene oxide for efficient electrochemical supercapacitors” *ACS Nano* (2)**6** (2012) 1715-1723.
- ❖ Kumar, R., B. Prakash and A. Sethuramiah, “A systematic methodology to characterize the running-in and steady-state wear processes,” *Wear* **252** (2002) 445-453.
- ❖ Kumara, C., D. N. Leonard, H. M. Meyer, H. Luo, B. L. Armstrong and J. Qu, “Palladium Nanoparticle-Enabled Ultrathick Tribofilm with Unique Composition,”

References

- ACS Appl. Mater. Interfaces* **10** (2018) 31804-31812.
- ❖ Kumara, C., H. Luo, D. N. Leonard, H. M. Meyer and J. Qu, “Organic-Modified Silver Nanoparticles as Lubricant Additives,” *ACS Appl. Mater. Interfaces* **9** (2017) 37227-37237.
 - ❖ Kumara, C., Meyer III, H.M. and Qu, J. “Synergistic Interactions Between Silver and Palladium Nanoparticles in Lubrication” *ACS Appl. Nano Mater.* (8)**2** (2019) 5302-5309.
 - ❖ Kumari, S., Sharma, O.P. and Khatri, O.P. “Alkylamine-functionalized hexagonal boron nitride nanoplatelets as a novel material for the reduction of friction and wear” *Phys. Chem. Chem. Phys.* (33)**18** (2016) 22879-22888.
 - ❖ Kumari, S., Sharma, O.P., Gusain, R., Mungse, H.P., Kukrety, A., Kumar, N., Sugimura, H. and Khatri, O.P. “Alkyl-chain-grafted hexagonal boron nitride nanoplatelets as oil-dispersible additives for friction and wear reduction” *ACS Appl. Mater. Interfaces*, (6)**7** (2015) 3708-3716.
 - ❖ Kuntail, J., Y.M. Jain, M. Shukla and I. Sinha, “Adsorption mechanism of phenol, p-chlorophenol, and p-nitrophenol on magnetite surface: A molecular dynamics study,” *J. Mol. Liq.* **288** (2019) 111053-111058.
 - ❖ Kuratomi, T., Nagano, K., Lubricant base oil. US Patent No. 2009/0233824 A1. 2009.
 - ❖ Lee, C., Li, Q., Kalb, W., Liu, X.-Z., Berger, H., Carpick, R.W., Hone, J. “Frictional characteristics of atomically thin sheets” *Science*, **328** (2010) 76-80.
 - ❖ Li, B. and H. Cao, “ZnO@Graphene Composite with Enhanced Performance for the Removal of Dye from Water,” *J. Mater. Chem.* **21** (2011) 3346-3349.
 - ❖ Li, D., Y. Xie, H. Yong and D. Sun, “Surfactant-Assisted Preparation of Y₂O₃-Stabilized ZrO₂ Nanoparticles and Their Tribological Performance in Mineral and Commercial Lubricating Oils,” *RSC Adv.* **7** (2017) 3727-3735.
 - ❖ Li, H., J. Wang, S. Gao, Q. Chen, L. Peng, K. Liu and X. Wei, “Superlubricity

References

- between MoS₂ Monolayers,” *Adv. Mater.* **29** (2017) 1701474-1701479.
- ❖ Li, J., B. Fan, T. Ren and Y. Zhao, “Tribological study and mechanism of B-N and B-S-N triazine borate esters as lubricant additives in mineral oil,” *Tribol. Int.* **88** (2015) 1-7.
 - ❖ Li, J., Z. Li, T. Ren, X. Zeng, and E. van der Heide, “Hydrolytic stability and tribological properties of N-containing heterocyclic borate esters as lubricant additives in rapeseed oil,” *Tribol. Int.* **73** (2014) 101-107.
 - ❖ Li, R., Liu, L. and Yang, F. “Polyaniline/reduced graphene oxide/Fe₃O₄ nano-composite for aqueous Hg (II) removal” *Water Sci. Technol.* (11)**72** (2015) 2062-2070.
 - ❖ Li, S., Q. Li, R. W. Carpick, P. Gumbsch, X. Z. Liu, X. Ding, J. Sun and J. Li, “The evolving quality of frictional contact with graphene” *Nature* **539** (2016) 541-545.
 - ❖ Li, X., Gan, C., Han, Z., Yan, H., Chen, D., Li, W., Li, H., Fan, X., Li, D. and Zhu, M. “High dispersivity and excellent tribological performances of titanate coupling agent modified graphene oxide in hydraulic oil” *Carbon* **165** (2020) 223-250.
 - ❖ Li, X., Y. Zhao, W. Wu, J. Chen, G. Chu and H. Zou “Synthesis and characterizations of graphene-copper nanocomposites and their antifriction application,” *J. Ind. Eng. Chem.* **20** (2014) 2043-2049.
 - ❖ Li, Z., X. Hou, L. Yu, Z. Zhang and P. Zhang, “Preparation of Lanthanum Trifluoride Nanoparticles Surface-Capped by Tributyl Phosphate and Evaluation of Their Tribological Properties as Lubricant Additive in Liquid Paraffin,” *Appl. Sur. Sci.* **292** (2014) 971-977.
 - ❖ Ling, X., W. Fang, Y. H. Lee, P.T. Araujo, X. Zhang, J.F. Rodriguez-Nieva, Y. Lin, J. Zhang, J. Kong and M.S. Dresselhaus, “Raman enhancement effect on two-dimensional layered materials: graphene, h-BN and MoS₂,” *Nano Lett.* **14** (2014) 3033-3040.

References

- ❖ Liu, B., and K. Zhou, “Recent progress on graphene-analogous 2D nanomaterials: properties, modeling and applications,” *Prog. Mater. Sci.* **100** (2019) 99-169.
- ❖ Liu, L., M. Zhou, L. Jin, L. Li, Y. Mo, G. Su, X. Li, H. Zhu and Y. Tian, “Recent advances in friction and lubrication of graphene and other 2D materials: Mechanisms and applications,” *Friction* **7** (2019) 199-216.
- ❖ Liu, L., S. Jiao, Y. Peng and W. Zhou, “A Green Design for Lubrication: Multifunctional System Containing Fe₃O₄@MoS₂ Nanohybrid” *ACS Sustain. Chem. Eng.* **6** (2018) 7372-7379.
- ❖ Liu, L., Zhou, W., Chen, Y., Jiao, S. and Huang, P. “Pressure-assisted synthesis of a polyaniline-graphite oxide (PANI-GO) hybrid and its friction reducing behavior in liquid paraffin (LP)” *New J Chem* (2)**42** (2018) 936-942.
- ❖ Liu, W., Y. Chen, C. Ye and P. Zhang “Preparation and Characterization of Doped Sol-Gel Zirconia Films” *Ceramics Int.*, **28** (2002) 349-354.
- ❖ Liu, Y., Kou, Q.W., Xing, S., Mao, C.Y., Kadasala, N., Han, Q., Song, J.L., Liu, H.L., Liu, Y.Q., Yan, Y.S. and Yang, J.H. “Structural, Magnetic and Optical Properties in V Doped ZnO Nanoparticles by Sol-Gel Method” *Nanosci. Nanotechnol. Lett.* (8)**7** (2015) 665-670.
- ❖ Liu, Y., Mateti, S., Li, C., Liu, X., Glushenkov, A.M., Liu, D., Li, L.H., Fabijanic, D. and Chen, Y. “Synthesis of composite nanosheets of graphene and boron nitride and their lubrication application in oil” *Adv. Eng. Mater.* (2)**20** (2018) 1700488.
- ❖ Lu, Z., Cao, Z., Hu, E., Hu, K. and Hu, X. “Preparation and tribological properties of WS₂ and WS₂/TiO₂ nanoparticles” *Tribol. Int.*, **130**, (2019) 308-316.
- ❖ Luan, G. and Q. Zou, “Friction and Wear Characteristics of Water-Based ZnO and Al₂O₃ Nanofluids,” *Tribol. Trans.* **55** (2012) 345-350.
- ❖ Ludema, K.C., Friction, wear, lubrication: A textbook in tribology, CRC Press L.L.C., 124-134, 1996.

References

- ❖ Ma, J., Y. Mo and M. Bai, “Effect of Ag Nanoparticles Additive on the Tribological Behavior of Multialkylated Cyclopentanes (MACs),” *Wear* **226** (2009) 627-631.
- ❖ Ma, Y., Zhao, Z., Xian, Y., Wan, H., Ye, Y., Chen, L., Zhou, H. and Chen, J. “Highly Dispersed Ag₂S Nanoparticles: In Situ Synthesis, Size Control, and Modification to Mechanical and Tribological Properties towards Nanocomposite Coatings” *Nanomaterials* (9)**9** (2019) 1308-1320.
- ❖ Mahato, N., and Cho, M.H. “Graphene integrated polyaniline nanostructured composite coating for protecting steels from corrosion: Synthesis, characterization, and protection mechanism of the coating material in an acidic environment” *Constr. Build. Mater.* **115** (2016) 618-633.
- ❖ Meng, Y., Su, F. and Chen, Y. “Supercritical fluid synthesis and tribological applications of silver nanoparticle-decorated graphene in engine oil nanofluid” *Sci. rep.* **6** (2016) 31246-31257.
- ❖ Mistry, K. K., Pol, V. G., Thackeray, M. M., Wen, J., Miller, D. J., & Erdemir, A. Synthesis and tribology of micro-carbon sphere additives for enhanced lubrication. *Tribol. Trans.* (3) **58** (2015) 474-480.
- ❖ Mitra, M., Kulsi, C., Chatterjee, K., Kargupta, K., Ganguly, S., Banerjee, D. and Goswami, S. “Reduced graphene oxide-polyaniline composites-synthesis, characterization and optimization for thermoelectric applications” *RSC Adv.* (39)**5** (2015) 31039-31048.
- ❖ Moghadam, A.D., E. Omrani, P.L. Menezes and P.K. Rohatgi, “Mechanical and tribological properties of self-lubricating metal matrix nanocomposites reinforced by carbon nanotubes (CNTs) and graphene-a review,” *Compos. Part B: Eng.* **77** (2015) 402-420.
- ❖ Mohammed, I., D. O. Oluwole, M. Nemakal, L. K. Sannegowda and T. Nyokong, “Investigation of novel substituted zinc and aluminium phthalocyanines for

References

- photodynamic therapy of epithelial breast cancer,” *Dyes Pigm.* **170** (2019) 107592-107602.
- ❖ Moussaron, A., P. Arnoux, R. Vanderesse, E. Sibille, P. Chaimbault and C. Frochot, “Lipophilic phthalocyanines for their potential interest in photodynamic therapy: synthesis and photo-physical properties,” *Tetrahedron* **69** (2013) 10116-10122.
 - ❖ Mukherjee, M., U.K. Ghorai, M. Samanta, A. Santra and G.P. Das “Chattopadhyay, K.K. Graphene wrapped Copper Phthalocyanine nanotube: Enhanced photocatalytic activity for industrial waste water treatment” *Appl. Surf. Sci.* **418** (2017) 156-162.
 - ❖ Mungse, H. P. and O. P. Khatri, “Chemically functionalized reduced graphene oxide as a novel material for reduction of friction and wear” *J. Phys. Chem. C* **118** (2014) 14394-14402.
 - ❖ Mungse, H. P., K. Gupta, R. Singh, O. P. Sharma, H. Sugimura and O. P. Khatri, “Alkylated graphene oxide and reduced graphene oxide: Grafting density, dispersion stability to enhancement of lubrication properties,” *J. Colloid Interface Sci.* **541** (2019) 150-162.
 - ❖ Myshkin, N.K., Kim C.K., Petrokovet, M.I., Introduction to tribology, Cheong Moon Gak, Seoul, 1997.
 - ❖ Nader, B.S., “Dow Chemical Co. Novel phthalonitriles and phthalocyanines as lubricity-enhancing additives,” U.S. Patent 5,061,388, 1991.
 - ❖ Nader, B.S., “Dow Chemical Co. Phthalonitriles and phthalocyanines as lubricity-enhancing additives,” U.S. Patent, 5,118,431, 1992.
 - ❖ Nainaparampil, J. J. and Zabinski, J. S. “Lubricity of Zinc Oxide Thin Films: Study of Deposition Parameters and Si as an Additive,” *J. Mater. Res.* **16** (2001) 3423-3429
 - ❖ Nautiyal, H.; S. Kumari, O. P. Khatri and R. Tyagi, “Copper matrix composites reinforced by rGO-MoS₂ hybrid: Strengthening effect to enhancement of tribological properties,” *Composites Part B: Engineering* **173** (2019) 106931-106943.

References

- ❖ Ota, J., S. K. Hait, M. I. S. Sastry and S. S. V. Ramakumar, “Graphene Dispersion in Hydrocarbon Medium and its Application in Lubricant Technology,” *RSC advances*. **5** (2015) 53326-53332.
- ❖ Ota, J., S.K. Hait, M. I. S. Sastry and S. S. V. Ramakumar, “Graphene dispersion in hydrocarbon medium and its application in lubricant technology,” *RSC Advances* **5** (2015) 53326-53332.
- ❖ Pamies, R., M. D. Avilés, J. Arias-Pardilla, T. Espinosa, F. J. Carrión, J. Sanes and M. D. Bermúdez, “Antiwear Performance of Ionic Liquid+Graphene Dispersions with Anomalous Viscosity-Temperature Behavior,” *Tribol. Int.* **122** (2018) 200-209.
- ❖ Paul, G., H. Hirani, T. Kuila and N. C. Murmu, “Nanolubricants dispersed with graphene and its derivatives: An assessment and review of the tribological performance,” *Nanoscale* **11** (2019) 3458-3483.
- ❖ Paul, G., S. Shit, H. Hirani, T. Kuila and N.C. Murmu, “Tribological behavior of dodecylamine functionalized graphene nanosheets dispersed engine oil nanolubricants,” *Tribol Int.* **131** (2019) 605-619.
- ❖ Pei, X., Xia, Y., Liu, W., Yu, B. and Hao, J. “Polyelectrolyte-grafted carbon nanotubes: Synthesis, reversible phase-transition behavior, and tribological properties as lubricant additives” *J. Polym. Sci., Part A-1: Polym. Chem.* (21) **46** (2008) 7225-7237.
- ❖ Pena-Paras, L., J. Taha-Tijerina, L. Garza, D. Maldonado-Cortés, R. Michalczewski and C. Lapray, “Effect of CuO and Al₂O₃ Nanoparticle Additives on the Tribological Behavior of Fully Formulated Oils,” *Wear* **332** (2015) 1256-1261.
- ❖ Peng, Y., Z. Wang and K. Zou, “Friction and Wear Properties of Different Types of Graphene Nanosheets as Effective Solid Lubricants,” *Langmuir* **31** (2015) 7782-7791.
- ❖ Philip, J. and C. Koshy, “Surface Morphology and Stability Analysis of Ceria-Based

References

- Nanoparticles for its Utilization as a Lubricant Additive,” International Conference on Communication and Signal Processing (ICCASP 2016), Atlantis Press, **137** (2016) 316-323.
- ❖ Philip, J.T., Koshy, C.P., Mathew, M.D. and Kuriachen, B. “Tribological characteristic evaluation of coconut oil dispersed with surfactant modified ceria-zirconia hybrid nanoparticles” *Tribology-Materials, Surfaces & Interfaces* (4)**13** (2019) 97-214.
 - ❖ Philippon, D., M.I. De Barros-Bouchet, O. Lerasle, T. Le Mogne and J.M. Martin, “Experimental simulation of tribochemical reactions between borates esters and steel surface,” *Tribol. Let.* **41** (2011) 73-82.
 - ❖ Plimpton, S. “Fast parallel algorithms for short-range molecular dynamics” *J. Comput. Phys.* (1)**117** (1995), 1-19.
 - ❖ Pu, J., S. Wan, W. Zhao, Y. Mo, X. Zhang, L. Wang and Q. Xue, “Preparation and Tribological Study of Functionalized Graphene-IL Nanocomposite Ultrathin Lubrication Films on Si Substrates,” *J. Phys. Chem. C* **115** (2011) 13275-13284.
 - ❖ Qian, J., Yin, X., Wang, N., Liu, L. and Xing, J. “Preparation and tribological properties of stearic acid-modified hierarchical anatase TiO₂ microcrystals” *Appl. Surf. Sci.* (7) **258** (2012) 2778-2782.
 - ❖ Qiao, Y., W. Liu, B. Xu, S. Ma and Q. Xue, “The tribochemical performance of nano/micrometre borate modified by an N-containing compound as an oil additive,” *Lubr. Sci.* **15** (2003) 369-379.
 - ❖ Qin, G., Zhang, H., Liao, H., Li, Z., Tian, J., Lin, Y., Zhang, D. and Wu, Q. “Novel graphene nanosheet-wrapped polyaniline rectangular-like nanotubes for flexible all-solid-state supercapacitors” *J. Mater. Sci.* (18)**52** (2017) 10981-10992.
 - ❖ Rajendhran, N., Palanisamy, S., Periyasamy, P. and Venkatachalam, R. “Enhancing of the tribological characteristics of the lubricant oils using Ni-promoted MoS₂

References

- nanosheets as nano-additives” *Tribol. Int.* (2018) **118** 314-328.
- ❖ Rao, C.N.R., Maitra, U. and Waghmare, U.V., “Extraordinary attributes of 2-dimensional MoS₂ nanosheets”, *Chem. Phys. Lett.*, **609** (2014) 172-183.
 - ❖ Ratoi, M., V. B. Niste and J. Zekonyte, “WS₂ Nanoparticles-Potential Replacement for ZDDP and Friction Modifier Additives,” *RSC advances* **4** (2014) 21238-21245.
 - ❖ Rawat, S. S., A. P. Harsha and A. P. Deepak, “Tribological performance of paraffin grease with silica nanoparticles as an additive,” *Appl. Nanosci.* **6** (2019) 305-315.
 - ❖ Rawat, S. S., A. P. Harsha, D. P. Agarwal, S. Kumari and O. P. Khatri, “Pristine and Alkylated MoS₂ Nanosheets for Enhancement of Tribological Performance of Paraffin Grease Under Boundary Lubrication Regime,” *J. Tribol.* **141** (2019) 072102-072113.
 - ❖ Reddy, T. N., J. Manna and R. K. Rana, “Polyamine-Mediated Interfacial Assembly of rGO-ZnO Nanostructures: A Bio-Inspired Approach and Enhanced Photocatalytic Properties,” *ACS Appl. Mater. Interfaces*, **7** (2015) 19684-19690.
 - ❖ Restuccia, P. and M. C. Righi, “Tribocchemistry of Graphene on Iron and its Possible Role in Lubrication of Steel,” *Carbon* **106** (2016) 118-124.
 - ❖ Rylski, A. and Siczek, K. “The Effect of Addition of Nanoparticles, Especially ZrO₂-Based, on Tribological Behavior of Lubricants” *Lubricants* (3)**8** (2020) 23-47.
 - ❖ Salah, N., M.S. Abdel-wahab, S.S. Habib, Z.H. Khan, “Lubricant Additives Based on Carbon Nanotubes Produced from Carbon-Rich Fly Ash,” *Tribol Trans.* **60** (2017) 166-175.
 - ❖ Samanta, M., M. Mukherjee, U. K. Ghorai, S. Sarkar, C. Bose and K.K. Chattopadhyay, “Ultrasound assisted catalytic degradation of textile dye under the presence of reduced Graphene Oxide enveloped Copper Phthalocyanine nanotube,” *Appl. Surf. Sci.* **449** (2018) 113-121.

References

- ❖ Sánchez-López, J.C., Abad, M.D., Kolodziejczyk, L., Guerrero, E. and Fernández, A. “Surface-modified Pd and Au nanoparticles for anti-wear applications” *Tribol. Int.* (6)44 (2011) 720-726.
- ❖ Sanoop, P.K., Anas, S., Ananthakumar, S., Gunasekar, V., Saravanan, R. and Ponnusami, V. “Synthesis of yttrium doped nanocrystalline ZnO and its photocatalytic activity in methylene blue degradation.” *Arab. J. Chem.* **9** (2016) S1618-S1626.
- ❖ Serra, M.; Arenal, R.; Tenne, R. An overview of the recent advances in inorganic nanotubes. *Nanoscale* **2019**, *11*(17), 8073-8090.
- ❖ Sethuramiah, A.; Kumar, R. “Modeling of chemical wear: relevance to practice” Elsevier 2015.
- ❖ Shao, C.; Jin, Y.; Pipe, K.; Shtein, M.; Kieffer, J. “Simulation of Crystalline and Amorphous Copper Phthalocyanine: Force Field Development and Analysis of Thermal Transport Mechanisms” *J. Phys. Chem. C* (19)118 (2014) 9861-9870.
- ❖ Sharma, V., R. Timmons, A. Erdemir and P. B. Aswath, “Plasma-Functionalized Polytetrafluoroethylene Nanoparticles for Improved Wear in Lubricated Contact,” *ACS Appl. Mater. Interfaces* **9** (2017) 25631-25641.
- ❖ Shen, T., D. Wang, J. Yun, Q. Liu, X. Liu and Z. Peng, “Tribological Properties and Tribochemical Analysis of Nano-Cerium Oxide and Sulfurized Isobutene in Titanium Complex Grease,” *Tribol. Int.* **93** (2016) 332-346.
- ❖ Shukla, N., Verma, D.K., Singh, A.K., Kumar, B., Kavita and Rastogi, R.B. “Ternary Composite of Methionine-Functionalized Graphene Oxide, Lanthanum-Doped Yttria Nanoparticles, and Molybdenum Disulfide Nanosheets for Thin-Film Lubrication” *ACS Appl. Nano Mater.* (8)3 (2020) 8012-8026.
- ❖ Si, R., Y. W. Zhang, S. J. Li, B. X. Lin and C. H. Yan, “Urea-Based Hydrothermally

References

- Derived Homogeneous Nanostructured $Ce_{1-x}Zr_xO_2$ ($x=0-0.8$) Solid Solutions: A Strong Correlation between Oxygen Storage Capacity and Lattice Strain," *J. Phys. Chem. B* **108** (2004) 12481-12488.
- ❖ Silversmit, G., Depla, D., Poelman, H., Marin, G.B. and De Gryse, R. "Determination of the V2p XPS binding energies for different vanadium oxidation states (V^{5+} to V^{0+})" *J Electron Spectros Relat Phenomena* **135** (2) (2004) 167-175.
 - ❖ Sinclair, R. C., J. L. Suter and P. V. Coveney, "Graphene-Graphene Interactions: Friction, Superlubricity, and Exfoliation," *Adv. Mater.* **30** (2018) 1705791-1705797.
 - ❖ Singh, A., Chauhan, P. and Mamatha, T.G. "A review on tribological performance of lubricants with nanoparticles additives" *Materials Today: Proceedings* **25** (2020) 586-591.
 - ❖ Singh, V.; Joung, D.; Zhai, L.; Das, S.; Khondaker, S. I.; Seal, S. Graphene based materials: past, present and future. *Prog. Mater. Sci.* (8)**56** (2011) 1178-1271.
 - ❖ Singh, Y., Singh, D., Singla, A., Sharma, A. and Singh, N.K. "Chemical modification of juliflora oil with trimethylolpropane (TMP) and effect of TiO_2 nanoparticles concentration during tribological investigation" *Fuel* **280** (2020) 118704-118713.
 - ❖ Slama, R., Ghribi, F., Houas, A., Barthou, C. and El Mir, L. "Visible photocatalytic properties of vanadium doped zinc oxide aerogel nanopowder" *Thin Solid Films* (17) **519** (2011) 5792-5795.
 - ❖ Song, H., B. Wang, Q. Zhou, J. Xiao and X. Jia, "Preparation and Tribological Properties of MoS_2 /Graphene Oxide Composites," *Appl. Surf. Sci.* **419** (2017) 24-34.
 - ❖ Song, H., Z. Wang, J. Yang, X. Jia and Z. Zhang, "Facile synthesis of copper/polydopamine functionalized graphene oxide nanocomposites with enhanced tribological performance," *Chem. Eng. J.* **324** (2017) 51-62.
 - ❖ Song, W., J. Yan and H. Ji, "Fabrication of GNS/ MoS_2 composite with different morphology and its tribological performance as a lubricant additive," *Appl. Surf. Sci.*

References

- 469 (2019) 226-235.
- ❖ Song, W., J. Yan and H. Ji, "Tribological Study of the SOCNTs@MoS₂ Composite as a Lubricant Additive: Synergistic Effect," *Ind. Eng. Chem. Res.* **57** (2018) 6878-6887.
 - ❖ Spadaro, F., A. Rossi, S.N. Ramakrishna, E. Lainé, P. Woodward and N.D. Spencer, "Understanding complex tribofilms by means of H₃BO₃-B₂O₃ model glasses," *Langmuir* **34** (2018) 2219-2234.
 - ❖ Srivivas, P.D. and Charoo, M.S. "A Review on Tribological Characterization of Lubricants with Nano Additives for Automotive Applications" *Tribol. Ind.* (4)**40** (2018) 594-623.
 - ❖ Su, Y., Y. Zhang, J. Song and L. Hu, "Novel Approach to the Fabrication of an Alumina-MoS₂ Self-Lubricating Composite via the in situ Synthesis of Nanosized MoS₂," *ACS Appl. Mater. Interfaces* **9** (2017) 30263-30266.
 - ❖ Sun, H.; Mumby, S.J.; Maple, J.R.; Hagler, A.T. "An ab initio CFF93 all-atom force field for polycarbonates" *J. Am. Chem. Soc.* (7)**116** (1994) 2978-2987.
 - ❖ Sun, J. and S. Du, "Application of graphene derivatives and their nanocomposites in tribology and lubrication: a review," *RSC Advances* **9** (2019) 40642-40661.
 - ❖ Tang, W., Z. Huang and B. Wang, "Synthesis of ionic liquid functionalized graphene oxides and their tribological property under water lubrication," *Fuller. Nanotub. Car. N.* **26** (2018) 175-183.
 - ❖ Tang, Z. and Li, S. "A review of recent developments of friction modifiers for liquid lubricants (2007-present)" *Curr. Opin. Solid State Mater Sci.* (3)**18** (2014) 119-139.
 - ❖ Tewari, U.S. and S.K. Sharma, "Physico-chemical studies on potential lubricants: phthalocyanines," *Tribol. Int.* **22** (1989) 253-258.
 - ❖ Tu, Z., Hu, E., Wang, B., David, K.D., Seeger, P., Moneke, M., Stengler, R., Hu, K. and Hu, X. "Tribological behaviors of Ni-modified citric acid carbon quantum dot

References

- particles as a green additive in polyethylene glycol” *Friction* (1) **8** (2020) 182-197.
- ❖ Tu, Z., Hu, E., Wang, B., David, K.D., Seeger, P., Moneke, M., Stengler, R., Hu, K. and Hu, X. “Tribological behaviors of Ni-modified citric acid carbon quantum dot particles as a green additive in polyethylene glycol” *Friction* (1) **8** (2020) 182-197.
 - ❖ Turan, M.E., Y. Sun and Y. Akgul, “Mechanical, tribological and corrosion properties of fullerene reinforced magnesium matrix composites fabricated by semi powder metallurgy,” *J. Alloys Compd.* **740** (2018) 1149-1158.
 - ❖ Uflyand, I.E., V.A. Zhinzhilo and V.E. Burlakova, “Metal-containing nanomaterials as lubricant additives: State-of-the-art and future development,” *Friction* **7** (2019) 93-116.
 - ❖ Uflyand, I.E., Zhinzhilo, V.A. and Burlakova, V.E. “Metal-containing nanomaterials as lubricant additives: State-of-the-art and future development” *Friction* (2) **7** (2019) 93-116.
 - ❖ Umrao, S., T. K. Gupta, S. Kumar, V. K. Singh, M. K. Sultania, J. H. Jung and Srivastava, “A. Microwave-Assisted Synthesis of Boron and Nitrogen co-doped Reduced Graphene Oxide for the Protection of Electromagnetic Radiation in Ku-Band,” *ACS Appl. Mater. Interfaces*, **7** (2015) 19831-19842.
 - ❖ Verma, C.J., Kumar, A., Pal, S., Sinha, S., Singh, A.K., Jaiswal, A. and Prakash, R. “Polyaniline stabilized activated carbon from Eichhornia Crassipes: Potential charge storage material from bio-waste” *Renew. Energy* **162** (2020) 2285-2296.
 - ❖ Verma, D. K., B. Kumar, Kavita and R. B. Rastogi, “Zinc Oxide- and Magnesium-Doped Zinc Oxide-Decorated Nanocomposites of Reduced Graphene Oxide as Friction and Wear Modifiers,” *ACS Appl. Mater. Interfaces* **11** (2019) 2418-2430.
 - ❖ Verma, D. K.; Kuntail, J.; Kumar, B.; Singh, A. K.; Shukla, N.; Kavita; Sinha, I.; Rastogi, R. B. Amino Borate-Functionalized Reduced Graphene Oxide Further

References

- Functionalized with Copper Phthalocyanine Nanotubes for Reducing Friction and Wear. *ACS Appl. Nano Mater.* (6)3 (2020b) 5530-5541.
- ❖ Verma, D.K., N. Shukla, B. Kumar, A.K. Singh, K. Shahu, M. Yadav, K.Y. Rhee, and R.B. Rastogi, “Synergistic Tribo-Activity of Nanohybrids of Zirconia/Cerium-Doped Zirconia Nanoparticles with Nano Lamellar Reduced Graphene Oxide and Molybdenum Disulfide,” *Nanomaterials* **10** (2020a) 707-726.
 - ❖ Viesca, J. L., A. H. Battez, R. González, R. Chou and J. J Cabello, “Antiwear Properties of Carbon-Coated Copper Nanoparticles used as an Additive to a Polyalphaolefin,” *Tribol. Int.* **44** (2011) 829-833.
 - ❖ Wang, B., Tang, W., Lu, H. and Huang, Z., 2016. “Ionic liquid capped carbon dots as a high-performance friction-reducing and antiwear additive for poly (ethylene glycol)” *J. Mater. Chem. A*, (19)4 7257-7265.
 - ❖ Wang, L., W. Han, C. Ge, R. Zhang, Y. Bai and X. Zhang, “Covalent Functionalized Boron Nitride Nanosheets as Efficient Lubricant Oil Additives,” *Adv. Mater. Interfaces* **6** (2019) 1901172-1901182.
 - ❖ Wang, L., Y. Wu, F. Chen and X. Yang, “Photocatalytic Enhancement of Mg-Doped ZnO Nanocrystals Hybridized with Reduced Graphene Oxide Sheets. Progress in Natural Science,” *Mater. Int.* **24** (2014) 6-12.
 - ❖ Wang, S.T., Feng, L., Jiang, L., “One-step solution immersion process for the fabrication of stable bionic super hydrophobic surfaces” *Adv. Mater.* **18** (2006) 767-770,.
 - ❖ Wang, X., Wu, D., Song, X., Du, W., Zhao, X. and Zhang, D. “Review on carbon/polyaniline hybrids design and synthesis for supercapacitor” *Molecules* (12)24 (2019) 2263.

References

- ❖ Wei, D., Wu, B., Guo, Y., Yu, G., Liu, Y., Controllable chemical vapor deposition growth of few layer graphene for electronic devices, *Acc. Chem. Res.* **46** (2013) 106-115.
- ❖ Wu, H., J. Zhao, W. Xia, X. Cheng, A. He, Yun, J. H.; ... Zhang, S. "A Study of the Tribological Behaviour of TiO₂ Nano-Additive Water-Based Lubricants," *Tribol. Int.* **109** (2017) 398-408.
- ❖ Wu, H., Yin, S., Du, Y., Wang, L. and Wang, H. "An investigation on the lubrication effectiveness of MoS₂ and BN layered materials as oil additives using block-on-ring tests" *Tribol. Int.* **151** (2020a) 106516.
- ❖ Wu, H., Yin, S., Du, Y., Wang, L., Yang, Y. and Wang, H. "Alkyl-Functionalized Boron Nitride Nanosheets as Lubricant Additives" *ACS Appl. Nano Mater.* (9)**3** (2020) 9108-9116.
- ❖ Wu, L., Y. Zhang, G. Yang, S. Zhang, L. Yu and P. Zhang, "Tribological Properties of Oleic Acid-Modified Zinc Oxide Nanoparticles as The Lubricant Additive in Poly-Alpha Olefin and Diisooctyl Sebacate Base Oils," *RSC advances* **6** (2016) 69836-69844.
- ❖ Wu, P. R., W. Zhang, Z. Liu and Z. L. Cheng, "A Novel Preparation Method for MoS₂ Nanosheets with Good Tribology Performance by the Combination of Expansion and Freeze Exfoliation," *Ceram. Int.* **45** (2019) 1730-1736.
- ❖ Wu, P. R., Y. C. Kong, Z. S. Ma, T. Ge, Y. M. Feng, Z. Liu and Z. L. Cheng, "Preparation and tribological properties of novel zinc borate/MoS₂ nanocomposites in grease," *J. Alloys Compd.* **740** (2018) 823-829.
- ❖ Wu, P. R., Y. M. Feng, T. Ge, Y. C. Kong, Z. S. Ma, Z. Liu and Z. L. Cheng, "An Investigation on Tribological Properties of the Chemically Capped Zinc Borate(ZB)/MoS₂ Nanocomposites in Oil," *J. Ind. Eng. Chem.* **63** (2018) 157-167.
- ❖ Xie, H., B. Jiang, J. He, X. Xia and F. Pan, "Lubrication Performance of MoS₂ and

References

- SiO₂ Nanoparticles as Lubricant Additives in Magnesium Alloy-Steel Contacts,” *Tribol. Int.* **93** (2016) 63-70.
- ❖ Xie, H., S. Dang, B. Jiang, L. Xiang, S. Zhou, H. Sheng, T. Yang and F. Pan, “Tribological performances of SiO₂/graphene combinations as water-based lubricant additives for magnesium alloy rolling,” *Appl. Surf. Sci.* **475** (2019) 847-856.
 - ❖ Xiong, X., Kang, Y., Yang, G., Zhang, S., Yu, L. and Zhang, P. “Preparation and evaluation of tribological properties of Cu nanoparticles surface modified by tetradecyl hydroxamic acid” *Tribol. Lett.* (3)**46** (2012) 211-220.
 - ❖ Xu, L., Zhang, Y., Zhang, D. and Leng, M. “Preparation and tribological properties of Ag nanoparticles/reduced graphene oxide nanocomposites” *Ind. Lubr. Tribol.* (9)**70** (2018) 1684-1691
 - ❖ Xu, Y., E. Hu, K. Hu, Y. Xu and X. Hu, “Formation of an adsorption film of MoS₂ nanoparticles and dioctyl sebacate on a steel surface for alleviating friction and wear,” *Tribol. Int.* **92** (2015) 172-183.
 - ❖ Xu, Y., Y. Peng, K. D. Dearn, X. Zheng, L. Yao and X. Hu, “Synergistic Lubricating Behaviors of Graphene and MoS₂ Dispersed in Esterified Bio-Oil for Steel /Steel Contact,” *Wear* **343** (2017) 297-309.
 - ❖ Xu, Z., Lou, W., Zhao, G., Zheng, D., Hao, J. and Wang, X., Cu nanoparticles decorated WS₂ nanosheets as a lubricant additive for enhanced tribological performance. *RSC Adv.* (14) **9** (2019) 7786-7794.
 - ❖ Yan, J., X. Zeng, E. van der Heide and T. Ren, “The tribological performance and tribochemical analysis of novel borate esters as lubricant additives in rapeseed oil,” *Tribol. Int.* **71** (2014) 149-157.
 - ❖ Yang, G.B., Chai, S.T., Xiong, X.J., Zhang, S.M., Yu, L.G. and Zhang, P.Y. “Preparation and tribological properties of surface modified Cu nanoparticles” *Trans. Nonferrous Met. Soc. China* (2)**22** (2012) 366-372.

References

- ❖ Yang, X., T. Mei, J. Yang, C. Zhang, M. Lv and X. Wang, “Synthesis and characterization of alkylamine-functionalized graphene for polyolefin-based nanocomposites,” *Appl. Surf. Sci.* **305** (2014) 725-731.
- ❖ Yang, Y., Xi, Y., Li, J., Wei, G., Klyui, N.I. and Han, W. “Flexible supercapacitors based on polyaniline arrays coated graphene aerogel electrodes. *Nanoscale Res. Lett.* **12** (2017), 394-402.
- ❖ Ye, M., Cai, T., Zhao, L., Liu, D. and Liu, S., Covalently attached strategy to modulate surface of carbon quantum dots: Towards effectively multifunctional lubricant additives in polar and apolar base fluids. *Tribol. Int.* **136** (2019) 349-359.
- ❖ Yi, M. and C Zhang, “The Synthesis of Two-Dimensional MoS₂ Nanosheets with Enhanced Tribological Properties as Oil Additives,” *RSC Adv.* **8** (2018) 9564-9573.
- ❖ Yin, X., Zhang, J., Luo, T., Cao, B., Xu, J., Chen, X. and Luo, J. “Tribological mechanism of superlubricity in graphene quantum dots modified DLC films under high contact pressure” *Carbon* **173** (2020) 329-338.
- ❖ Yuan, J., Zhang, Z., Yang, M., Wu, L., Li, P., Guo, F., Men, X. and Liu, W. “Coupling hybrid of BN nanosheets and carbon nanotubes to enhance the mechanical and tribological properties of fabric composites” *Compos. Part A: Appl. Sci. Manuf.* **123** (2019)132-140.
- ❖ Yuan, R., Wu, S., Yu, P., Wang, B., Mu, L., Zhang, X., Zhu, Y., Wang, B., Wang, H. and Zhu, J. “Superamphiphobic and electroactive nanocomposite toward self-cleaning, antiwear, and anticorrosion coatings” *ACS Appl. Mater. Interfaces* (19)**8** (2016) 12481-12493.
- ❖ Yun, J., X. Liu, Q. Liu, D. Wang, T. Shen and Z. Peng, “Tribological Properties and Tribochemical Analysis of Nano-Cerium Oxide and Sulfurized Isobutene in Titanium Complex Grease,” *Tribol. Int.* **93** (2016) 332-346.
- ❖ Zhai, W. and K. Zhou, “Nanomaterials in Superlubricity,” *Adv. Funct. Mater.* **29**

References

- (2019) 1806395-1806414.
- ❖ Zhai, W., N. Srikanth, L. B. Kong and K. Zhou, “Carbon nanomaterials in tribology,” *Carbon* **119** (2017) 150-171.
 - ❖ Zhai, W., Srikanth, N., Kong, L.B. and Zhou, K., “Carbon nanomaterials in tribology” *Carbon*, **119**, (2017) 150-171.
 - ❖ Zhan, Z., L. Zheng, Y. Pan, G. Sun and L. Li, “Self-Powered, Visible-Light Photodetector Based on Thermally Reduced Graphene Oxide-ZnO (rGO-ZnO) Hybrid Nanostructure,” *J. Mater. Chem.* **22** (2012) 2589-2595.
 - ❖ Zhang, C., Zhang, S., Song, S., Yang, G., Yu, L., Wu, Z., Li, X. and Zhang, P. “Preparation and tribological properties of surface-capped copper nanoparticle as a water-based lubricant additive” *Tribol. Lett.* (1)**54** (2014) 25-33.
 - ❖ Zhang, J., P. Li, Z. Zhang, X. Wang, J. Tang, H. Liu, Q. Shao, T. Ding, A. Umar and Z. Guo, “Solvent-free graphene liquids: promising candidates for lubricants without the base oil,” *J. Colloid Interface Sci.* **542** (2019) 159-167.
 - ❖ Zhang, L., J. Pu, L. Wang and Q. Xue, “Synergistic Effect of Hybrid Carbon Nanotube-Graphene Oxide as Nanoadditive Enhancing the Frictional Properties of Ionic Liquids in High Vacuum,” *ACS Appl. Mater. Interfaces* **7** (2015) 8592-8600.
 - ❖ Zhang, L., Pu, J., Wang, L. and Xue, Q. “Synergistic effect of hybrid carbon nanotube-graphene oxide as nanoadditive enhancing the frictional properties of ionic liquids in high vacuum” *ACS Appl. Mater. Interfaces* (16)**7** (2015) 8592-8600.
 - ❖ Zhang, L., Y. He, L. Zhu, C. Yang, Q. Niu and C. An, “In situ alkylated graphene as oil dispersible additive for friction and wear reduction,” *Ind. Eng. Chem. Res.* **56** (2017) 9029-9034.
 - ❖ Zhang, M., C. Shao, Z. Guo, Z. Zhang, J. Mu, P. Zhang, T. Cao and Y. Liu, “Highly efficient decomposition of organic dye by aqueous-solid phase transfer and in situ photocatalysis using hierarchical copper phthalocyanine hollow spheres,” *ACS Appl.*

References

- Mater. Interfaces* **3** (2011) 2573-2578.
- ❖ Zhang, R., D. Qiao, X. Liu, Z. Guo, L. Hu and L. Shi, “Well Dispersive TiO₂ Nanoparticles as Additives for Improving the Tribological Performance of Polyalphaolefin Gel Lubricant,” *Ind. Eng. Chem. Res.* **57** (2018) 10379-10390.
 - ❖ Zhang, R., Ding, Q., Yang, L., Zhang, S., Niu, Q., Ye, J., Wang, Z. and Hu, L. “A novel sonogel based on h-BN nanosheets for the tribological application under extreme conditions” *Tribol. Int.* **138** (2019) 271-278.
 - ❖ Zhang, R., Xiong, L., Pu, J., Lu, Z., Zhang, G. and He, Z. “Interface-Sliding-Induced Graphene Quantum Dots Transferring to Fullerene-Like Quantum Dots and Their Extraordinary Tribological Behavior” *Adv. Mater. Interfaces*, (24)**6** (2019) 1901386-1901399.
 - ❖ Zhang, S., J. Yang, B. Chen, S. Guo, J. Li and C. Li, “One-step hydrothermal synthesis of reduced graphene oxide/zinc sulfide hybrids for enhanced tribological properties of epoxy coatings,” *Surf. Coat Tech.* **326** (2017) 87-95.
 - ❖ Zhang, S., T. Ma, A. Erdemir and Q. Li, “Tribology of Two-Dimensional Materials: From Mechanisms to Modulating Strategies,” *Mater. Today* **26** (2019) 67-86.
 - ❖ Zhang, Y., Cai, T., Shang, W., Liu, D., Guo, Q. and Liu, S. “Facile synthesis of photoluminescent inorganic-organic hybrid carbon dots codoped with B and N: towards an efficient lubrication additive” *Dalton Trans.* (36) **46** (2017) 12306-12312.
 - ❖ Zhao, J., Chen, G., He, Y., Li, S., Duan, Z., Li, Y. and Luo, J. “A novel route to the synthesis of an Fe₃O₄/h-BN 2D nanocomposite as a lubricant additive” *RSC Adv.* (12)**9** (2019) 6583-6588.
 - ❖ Zhao, J., Y. He, Y. Wang, W. Wang, L. Yan and J. Luo, “An investigation on the tribological properties of multilayer graphene and MoS₂ nanosheets as additives used in hydraulic applications,” *Tribol. Int.* **97** (2016) 14-20.
 - ❖ Zhao, J., Y. Li, Y. He and J. Luo, “In Situ Green Synthesis of the New Sandwich like

References

- Nanostructure of Mn₃O₄/graphene as Lubricant Additives,” *ACS Appl. Mater. Interfaces* **11** (2019) 36931-36938.
- ❖ Zhao, J.; He, Y.; Wang, Y.; Wang, W.; Yan, L.; Luo, J. “An investigation on the tribological properties of multilayer graphene and MoS₂ nanosheets as additives used in hydraulic applications” *Tribol. Int.* **97** (2016) 14-20.
 - ❖ Zheng, D., Y. P. Wu, Z. Y. Li and Z. B. Cai, “Tribological Properties of WS₂/Graphene Nanocomposites as Lubricating Oil Additives,” *RSC advances* **7** (2017) 14060-14068.
 - ❖ Zheng, X., X. Hu, Y. Xu, J. Geng, Y. Peng and D. Olson, “Tribological Behavior of Fe₃O₄/MoS₂ Nanocomposites Additives in Aqueous and Oil Phase Media,” *Tribol. Int.* **102** (2016) 79-87.
 - ❖ Zhou, G., Y. Zhu, X. Wang, M. Xia, Y. Zhang and H. Ding, “Sliding Tribological Properties of 0.45% Carbon Steel Lubricated with Fe₃O₄ Magnetic Nano-Particle Additives in Base Oil,” *Wear* **301** (2013) 753-757.
 - ❖ Zhou, J., Z. Wu, Z. Zhang, W. Liu and H. Dang, “Study on an Antiwear and Extreme Pressure Additive of Surface Coated LaF₃ Nanoparticles in Liquid Paraffin,” *Wear* **249** (2001) 333-337.
 - ❖ Zhou, Q., J. Huang, J. Wang, Z. Yang, S. Liu, Z. Wang and S. Yang, “Preparation of a Reduced Graphene Oxide/Zirconia Nanocomposite and its Application as a Novel Lubricant Oil Additive,” *RSC advances* **5** (2015) 91802-91812.
 - ❖ Zhou, Q., J. Huang, J. Wang, Z. Yang, S. Liu, Z. Wang and S. Yang, “Preparation of a reduced graphene oxide/zirconia nanocomposite and its application as a novel lubricant oil additive,” *RSC Advances* **5** (2015) 91802-91812.
 - ❖ Zhou, Y., Pan, G., Shi, X., Zhang, S., Gong, H., & Luo, G. “Effects of ultra-smooth surface atomic step morphology on chemical mechanical polishing (CMP) performances of sapphire and SiC wafers” *Tribol. Int.* **87** (2015) 145-150.

References

- ❖ Zhu, X., Y. Zhu, S. Murali, M. D. Stoller and R. S. Ruoff, “Nanostructured Reduced Graphene Oxide/Fe₂O₃ Composite as a High-Performance Anode Material for Lithium Ion Batteries,” *ACS Nano* **5** (2011) 3333-3338.
- ❖ Zhu, Y., S. Murali, W. Cai, X. Li, J. W. Suk, J. R. Potts and R. S. Ruoff, “Graphene and Graphene Oxide: Synthesis, Properties, and Applications,” *Adv. Mater.* **22** (2010) 3906-3924.

List of Publications

List of Publications

- ❖ **Dinesh K. Verma**, Jyoti Kuntail, Bharat Kumar, Nivedita Shukla, Alok K. Singh, Kavita, Indrajit Sinha and Rashmi B. Rastogi, “Amino Borate-Functionalized Reduced Graphene Oxide Further Functionalized with Copper Phthalocyanine Nanotubes for Reducing Friction and Wear”. *ACS Appl. Nano Mater.* **3** (2020) 5530-5541.
- ❖ **Dinesh K. Verma**, Nivedita Shukla, Bharat Kumar, Alok K. Singh, Kavita, Mithilesh Yadav, Kyong Yop Rhee and Rashmi B. Rastogi, “Synergistic Tribo-activity of nanohybrid of Zirconia/Cerium-doped Zirconia nanoparticles with nanolameller reduced graphene oxide and Molybdenum disulfide”. *Nanomaterials* **10** (2020), 707-726.
- ❖ **Dinesh K. Verma**, Bharat Kumar, Kavita and Rashmi B. Rastogi, “Zinc oxide- and magnesium-doped zinc oxide-decorated nanocomposites of reduced graphene oxide as friction and wear modifiers”. *ACS Appl. Mater. Interfaces.* **11** (2019) 2418-2430.
- ❖ **Dinesh K. Verma**, Kalyani, Vinay Jaiswal, and Rashmi B. Rastogi, “Tribological studies of some quinoline derivatives and their synergistic interaction with phosphate ester”. *Tribol. Trans.* **62** (2019) 283-294.
- ❖ **Dinesh K. Verma**, Nivedita Shukla, Bharat Kumar, Alok K. Singh, Kavita and R.B. Rastogi, “Superlubricity of nanohybrid of polyaniline functionalized reduced graphene oxide with yttrium and vanadium co-doped zinc oxide nanoparticles” *ACS Appl. Nano Mater.* (Communicated).
- ❖ Bharat Kumar, **Dinesh K. Verma**, Kavita and Rashmi B. Rastogi, “Tribological activity of ionic liquid stabilized calcium-doped ceria nanoparticles”. *Proc. IMechE Part J: J Engineering Tribology* (2020) 1-8.

List of Publications

- ❖ Bharat Kumar, **Dinesh K. Verma**, Nivedita Shukla, Alok K. Singh, Kavita and Rashmi B. Rastogi, “Ionic liquid stabilized Ag@C composite for improvement of triboactivity. Journal of molecular liquids”. *J. Mol. Liq.* **307** (2020) 113012-113021.
- ❖ Bharat Kumar, **Dinesh K. Verma**, Alok K. Singh, Kavita, Nivedita Shukla, Rashmi B. Rastogi, “Nanohybrid Cu@C: synthesis, characterization and application in enhancement of lubricity” *Compos. Interfaces.* (2019) 1697134-1697151.
- ❖ Bharat Kumar, Jyoti Kuntail, **Dinesh K. Verma**, Rashmi B. Rastogi, Indrajit Sinha, “Mechanism of triboactivity of Schiff bases Experimental and molecular dynamics simulations studies”. *J. Mol. Liq.* **289** (2019) 111171-111179.
- ❖ Kavita, Pratibha Verma, **Dinesh K. Verma**, Bharat Kumar, Alok K. Singh, Nivedita Shukla, Vandana Srivastava, Rashmi B. Rastogi, “Tetrahydropyrazolopyridines as antifriction and antiwear agents: experimental and DFT calculations”. *RSC Advances* **10** (2020) 10188-10196.
- ❖ Nivedita Shukla, **Dinesh K. Verma**, Alok K. Singh, Bharat Kumar, Kavita and Rashmi B. Rastogi, “Ternary Composite of Methionine-Functionalized Graphene Oxide, Lanthanum-Doped Yttria Nanoparticles, and Molybdenum Disulfide Nanosheets for Thin Film Lubrication”. *ACS Appl. Nano Mater.* **3** (2020) 8012-8026.
- ❖ Kavita, Jyoti Kuntail, **Dinesh K. Verma**, Bharat Kumar, Alok K. Singh, Nivedita Shukla, Indrajit Sinha, and Rashmi B. Rastogi. “Theoretical and experimental studies of pyranopyrazole and their tribological compatibility with a borate ester”. *Colloid Surface A* **606** (2020) 125497-125508.
- ❖ Alok K. Singh, Nivedita Shukla, **Dinesh K. Verma**, Kavita, Bharat Kumar, and Rashmi B. Rastogi, “Enhancement of Triboactivity of Nanolamellar Graphitic-C₃N₄ by N-Doped ZnO Nanorods”. *Ind. Eng. Chem. Res.* **60** (2021), 864-874.