

## References

- [1] J.J. Rogers, M. Santosh, Configuration of Columbia, a Mesoproterozoic supercontinent, *Gondwana Research*, 5 (2002) 5-22.
- [2] M. Lachhana Dora, T. Meshram, S. Rao Baswani, V.P. Malviya, D. Upadhyay, M. Shareef, M. Atif Raza, S. Ranjan, R. Meshram, M. Kumar Patnaik, K. Randive, Geological evolution of the Proterozoic Betul Belt (~2.16-0.95 Ga) of the Central Indian Tectonic Zone: its linkage to the assembly and dispersal of Columbia and Rodinia supercontinents, *Gondwana Research* (2023)
- [3] A. Roy, M. H. Prasad, S. A. Chore, L. L. Vishwakarma Granulite facies BIF from Betul supracrustal belt, Central India; *J. Geol. Soc. India* (2003) 62 635–640.
- [4] B.P Radhakrishna, M. Ramakrishnan, , Archaean Proterozoic Boundary in India; *J. Geol. Soc. Ind*, 3, (1988) 263–278.
- [5] N.L. Carter, M.C. Tsenn, Flow properties of continental lithosphere, *Tectonophysics*, 136 (1987) 27-63.
- [6] R.L. Rudnick, D.M. Fountain, Nature and composition of the continental crust: a lower crustal perspective, *Reviews of geophysics*, 33 (1995) 267-309.
- [7] L. Zi-long, C. Han-lin, Y. Shu-feng, D. Chuan-wan, X. Wen-jiao, Petrology, geochemistry and geodynamics of basic granulite from the Altay area, North Xinjiang, China, *Journal of Zhejiang University-SCIENCE A*, 5 (2004) 979-984.
- [8] C. Wang, S. Song, M.B. Allen, L. Su, C. Wei, High-pressure granulite from Jixian, Eastern Hebei, the North China Craton: implications for Neoproterozoic to early Paleoproterozoic collision tectonics, *Geological Society, London, Special Publications*, 478 (2019) 427-448.
- [9] S. Harley, The origins of granulites: a metamorphic perspective, *Geological Magazine*, 126 (1989) 215-247.
- [10] S. Harley, Proterozoic granulite terranes, in: *Developments in Precambrian geology*, Elsevier, 1992, pp. 301-359.
- [11] I.W. Dalziel, Pacific margins of Laurentia and East Antarctica-Australia as a conjugate rift pair: Evidence and implications for an Eocambrian supercontinent, *Geology*, 19 (1991) 598-601.
- [12] S.Jain, , K.Nair, , D. Yedekar, , Geology of the Son-Narmada-Tapti lineament zone in central India. *Geol. Surv. Ind. Sp. Publ.* 10, (1995) 1–154.
- [13] Harris, L.B., 1993. Correlations of tectonothermal events between the Central Indian Tectonic Zone and the Albany Mobile Belt of Western Australia. *Gondwana Eight: assembly, evolution and dispersal*, 165-180.
- [14] G.C. Zhao, M., S.A Sun, Wilde,., Li, S.Z.,. A Paleo-Mesoproterozoic supercontinent: assembly, growth and breakup. *Earth Sci. Rev.* 67, (2004) 91– 123.

- [15] S.K. Acharyya, A. Roy,. Tectonothermal history of the central Indian tectonic zone and reactivation of major faults/shear zones. *Geol. Soc. India* 55, (2000) 239–256.
- [16] A.Roy , H.M. Prasad, ,. Tectonothermal events in Central Indian Tectonic Zone (CITZ) and its implications in Rodinian crustal assembly. *J. Asian Ert. Sci.* 22, (2003) 115–129.
- [17] S.K Bhowmik, S.A., Wilde, A., Bhandari, T. Pal, N.C Pant,. Growth of the Greater Indian Landmass and its assembly in Rodinia: geochronological evidence from the Central Indian Tectonic Zone. *Gond. Res.* 22, (2012) 54–72.
- [18] S. K. Acharyya,. Geodynamic setting of the Central Indian Tectonic Zone in central, eastern and northeastern India. *Geol. Surv. India Spec. Publ.* 64, (2001) 17–35.
- [19] S.B. Dwivedi, K. Theunuo, R.R. Kumar, Characterization and metamorphic evolution of Mesoproterozoic granulites from Sonapahar (Meghalaya), NE India, using EPMA monazite dating, *Geological Magazine*, 157 (2020) 1409-1427.
- [20] A. Roy, M.H. Prasad, Tectonothermal events in Central Indian Tectonic Zone (CITZ) and its implications in Rodinian crustal assembly, *Journal of Asian Earth Sciences*, 22 (2003) 115-129.
- [21] S.K. Acharyya,. The nature of Mesoproterozoic Central Indian Tectonic Zone with exhumed and reworked older granulites. *Gondwana Res.*, 6(2), (2003) 197-214.
- [22] S.K Bhowmik,. The current status of orogenesis in the Central Indian Tectonic Zone: A view from its Southern Margin. *Geological Journal* (2019) (DOI: 10.1002/gj.3456).
- [23] S. K. Bhowmik, , Dasgupta, S., Baruah, S., Kalita, D. 2018. Thermal history of a Late Mesoproterozoic paired metamorphic belt (?) during Rodinia assembly: New insight from medium-pressure granulites from the Aravalli-Delhi Mobile Belt, Northwestern India. *Geoscience Frontiers*, 9, 335–354. <https://doi.org/10.1016/j.gsf.2017.07.002>
- [24] S.K., Bhowmik, Chakraborty, S., Sequential kinetic modelling: A new tool decodes pulsed tectonic patterns in early hot orogens of Earth. *Erth, and Plnt. Sci. Ltrs*, 460, (2017) 171-179.
- [25] S.K. Bhowmik, , S.A Wilde, A.Bhandari, , Basu, S.A.,. Zoned monazite and zircon as monitors for the thermal history of granulite terranes: an example from the Central Indian Tectonic Zone. *J. of Petr.* 55(3), (2014) 585-621.
- [26] R.K. Chaturvedi,. A review of the geology, tectonic feature, and tectonostratigraphy of Betul Belt. *Geol. Surv. Ind. Spl. Pub.* 64, (2001) 299–315.
- [27] P.R. Golani, M.L. Dora, B.K. Bandopadhyay, Base metal mineralization associated with hydrothermal alteration in Felsic volcanic rocks in Proterozoic Betul Belt at Bhuyari, Chhindwara district, Madhya Pradesh. *J. Geol. Soc. Ind.* 68, (2006) 797–808.

- [28] H.M. Ramachandra, R.N. Pal, Progress report on a study of geology and geochemistry and Cu–Pb–Zn mineralization in Kherli area, Betul district, Madhya Pradesh. Geol. Surv. Ind. [www.gsi.gov.in](http://www.gsi.gov.in) (1992.)
- [29] P.K. Raut, S.P. Mahakud, Geology, geochemistry, and tectonic setting of a volcano- sedimentary sequence of betul Belt, Madhya Pradesh and ore genesis of related zinc and copper sulfide mineralization. Proceedings of the National Seminar on Mineral Exploration and Resource Surveys, by Geol. Surv. Ind. 395–406 (2004).
- [30] S.A. Chore, S. Chakraborty, L.L. Vishwakarma, A.P. Thaplial, Petrology of base metal bearing volcano sedimentary litho assemblages of the Betul Belt of Central India and its possible significance in the evolutionary history of the Central Indian Tectonic Zone. Surv. Rec. 135 (6), (2002.)16–17.
- [31] S.P. Mahakud, P.K. Raut, C. Hansda, P.F. Ramteke, U. Chakraborty, M.N. Praveen, D.S. Sisodiya, Sulfide mineralization in the central part of Betul Belt around Ghisi-Muariya-Koparpani area, Betul district, Madhya Pradesh. Geol. Surv. India Spec. Publ. 64, (2001) 377–385.
- [32] M.N. Praveen, B. Ghosh, Submarine volcanic facies and its implication as a possible tracker of sulfide mineralization- a case study from Jilharidev area, Betul Belt, Central India. Curr. Sci. 97 (5), (2009.) 670–679.
- [34] M. St-Onge, O. Ijewliw, Mineral corona formation during high-P retrogression of granulitic rocks, Ungava Orogen, Canada, Journal of Petrology, 37 (1996) 553-582.
- [35] A. Dziggel, R. Armstrong, G. Stevens, L. Nasdala, Growth of zircon and titanite during metamorphism in the granitoid-gneiss terrane south of the Barberton greenstone belt, South Africa, Mineralogical Magazine, 69 (2005) 1019-1036.
- [36] S. Faryad, V. Kachlík, J. Sláma, G. Hoinkes, Implication of corona formation in a metatroctolite to the granulite facies overprint of HP–UHP rocks in the Moldanubian Zone (Bohemian Massif), Journal of Metamorphic Geology, 33 (2015) 295-310.
- [37] P.J. Wyllie, Sources of granitoid magmas at convergent plate boundaries, Physics of the Earth and Planetary Interiors, 35 (1984) 12-18.
- [38] B. Barbarin, J. Didier, Genesis and evolution of mafic microgranular enclaves through various types of interaction between coexisting felsic and mafic magmas, Transactions of the Royal Society of Edinburgh Earth Sciences, 83 (1992) 145-153.
- [39] B. Gogoi, A. Saikia, M. Ahmad, T. Ahmad, Evaluation of magma mixing in the subvolcanic rocks of Ghansura Felsic Dome of Chotanagpur Granite Gneiss Complex, eastern India, Mineralogy and Petrology, 112 (2018) 393-413.
- [40] V. Schenk, Synchronous uplift of the lower crust of the Ivrea Zone and of southern Calabria and its possible consequences for the Hercynian orogeny in southern Europe, Earth and Planetary Science Letters, 56 (1981) 305-320.

- [41] F. Giacomini, R.M. Bomparola, C. Ghezzo, Petrology and geochronology of metabasites with eclogite facies relics from NE Sardinia: constraints for the Palaeozoic evolution of Southern Europe, *Lithos*, 82 (2005) 221-248.
- [42] F. Giacomini, L. Dallai, E. Carminati, M. Tiepolo, C. Ghezzo, Exhumation of a Variscan orogenic complex: insights into the composite granulitic–amphibolitic metamorphic basement of south- east Corsica (France), *Journal of metamorphic Geology*, 26 (2008) 403-436.
- [43] J. Dong, C. Wei, J. Chen, J. Zhang, P–T–t path of garnetites in South Altyn Tagh, West China: a complete record of the ultradeep subduction and exhumation of continental crust, *Journal of Geophysical Research: Solid Earth*, 125 (2020) e2019JB018881.
- [44] S. Bose, K. Das, S. Chakraborty, H. Miura, Petrology and geochemistry of metamorphosed basic intrusives from Chilka Lake granulites, Eastern Ghats Belt, India: implications for Rodinia breakup, in: *Dyke swarms: keys for geodynamic interpretation*, Springer, 2011, pp. 241-261.
- [45] S.K. BHOWMIK, A. Roy, Garnetiferous metabasites from the Sausar Mobile Belt: petrology, P– T path and implications for the tectonothermal evolution of the Central Indian Tectonic Zone, *Journal of Petrology*, 44 (2003) 387-420.
- [46] J.-X. Zhang, C.G. Mattinson, F.-C. Meng, Y.-S. Wan, An Early Palaeozoic HP/HT granulite– garnet peridotite association in the south Altyn Tagh, NW China: P– T history and U-Pb geochronology, *Journal of metamorphic Geology*, 23 (2005) 491-510.
- [47] S. Das, P. Nasipuri, A. Bhattacharya, S. Swaminathan, The thrust-contact between the Eastern Ghats Belt and the adjoining Bastar craton (Eastern India): evidence from mafic granulites and tectonic implications, *Precambrian Research*, 162 (2008) 70-85.
- [48] A. Gross, G. Droop, C. Porcher, L. Fernandes, Petrology and thermobarometry of mafic granulites and migmatites from the Chafalote Metamorphic Suite: New insights into the Neoproterozoic P–T evolution of the Uruguayan—Sul-Rio-Grandense shield, *Precambrian Research*, 170 (2009) 157-174.
- [49] H.-P. Schertl, N. Sobolev, The Kokchetav Massif, Kazakhstan: “Type locality” of diamond- bearing UHP metamorphic rocks, *Journal of Asian Earth Sciences*, 63 (2013) 5-38.
- [50] J. Haifler, J. Kotková, UHP–UHT peak conditions and near-adiabatic exhumation path of diamond-bearing garnet–clinopyroxene rocks from the Eger Crystalline Complex, North Bohemian Massif, *Lithos*, 248 (2016) 366-381.
- [51] D.M. Hoatson, S.-s. Sun, J.C. Claoué-Long, Proterozoic mafic–ultramafic intrusions in the Arunta Region, central Australia: Part 1: geological setting and mineral potential, *Precambrian Research*, 142 (2005) 93-133.
- [52] P. Robinson, The composition space of terrestrial pyroxenes-internal and external limits, in: *Pyroxenes*, De Gruyter, 1980, pp. 419-494.

- [53] M. De Graef, M. McHenry, An introduction to crystallography, diffraction and symmetry, in, Cambridge University Press, Cambridge, 2012.
- [54] F. Xiong, Y. Dilek, R. Wirth, X. Xu, J. Yang, Opx–Cpx exsolution textures in lherzolites of the Cretaceous Purang Ophiolite (S. Tibet, China), and the deep mantle origin of Neotethyan abyssal peridotites, *International Geology Review*, 62 (2020) 665-682.
- [55] Y. Zhu, Y. Ogasawara, Phlogopite and coesite exsolution from super-silicic clinopyroxene, *International Geology Review*, 44 (2002) 831-836.
- [56] A. Proyer, K. Krenn, G. Hoinkes, Oriented precipitates of quartz and amphibole in clinopyroxene of metabasites from the Greek Rhodope: a product of open system precipitation during eclogite–granulite–amphibolite transition, *Journal of Metamorphic Geology*, 27 (2009) 639- 654.
- [57] V. Colás, J.A. Padrón-Navarta, J.M. González-Jiménez, W.L. Griffin, I. Fanlo, S.Y. O'reilly, F. Gervilla, J.A. Proenza, N.J. Pearson, M.P. Escayola, Compositional effects on the solubility of minor and trace elements in oxide spinel minerals: Insights from crystal-crystal partition coefficients in chromite exsolution, *American Mineralogist*, 101 (2016) 1360-1372.
- [58] E. Green, R. White, J. Diener, R. Powell, T. Holland, R. Palin, Activity–composition relations for the calculation of partial melting equilibria in metabasic rocks, *Journal of Metamorphic Geology*, 34 (2016) 845-869.
- [59] H. Rajesh, Progressive or continual exsolution in pyroxenes: an indicator of polybaric igneous crystallization for the Perinthatta anorthositic gabbro, northern Kerala, southwestern India, *Journal of Asian Earth Sciences*, 26 (2006) 541-553.
- [60] D. Lenaz, M. Velicogna, U. Hålenius, B. O'Driscoll, Structural parameters of Cr-bearing spinels and pleonaste from the Cuillin Igneous Complex (Isle of Skye, Scotland): Implications for metamorphic and cooling history, *Mineralogical Magazine*, 80 (2016) 749-764.
- [61] K. Bucher, R. Grapes, *Metamorphism of Mafic Rocks*, in: *Petrogenesis of Metamorphic Rocks*, Springer, 2011, pp. 339-393.
- [62] S. Mazumdar, A summary of the Precambrian geology of the Khasi Hills, Meghalaya, *Geol. Surv. India Misc. Publ.*, 23 (1976) 311-334.
- [63] M. Murthy, S. Mazumder, N. Bhaumik, Significance of tectonic trends In the geological evolution of the Meghalaya uplands since Precambrian, *Geol. Surv. India, Misc. Publ.*, 23 (1976) 471-484.
- [64] S. Dwivedi, K. Theunuo, Two-pyroxene mafic granulites from Patharkhang, Shillong– Meghalaya gneissic complex, *Current Science*, (2011) 100-105.
- [65] D. Prakash, S. Prakash, H. Sachan, Petrological evolution of the high pressure and ultrahigh- temperature mafic granulites from Karur, southern India: evidence for decompressive and cooling retrograde trajectories, *Mineralogy and Petrology*, 100 (2010) 35-53.

- [66] D. Kamineni, A. Rao, Sapphirine granulites from the Kakanuru area, Eastern Ghats, India, *American Mineralogist*, 73 (1988) 692-700.
- [67] D L Whitney, B W Evans Abbreviations for rock forming minerals; *Am. Mineral.* 95 2010 185–187.
- [68] S.M. Naqvi, J.J.W.Rogers,. *Precambrian Geology of India*. Oxford University Press. Ohmoto, H., 1972. Systematics of sulfur and carbon isotopes in hydrothermal ore deposits. *Econ. Geol.* 67, 1987 551–578.
- [69] A. Roy, M.H., Prasad,. *Precambrian of Central India: a Possible Tectonic Model*, vol. 64. *Geol. Surv. India Sp. Pub.*, pp. 2001 177–197.
- [70] S. Karmakar, S. Bose, A.B. Sarbadhikari, K. Das, Evolution of granulite enclaves and associated gneisses from Purulia, Chhotanagpur Granite Gneiss Complex, India: Evidence for 990–940 Ma tectonothermal event (s) at the eastern India cratonic fringe zone, *Journal of Asian Earth Sciences*, 41 (2011) 69-88.
- [71] Bhowmik S K and Roy A 2003 Garnetiferous metabasites from the Sausar Mobile Belt: Petrology, P–T path and implications for the tectonothermal evolution of the Central Indian Tectonic Zone; *J. Petrol.* 44 387–420.
- [72] Santosh M, Maruyama S and Sato K 2009 Anatomy of a Cambrian suture in Gondwana: Pacific-type orogeny in southern India? *Gondwana Res.* 16 321–341.
- [73] S. Mukherjee, A. Dey, S. Sanyal, M. Ibanez-Mejia, U. Dutta, P. Sengupta, Petrology and U–Pb geochronology of zircon in a suite of charnockitic gneisses from parts of the Chotanagpur Granite Gneiss Complex (CGGC): evidence for the reworking of a Mesoproterozoic basement during the formation of the Rodinia supercontinent, *Geological Society, London, Special Publications*, 457 (2017) 197-231.
- [74] A. Dey, S. Karmakar, S. Mukherjee, S. Sanyal, U. Dutta, P. Sengupta, High pressure metamorphism of mafic granulites from the Chotanagpur Granite Gneiss Complex, India: Evidence for collisional tectonics during assembly of Rodinia, *Journal of Geodynamics*, 129 (2019) 24-43.
- [75] H. Ramberg, G. DeVore, The distribution of Fe<sup>++</sup> and Mg<sup>++</sup> in coexisting olivines and pyroxenes, *The Journal of Geology*, 59 (1951) 193-210.
- [76] S.K. Sen, K. Chakraborty, Magnesium-iron exchange equilibrium in garnet-biotite and metamorphic grade, *Neues Jahrb. Mineral. Abhandl*, 108 (1968) 181-207.
- [77] L. Perchuk, Analysis of thermodynamic conditions of mineral equilibria in amphibole-garnet rocks, *Izvestiya Akademii Nauk SSSR, Seriya Geologicheskaya*, 3 (1967) 57-83.
- [78] Naganjaneyulu K and Santosh M 2010 The Central India tectonic zone: A geophysical perspective on continental amalgamation along a mesoproterozoic suture; *Gondwana Res.* 18 547–564.

- [79] Vansutre S and Hari K R 2010 Granulite belts of Central India with special reference to the Bhopalpatnam granulite belt: Significance in crustal evolution and implications for Columbia supercontinent; *J. Asian Earth Sci.* 39 794–803.
- [80] T. Holland, R. Powell, An improved and extended internally consistent thermodynamic dataset for phases of petrological interest, involving a new equation of state for solids, *Journal of Metamorphic Geology*, 29 (2011) 333-383.
- [81] T. Holland, R. Powell, Activity–composition relations for phases in petrological calculations: an asymmetric multicomponent formulation, *Contributions to Mineralogy and Petrology*, 145 (2003) 492-501.
- [82] S. Sen, A. Bhattacharya, An orthopyroxene-garnet thermometer and its application to the Madras charnockites, *Contributions to Mineralogy and Petrology*, 88 (1984) 64-71.
- [83] H.Y. Lee, J. Ganguly, Equilibrium compositions of coexisting garnet and orthopyroxene: experimental determinations in the system FeO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, and applications, *Journal of Petrology*, 29 (1988) 93-113.
- [84] L.Y. Aranovich, K. Podlesskii, Geothermobarometry of high-grade metapelites: simultaneously operating reactions, Geological Society, London, Special Publications, 43 (1989) 45-61.
- [85] A. Bhattacharya, K. Krishnakumar, M. Raith, S. Sen, An improved set of  $a_X$  parameters for pyrope-almandine binary garnets and refinement of the orthopyroxene–garnet thermometer and orthopyroxene–garnet–plagioclase–quartz barometer, *Journal of Petrology*, 32 (1991) 629-656.
- [86] A.B. Thompson, Mineral reactions in pelitic rocks; I, Prediction of PTX (Fe-Mg) phase relations, *American Journal of Science*, 276 (1976) 401-424.
- [87] S. Dasgupta, P. Sengupta, D. Guha, M. Fukuoka, A refined garnet-biotite Fe–Mg exchange geothermometer and its application in amphibolites and granulites, *Contributions to Mineralogy and Petrology*, 109 (1991) 130-137.
- [88] A. Bhattacharya, L. Mohanty, A. Maji, S. Sen, M. Raith, Non-ideal mixing in the phlogopite-annite binary: constraints from experimental data on Mg–Fe partitioning and a reformulation of the biotite-garnet geothermometer, *Contributions to Mineralogy and Petrology*, 111 (1992) 87-93.
- [89] S. Dwivedi, J. Lalnunmawia, V. Vanthangliana, S. Lal, A refined garnet–biotite thermometer: Constraints from empirically derived Margules parameters for garnet and biotite, *The Indian Mineral*, 41 (2007) 97-111.
- [90] M. Holdaway, S.M. Lee, Fe-Mg cordierite stability in high-grade pelitic rocks based on experimental, theoretical, and natural observations, *Contributions to Mineralogy and Petrology*, 63 (1977) 175-198.
- [91] P. Wells, Chemical and thermal evolution of Archaean sialic crust, southern West Greenland, *Journal of Petrology*, 20 (1979) 187-226.

- [92] L. Perchuk, L.Y. Aranovich, K. Podlesskii, I. Lavrant'eva, V.Y. Gerasimov, V. Fed'Kin, V. Kitsul, L. Karsakov, N. Berdnikov, Precambrian granulites of the Aldan shield, eastern Siberia, USSR, *Journal of metamorphic Geology*, 3 (1985) 265-310.
- [93] A. Bhattacharya, A. Mazumdar, S. Sen, Fe-Mg mixing in cordierite; constraints from natural data and implications for cordierite-garnet geothermometry in granulites, *American Mineralogist*, 73 (1988) 338-344.
- [94] L. Perchuk, Derivation of a thermodynamically consistent set of geothermometers and geobarometers for metamorphic and magmatic-rocks, *Progress in metamorphic and magmatic petrology*, (1991).
- [95] S.B. Dwivedi, A. Mohan, R.K. Lal, Recalibration of the Fe-Mg exchange reaction between garnet and cordierite as a thermometer, *European Journal of Mineralogy-Ohne Beihefte*, 10 (1998) 281-290.
- [96] G.T. Nichols, R.F. Berry, D.H. Green, Internally consistent gahnitic spinel-cordierite-garnet equilibria in the FMASHZn system: geothermobarometry and applications, *Contributions to Mineralogy and Petrology*, 111 (1992) 362-377.
- [97] S. Dwivedi, A. Mohan, R. Lal, Internally consistent geothermobarometers in the system FeO- MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O involving garnet, cordierite, aluminosilicate and quartz and their application to metapelites, *JOURNAL OF THE GEOLOGICAL SOCIETY OF INDIA*, 49 (1997) 647-660.
- [98] R.G. Berman, Internally-consistent thermodynamic data for minerals in the system Na<sub>2</sub>O- K<sub>2</sub>O-CaO-MgO-FeO-Fe<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-TiO<sub>2</sub>-H<sub>2</sub>O-CO<sub>2</sub>, *Journal of petrology*, 29 (1988) 445-522.
- [99] R. Powell, T. Holland, An internally consistent dataset with uncertainties and correlations: 3. Applications to geobarometry, worked examples and a computer program, *Journal of metamorphic Geology*, 6 (1988) 173-204.
- [100] R. Powell, T. Holland, Optimal geothermometry and geobarometry, *American Mineralogist*, 79 (1994) 120-133.
- [101] T. Holland, R. Powell, An enlarged and updated internally consistent thermodynamic dataset with uncertainties and correlations: the system K<sub>2</sub>O-Na<sub>2</sub>O-CaO-MgO-MnO-FeO-Fe<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>-SiO<sub>2</sub>-C-H<sub>2</sub>O<sub>2</sub>, *Journal of metamorphic Geology*, 8 (1990) 89-124.
- [102] T. Holland, R. Powell, Thermodynamics of order-disorder in minerals: II. Symmetric formalism applied to solid solutions, *American Mineralogist*, 81 (1996) 1425-1437.
- [103] T. Holland, R. Powell, An internally consistent thermodynamic data set for phases of petrological interest, *Journal of metamorphic Geology*, 16 (1998) 309-343.
- [104] R. White, R. Powell, T. Holland, Progress relating to calculation of partial melting equilibria for metapelites, *Journal of metamorphic Geology*, 25 (2007) 511-527.

- [105] Harris L B Correlation between the Central Indian Tectonic Zone and the Albany Mobile Belt of Western Australia: Evidence for a continuous Proterozoic orogenic belt; In: Gondwana 8: Assembly, evolution and dispersal (eds) Findlay R H, Unrug R, Banks M R and Veevers J J, CRC Press, Balkema, (1993) pp. 165–180.
- [106] Sharma R S Patterns of metamorphism in the Precambrian rocks of the Aravalli mountain belt; Geol. Soc. India Memoir (1988)7 33–75.
- [107] Guha D B and Bhattacharya A K 1995 Metamorphic evolution and high grade re-working of the Sandmata Complex granulites; In: Continental crust of Northwestern and Central India (eds) Sinha-Roy S and Gupta K R, Geol. Soc. India Memoir, Bangalore 31 163–198.
- [108] Dasgupta S, Guha D, Sengupta P, Miura H and Ehl J 1997 Pressure–temperature–fluid evolutionary history of the Sandmata granulite complex, northwestern India; Precamb. Res. 83 267–290.
- [109] Singh S P and Dwivedi S B Garnet–Sillimanite– cordierite–quartz bearing assemblages from Archean supracrustal rocks of Bundelkhand massif, Central India; Curr. Sci. (2009) 97 103–107.
- [110] Narsimha Prakash N K, Janardhan A S and Mishra V P 1996 Granulites of Bhopalpatnam and Kondagaon belts, Bastar craton, MP: Petrological and fluid inclusion studies; J. Southeast Asian Earth Sci. 14 221–229.
- [111] Bhowmik S K, Pal T, Roy A and Pant N C 1999 Evidence for Pre-Grenville high-pressure granulite metamorphism from the northern margin of the Sausar mobile belt in central India; J. Geol. Soc. India 53 385–399.
- [112] Bhowmik S K and Dasgupta S 2004 Tectonometamorphic evolution of boudin-type granulites in the Central Indian Tectonic Zone and in the Aravalli–Delhi mobile belt: A synthesis and future prospective; Geol. Surv. India, Spec. Publ. 84 227–246.
- [113] Das S, Bhattacharya A and Swaminathan S 2008 The thrust contact between the Eastern Ghats Belt and the adjoining Bastar craton (Eastern India): Evidence from mafic granulites and tectonic implications; Precamb. Res. 162 70–85.
- [114] T.H. Holland, The charnockite series: a group of archæan hypersthene rocks in peninsular india, Sold at the Office of the Geological Survey, 1900.
- [115] S.C. Chatterjee, Anorthosites of Bengal. , in, Calcutta University Press, 1937, pp. 1-46.
- [116] R. Sinha, N. Ghose, Geochemistry of the Richughuta granite, in: Abstr., Seminar on Plutonic Complexes of India, Hyderabad, 1968, pp. 49-50.
- [117] N. Ghose, S. Chakraborty, Petrology of the McCluskieganj granites, district Palamau, Bihar, Recent Researches in Geology, 7 (1978) 33-52.
- [118] A.K. Srivastava, Petrochemical study of the Archaean rocks occurring north of Latehar, District Palamau, Bihar, in, Patna University, 1979.

- [119] N.C. Ghose, Chemographic relationships of granitic rocks around Chianki, south of Daltonganj, district Palamau, Bihar, Unpublished, (1981).
- [120] N. Ghose, Geology, tectonics and evolution of the Chhotanagpur granite-gneiss complex, Eastern India, in: Structure and tectonics of Precambrian rocks of India, 1983, pp. 211-247.
- [121] R. Verma, On the cordierite-bearing rocks from Auranga-Koel valley, Palamau, Bihar, *J. Geochim. Soc. India*, 3 (1968) 85-94.
- [122] U. Prasad, Andalusite deposit near Nagar Untari, Palamau district, Bihar, *Indian Mineral*, 29 (1975) 32-38.
- [123] E.H. Pascoe, A Manual of the Geology of India and Burma, vol. 3, Government of India Press, Calcutta, (1964) 1345-2130.
- [124] S. Sarkar, Pre-Cambrian stratigraphy and geochronology of Peninsular India, Dhanbad Publishers India, 1968.
- [125] N. Ghose, B. Shmakin, V. Smirnov, Some geochronological observations on the Precambrians of Chotanagpur, Bihar, India, *Geological Magazine*, 110 (1973) 477-482.
- [126] V.J. Gupta, Indian Precambrian Stratigraphy, Hindustan Publishing Corporation (India), 1977.
- [127] Dwivedi, Petrology of amphibolite to granulite facies rocks, around Sokra, Datam and Mahawat-Muria of Daltonganj (Palamau), Bihar, in: Department of Geology, Banaras Hindu University, Varanasi, 1992.
- [128] N. Chatterjee, J.L. Crowley, N.C. Ghose, Geochronology of the 1.55 Ga Bengal anorthosite and Grenvillian metamorphism in the Chotanagpur gneissic complex, eastern India, *Precambrian Research*, 161 (2008) 303-316.
- [129] N. Chatterjee, M. Banerjee, A. Bhattacharya, A. Maji, Monazite chronology, metamorphism– anatexis and tectonic relevance of the mid-Neoproterozoic Eastern Indian Tectonic Zone, *Precambrian Research*, 179 (2010) 99-120.
- [130] A. Maji, S. Goon, A. Bhattacharya, B. Mishra, S. Mahato, H.-J. Bernhardt, Proterozoic polyphase metamorphism in the Chhotanagpur Gneissic Complex (India), and implication for trans-continental Gondwanaland correlation, *Precambrian Research*, 162 (2008) 385-402.
- [131] Z.S. de Souza, J.-M. Montel, S.M.L.C. Gioia, M.H.B.M. de Hollanda, M.A.L. do Nascimento, E.F.J. de Sá, V.E. Amaro, M.M. Pimentel, J.-M. Lardeaux, M. Veschambre, Electron microprobe dating of monazite from high-T shear zones in the São José de Campestre Massif, NE Brazil, *Gondwana Research*, 9 (2006) 441-455.
- [132] A.S. Collins, M. Santosh, I. Braun, C. Clark, Age and sedimentary provenance of the Southern Granulites, South India: U-Th-Pb SHRIMP secondary ion mass spectrometry, *Precambrian Research*, 155 (2007) 125-138.

- [133] R.R. Parrish, U–Pb dating of monazite and its application to geological problems, *Canadian Journal of Earth Sciences*, 27 (1990) 1431-1450.
- [134] J.-M. Montel, S. Foret, M. Veschambre, C. Nicollet, A. Provost, Electron microprobe dating of monazite, *Chemical Geology*, 131 (1996) 37-53.
- [135] D. Cherniak, E.B. Watson, M. Grove, T.M. Harrison, Pb diffusion in monazite: a combined RBS/SIMS study, *Geochimica et Cosmochimica Acta*, 68 (2004) 829-840.
- [136] F.S. Spear, J.M. Pyle, Theoretical modeling of monazite growth in a low-Ca metapelite, *Chemical Geology*, 273 (2010) 111-119.
- [137] H.A. Smith, B. Barreiro, Monazite U-Pb dating of staurolite grade metamorphism in pelitic schists, *Contributions to Mineralogy and Petrology*, 105 (1990) 602-615.
- [138] D. Rubatto, I.S. Williams, I.S. Buick, Zircon and monazite response to prograde metamorphism in the Reynolds Range, central Australia, *Contributions to Mineralogy and Petrology*, 140 (2001) 458-468.
- [139] B.A. Wing, J.M. Ferry, T.M. Harrison, Prograde destruction and formation of monazite and allanite during contact and regional metamorphism of pelites: petrology and geochronology, *Contributions to Mineralogy and Petrology*, 145 (2003) 228-250.
- [140] E. Janots, M. Engi, A. Berger, J. Allaz, J.O. Schwarz, C. Spandler, Prograde metamorphic sequence of REE minerals in pelitic rocks of the Central Alps: implications for allanite–monazite– xenotime phase relations from 250 to 610 C, *Journal of Metamorphic Geology*, 26 (2008) 509-526.
- [141] J.M. Pyle, F.S. Spear, Four generations of accessory-phase growth in low-pressure migmatites from SW New Hampshire, *American Mineralogist*, 88 (2003) 338-351.
- [142] H.D. Gibson, S.D. Carr, R.L. Brown, M.A. Hamilton, Correlations between chemical and age domains in monazite, and metamorphic reactions involving major pelitic phases: an integration of ID-TIMS and SHRIMP geochronology with Y–Th–U X-ray mapping, *Chemical Geology*, 211 (2004) 237-260.
- [143] E. Gardés, J.-M. Montel, A.-M. Seydoux-Guillaume, R. Wirth, Pb diffusion in monazite: New constraints from the experimental study of  $Pb^{2+} \Leftrightarrow Ca^{2+}$  interdiffusion, *Geochimica et Cosmochimica Acta*, 71 (2007) 4036-4043.
- [144] C.R. McFarlane, T.M. Harrison, Pb-diffusion in monazite: constraints from a high-T contact aureole setting, *Earth and Planetary Science Letters*, 250 (2006) 376-384.
- [145] E.B. Watson, E.P. Vicenzi, R.P. Rapp, Inclusion/host relations involving accessory minerals in high-grade metamorphic and anatectic rocks, *Contributions to Mineralogy and Petrology*, 101 (1989) 220-231.
- [146] J.-M. Montel, A model for monazite/melt equilibrium and application to the generation of granitic magmas, *Chemical Geology*, 110 (1993) 127-146.

- [147] I. Fitzsimons, P. Kinny, S. Wetherley, D. Hollingsworth, Bulk chemical control on metamorphic monazite growth in pelitic schists and implications for U–Pb age data, *Journal of Metamorphic Geology*, 23 (2005) 261-277.
- [148] J. Vry, W. Compston, I. Cartwright, SHRIMP II dating of zircons and monazites: reassessing the timing of high-grade metamorphism and fluid flow in the Reynolds Range, northern Arunta Block, Australia, *Journal of Metamorphic Geology*, 14 (1996) 335-350.
- [149] A. Lanzirotti, G.N. Hanson, Geochronology and geochemistry of multiple generations of monazite from the Wepawaug Schist, Connecticut, USA: implications for monazite stability in metamorphic rocks, *Contributions to Mineralogy and Petrology*, 125 (1996) 332-340.
- [150] J.C. Ayers, C. Miller, B. Gorisch, J. Milleman, Textural development of monazite during high- grade metamorphism; hydrothermal growth kinetics, with implications for U, Th-Pb geochronology, *American Mineralogist*, 84 (1999) 1766-1780.
- [151] M.L. Williams, M.J. Jercinovic, M.P. Terry, Age mapping and dating of monazite on the electron microprobe: Deconvoluting multistage tectonic histories, *Geology*, 27 (1999) 1023-1026.
- [152] X. Zhu, R. O'nions, Zonation of monazite in metamorphic rocks and its implications for high temperature thermochronology: a case study from the Lewisian terrain, *Earth and Planetary Science Letters*, 171 (1999) 209-220.
- [153] J. Montel, Preservation of old U-Th-Pb ages in shielded monazite; example from the Beni Bousera Hercynian kinzigites (Morocco), *J. metamorphic Geol.*, 18 (2000) 335-342.
- [154] M.P. Terry, P. Robinson, M.A. Hamilton, M.J. Jercinovic, Monazite geochronology of UHP and HP metamorphism, deformation, and exhumation, Nordøyane, Western Gneiss Region, Norway, *American Mineralogist*, 85 (2000) 1651-1664.
- [155] G. Foster, R.R. Parrish, *Metamorphic monazite and the generation of PTt paths*, Geological Society, London, Special Publications, 220 (2003) 25-47.
- [156] J.M. Mattinson, Extending the Krogh legacy: development of the CA–TIMS method for zircon U–Pb geochronology, *Canadian Journal of Earth Sciences*, 48 (2011) 95-105.
- [157] B. Schoene, 4.10-U–Th–Pb Geochronology, *Treatise on geochemistry*, 4 (2014) 341-378.
- [158] L.A. Solari, A. Gómez-Tuena, J.P. Bernal, O. Pérez-Arvizu, M. Tanner, U-Pb zircon geochronology with an integrated LA-ICP-MS microanalytical workstation: Achievements in precision and accuracy, *Geostandards and Geoanalytical Research*, 34 (2010) 5-18.
- [159] U. Schaltegger, Hydrothermal zircon, *Elements*, 3 (2007) 51-79.

- [160] S. Singhal, S. Singh, D. Singh, Variation in the analytical figure of merit for in-situ Hf isotopic measurements by LA-MC-ICPMS in zircon standards at variable spatial resolutions, *Journal of Mass Spectrometry*, (2021) e4715.
- [161] D. Cherniak, E. Watson, Pb diffusion in zircon, *Chemical Geology*, 172 (2001) 5-24.
- [162] J. Hermann, D. Rubatto, Relating zircon and monazite domains to garnet growth zones: age and duration of granulite facies metamorphism in the Val Malenco lower crust, *Journal of Metamorphic Geology*, 21 (2003) 833-852.
- [163] S.L. Harley, N.M. Kelly, A. Möller, Zircon behaviour and the thermal histories of mountain chains, *Elements*, 3 (2007) 25-30.
- [164] D. Kelsey, R. Powell, Progress in linking accessory mineral growth and breakdown to major mineral evolution in metamorphic rocks: A thermodynamic approach in the Na<sub>2</sub>O-CaO-K<sub>2</sub>O-FeO- MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O-TiO<sub>2</sub>-ZrO<sub>2</sub> system, *Journal of Metamorphic Geology*, 29 (2011) 151-166.
- [165] G. Fraser, D. Ellis, S. Eggins, Zirconium abundance in granulite-facies minerals, with implications for zircon geochronology in high-grade rocks, *Geology*, 25 (1997) 607-610.
- [166] C. Clark, A.S. Collins, M. Santosh, R. Taylor, B.P. Wade, The PTt architecture of a Gondwanan suture: REE, U-Pb and Ti-in-zircon thermometric constraints from the Palghat Cauvery shear system, South India, *Precambrian Research*, 174 (2009) 129-144.
- [167] E.D. Ghent, Plagioclase-garnet-Al<sub>2</sub>SiO<sub>5</sub>-quartz; a potential geobarometer-geothermometer, *American Mineralogist*, 61 (1976) 710-714.
- [168] A. Miyashiro, Paired and unpaired metamorphic belts, *Tectonophysics*, 17 (1973) 241-254.
- [169] R. White, R. Powell, T. Holland, T. Johnson, E. Green, New mineral activity-composition relations for thermodynamic calculations in metapelitic systems, *Journal of Metamorphic Geology*, 32 (2014) 261-286.
- [170] J. Connolly, Multivariable phase diagrams; an algorithm based on generalized thermodynamics, *American Journal of Science*, 290 (1990) 666-718.
- [171] R. Powell, T. Holland, B. Worley, Calculating phase diagrams involving solid solutions via non-linear equations, with examples using THERMOCALC, *Journal of Metamorphic Geology*, 16 (1998) 577-588.
- [172] J. Connolly, K. Petrini, An automated strategy for calculation of phase diagram sections and retrieval of rock properties as a function of physical conditions, *Journal of Metamorphic Geology*, 20 (2002) 697-708.
- [173] R. Powell, T. Holland, Calculated mineral equilibria in the pelite system, KFMASH (K<sub>2</sub>O-FeO- MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-H<sub>2</sub>O), *American Mineralogist*, 75 (1990) 367-380.

- [174] R. Powell, T. Holland, Relating formulations of the thermodynamics of mineral solid solutions; activity modeling of pyroxenes, amphiboles, and micas, *American mineralogist*, 84 (1999) 1-14.
- [175] R. Powell, T. Holland, On the formulation of simple mixing models for complex phases, *American Mineralogist*, 78 (1993) 1174-1180.
- [176] R. White, R. Powell, On the interpretation of retrograde reaction textures in granulite facies rocks, *Journal of Metamorphic Geology*, 29 (2011) 131-149.
- [177] De la Roche, H., Leterrier, J., Grandclaude, P. and Marchal, M. (1980) A Classification of Volcanic and Plutonic Rocks Using R1-R2 Diagrams and Major Element Analyses—Its Relationships with Current Nomenclature. *Chemical Geology*, 29, 183-210.
- [178] M. Holdaway, Application of new experimental and garnet Margules data to the garnet- biotite geothermometer, *American Mineralogist*, 85 (2000) 881-892.
- [179] M. Holdaway, Recalibration of the GASP geobarometer in light of recent garnet and plagioclase activity models and versions of the garnet-biotite geothermometer, *American Mineralogist*, 86 (2001) 1117-1129.
- [180] N. Harris, T. Holland, The significance of cordierite–hypersthene assemblages from the Beitbridge region of the central Limpopo Belt; evidence for rapid decompression in the Archean?, *American Mineralogist*, 69 (1984) 1036-1049.
- [181] S.B. Dwivedi, Gedrite - bearing garnet - cordierite- hypersthene mineral parageneses from the south-west of Daltonganj, Chhotanagpur granite-granulite gneiss complex, Bihar, in: *Proceeding for International conference on granulites and Charnockites*, , Madras, India, 1999, pp. 20-32.
- [182] R.W. Le Maitre, A classification of igneous rocks and glossary of terms, *Recommendations of the international union of geological sciences subcommission on the systematics of igneous rocks*, 193 (1989).
- [183] R. HR, *Using geochemical data: Evaluation, Presentation, Interpretation.*, in, Longman Scientific & technical publication, 1992.
- [184] P.-S. Ross, J.H. Bédard, Magmatic affinity of modern and ancient subalkaline volcanic rocks determined from trace-element discriminant diagrams, *Canadian Journal of Earth Sciences*, 46 (2009) 823-839.
- [185] G.N. Hanson, An approach to trace element modeling using a simple igneous system as an example, *Mineralogical Society of America, Reviews in Mineralogy* 21 (1989) 79-97.
- [186] B. McConnell, J. Menuge, J. Hertogen, Andesite petrogenesis in the Ordovician Borrowdale Volcanic Group of the English Lake District by fractionation, assimilation and mixing, *Journal of the Geological Society*, 159 (2002) 417-424.

- [187] A.J. Irving, F.A. Frey, Distribution of trace elements between garnet megacrysts and host volcanic liquids of kimberlitic to rhyolitic composition, *Geochimica et Cosmochimica Acta*, 42 (1978) 771-787.
- [188] G. Medaris, L. Ackerman, E. Jelinek, V. Toy, W. Siebel, B. Tikoff, The Sklené garnet peridotite: petrology, geochemistry, and structure of a mantle-derived boudin in Moldanubian granulite, *Journal of Geosciences*, 54 (2009) 301-323.
- [189] D. Canil, K. Wei, Constraints on the origin of mantle-derived low Ca garnets, *Contributions to Mineralogy and Petrology*, 109 (1992) 421-430.
- [190] R.G. Trønnes, D. Canil, K. Wei, Element partitioning between silicate minerals and coexisting melts at pressures of 1–27 GPa, and implications for mantle evolution, *Earth and Planetary Science Letters*, 111 (1992) 241-255.
- [191] S. Song, L. Su, Y. Niu, L. Zhang, G. Zhang, Petrological and geochemical constraints on the origin of garnet peridotite in the North Qaidam ultrahigh-pressure metamorphic belt, northwestern China, *Lithos*, 96 (2007) 243-265.
- [192] L.A. Haskin, M.A. Haskin, F.A. Frey, T.R. Wildeman, Relative and absolute terrestrial abundances of the rare earths, in: *Origin and Distribution of the Elements*, Elsevier, 1968, pp. 889- 912.
- [193] R.L. Cullers, L.-T. Yeh, S. Chaudhuri, C.V. Guidotti, Rare earth elements in Silurian pelitic schists from NW Maine, *Geochimica et Cosmochimica Acta*, 38 (1974) 389-400.
- [194] R. Kay, N. Hubbard, P. Gast, Chemical characteristics and origin of oceanic ridge volcanic rocks<sup>1</sup>, *Journal of Geophysical Research*, 75 (1970) 1585-1613.
- [195] X. Gu, J. Liu, M. Zheng, J. Tang, L. Qi, Provenance and tectonic setting of the Proterozoic turbidites in Hunan, South China: geochemical evidence, *Journal of sedimentary Research*, 72 (2002) 393-407.
- [196] S. McLennan, S. Hemming, D. McDaniel, G. Hanson, Geochemical approaches to sedimentation, provenance, and tectonics, *Special Papers-Geological Society of America*, (1993) 21-21.
- [197] K.C. Condie, Another look at rare earth elements in shales, *Geochimica et Cosmochimica Acta*, 55 (1991) 2527-2531.
- [198] K.C. Condie, Chemical composition and evolution of the upper continental crust: contrasting results from surface samples and shales, *Chemical geology*, 104 (1993) 1-37.
- [199] H. Nesbitt, N. MacRae, B. Kronberg, Amazon deep-sea fan muds: light REE enriched products of extreme chemical weathering, *Earth and Planetary Science Letters*, 100 (1990) 118-123.
- [200] M. Bhat, S. Ghosh, Geochemistry of the 2.51 Ga old Rampur group pelites, western Himalayas: implications for their provenance and weathering, *Precambrian Research*, 108 (2001) 1-16.

- [201] M. Mishra, S. Sen, Provenance, tectonic setting and source-area weathering of Mesoproterozoic Kaimur Group, Vindhyan Supergroup, Central India, *Geologica Acta*, (2012) 283- 293.
- [202] O.C. Adeigbe, Y.A. Jimoh, Geochemical fingerprints; implication for provenance, tectonic and depositional settings of Lower Benue Trough Sequence, southeastern Nigeria, *Journal of Environment and Earth Science*, 3 (2013) 2224-3216.
- [203] H. Madukwe, C. Bassey, Geochemistry of Ogwashi-Asaba Formation, Anambra Basin, Nigeria: implications for provenance, tectonic setting, source area weathering, classification and maturity, *IJST*, 4 (2015) 312-327.
- [204] H. Madukwe, S. Ayodele, S. Akinyemi, O. Adebayo, Classification, maturity, provenance, tectonic setting, and source-area weathering of Ipole and Erin Ijesa stream sediments, south west Nigeria, *International Journal of Advanced Scientific and Technical Research*, 6 (2016) 232-255.
- [205] A. Grizelj, Z. Peh, D. Tibljaš, M. Kovačić, T. Kurečić, Mineralogical and geochemical characteristics of Miocene pelitic sedimentary rocks from the southwestern part of the Pannonian Basin System (Croatia): Implications for provenance studies, *Geoscience Frontiers*, 8 (2017) 65-80.
- [206] S.R. Taylor, S.M. McLennan, *The continental crust: its composition and evolution*, (1985).
- [207] G.H. Girty, A.D. Hanson, C. Knaack, D. Johnson, Provenance determined by REE, Th, and Sc analyses of metasedimentary rocks, Boyden Cave roof pendant, central Sierra Nevada, California, *Journal of Sedimentary Research*, 64 (1994) 68-73.
- [208] T. Ray Barman, P. Bishui, Dating of Chotanagpur gneissic complex of eastern Indian Precambrian shield, *Rec. Geol. Surv. India*, 127 (1994) 25-27.
- [210] N. Chatterjee, N.C. Ghose, Extensive early Neoproterozoic high-grade metamorphism in north Chotanagpur gneissic complex of the Central Indian tectonic zone, *Gondwana Research*, 20 (2011) 362-379.
- [211] S. Acharyya, The nature of Mesoproterozoic Central Indian Tectonic Zone with exhumed and reworked older granulites, *Gondwana Research*, 6 (2003) 197-214.
- [212] A. Bhandari, N. Chandra Pant, S.K. Bhowmik, S. Goswami, ~ 1.6 Ga ultrahigh-temperature granulite metamorphism in the Central Indian Tectonic Zone: insights from metamorphic reaction history, geothermobarometry and monazite chemical ages, *Geological Journal*, 46 (2011) 198-216.
- [213] P.F. Hoffman, Did the breakout of Laurentia turn Gondwanaland inside-out?, *Science*, 252 (1991) 1409-1412.
- [214] D. Yedekar, S. Jain, K. Nair, K. Dutta, The central Indian collision suture, *Visesa Prakasana- Bharatiya Bhuvaijñanika Sarveksana*, (1990) 1-43.
- [215] D. Mishra, B. Singh, V. Tiwari, S. Gupta, M. Rao, Two cases of continental collisions and related tectonics during the Proterozoic period in India—insights from

gravity modelling constrained by seismic and magnetotelluric studies, *Precambrian Research*, 99 (2000) 149-169.

[216] K. Naganjaneyulu, M. Santosh, The Central India Tectonic Zone: a geophysical perspective on continental amalgamation along a Mesoproterozoic suture, *Gondwana Research*, 18 (2010) 547- 564.

[217] N. Ghose, Chhotanagpur gneiss-granulite complex, Eastern India: Present status and future prospect, (1992).

[218] A. Banerji, *Geology of the Chhotanagpur region*, (1991).

[219] S. Singh, Precambrian stratigraphy of Bihar-an overview, *Ind. Precam*, (1998).

[220] D. Mukherjee, N.C. Ghose, N. Chatterjee, Crystallization history of a massif anorthosite in the eastern Indian shield margin based on borehole lithology, *Journal of Asian Earth Sciences*, 25 (2005) 77-94.

[221] N.C. Ghose, N. Chatterjee, Petrology, tectonic setting and source of dykes and related magmatic bodies in the Chotanagpur Gneissic Complex, Eastern India, *Indian Dykes: Geochemistry, Geophysics and Geochronology*. Narosa Publ. House Pvt. Ltd., New Delhi, India, (2008) 471-493.

[222] B. Goswami, C. Bhattacharyya, Petrogenesis of shoshonitic granitoids, eastern India: implications for the late Grenvillian post-collisional magmatism, *Geoscience Frontiers*, 5 (2014) 821-843.

[223] T. Chakraborty, D. Upadhyay, S. Ranjan, K.L. Pruseeth, J.K. Nanda, The geological evolution of the Gangpur Schist Belt, eastern India: Constraints on the formation of the Greater Indian Landmass in the Proterozoic, *Journal of Metamorphic Geology*, 37 (2019) 113-151.

[224] S.K. MAZUMDAR, Crustal evolution of the Chhotanagpur gneissic complex and the mica belt of Bihar, *Memoir-Geological Society of India*, (1988) 49-83.

[225] S. Patel, Vesuvianite-wollastonite-grossular-bearing calc-silicate rock near Tatapani, Surguja district, Chhattisgarh, *Journal of earth system science*, 116 (2007) 143-147.

[226] S. Patel, S. Sundararaman, R. Dey, S. Thakur, M. Kumar, Deformation pattern in a Proterozoic low pressure metamorphic belt near Ramanujganj, western Chhotanagpur terrane, (2007).

[227] S. Ghosh, S. Sengupta, Boudinage and composite boudinage in superposed deformations and syntectonic migmatization, *Journal of Structural Geology*, 21 (1999) 97-110.

[228] S. Ray, S. Sanyal, P. Sengupta, Mineralogical control on rheological inversion of a suite of deformed mafic dykes from parts of the Chhotanagpur Granite Gneiss Complex of eastern India, in: *Dyke Swarms: Keys for Geodynamic Interpretation*, Springer, 2011, pp. 263-276.

- [229] J.A. Dunn, The economic geology and mineral resources of Bihar province, (1941).
- [230] B. Bhattacharya, Metamorphism of the Precambrian rocks of the central part of Santhal Parganas district, Bihar, *Quat. Jour. Geol. Min. Met. Soc. Ind.*, 48 (1976) 183-196.
- [231] S. Sanyal, P. Sengupta, R. Goswami, Evidence of Mesoproterozoic ultra-high temperature metamorphism from parts of CGGC, Jharkhand, India, in: *Abstract Volume of the International Conference on Precambrian sedimentation and tectonics and Second GPSS Meeting*. Indian Institute of Technology, Bombay, 2007, pp. 62-63.
- [232] S. Singh, A. De, The Precambrian stratigraphic sequences of the Chhotanagpur province and their equivalents in the central India, *Bull. Geol. Min. Met. Soc. India*, 56 (1990) 21-22.
- [233] Y. Singh, V. Krishna, Rb-Sr geochronology and petrogenesis of granitoids from the Chhotanagpur granite gneiss complex of Raikera-Kunkuri region, central India, *Journal of the Geological Society of India*, 74 (2009) 200-208.
- [234] M. Krishnan, The Dharwars of Chhotanagpur, their bearing on some problems of correlation and sedimentation. Presidential address to Section of Geology, in: *22nd Indian Science Congress Session*, Calcutta, 1935, pp. 175-203.
- [235] B. Bhattacharya, Structural evolution in central part of Santhal Parganas district, Bihar, *Bull. Geol. Min. Met. Soc. Ind.*, 48 (1975) 40-47.
- [236] D. Sengupta, Structure of the granitic rocks and associated metamorphites of the area around Muri-Silli-Jhalida, Ranchi and Purulia districts, India, *Int. Geol. Cong. Report 22nd Session, Ind.*, (1964).
- [237] B. Bhattacharyya, Tectono-metamorphic environment of granite and pegmatite emplacement in the Precambrian of Bihar Mica Belt, in: *Proceedings of Symposium on Metallogeny of the Precambrian*, 1982, pp. 45-56.
- [238] B. Bhattacharyya, Sequence deformation, metamorphism and igneous intrusions in Bihar Mica Belt, *Memoir-Geological Society of India*, (1988) 115-126.
- [239] N. Ghose, Chemical composition of biotite in the metamorphic and granitic rocks of Richughuta, district Palamau, Bihar (India), *Chemical Geology*, 7 (1971) 107-121.
- [240] A. Sarkar, Structure and metamorphism of the Baraganda-Dondla area, Hazaribagh district, Bihar and their bearing on the base metal mineralisation, *Rec. Geol. Surv. Ind.*, 109 (1977) 170- 202.
- [241] A. Sarkar, Tectonic evolution of the Chhotanagpur plateau and the Gondwana basins in Eastern India: An interpretation based on Supra-subduction geological processes, *Memoir- Geological Society of India*, (1988) 127-146.

- [242] S. Chatterjee, Structural and petrological evolution of the rocks around Jamua-Kakwara- Bhitia of Satpura orogeny, Bhagalpur district, Bihar, *Jour. Geol. Soc. Ind.*, 21 (1980) 171-183.
- [243] T. Pyne, The Proterozoic fold belt and the Chhotanagpur gneissic complex in the eastern Indian shield—a tectono-metamorphic appraisal, *Indian Minerals*, 46 (1992) 25-34.
- [244] J.A. Dunn, The geology of north Singhbhum including parts of Ranchi and Manbhum districts, *Mem. Geol. Surv. India*, 54 (1929) 166.
- [245] S.L.L. Fermor, An Attempt at the Correlation of the Ancient Schistose Formations of Peninsular India, Geological survey of India, 1936.
- [246] L.N. Iyer, A Study of the Granitic intrusions with their associated rocks in Ranchi and Singhbhum districts, Bihar and Orissa, *Rec. Geol. Surv. Ind.*, 65 (1932) 490-533.
- [247] J.A. Dunn, Geology and petrology of Eastern Singhbhum and surrounding areas, *Mem. Geol. Surv. India*, 69 (1942) 261-456.
- [248] A. Ulabhaje, petrochemistry and study of the thermal metamorphic processes in the calcareous rocks around kodag, district palamu, bihar, (1973).
- [249] A. Dey, S. Karmakar, M. Ibanez-Mejia, S. Mukherjee, S. Sanyal, P. Sengupta, Petrology and geochronology of a suite of pelitic granulites from parts of the Chotanagpur Granite Gneiss Complex, eastern India: Evidence for Stenian-Tonian reworking of a late Paleoproterozoic crust, *Geological Journal*, 55 (2020) 2851-2880.
- [253] A. Saikia, B. Gogoi, T. Kaulina, L. Lialina, T. Bayanova, M. Ahmad, Geochemical and U–Pb zircon age characterization of granites of the Bathani Volcano Sedimentary sequence, Chotanagpur Granite Gneiss Complex, eastern India: vestiges of the Nuna supercontinent in the Central Indian Tectonic Zone, *Geological Society, London, Special Publications*, 457 (2017) 233- 252.
- [254] T. Deshmukh, N. Prabhakar, Linking collision, slab break-off and subduction polarity reversal in the evolution of the Central Indian Tectonic Zone, *Geological Magazine*, 157 (2020) 340-350.
- [255] R. Singh, R. Thorpe, D. Kristic, Galena Pb isotope data of base metal occurrences in the Hesatu-Belbathan belt, eastern Precambrian shield, Bihar, *Journal of the Geological Society of India*, 57 (2001) 535-538.
- [256] A. Mallik, S. Gupta, T. Ray Barman, Dating of early Precambrian granite-greenstone complex of the eastern Indian Precambrian shield with special reference to the Chotanagpur granite gneiss complex, *Rec. Geol. Surv. India*, 125 (1991) 20-21.
- [257] N. Chatterjee, An assembly of the Indian Shield at c. 1.0 Ga and shearing at c. 876–784 Ma in Eastern India: insights from contrasting PT paths, and burial and exhumation rates of metapelitic granulites, *Precambrian Research*, 317 (2018) 117-136.

- [258] S. Sarkar, Precambrian stratigraphy and geochronology of Peninsular India: a review, *Indian J. Earth Sci*, 7 (1980) 12-26.
- [259] A. Vinogradov, A. Tugarinov, C. Zhykov, N. Stapnikova, E. Bibikova, K. Khorre, Geochronology of Indian Precambrian, in: Report of the 22nd International Geological Congress, New Delhi, 1964, pp. 553-567.
- [260] T.K. Baidya, P. Chakravorty, E. Drubetskoy, V. Khiltova, New geochronologic data on some granitic phases of the Chhotanagpur granite gneiss complex in the north-western Purulia district, West Bengal, *Indian journal of earth sciences*, 14 (1987) 136-141.
- [261] B. Pandey, D. Upadhyay, K. Sinha, Geochronology of Jajawal-Binda-Nagnaha granitoids in relation to uranium mineralisation, *Indian journal of earth sciences*, 13 (1986) 163-168.
- [262] S. Dwivedi, R.R. Kumar, M. Srivastava, Multistage gedrite in gedrite–hypersthene-bearing high-grade granulites from Daltonganj, Chhotanagpur granite–gneissic complex, Jharkhand, as evident from TEM and textural relations, *Journal of Earth System Science*, 128 (2019) 41.
- [263] R. Lal, D. Ackerman, F. Seifert, S. Haldar, Chemographic relationships in sapphirine-bearing rocks from Sonapahar, Assam, India, *Contributions to Mineralogy and Petrology*, 67 (1978) 169- 187.
- [264] A. Mall, n. Gose, b. Taku, n. Sing, geochemistry of metabasites and their significance in the crustal evolution of Patkoti, *geochemistry*, 3 (1989) 291-302.
- [265] A. Dhurandhar, A. Latha, V. Krishna, Geochronology and petrochemistry of the Dubha granite, Sonbhadra district, Uttar Pradesh, *Journal of the Geological Society of India*, 65 (2005) 459-467.
- [266] S. Mukherjee, A. Dey, S. Sanyal, M. Ibanez-Mejia, P. Sengupta, Bulk rock and zircon geochemistry of granitoids from the Chotanagpur Granite Gneissic Complex (CGGC): implications for the late Paleoproterozoic continental arc magmatism in the East Indian Shield, *Contributions to Mineralogy and Petrology*, 174 (2019) 1-17.
- [267] N. Krishna Rao, G.V. Rao, S. Aggarwal, Lead isotopic ratios of uraninites and the age of uranium mineralization in Singhbhum shear zone, Bihar, *J. Geol. Soc. India;(India)*, 20 (1979).
- [268] V. Krishna, R. Prasad, U. Pandey, T. Chabria, V. Saxena, Rb-Sr geochronology of Chotanagpur gneiss-granulite complex around Kailashnathgufa area, Raigarh district, MP, in: Proceedings of seventh national symposium on mass spectrometry, 1996.
- [269] B. Pandey, T. Chabria, J. Gupta, Geochronological characterisation of the Proterozoic terrains of Peninsular India: relevance to the first order target selection for uranium exploration, *Exploration and Research for Atomic Minerals*, 8 (1995).
- [270] B. Pandey, D. Sastry, T. Chabria, A. Chaki, Rb-Sr, Pb-Pb whole rock isochron and Sm-Nd model ages of the granitic rocks of Sankadih-Bangurdih area, Singhbhum

Thrust Belt, Bihar, in: Proceedings of seventh national symposium on mass spectrometry, 1996.

[271] P.B. SARKAR, Chemical examination of monazite from Gaya, Jour. Sci. Indus. Res, v.IIA (1952).

[272] S. Sarkar, A. Polkanov, E. Gerling, F. Chukrov, Geochronology of the Precambrians of Peninsular India: a synopsis, Science and culture, 30 (1964) 527-537.

[273] A. Holmes, W. Leland, A. Nier, Age of uraninite from a pegmatite near Singar, Gaya district, India, American Mineralogist: Journal of Earth and Planetary Materials, 35 (1950) 19-28.

[274] V. Krishna, D. Sastry, B. Pandey, R. Sinha, U-Pb and Pb-Pb ages on columbite-tantalite minerals from pegmatites of Bihar Mica Belt, Jharkhand, India, in: ISMAS silver jubilee symposium on mass spectrometry. V. 2: contributed papers, 2003.

[275] T.K. BAIDYA, P. Chakravarty, Mineralisation in the Belamu-Jaipur sector of north-western Purulia district, West Bengal, Memoir-Geological Society of India, (1988) 147-165.

[276] N. Lal, H. Saini, K. Nagpaul, K.K. Sharma, Tectonic and cooling history of the Bihar Mica Belt, India, as revealed by fission-track analysis, Tectonophysics, 34 (1976) 163-180.

[277] H. Zwart, Metamorphic history of the Central Pyrenees, Part II. Valle de Arán, sheet 4, Leidse Geologische Mededelingen, 28 (1963) 321-376.

[278] A. Spry, Metamorphic textures, Elsevier, 2013.

[279] D.L. Whitney, B.W. Evans, Abbreviations for names of rock-forming minerals, American mineralogist, 95 (2010) 185-187.

[280] B.R. Frost, T. Chacko, The granulite uncertainty principle: limitations on thermobarometry in granulites, The Journal of Geology, 97 (1989) 435-450.

[281] M. Okrusch, Garnet-cordierite-biotite equilibria in the Steinach aureole, Bavaria, Contributions to Mineralogy and Petrology, 32 (1971) 1-23.

[282] H. Becker, Sm-Nd ages and cooling history of high-temperature garnet peridotite massifs and high-pressure granulites from Lower Austria, Contributions to Mineralogy and Petrology, 127 (1997) 224-236.

[283] R.J. Tracy, P. Robinson, A.B. Thompson, Garnet composition and zoning in the determination of temperature and pressure of metamorphism, central Massachusetts, American mineralogist, 61 (1976) 762-775.

[284] G. Woodsworth, Homogenization of zoned garnets from pelitic schists, The Canadian Mineralogist, 15 (1977) 230-242.

[285] W. Carlson, E. Schwarze, Petrological significance of prograde homogenization of growth zoning in garnet: an example from the Llano Uplift, Journal of Metamorphic Geology, 15 (1997) 631-644.

- [286] R.J. Haiüy, *Traité de minéralogie*, Chez Louis, 1801.
- [287] G. Tschermak, *Lehrbuch der Mineralogie*, 1884, 6th, in, Wien: Alfred Hölder, 1884.
- [288] B.E. Leake, A.R. Woolley, C.E. Arps, W.D. Birch, M.C. Gilbert, J.D. Grice, F.C. Hawthorne, A. Kato, H.J. Kisch, V.G. Krivovichev, Nomenclature of amphiboles; report of the subcommittee on amphiboles of the International Mineralogical Association, Commission on New Minerals and Mineral Names, *The American Mineralogist*, 82 (1987) 1019-1037.
- [289] B.E. Leake, The relationship between tetrahedral aluminium and the maximum possible octahedral aluminum in natural calciferous and subcalciferous amphiboles, *American Mineralogist: Journal of Earth and Planetary Materials*, 50 (1965) 843-851.
- [293] A. Poldervaart, H.H. Hess, Pyroxenes in the crystallization of basaltic magma, *The Journal of Geology*, 59 (1951) 472-489.
- [294] N. Morimoto, co-auteurs, Nomenclature of pyroxenes. Subcommittee on pyroxenes, IMA, *Mineral. Mag.*, 52 (1988) 535-550.
- [295] N. Rock, The International Mineralogical Association (IMA/CNMMN) pyroxene nomenclature scheme: computerization and its consequences, *Mineralogy and Petrology*, 43 (1990) 99-119.
- [296] B. Warren, W. Bragg, The crystal structure of diopside  $\text{CaMg}(\text{SiO}_3)_2$ , *Z. Kristogr.*, 69 (1928) 168-193.
- [297] R. Binns, Metamorphic pyroxenes from the Broken Hill district, New South Wales, *Mineralogical Magazine and Journal of the Mineralogical Society*, 33 (1962) 320-338.
- [298] R. Binns, Hydrothermal investigations of the amphibolite-granulite facies boundary, *Special Publication of the Geological Society of Australia*, 2 (1969) 341-344.
- [299] C. Leelanandam, Chemical study of pyroxenes from the charnockitic rocks of Kondapalli (Andhra Pradesh), India, with emphasis, on the distribution of elements in coexisting pyroxenes, *Mineralogical Magazine and Journal of the Mineralogical Society*, 36 (1967) 153-179.
- [300] N. Dobretsov, Paragenetic types and compositions of metamorphic pyroxenes, *Journal of Petrology*, 9 (1968) 358-377
- [301] W. Deer, R. Howie, J. Zussman, *Rock-Forming Minerals, Volume 1B, Disilicates and Ring Silicates*, 629 p, in, Wiley, New York, 1986.
- [302] W. Schreyer, H. Yoder, The system Mg-cordierite-H<sub>2</sub>O and related rocks, *Neues Jahrbuch für Mineralogie Abhandlungen*, 101 (1964) 271-342.
- [303] G. Gibbs, The polymorphism of cordierite I: The crystal structure of low cordierite, *American Mineralogist: Journal of Earth and Planetary Materials*, 51 (1966) 1068-1087.

- [304] J.P. Cohen, F.K. Ross, G. Gibbs, An X-ray and neutron diffraction study of hydrous low cordierite, *American Mineralogist*, 62 (1977) 67-78.
- [305] R.D. Aines, G.R. Rossman, The high temperature behavior of water and carbon dioxide in cordierite and beryl, *American Mineralogist*, 69 (1984) 319-327.
- [306] N. Le Breton, W. Schreyer, Experimental CO<sub>2</sub> incorporation into Mg-cordierite: nonlinear behaviour of the system, *European Journal of Mineralogy*, (1993) 427-438.
- [307] S.L. Harley, P. Thompson, B. Hensen, I.S. Buick, Cordierite as a sensor of fluid conditions in high-grade metamorphism and crustal anatexis, *Journal of Metamorphic Geology*, 20 (2002) 71- 86.
- [308] R. Newton, B. Wood, Thermodynamics of water in cordierite and some petrologic consequences of cordierite as a hydrous phase, *Contributions to Mineralogy and Petrology*, 68 (1979) 391-405.
- [309] B. Mukhopadhyay, M.J. Holdaway, Cordierite-garnet-sillimanite-quartz equilibrium: I. New experimental calibration in the system FeO– Al<sub>2</sub>O<sub>3</sub>– SiO<sub>2</sub>– H<sub>2</sub>O and certain PT-X H<sub>2</sub>O relations, *Contributions to Mineralogy and Petrology*, 116 (1994) 462-472.
- [310] J.W. Carey, A thermodynamic formulation of hydrous cordierite, *Contributions to Mineralogy and Petrology*, 119 (1995) 155-165.
- [311] P. Thompson, S.L. Harley, D.P. Carrington, Sodium and potassium in cordierite—a potential thermometer for melts?, *European Journal of Mineralogy*, 14 (2002) 459-469.
- [312] A.J. Engel, C.G. Engel, progressive metamorphism and granulitization of the major paragneiss, northwest Adirondack Mountains, new york: part ii: mineralogy, *Geological society of America bulletin*, 71 (1960) 1-58.
- [313] T.A. Kwak, Ti in biotite and muscovite as an indication of metamorphic grade in almandine amphibolite facies rocks from Sudbury, Ontario, *Geochimica et Cosmochimica Acta*, 32 (1968) 1222-1229.
- [314] C.V. Guidotti, The mineralogy and petrology of the transition from the lower to upper sillimanite zone in the Oquossoc area, Maine, *Journal of Petrology*, 11 (1970) 277-336.
- [315] O. Vidal, T. Parra, F. Trotet, A thermodynamic model for Fe-Mg aluminous chlorite using data from phase equilibrium experiments and natural pelitic assemblages in the 100 to 600 C, 1 to 25 kb range, *American journal of Science*, 301 (2001) 557-592.
- [316] S.R. Bohlen, E. Essene, Feldspar and oxide thermometry of granulites in the Adirondack Highlands, *Contributions to Mineralogy and Petrology*, 62 (1977) 153-169.
- [317] P. Robinson, Spear, F.S., Schumacher, J.C., Laird, J., Klein, C., Evans, B.W., Doolan, B.L.

, Phase relations of metamorphic amphiboles: , Mineralogical Society of America, Chelsea, Michigan., 1982.

[318] J. Baker, R. Powell, M. Sandiford, J. Muhling, Corona textures between kyanite, garnet and gedrite in gneisses from Errabiddy, Western Australia, *Journal of Metamorphic Geology*, 5 (1987) 357-370.

[319] F. Spear, Metamorphism of ultramafic and cordierite anthophyllite rocks, *Metamorphic Phase Equilibria and Pressure Temperature Time Paths*. Mineralogical Society of America, Monograph Series, (1993) 393-489.

[320] S.P. Dasgupta S, Sengupta PR, Ehl J and Raith M Petrology of gedrite-bearing rocks in mid- crustal ductile shear zones from the Eastern Ghats Belt, India, *Journal of Metamorphic Geology*, 17 (1999) 765-778.

[321] W.H. Peck, M.S. Smith, Cordierite-gedrite rocks from the Central Metasedimentary Belt boundary thrust zone (Grenville Province, Ontario): Mesoproterozoic metavolcanic rocks with affinities to the Composite Arc Belt, *Canadian Journal of Earth Sciences*, 42 (2005) 1815-1828.

[322] R. Lal, D. Ackermann, M. Raith, P. Raase, F. Seifert, Sapphirine-bearing assemblages from Kiranur, Southern India: a study of chemographic relationship in the Na<sub>2</sub>O-FeO-MgO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>- H<sub>2</sub>O system, *Neues Jahrbuch für Mineralogie. Abhandlungen*, 150 (1984) 121-152.

[323] R.S. Sharma, N.D. MacRae, Paragenetic relations in gedrite—cordierite—staurolite—biotite sillimanite—kyanite gneisses at Ajitpura, Rajasthan, India, *Contributions to Mineralogy and Petrology*, 78 (1981) 48-60.

[324] J. Arnold, M. Sandiford, Petrogenesis of cordierite-orthoamphibole assemblages from the Springton region, South Australia, *Contributions to Mineralogy and Petrology*, 106 (1990) 100-109.

[325] K. Harris, K. Bunker, B. Strohmeier, R. Hoch, R. Lee, Discovering the true morphology of amphibole minerals: complementary TEM and FESEM characterization of particles in mixed mineral dust, *Mod. Res. Educ. Top. Microsc*, 3 (2007) 643-650.

[326] J. Papike, M. Ross, Gedrites: Crystal structures and intracrystalline cation distributions, *American Mineralogist: Journal of Earth and Planetary Materials*, 55 (1970) 1945-1972.

[327] P. Robinson, The composition space of terrestrial pyroxenes-internal and external limits, in: *Pyroxenes*, De Gruyter, 2018, pp. 419-494.

[328] C. Viti, M. Mellini, C. Rumori, Exsolution and hydration of pyroxenes from partially serpentinized harzburgites, *Mineralogical Magazine*, 69 (2005) 491-507.

[329] D.M. Shaw, The origin of the Apsley gneiss, Ontario, *Canadian Journal of Earth Sciences*, 9 (1972) 18-35.

- [330] M. Treuil, J. Varet, Critères volcanologiques, pétrologiques et géochimiques de la genèse et de la différenciation des magmas basaltiques; exemple de l'Afar, *Bulletin de la Société géologique de France*, 7 (1973) 506-540.
- [331] J.A. Pearce, Role of the sub-continental lithosphere in magma genesis at active continental margins, (1983).
- [332] P. Henderson, General geochemical properties and abundances of the rare earth elements, in: *Developments in geochemistry*, Elsevier, 1984, pp. 1-32.
- [333] E.I. Smith, A. Sanchez, J.D. Walker, K. Wang, Geochemistry of mafic magmas in the Hurricane Volcanic field, Utah: implications for small-and large-scale chemical variability of the lithospheric mantle, *The Journal of geology*, 107 (1999) 433-448.
- [334] W.B. Nance, S. Taylor, Rare earth element patterns and crustal evolution—I. Australian post- Archean sedimentary rocks, *Geochimica et Cosmochimica Acta*, 40 (1976) 1539-1551.
- [336] B. Cabanis, M. Lecolle, Le diagramme La/10-Y/15-Nb/8: un outil pour la discrimination des séries volcaniques et la mise en évidence des processus de mélange et/ou de contamination crustale, *Comptes rendus de l'Académie des sciences. Série 2, Mécanique, Physique, Chimie, Sciences de l'univers, Sciences de la Terre*, 309 (1989) 2023-2029.
- [337] S.-S. Sun, W.F. McDonough, Chemical and isotopic systematics of oceanic basalts: implications for mantle composition and processes, *Geological Society, London, Special Publications*, 42 (1989) 313-345.
- [338] M. Norman, W. Griffin, N. Pearson, M. Garcia, S. O'reilly, Quantitative analysis of trace element abundances in glasses and minerals: a comparison of laser ablation inductively coupled plasma mass spectrometry, solution inductively coupled plasma mass spectrometry, proton microprobe and electron microprobe data, *Journal of Analytical Atomic Spectrometry*, 13 (1998) 477-482.
- [339] M.R. Bhatia, Plate tectonics and geochemical composition of sandstones, *The Journal of Geology*, 91 (1983) 611-627.
- [340] J.P. Owen, Geochemistry of lamprophyres from the Western Alps, Italy: implications for the origin of an enriched isotopic component in the Italian mantle, *Contributions to Mineralogy and Petrology*, 155 (2008) 341-362.
- [341] J.A. Pearce, Geochemical fingerprinting of oceanic basalts with applications to ophiolite classification and the search for Archean oceanic crust, *Lithos*, 100 (2008) 14-48.
- [342] C. Li, N.T. Arndt, Q. Tang, E.M. Ripley, Trace element indiscrimination diagrams, *Lithos*, 232 (2015) 76-83.
- [343] H. Sandeman, S. Hanmer, S. Tella, A. Armitage, W. Davis, J. Ryan, Petrogenesis of Neoproterozoic volcanic rocks of the MacQuoid supracrustal belt: a back-arc setting for the northwestern Hearne subdomain, western Churchill Province, Canada, *Precambrian Research*, 144 (2006) 140-165.

- [344] P. Floyd, G. Kelling, S. Gökçen, N. Gökçen, Geochemistry and tectonic environment of basaltic rocks from the Misis ophiolitic mélange, south Turkey, *Chemical Geology*, 89 (1991) 263-280.
- [345] E.A. Middlemost, Naming materials in the magma/igneous rock system, *Earth-science reviews*, 37 (1994) 215-224.
- [346] J. Moreno, J. Molina, P. Montero, M.A. Anbar, J. Scarrow, A. Cambeses, F. Bea, Unraveling sources of A-type magmas in juvenile continental crust: constraints from compositionally diverse Ediacaran post-collisional granitoids in the Katerina Ring Complex, southern Sinai, Egypt, *Lithos*, 192 (2014) 56-85.
- [347] D. Thieblemont, M. Tegye, Geochemical discrimination of differentiated magmatic rocks attesting for the variable origin and tectonic setting of calc-alkaline magmas, *Comptes Rendus De L Academie Des Sciences Serie II*, 319 (1994) 87-94.
- [348] J.H. Pearce, NBW; and Tindle, AG, Trace element discrimination diagrams for the tectonic interpretation of granitic rocks, *J. Petrol*, 25 (1984).
- [349] B.R. Frost, C.G. Barnes, W.J. Collins, R.J. Arculus, D.J. Ellis, C.D. Frost, A geochemical classification for granitic rocks, *Journal of petrology*, 42 (2001) 2033-2048.
- [350] Bhowmik, S.K., Chakraborty, S., 2017. Sequential kinetic modelling: A new tool decodes pulsed tectonic patterns in early hot orogens of Earth. *Erth, and Plnt. Sci. Ltrs*, 460, 171-179.
- [351] Chattopadhyay, A., Chatterjee, A., Das, K., Sarkar, A., 2017. Neoproterozoic transpression and granite magmatism in the Gavilgarh-Tan Shear Zone, central India: Tectonic significance of U-Pb zircon and U-Th-total Pb monazite ages. *J. of Asian Erth. Sci.* 147, 485-501.
- [352] Bhowmik, S.K., 2019. The current status of orogenesis in the Central Indian Tectonic Zone: A view from its Southern Margin. *Geological Journal* (DOI: 10.1002/gj.3456).
- [353] B.S. Yadav, N. Wanjari, T. Ahmad, R. Chaturvedi, Geochemistry and petrogenesis of Proterozoic granitic rocks from northern margin of the Chotanagpur Gneissic Complex (CGC), *Journal of Earth System Science*, 125 (2016) 1041-1060.
- [354] R. Rudnick, S. Gao, H. Holland, K. Turekian, Composition of the continental crust, *The crust*, 3 (2003) 1-64.
- [355] G.E. Christidis, Comparative study of the mobility of major and trace elements during alteration of an andesite and a rhyolite to bentonite, in the islands of Milos and Kimolos, Aegean, Greece, *Clays and Clay minerals*, 46 (1998) 379-399.
- [356] J.J. Middelburg, C.H. van der Weijden, J.R. Woittiez, Chemical processes affecting the mobility of major, minor and trace elements during weathering of granitic rocks, *Chemical Geology*, 68 (1988) 253-273.

- [357] J. Breithaupt, Neue krystallographische Bestimmung und mineralogische Charakteristik verschiedener Mineral specien, II. Ueber den Monazit, eine neue Specie des Mineral-Reichs, *J. Chem. Phys.*, 55 (1829) 301.
- [358] W.C. Overstreet, The geologic occurrence of monazite, in, [US Geological Survey; for sale by the Supt. of Docs.] US Govt. Print. Off., 1967.
- [359] M. Curie, Lippmann, Rayons émis par les composés de l'uranium et du thorium, Gauthier- Villars, 1898.
- [360] G.R. Parslow, F. Brandstatter, G. Kurat, D.J. Thomas, Chemical ages and mobility of U and Th in anatectites of the Cree Lake zone, Saskatchewan, *Canadian Mineralogist*, 23 (1985) 543-551.
- [361] K. Suzuki, M. Adachi, Precambrian provenance and Silurian metamorphism of the Tsubonosawa paragneiss in the South Kitakami terrane, Northeast Japan, revealed by the chemical Th-U-total Pb isochron ages of monazite, zircon and xenotime, *Geochemical Journal*, 25 (1991) 357-376.
- [362] K. Suzuki, M. Adachi, Middle Precambrian detrital monazite and zircon from the Hida gneiss on Oki-Dogo Island, Japan: their origin and implications for the correlation of basement gneiss of Southwest Japan and Korea, *Tectonophysics*, 235 (1994) 277-292.
- [363] J.-M. Montel, M. Veschambre, C. Nicollet, Datation de la monazite à la microsonde électronique, *Comptes rendus de l'Académie des sciences. Série 2. Sciences de la terre et des planètes*, 318 (1994) 1489-1495.
- [364] A. Cocherie, O. Legendre, J. Peucat, A. Kouamelan, In situ Th-U-Pb dating using an electron microprobe: a powerful tool for complex polygenic monazites, *Abstract Suppl. No. 1, Terra Nova Vol, 9* (1997) 441.
- [365] S.R.F. Vlach, Th-U-PbT dating by electron probe microanalysis, part I. Monazite: analytical procedures and data treatment, *Geologia USP: Série Científica*, 10 (2010) 61-85.
- [366] J.-M. Montel, T. Kato, M. Enami, A. Cocherie, F. Finger, M. Williams, M. Jercinovic, Electron- microprobe dating of monazite: The story, *Chemical Geology*, 484 (2018) 4-15.
- [367] I. Braun, J.-M. Montel, C. Nicollet, Electron microprobe dating of monazites from high-grade gneisses and pegmatites of the Kerala Khondalite Belt, southern India, *Chemical Geology*, 146 (1998) 65-85.
- [368] L. Chang, R. Howe, J. Zussman, Non- silicates: Sulphates, Carbonates, Phosphates, Halides. 383 pp, in, Longman, Harlow, Essex, 1996.
- [369] J. Lovering, D. Wark, A. Gleadow, R. Britten, Lunar monazite: A late-stage (mesostasis) phase in mare basalt, *Earth and Planetary Science Letters*, 21 (1974) 164-168.

- [370] L.d. Rosa-Costa, J. Lafon, A. Cocherie, C. Delor, Electron microprobe U-Th-Pb monazite dating of the Transamazonian high-grade metamorphic overprint on Archean rocks from Amapá Block, southeastern Guiana Shield, northern Brazil, *Journal of South American Earth Sciences*, 26 (2008) 445-462.
- [371] N. Prabhakar, Resolving poly-metamorphic Paleoproterozoic ages by chemical dating of monazites using multi-spectrometer U, Th and Pb analyses and sub-counting methodology, *Chemical Geology*, 347 (2013) 255-270.
- [372] J.M. Pyle, F.S. Spear, D.A. Wark, C.G. Daniel, L.C. Storm, Contributions to precision and accuracy of monazite microprobe ages, *American Mineralogist*, 90 (2005) 547-577.
- [373] N. Lisowiec, Precision estimation in electron microprobe monazite dating: Repeated measurements versus statistical (Poisson) based calculations, *Chemical Geology*, 234 (2006) 223- 235.
- [374] F.S. Spear, J.M. Pyle, D. Cherniak, Limitations of chemical dating of monazite, *Chemical Geology*, 266 (2009) 218-230.
- [375] K. Suzuki, M. Adachi, I. Kajizuka, Electron microprobe observations of Pb diffusion in metamorphosed detrital monazites, *Earth and Planetary Science Letters*, 128 (1994) 391-405.
- [376] R.H. Steiger, E. Jäger, Subcommittee on geochronology: convention on the use of decay constants in geo- and cosmochronology, *Earth and planetary science letters*, 36 (1977) 359-362.
- [377] D. York, Least-squares fitting of a straight line, *Canadian Journal of Physics*, 44 (1966) 1079- 1086.
- [378] M. Williams, M. Jercinovic, P. Goncalves, K. Mahan, Format and philosophy for collecting, compiling, and reporting microprobe monazite ages, *Chemical Geology*, 225 (2006) 1-15.
- [379] M. Pandey, D. Pandit, D. Arora, N.C. Rao, N. Pant, Analytical protocol for U-Th-Pb chemical dating of monazite using CAMECA SXFive EPMA installed at the mantle petrology laboratory, Department of Geology, Banaras Hindu University, Varanasi, India, *Journal of the Geological Society of India*, 93 (2019) 46-50.
- [380] D. Rose, Brabantite, CaTh (PO<sub>4</sub>)<sub>2</sub>, a new mineral of the monazite group, (1980).
- [381] A. Pabst, C.O. Hutton, Huttonite, a new monoclinic thorium silicate with an account of its occurrence, analysis, and properties, *American Mineralogist: Journal of Earth and Planetary Materials*, 36 (1951) 60-65.
- [382] K. Ludwig, Isoplot/Ex Version 4: A Geochronological Toolkit for Microsoft Excel: Geochronology Center, Berkeley, California, USA, (2011).
- [383] F. Corfu, J.M. Hancher, P.W. Hoskin, P. Kinny, Atlas of zircon textures, *Reviews in mineralogy and geochemistry*, 53 (2003) 469-500.

- [384] F. Corfu, Differential response of U-Pb systems in coexisting accessory minerals, Winnipeg River Subprovince, Canadian Shield: implications for Archean crustal growth and stabilization, *Contributions to Mineralogy and Petrology*, 98 (1988) 312-325.
- [385] L. Heaman, The nature of the subcontinental mantle from SrNdPb isotopic studies on kimberlitic perovskite, *Earth and Planetary Science Letters*, 92 (1989) 323-334.
- [386] K. Mezger, C. Rawnsley, S. Bohlen, G. Hanson, U-Pb garnet, sphene, monazite, and rutile ages: implications for the duration of high-grade metamorphism and cooling histories, Adirondack Mts., New York, *The Journal of Geology*, 99 (1991) 415-428.
- [387] F. von Blanckenburg, G. Früh-Green, K. Diethelm, P. Stille, Nd-, Sr-, O-isotopic and chemical evidence for a two-stage contamination history of mantle magma in the Central-Alpine Bergell intrusion, *Contributions to Mineralogy and Petrology*, 110 (1992) 33-45.
- [388] L. Heaman, A. LeCheminant, Paragenesis and U-Pb systematics of baddeleyite (ZrO<sub>2</sub>), *Chemical Geology*, 110 (1993) 95-126.
- [389] F. Corfu, L. Heaman, G. Rogers, Polymetamorphic evolution of the Lewisian Complex, NW Scotland, as recorded by U-Pb isotopic compositions of zircon, titanite and rutile, *Contributions to Mineralogy and Petrology*, 117 (1994) 215-228.
- [390] L. Verts, K.R. Chamberlain, C. Frost, U-Pb sphene dating of metamorphism: The importance of sphene growth in the contact aureole of the Red Mountain pluton, Laramie Mountains, Wyoming, *Contributions to Mineralogy and Petrology*, 125 (1996) 186-199.
- [391] D.P. Hawkins, S.A. Bowring, U-Pb monazite, xenotime and titanite geochronological constraints on the prograde to post-peak metamorphic thermal history of Paleoproterozoic migmatites from the Grand Canyon, Arizona, *Contributions to Mineralogy and Petrology*, 134 (1999) 150-169.
- [392] A. Nemchin, R. Pidgeon, U-Pb ages on titanite and apatite from the Darling Range granite: implications for Late Archaean history of the southwestern Yilgarn Craton, *Precambrian Research*, 96 (1999) 125-139.
- [393] D. Rubatto, Zircon trace element geochemistry: partitioning with garnet and the link between U-Pb ages and metamorphism, *Chemical geology*, 184 (2002) 123-138.
- [394] F. Oberli, M. Meier, A. Berger, C.L. Rosenberg, R. GierÉ, U-Th-Pb and <sup>230</sup>Th/<sup>238</sup>U disequilibrium isotope systematics: Precise accessory mineral chronology and melt evolution tracing in the Alpine Bergell intrusion, *Geochimica et Cosmochimica Acta*, 68 (2004) 2543-2560.
- [395] B. Rasmussen, I.R. Fletcher, S. Sheppard, Isotopic dating of the migration of a low-grade metamorphic front during orogenesis, *Geology*, 33 (2005) 773-776.
- [396] S.O. Rasmussen, K.K. Andersen, A. Svensson, J.P. Steffensen, B.M. Vinther, H.B. Clausen, M.L. Siggaard-Andersen, S.J. Johnsen, L.B. Larsen, D. Dahl-Jensen, A

new Greenland ice core chronology for the last glacial termination, *Journal of Geophysical Research: Atmospheres*, 111 (2006).

[397] B. Schoene, S.A. Bowring, U–Pb systematics of the McClure Mountain syenite: thermochronological constraints on the age of the 40 Ar/39 Ar standard MMhb, *Contributions to Mineralogy and Petrology*, 151 (2006) 615.

[398] C.J. Gregory, D. Rubatto, C.M. Allen, I.S. Williams, J. Hermann, T. Ireland, Allanite micro- geochronology: a LA-ICP-MS and SHRIMP U–Th–Pb study, *Chemical Geology*, 245 (2007) 162-182.

[399] C. Storey, M. Smith, T. Jeffries, In situ LA-ICP-MS U–Pb dating of metavolcanics of Norrbotten, Sweden: Records of extended geological histories in complex titanite grains, *Chemical Geology*, 240 (2007) 163-181.

[400] G. Faure, T.M. Mensing, *Principles and applications*, John Wiley & Sons, Inc, 2005.

[401] G.W. Wetherill, Discordant uranium-lead ages, I, *Eos, Transactions American Geophysical Union*, 37 (1956) 320-326.

[402] A. Jaffey, K. Flynn, L. Glendenin, W.t. Bentley, A. Essling, Precision measurement of half-lives and specific activities of U 235 and U 238, *Physical review C*, 4 (1971) 1889.

[403] G. Wetherill, Discordant uranium-lead ages: 2. Disordant ages resulting from diffusion of lead and uranium, *Journal of Geophysical Research*, 68 (1963) 2957-2965.

[404] F. Tera, G. Wasserburg, U-Th-Pb systematics in lunar highland samples from the Luna 20 and Apollo 16 missions, *Earth and Planetary Science Letters*, 17 (1972) 36-51.

[405] A. Montaser, *Inductively coupled plasma mass spectrometry*, John Wiley & Sons, 1998.

[406] C.M. Fedo, K.N. Sircombe, R.H. Rainbird, Detrital zircon analysis of the sedimentary record, *Reviews in Mineralogy and Geochemistry*, 53 (2003) 277-303.

[407] R.H. Rainbird, L.M. Hearnan, G. Young, Sampling Laurentia: Detrital zircon geochronology offers evidence for an extensive Neoproterozoic river system originating from the Grenville orogen, *Geology*, 20 (1992) 351-354.

[408] O. Bruguier, J. Lancelot, J. Malavieille, U–Pb dating on single detrital zircon grains from the Triassic Songpan–Ganze flysch (Central China): provenance and tectonic correlations, *Earth and Planetary Science Letters*, 152 (1997) 217-231.

[409] J.H. Stewart, G.E. Gehrels, A.P. Barth, P.K. Link, N. Christie-Blick, C.T. Wrucke, Detrital zircon provenance of Mesoproterozoic to Cambrian arenites in the western United States and northwestern Mexico, *Geological Society of America Bulletin*, 113 (2001) 1343-1356.

- [410] W.R. Dickinson, G.E. Gehrels, U–Pb ages of detrital zircons from Permian and Jurassic eolian sandstones of the Colorado Plateau, USA: paleogeographic implications, *Sedimentary Geology*, 163 (2003) 29-66.
- [411] A. Katsube, Y. Hayasaka, A. Sakaguchi, Y. Takahashi, U-Pb zircon dating using Nd-YAG (213 nm) Laser ablation-ICP-MS, and evaluating the consistency with SHRIMP dating, *Journal of the Geological Society of Japan*, 118 (2012) 762-767.
- [412] E.E. Scherer, M.J. Whitehouse, C. Munker, Zircon as a monitor of crustal growth, *Elements*, 3 (2007) 19-24.
- [413] W. Knabe, Reaktionen des Biotits bei der Anatexis, *Geol. Jahrb*, 88 (1970) 355-372.
- [414] H.G. Winkler, Metamorphic reactions in carbonate rocks, in: *Petrogenesis of Metamorphic Rocks*, Springer, 1976, pp. 110-138.
- [415] J.A. Grant, Phase equilibria in high-grade metamorphism and partial melting of pelitic rocks, *American Journal of Science*, 273 (1973) 289-317.
- [416] E.-A. Zen, Construction of pressure-temperature diagrams for multicomponent systems after the method of Schreinemakers: A geometric approach, US Government Printing Office, 1966.
- [417] R. White, R. Powell, T. Holland, Calculation of partial melting equilibria in the system Na<sub>2</sub>O–CaO–K<sub>2</sub>O–FeO–MgO–Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub>–H<sub>2</sub>O (NCKFMASH), *Journal of metamorphic Geology*, 19 (2001) 139-153.
- [418] R. White, R. Powell, G. Clarke, The interpretation of reaction textures in Fe-rich metapelitic granulites of the Musgrave Block, central Australia: constraints from mineral equilibria calculations in the system K<sub>2</sub>O–FeO–MgO–Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub>–H<sub>2</sub>O–TiO<sub>2</sub>–Fe<sub>2</sub>O<sub>3</sub>, *Journal of metamorphic Geology*, 20 (2002) 41-55.
- [419] J.M. Ferry, D.M. Burt, Characterization of metamorphic fluid composition through mineral equilibria, in: *Characterization of metamorphism through mineral equilibria*, De Gruyter, 2018, pp. 207-262.
- [420] M. Guiraud, R. Powell, G. Rebay, H<sub>2</sub>O in metamorphism and unexpected behaviour in the preservation of metamorphic mineral assemblages, *Journal of Metamorphic Geology*, 19 (2001) 445-454
- [421] A. Bhattacharya, K. Krishnakumar, M. Raith, S. Sen, An improved set of a–X parameters for Fe–Mg–Ca garnets and refinements of the orthopyroxene–garnet thermometer and the orthopyroxene–garnet–plagioclase–quartz barometer, *Journal of Petrology*, 32 (1991) 629-656.
- [422] L. Perchuk, K. Podlesskii, L.Y. Aranovich, Calculation of thermodynamic properties of end- member minerals from natural parageneses, in: *Thermodynamics of minerals and melts*, Springer, 1981, pp. 111-129.
- [423] S. Saxena, Garnet-clinopyroxene geothermometer, *Contributions to Mineralogy and Petrology*, 70 (1979) 229-235.

- [424] J. Ganguly, S.K. Saxena, Mixing properties of aluminosilicate garnets: constraints from natural and experimental data, and applications to geothermobarometry, *American mineralogist*, 69 (1984) 88-97.
- [425] S. Dwivedi, Non-ideal Mg-Fe binary mixing in cordierite: Constraints from experimental data on Mg-Fe partitioning in garnet and cordierite and a reformulation of garnet-cordierite geothermometer, *Proceedings of the Indian Academy of Sciences-Earth and Planetary Sciences*, 105 (1996) 365-377.
- [426] J.t. Ferry, F. Spear, Experimental calibration of the partitioning of Fe and Mg between biotite and garnet, *Contributions to mineralogy and petrology*, 66 (1978) 113-117.
- [427] M. Holdaway, B. Mukhopadhyay, M. Dyar, C. Guidotti, B. Dutrow, Garnet-biotite geothermometry revised: New Margules parameters and a natural specimen data set from Maine, *American Mineralogist*, 82 (1997) 582-595.
- [428] D. Ellis, D. Green, An experimental study of the effect of Ca upon garnet-clinopyroxene Fe- Mg exchange equilibria, *Contributions to Mineralogy and Petrology*, 71 (1979) 13-22.
- [429] B.J. Wood, S. Banno, Garnet-orthopyroxene and orthopyroxene-clinopyroxene relationships in simple and complex systems, *Contributions to Mineralogy and Petrology*, 42 (1973) 109-124.
- [430] P.R. Wells, Pyroxene thermometry in simple and complex systems, *Contributions to mineralogy and Petrology*, 62 (1977) 129-139.
- [431] R. Powell, *Equilibrium thermodynamics in petrology: an introduction*, Harper & Row, 1978.
- [432] B. Davis, F. Boyd, The join  $Mg_2Si_2O_6$ - $CaMgSi_2O_6$  at 30 kilobars pressure and its application to pyroxenes from kimberlites, *Journal of Geophysical Research*, 71 (1966) 3567-3576.
- [433] T. Mori, D.H. Green, Laboratory duplication of phase equilibria observed in natural garnet lherzolites, *The Journal of Geology*, 86 (1978) 83-97.
- [434] D.H. Lindsley, S.A. Dixon, Diopside-enstatite equilibria at 850 degrees to 1400 degrees C, 5 to 35 kb, *American Journal of Science*, 276 (1976) 1285-1301.
- [435] R.G. Berman, Thermobarometry using multi-equilibrium calculations; a new technique, with petrological applications, *The Canadian Mineralogist*, 29 (1991) 833-855.
- [436] R. Newton, D. Perkins, Thermodynamic calibration of geobarometers based on the assemblages garnet-plagioclase-orthopyroxene (clinopyroxene)-quartz, *American Mineralogist*, 67 (1982) 203-222.
- [437] T. Holland, R. Powell, An internally consistent thermodynamic dataset with uncertainties and correlations: 2. Data and results, *Journal of metamorphic Geology*, 3 (1985) 343-370.

- [438] T. Holland, R. Powell, Calculation of phase relations involving haplogranitic melts using an internally consistent thermodynamic dataset, *Journal of Petrology*, 42 (2001) 673-683.
- [439] P.Y. Tam, G. Zhao, M. Sun, S. Li, M. Wu, C. Yin, Petrology and metamorphic P–T path of high- pressure mafic granulites from the Jiaobei massif in the Jiao-Liao-Ji Belt, North China Craton, *Lithos*, 155 (2012) 94-109.
- [440] R. Powell, Regression diagnostics and robust regression in geothermometer/geobarometer calibration: the garnet-clinopyroxene geothermometer revisited, *Journal of metamorphic Geology*, 3 (1985) 231-243.
- [441] M. Gottschalk, Internally consistent thermodynamic data for rock-forming minerals in the system SiO<sub>2</sub>-TiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>-Fe<sub>2</sub>O<sub>3</sub>-CaO-MgO-FeO-K<sub>2</sub>O-Na<sub>2</sub>O-H<sub>2</sub>O-CO<sub>2</sub>, *European Journal of Mineralogy*, (1996) 175-223.
- [442] W.D. Carlson, Scales of disequilibrium and rates of equilibration during metamorphism, *American Mineralogist*, 87 (2002) 185-204.
- [443] W.D. Carlson, Porphyroblast crystallization: linking processes, kinetics, and microstructures, *International Geology Review*, 53 (2011) 406-445.
- [444] J. Ashworth, J. Birdi, Diffusion modelling of coronas around olivine in an open system, *Geochimica et Cosmochimica Acta*, 54 (1990) 2389-2401.
- [445] C. Johnson, W. Carlson, The origin of olivine-plagioclase coronas in metagabbros from the Adirondack Mountains, New York, *Journal of Metamorphic Geology*, 8 (1990) 697-717.
- [446] D.M. Carmichael, On the mechanism of prograde metamorphic reactions in quartz-bearing pelitic rocks, *Contributions to Mineralogy and Petrology*, 20 (1969) 244-267.
- [447] C. Foster, Thermodynamic models of reactions involving garnet in a sillimanite/staurolite schist, *Mineralogical Magazine*, 50 (1986) 427-439.
- [448] H.C. Helgeson, H. HC, D. JM, Summary and critique of the thermodynamic properties of rock- forming minerals, (1978).
- [449] R. Powell, T. Holland, An internally consistent thermodynamic dataset with uncertainties and correlations: 1. Methods and a worked example, *Journal of Metamorphic Geology*, 3 (1985) 327- 342.
- [450] D.K. Tinkham, C.A. Zuluaga, H.H. Stowell, Metapelite phase equilibria modeling in MnNCKFMASH: the effect of variable Al<sub>2</sub>O<sub>3</sub> and MgO/(MgO+ FeO) on mineral stability, *Geological Materials Research*, 3 (2001) 1-42.
- [451] R. Powell, T. Holland, Using equilibrium thermodynamics to understand metamorphism and metamorphic rocks, *Elements*, 6 (2010) 309-314.
- [452] P.C. Hess, The metamorphic paragenesis of cordierite in pelitic rocks, *Contributions to Mineralogy and Petrology*, 24 (1969) 191-207.

- [453] E.M. Mahar, J. Baker, R. Powell, T. Holland, N. Howell, The effect of Mn on mineral stability in metapelites, *Journal of Metamorphic Geology*, 15 (1997) 223-238.
- [454] L. Tajčmanová, J. Connolly, B. Cesare, A thermodynamic model for titanium and ferric iron solution in biotite, *Journal of Metamorphic Geology*, 27 (2009) 153-165.
- [455] J. Diener, R. Powell, R. White, T. Holland, A new thermodynamic model for clino- and orthoamphiboles in the system Na<sub>2</sub>O–CaO–FeO–MgO–Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub>–H<sub>2</sub>O–O, *Journal of Metamorphic Geology*, 25 (2007) 631-656.
- [456] M.L. Fuhrman, D.H. Lindsley, Ternary-feldspar modeling and thermometry, *American mineralogist*, 73 (1988) 201-215.
- [457] R. White, R. Powell, T. Holland, B. Worley, The effect of TiO<sub>2</sub> and Fe<sub>2</sub>O<sub>3</sub> on metapelitic assemblages at greenschist and amphibolite facies conditions: mineral equilibria calculations in the system K<sub>2</sub>O–FeO–MgO–Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub>–H<sub>2</sub>O–TiO<sub>2</sub>–Fe<sub>2</sub>O<sub>3</sub>, *Journal of Metamorphic Geology*, 18 (2000) 497-511.
- [458] P.S. Dahl, The thermal–compositional dependence of Fe<sup>2+</sup>–Mg distributions between coexisting garnet and pyroxene: applications to geothermometry, *American Mineralogist*, 65 (1980) 852-866.
- [459] J. Ganguly, Garnet and clinopyroxene solid solutions, and geothermometry based on Fe–Mg distribution coefficient, *Geochimica et Cosmochimica Acta*, 43 (1979) 1021-1029.
- [460] E.J. Krogh, The garnet-clinopyroxene Fe–Mg geothermometer—a reinterpretation of existing experimental data, *Contributions to Mineralogy and Petrology*, 99 (1988) 44-48.
- [461] J.O. Eckert, R. Newton, O. Kleppa, The  $\Delta H$  of reaction and recalibration of garnet-pyroxene-plagioclase-quartz geobarometers in the CMAS system by solution calorimetry, *American Mineralogist*, 76 (1991) 148-160.
- [462] D. Moecher, E. Essene, L.M. Anovitz, Calculation and application of clinopyroxene-garnet-plagioclase-quartz geobarometers, *Contributions to Mineralogy and Petrology*, 100 (1988) 92-106.
- [463] L. Pigage, H. Greenwood, Internally consistent estimates of pressure and temperature; the staurolite problem, *American Journal of Science*, 282 (1982) 943-969.
- [464] K. Hodges, F.S. Spear, Geothermometry, geobarometry and the Al<sub>2</sub>SiO<sub>5</sub> triple point at Mt. Moosilauke, New Hampshire, *American mineralogist*, 67 (1982) 1118-1134.
- [465] L.Y. Aranovich, I. Lavrent'eva, N. Kosyakova, Biotite-garnet and biotite-orthopyroxene geothermometers: Calibrations accounting for the Al variations in biotite, *Geokhimiya*, 5 (1988) 668-676.
- [466] G. Hoinkes, Effect of grossular-content in garnet on the partitioning of Fe and Mg between garnet and biotite, *Contributions to mineralogy and petrology*, 92 (1986) 393-399.

- [467] A.M. Koziol, R.C. Newton, Redetermination of the anorthite breakdown reaction and improvement of the plagioclase-garnet-Al<sub>2</sub>SiO<sub>5</sub>-quartz geobarometer, *American Mineralogist*, 73 (1988) 216-223.
- [468] R. Lal, Ti content of mica as a geothermobarometry, in: *Third Indo-Soviet Symposium on Experimental Mineralogy and Petrology*, New Delhi, 1991, pp. 13-15.
- [469] R. Newton, Experimental and thermodynamic evidence for the operation of high pressures in Archaean metamorphism, in: *Developments in Precambrian geology*, Elsevier, 1978, pp. 221- 240.
- [470] J.M. Rao, G.P. Rao, M. Widdowson, S. Kelley, Evolution of Proterozoic mafic dyke swarms of the Bundelkhand Granite Massif, central India, *Current Science*, (2005) 502-506.
- [471] P. Kaur, A. Zeh, N. Chaudhri, A. Gerdes, M. Okrusch, Archaean to Palaeoproterozoic crustal evolution of the Aravalli mountain range, NW India, and its hinterland: the U–Pb and Hf isotope record of detrital zircon, *Precambrian Research*, 187 (2011) 155-164.
- [472] P. Kaur, A. Zeh, N. Chaudhri, A. Gerdes, M. Okrusch, Nature of magmatism and sedimentation at a Columbia active margin: Insights from combined U–Pb and Lu–Hf isotope data of detrital zircons from NW India, *Gondwana Research*, 23 (2013) 1040-1052.
- [473] M.J. Kohn, S.K. Paul, S.L. Corrie, The lower Lesser Himalayan sequence: A Paleoproterozoic arc on the northern margin of the Indian plate, *Bulletin*, 122 (2010) 323-335.
- [474] T. Deshmukh, N. Prabhakar, A. Bhattacharya, K. Madhavan, Late Paleoproterozoic clockwise P–T history in the Mahakoshal Belt, Central Indian Tectonic zone: implications for Columbia supercontinent assembly, *Precambrian Research*, 298 (2017) 56-78.
- [475] J.E. French, L.M. Heaman, T. Chacko, R.K. Srivastava, 1891–1883 Ma Southern Bastar– Cuddapah mafic igneous events, India: A newly recognized large igneous province, *Precambrian research*, 160 (2008) 308-322.
- [478] D. Vance, E. Mahar, Pressure-temperature paths from P-T pseudosections and zoned garnets: potential, limitations and examples from the Zaskar Himalaya, NW India, *Contributions to Mineralogy and Petrology*, 132 (1998) 225-245.
- [479] H. Marschall, A. Kalt, M. Hanel, P–T evolution of a Variscan lower-crustal segment: a study of granulites from the Schwarzwald, Germany, *Journal of Petrology*, 44 (2003) 227-253.
- [480] C. Groppo, F. Rolfo, B. Lombardo, P–T evolution across the Main Central Thrust Zone (eastern Nepal): hidden discontinuities revealed by petrology, *Journal of Petrology*, 50 (2009) 1149-1180.
- [481] A. Langone, G. Godard, G. Prosser, A. Caggianelli, A. Rottura, M. Tiepolo, P–T–t path of the Hercynian low-pressure rocks from the Mandatoriccio complex (Sila

Massif, Calabria, Italy): new insights for crustal evolution, *Journal of Metamorphic Geology*, 28 (2010) 137-162.

[482] T. Imayama, T. Takeshita, K. Arita, Metamorphic P–T profile and P–T path discontinuity across the far-eastern Nepal Himalaya: investigation of channel flow models, *Journal of Metamorphic Geology*, 28 (2010) 527-549.

[483] O. Lexa, K. Schulmann, V. Janoušek, P. Štípská, A. Guy, M. Racek, Heat sources and trigger mechanisms of exhumation of HP granulites in Variscan orogenic root, *Journal of Metamorphic Geology*, 29 (2011) 79-102.

[484] A. EL-SHAZLY, C. Loehn, R. Tracy, P–T–t evolution of granulite facies metamorphism and partial melting in the Winding Stair Gap, Central Blue Ridge, North Carolina, USA, *Journal of Metamorphic Geology*, 29 (2011) 753-780.

[485] E.G. Grosch, O. Vidal, T. Abu-Alam, N. McLoughlin, P–T constraints on the metamorphic evolution of the Paleoproterozoic Kromberg type-section, Barberton greenstone belt, South Africa, *Journal of Petrology*, 53 (2012) 513-545.

[486] J. Cai, F. Liu, P. Liu, C. Liu, F. Wang, J. Shi, Silica-undersaturated spinel granulites in the Daqingshan complex of the Khondalite Belt, North China Craton: Petrology and quantitative P–T–X constraints, *Precambrian Research*, 266 (2015) 119-136.

[487] A.M. Goodwin, *Principles of Precambrian geology*, Elsevier, 1996.

[488] J. Korenaga, Archean geodynamics and the thermal evolution of Earth, *Geophysical Monograph-American Geophysical Union*, 164 (2006) 7.

[489] J. Korenaga, Urey ratio and the structure and evolution of Earth's mantle, *Reviews of Geophysics*, 46 (2008).

[490] J. Korenaga, Thermal evolution with a hydrating mantle and the initiation of plate tectonics in the early Earth, *Journal of Geophysical Research: Solid Earth*, 116 (2011).

[491] J. Korenaga, Initiation and evolution of plate tectonics on Earth: theories and observations, *Annual review of earth and planetary sciences*, 41 (2013) 117-151.

[492] J. van Hunen, J.-F. Moyen, Archean subduction: fact or fiction?, *Annual Review of Earth and Planetary Sciences*, 40 (2012) 195-219.

[493] M. Brown, *Metamorphic patterns in orogenic systems and the geological record*, Geological Society, London, Special Publications, 318 (2009) 37-74.

[494] S.M. Wickham, E.R. Oxburgh, Continental rifts as a setting for regional metamorphism, *Nature*, 318 (1985) 330-333.

[495] M. Sandiford, R. Powell, Deep crustal metamorphism during continental extension: modern and ancient examples, *Earth and Planetary Science Letters*, 79 (1986) 151-158.

- [496] P. Sengupta, S. Dasgupta, U.K. Bhui, J. Ehl, M. Fukuoka, Magmatic evolution of mafic granulites from Anakapalle, Eastern Ghats, India: implications for tectonic setting of a Precambrian high-grade terrain, *Journal of Southeast Asian Earth Sciences*, 14 (1996) 185-198.
- [497] M. Raith, S. Brandt, P. Sengupta, J. Berndt, T. John, C. Srikantappa, Element mobility and behaviour of zircon during HT metasomatism of ferroan basic granulite at Ayyarmalai, South India: Evidence for polyphase Neoproterozoic crustal growth and multiple metamorphism in the Northeastern Madurai Province, *Journal of Petrology*, 57 (2016) 1729-1774.
- [498] Deshmukh, T., Prabhakar, N., 2019. Tectonic evolution of the Mahakoshal Belt, Central India: insights from phase equilibria modelling and monazite geochronology. *Goldschmidt Abs.*785.
- [500] Yadav, B., Ahmad, T., Kaulina, T., Bayanova, T., Bhutani, R., 2020. Origin of post-collisional A type granites in the Mahakoshal Supracrustal Belt, Central Indian Tectonic Zone, India: Zircon U-Pb ages and geochemical evidences. *J. Asian Earth Sci.* 191, 10427.
- [501] Praveen, M.N, Nambiar, C.G. Huston, D. L, 2021. Geochemistry and petrogenesis of Paleoproterozoic rhyolite-hosted zinc-rich metamorphosed volcanogenic massive sulfide deposits in the eastern Betul Belt, central India, *Ore Geol Rev*, 131,103918, <https://doi.org/10.1016/j.oregeorev.2020.103918>.
- [502] Deshmukh, T., Naraga, P., Bhattacharya, A., 2021. Proterozoic HT-LP metamorphism in the Mahakoshal Belt, Central Indian Tectonic Zone (India): Structure, metamorphism, U-Th-Pb monazite geochronology and tectonic implications. *The J. of Geol.* 129 (4).
- [503] Sharma, A., Das, K., Chakraborty, P.P., Shiraishi, F., Kayama, M., 2022. U-Pb zircon geochronology of a pyroclastic rock from the Parsoi Formation, Mahakoshal Group: Implications towards age and tectonics of the Basin in Central Indian Tectonic Zone, *Geol Jour.* <https://doi.org/10.1002/gj.4533>
- [504] M. Lachhana Dora, T. Meshram, S. Rao Baswani, V.P. Malviya, D. Upadhyay, M. Shareef, M. Atif Raza, S. Ranjan, R. Meshram, M. Kumar Patnaik, K. Randive, Geological evolution of the Proterozoic Betul Belt (~2.16-0.95 Ga) of the Central Indian Tectonic Zone: its linkage to the assembly and dispersal of Columbia and Rodinia supercontinents, *Gondwana Research* (2023), doi: <https://doi.org/10.1016/j.gr.2022.11.017>.
- [505] Phukon, P. 2022. Nature of the northern Indian plate margin during the assembly of supercontinent Columbia: was it a part of a double subduction?, *Eart. Sci. Rev.* 233,104185, <https://doi.org/10.1016/j.earscirev.2022.104185>.
- [506] Rogers, J.J.W., Santosh, M., 2002. Configuration of Columbia, a Mesoproterozoic supercontinent. *Gondwana Res.* 5, 5-22.

- [507] Mohanty, S.P., 2021. The Bastar Craton of Central India: Tectonostratigraphic evolution and implications in global correlations, *Earth-Science Reviews*, 221, 103770, <https://doi.org/10.1016/j.earscirev.2021.103770>.
- [508] Mohanty, S.P., 2019. Redox State of Atmosphere and Ocean at the Archaean-Palaeoproterozoic Boundary: A Case Study from the Sausar Belt, Central India. In: Mondal, M. (eds) *Geological Evolution of the Precambrian Indian Shield*. Society of Earth Scientists Series. Springer, Cham. [https://doi.org/10.1007/978-3-319-89698-4\\_4](https://doi.org/10.1007/978-3-319-89698-4_4).
- [509] Doumbia, S., Pouclet, A., Kouamelan, A., Peucat, J.J., Vidal, M., Delor, C., 1998. Petrogenesis of juvenile-type Birimian (Palaeoproterozoic) granitoids in Central Côte-d'Ivoire, West Africa: geochemistry and geochronology. *Precam. Res.* 87, 33-63.
- [510] Hartmann, L.A., Santos, J.O.S., Leiete, J.A.D., McNaughton, N.J., 1999. Deepest exposed crust of Brazil SHRIMP establishes three events. *Geol.* 27, 947-950.
- [511] De, S.K., Chacko, T., Creaser, R.A., Muehlenbachs, K., 2000. Geochemical and Nd-Pb-O isotope systematics of granites from the Taltson Magmatic Zone, NE Alberta: implications for early Proterozoic tectonics in western Laurentia. *Precam. Res.* 102, 221-249.
- [512] Daly, J.S., Balagansky, V.V., Timmerman, M.J., Whitehouse, M.J., de Jong, K., Guise, P., Bogdanova, S., Gorbatshev, R., Bridgewater, D., 2001. Ion microprobe U-Pb zircon geochronology and isotopic evidence for a trans-crustal suture in the Lapland Kola Orogen, northern Fennoscandian Shield. *Precam. Res.* 105, 289-314.
- [513] Daly, S.J., Fanning, C.M., Fairclough, M.C., 1998. Tectonic evolution and exploration potential of the Gawler Craton, South Australia. *J. of Austr. Geol. and Geophy.* 17, 145-168.
- [514] Page, R.W., 1988. Geochronology of early to middle Proterozoic fold belts in northern Australia: a review. *Precam. Res.* 40/41, 1-20.
- [515] Sheppard, S., Occhipinti, S.A., Tyler, I.M., 2004. A 2005e1970 Andean type batholith in the southern Gascoyne Complex, Western Australia. *Precam. Res.* 128, 257-277.
- [516] Kusky, T.M., Li, J. 2003. Paleoproterozoic tectonic evolution of the North China Craton, *Jour of Asian Ear Sc*, 22, 4, 383-397, [https://doi.org/10.1016/S1367-9120\(03\)00071-3](https://doi.org/10.1016/S1367-9120(03)00071-3).
- [517] Mohanty, S.P., 2020. Evolution of the “Central Indian Tectonic Zone”: A Critique Based on the Study of the Sausar Belt. *Structural Geometry of Mobile Belts of the Indian Subcontinent*, Soc. of Earth Sci. Ser. 57-89. [https://doi.org/10.1007/978-3-030-40593-9\\_3](https://doi.org/10.1007/978-3-030-40593-9_3).
- [518] Zhao, G.C., Cawood, P.A., Wilde, S.A., Sun, M., 2002. Review of global 2.1–1.8 Ga collisional orogens and accreted cratons: a pre-Rodinia supercontinent? *Earth-Sci. Rev.* 59, 125–162, [https://doi.org/10.1016/S0012-8252\(02\)00073-9](https://doi.org/10.1016/S0012-8252(02)00073-9).
- [519] Zhao, Y., Wenhao A., Jianghao Y., Mingguo Z., Hong Z., Qian W., Yong S., 2019. Paleozoic tectonothermal event in Mt. Dongbatu, Dunhuang terrane,

southernmost Central Asian Orogenic Belt (CAOB): Implications for petrogenesis and geological evolution, *Lithos*, 326–327, 491–512, <https://doi.org/10.1016/j.lithos.2018.12.037>.

[520] Mukherjee, S., Dey, A., Sanyal, S., Sengupta, P., 2019. Proterozoic Crustal Evolution of the Chotanagpur Granite Gneissic Complex, Jharkhand-Bihar-West Bengal, India: Current Status and Future Prospect. In: Mukherjee, S. (eds) *Tectonics and Structural Geology: Indian Context*. Springer Geology. Springer, Cham. [https://doi.org/10.1007/978-3-319-99341-6\\_2](https://doi.org/10.1007/978-3-319-99341-6_2).

[521] Chakrabarty A., Shreya K., Subham M., Sirina R., Prithwiraj M., Sanjoy S., Pulak S., 2022. Neoproterozoic reworking of a Mesoproterozoic magmatic arc from the north-eastern part of the Central Indian Tectonic Zone: Implication for the growth and disintegration of the Indian shield in the Proterozoic supercontinental cycles, *Precambrian Research*, 378, 106758, <https://doi.org/10.1016/j.precamres.2022.106758>.

[522] Karlstrom, K.E., Åhäll, K.-I., Harlan, S.S., Williams, M.L., McLelland, J., Geissman, J.W., 2001. Long-lived (1.8–1.0 Ga) convergent orogen in southern Laurentia, its extensions to Australia and Baltica, and implications for refining Rodinia. *Precam. Res.*, 111, 5–30.

[523] Granseth A., Slagstad T., Nick M.W. Roberts, Hagen-Peter Graham, Kirkland Christopher L., H.H Steinar. Møkkelgjerd, Torkil S. Røhr, Nolwenn Coint, Bjørn Eske Sørensen, 2021. Multi isotope tracing of the 1.3–0.9 Ga evolution of Fennoscandia; crustal growth during the Sveconorwegian orogeny, *Gondwana Research*, 91,31- 39, <https://doi.org/10.1016/j.gr.2020.10.019>.

[524] Li, Z. X., Bogdanova, S. V., Collins, A. S., Davidson, A., De Waele, B., Ernst, R. E., ... Vernikovsky, V. 2008. Assembly, configuration, and break-up history of Rodinia: a synthesis. *Precamb Res*, 160(1), 179–210. <https://doi.org/10.1016/j.precamres.2007.04.021>.

[525] Merdith, A. S., Collins, A. S., Williams, S. E., Pisarevsky, S., Fodenc, J. D., Archibald, D. B., Dietmar Müller, R. (2017). A full-plate global reconstruction of the Neoproterozoic. *Gond Res*, 50, 84–134. <https://doi.org/10.1016/j.gr.2017.04.001>.

[526] Kusky, T. M., 2011. Geophysical and geological tests of tectonic models of the North China Craton, *Gond Resh*, 20, 2011, 26–35, <https://doi.org/10.1016/j.gr.2011.01.004>.

[527] Kusky T. M., and Santosh M., 2009. The Columbia connection in North China, *Geol Soc, Lond, Special Publications*, 323, 49–71, <https://doi.org/10.1144/SP323.3>.

[528] Santosh, M. 2010. Assembling North China Craton within the Columbia supercontinent: The role of double-sided subduction, *Precam Resh*, 178, 1–4, 149–167.

[529] Meert, J.G., Torsvik, T.H., 2003. The making and unmaking of a supercontinent: Rodinia revisited. *Tectonophy*. 375(1), 261–288. [https://doi.org/10.1016/S0040-1951\(03\)00342-1](https://doi.org/10.1016/S0040-1951(03)00342-1).

[530] Meert, J.G., 2002. Paleomagnetic evidence for a Paleo- Mesoproterozoic supercontinent Columbia. *Gond. Res.* 5, 207–215.

- [531] Harley, S.L., Fitzsimons, I.C., Zhao, Y., 2013. Antarctica and supercontinent evolution: historical perspectives, recent advances and unresolved issues. In: Harley, S.L., Fitzsimons, I.C. & Zhao, Y. (eds) *Antarctica and Supercontinent Evolution*. Geol. Soc. Lond. Sp. Pub. 383, 1–34, <https://doi.org/10.1144/SP383.9>.
- [532] Bose, S., Das, K., Torimoto, J., Arima, M., Dunkley, D.J., 2016. Evolution of the Chilka Lake granulite complex, northern Eastern Ghats Belt, India: first evidence of ~780 Ma decompression of the deep crust and its implication on the India–Antarctica correlation. *Lithos* 263, 161–89.
- [533] Dhillon, S., Balaram, V., Kishore, N., Kaur, G., 2017. Petrography and geochemistry of padhar mafic-ultramafic suite rocks, Betul Belt, Central Indian Tectonic Zone, India: plausible arc type magmatism. *IOSR J. Appl. Geol. Geophy.* 5, 53–61.
- [534] Zhao, G.C., Sun, M., Wilde, S.A., Li, S.Z., 2004. A Paleo-Mesoproterozoic supercontinent: assembly, growth and breakup. *Earth Sci. Rev.* 67, 91–123.
- [535] Whalen, J., Currie, K., Chappell, B., 1987. A-type granites: geochemical characteristics, discrimination and petrogenesis. *Contrib. Mineral. Petrol.* 95, 407–419.

## List of Publications

**Srivastava, M.**, Dwivedi, S.B., Singh, S.P. 2019. A new occurrence of two-pyroxene granulites at Chicholi from Betul supracrustal belt in Central Indian Tectonic Zone (CITZ), MP, India. *J. Erth. Syst. Sci.* 128:204. DOI: <https://doi.org/10.1007/s12040-019-1237-z>. (I.F - 1.423)

Dwivedi, S.B., Kumar, R.R. and **Srivastava, M.**: Multistage gedrite in gedrite–hypersthene bearing high-grade granulites from Daltonganj, Chhotanagpur granite–gneissic complex, Jharkhand, as evident from TEM and textural relations. *Journal of Earth System Sciences.* 128; 41 (2019). doi.org/10.1007/s12040-018-1065-6 (I.F - 1.423)