

TABLE OF CONTENTS

	Page No.
Certificates	ii-iv
Acknowledgement	v-vi
Table of Contents	vii-xiv
List of Figures	xv-xx
List of Tables	xxi-xxii
List of Abbreviations	xxiii-xxv
Preface	xxvi-xxvii
Chapter 1: Introduction and Literature Review	1-34
1.1 Introduction	1
1.2 Current energy scenario across the globe	2-3
1.2.1 Energy crisis	3-5
1.2.2 Uneven distribution of energy resources	5-7
1.3 Current energy scenario of India	7-8
1.4 Environmental pollution	8-9
1.5 Non conventional or Renewable energy	10-11
1.6 Global biodiesel polices	11-14
1.7 Biodiesel as a supplementary of petrodiesel	14-16
1.8 Technologies for biodiesel production	16
1.8.1 Direct blending	17
1.8.2 Thermal cracking	17-18

1.8.3 Microemulsion	18
1.8.4 Transesterification	18-20
1.9 Raw materials used for solid-base transesterification	20
1.9.1 Alcohol	20
1.9.2 Lipid feedstock	20-22
1.9.3 Catalyst	23
1.9.3a Homogeneous catalyst	23-24
1.9.3b Heterogeneous catalyst	24-25
1.9.3c Biocatalyst	25
1.10 Research motivation	29-30
1.11 Objectives	33-34
Chapter 2: Materials and Methodologies	35-59
2.1 Synopsis of methodologies	35
2.2 Materials: Chemicals & Feedstock	35-36
2.3 Synthesis routes of heterogeneous base catalysts	36
2.3.1 Sol-gel auto combustion method	36-37
2.3.2 Polymer precursor auto combustion method	37-38
2.3.3 Wet impregnation method	38
2.4 Catalyst characterization	38
2.4.1 Thermogravimetric Analysis – Differential Thermal Analysis (TGA-DTA)	39
2.4.2 X-ray diffraction (XRD)	39-40
2.4.3 X-ray photoelectron spectroscopy (XPS)	40

2.4.4 Scanning electron microscopy – Energy dispersive X-ray spectroscopy (SEM-EDAX)	41
2.4.5 Textural characterization (BET-BJH)	41-42
2.4.6 Basic strength determination	42
2.5 Biodiesel production via transesterification process	44-46
2.6 Process optimization	46-47
2.7 Reusability of catalyst	47-48
2.8 Kinetics and thermodynamics	48
2.8.1 Determination of rate constant	48-51
2.8.2 Determination of activation energy and frequency factor	51
2.8.3 Evaluation of enthalpy of activation, entropy of activation and Gibb’s free energy of activation	52
2.9 Determination of ‘Green factors’ of the process	52
2.9.1 Yield of biodiesel	53
2.9.2 Turnover frequency (TOF)	53
2.9.3 Environmental- factor (E- factor) and Process Mass Index (PMI)	53-54
2.10 Biodiesel characterization	54
2.10.1 Proton and Carbon Nuclear Magnetic Resonance Spectroscopy (¹ H-NMR and ¹³ C-NMR)	54-55
2.10.2 Gas chromatography - Mass Spectroscopy	55-56
2.10.3 Physicochemical characterizations	56
2.10.3a Acid value	56
2.10.3b Density	56-57

2.10.3c Kinematic viscosity	57
2.10.3d Cetane number	57
2.10.3e Calorific value	58
2.10.3f Flash point and fire point	58
2.10.3g Cloud point and pour point	58-59
Chapter 3: Synthesis and characterization of potassium (K) & barium (Ba) based heterogeneous base catalysts: potassium modified ceria oxide (K-CeO₂), potassium - tin oxide (K-SnO₂), and barium - tin oxide (Ba-SnO₂) catalyst	60-97
3.1 Introduction	60
3.2 Synthesis of Potassium (K) modified Ceria oxide (CeO ₂) catalyst	60-62
3.3 Characterization of potassium modified ceria oxide catalyst	62
3.3.1 Thermogravimetric analysis (TGA)	62-63
3.3.2 Powder XRD analysis	63-66
3.3.3 XPS analysis	66-67
3.3.4 SEM-EDAX analysis	67-68
3.3.5 BET-BJH analysis	68-69
3.3.6 Basicity analysis	70
3.4 Synthesis of potassium tin oxide catalyst	70-72
3.5 Characterization of Potassium tin oxide catalyst	72
3.5.1 Thermogravimetric analysis (TGA-DTA)	72-73
3.5.2 Powder XRD analysis	74-77
3.5.3 XPS analysis	78-82
3.5.4 SEM-EDAX analysis	82-84

3.5.5 BET-BJH analysis	84-85
3.5.6 Basicity analysis	85
3.6 Synthesis of barium tin oxide catalyst	86-87
3.7 Characterization of barium tin oxide catalyst	87
3.7.1 Thermogravimetric analysis (TGA-DTA)	87-88
3.7.2 Powder XRD analysis	88-90
3.7.3 XPS analysis	90-91
3.7.4 SEM – EDAX analysis	91-93
3.7.5 BET – BJH analysis	94
3.7.6 Basicity analysis	94-95
3.8 Conclusions	95-97
Chapter 4: Application of potassium modified ceria oxide (K-CeO₂) catalyst in biodiesel production from waste cooking oil and castor oil	98-118
4.1 Introduction	98
4.2 Optimization of influential reaction parameters	98
4.2.1 Impact of K/Ce atomic ratio and catalyst activation temperature on methyl ester conversion (%)	99-101
4.2.2 Impact of oil : methanol molar ratio and catalyst weight percentage on methyl ester conversion (%)	102-103
4.2.3 Impact of reaction temperature and time on methyl ester conversion (%)	103-105
4.3 Reusability of 2K-CeO ₂ -800 catalyst	105-106
4.4 Kinetic and thermodynamic study	107

4.4.1 Determination of rate constants at different temperatures	107-108
4.4.2 Determination of reaction activation energy and pre-exponential value	109
4.4.3 Determination of enthalpy of activation, the entropy of activation and Gibb's free energy of activation	109-110
4.5 Green parameters study	111
4.6 Characterization of derived biodiesel	112
4.6.1 ¹ H NMR spectroscopy	112-113
4.6.2 ¹³ C NMR spectroscopy	113-114
4.6.3 GC-MS analysis	115-116
4.7 Fuel properties of synthesized biodiesel	117
4.8 Conclusion	118
Chapter 5: Application of potassium - tin oxide (K-SnO₂) catalyst in biodiesel production from waste cooking oil and castor oil	119-140
5.1 Introduction	119
5.2 Optimization of influential reaction parameters	119
5.2.1 Impact of catalyst (KSO) activation temperature and time on methyl ester conversion	120-121
5.2.2 Impact of oil : methanol molar ratio and catalyst weight percentage on methyl ester conversion	122-123
5.2.3 Impact of reaction temperature and time on methyl ester conversion	124-125
5.3 Reusability of KSO 800 catalyst	126-127
5.4 Kinetic and thermodynamic study	127

5.4.1 Determination of rate constants at different temperature and the order of the reaction	127-129
5.4.2 Determination of reaction activation energy and pre-exponential factor	130
5.4.3 Determination of enthalpy of activation, the entropy of activation and Gibb's free energy of activation	130-131
5.5 Green metrics study	132
5.6 Characterization of derived biodiesel	133
5.6.1 ¹ H NMR spectroscopy	133-134
5.6.2 ¹³ C NMR spectroscopy	134-135
5.6.3 GC -MS analysis	135-137
5.7 Fuel properties of synthesized biodiesel	138
5.8 Conclusions	139-140
Chapter 6: Application of barium - tin oxide (Ba-SnO₂) catalyst in biodiesel production from waste cooking oil and castor oil	141-161
6.1 Introduction	141
6.2 Optimization of influential reaction parameters	141-142
6.2.1 Impact of Ba : Sn atomic ratio and catalyst activation temperature on methyl ester conversion (%)	142-143
6.2.2 Impact of oil : methanol molar ratio and catalyst weight percentage on methyl ester conversion (%)	144-145
6.2.3 Impact of reaction temperature and time on methyl ester conversion (%)	146-147
6.3 Reusability of BSO catalyst	148-149

6.4 Kinetic and thermodynamic studies	149
6.4.1 Determination of rate constants at different temperatures	150-151
6.4.2 Determination of reaction activation energy and pre-exponential factor	152
6.4.3 Determination of enthalpy of activation, the entropy of activation and Gibb's free energy of activation	152-153
6.5 Green metrics study	154
6.6 Characterization of derived biodiesel	155
6.6.1 ¹ H NMR spectroscopy	155-156
6.6.2 ¹³ C NMR spectroscopy	156-157
6.6.3 GC-MS analysis	158-159
6.7 Fuel properties of synthesized biodiesel	160
6.8 Conclusions	161
Chapter 7: Summary	162-174
7.1 Synopsis of the work	162-171
7.2 Economic feasibility and cost analysis	171-173
7.3 Future scope of the work	173
References	175-192
List of Publications and Conferences	193-194

LIST OF FIGURES

Figure		Page No.
Chapter 1		
Figure 1.1	A) Global energy consumption in fraction of year 2018, B) Energy consumption from different sources by the years 1990 to 2040 (reference)	3
Figure 1.2	Distribution of oil and gas reserves over the world	6
Figure 1.3	A) Energy consumption from different sources in India, B) Report of produced oil, imported oil, and consumed oil per year till 2017 in India	8
Figure 1.4	An illustration of biodiesel production methods	16
Figure 1.5	a) Transesterification of triglyceride, b) General representation of transesterification reaction of triglyceride	19
Figure 1.6	Types of feedstocks for biodiesel production	22
Figure 1.7	Advantages of choosing waste cooking oil and castor oil for biodiesel production in India	22
Figure 1.8	Advantages and disadvantages of different types catalytic transesterifications and supercritical transesterification	23
Chapter 2		
Figure 2.1	Image of instruments used for catalyst characterizations namely A) TGA-DTA, B) XRD, C) XPS, D) SEM-EDAX, E) BET-BJH	43
Figure 2.2	Schematic diagram of biodiesel production via one pot transesterification process	44
Figure 2.3	The arrangement of lab scale batch reactor for biodiesel production via transesterification process	46

Figure 2.4	Image of instruments used for biodiesel characterization A) NMR and B) GC-MS	55
Chapter 3		
Figure 3.1	Schematic diagram of synthesis route of 2K-CeO ₂ 800 catalyst via sol-gel auto combustion method	62
Figure 3.2	TGA-DSC profile of K modified CeO ₂ catalyst	63
Figure 3.3	Comparative XRD of pure Ce ₂ O ₃ activated at 700°C and K modified Ce oxide catalysts calcined at different temperatures (600, 700, 800°C)	64
Figure 3.4	Comparative XRD of pure CeO ₂ (activated at 800°C) and K modified Ceria oxide catalyst calcined at 800°C (2K-Ce oxide 800)	65
Figure 3.5	A) Wide XPS spectra of 2K-CeO ₂ 800 catalyst, B) C1s XPS spectra, C) K2p XPS spectra, D) Ce3d XPS spectra, E) O1s XPS spectra	67
Figure 3.6	SEM image of A) Pure ceria oxide activated at 800°C and B) 2K-CeO ₂ 800 catalyst; EDAX micrograph of C) Pure ceria oxide activated at 800°C and D) 2K-CeO ₂ 800 catalyst	68
Figure 3.7	Adsorption isotherm of A) Pure CeO ₂ and B) 2K- CeO ₂ 800; BJH plot of C) Pure CeO ₂ and D) 2K- CeO ₂ 800	69
Figure 3.8	Schematic diagram of potassium tin oxide catalyst synthesis method via polymer precursor – auto combustion method	71
Figure 3.9	TGA-DTA profile of uncalcined potassium tin oxide (KSO) catalyst	73
Figure 3.10	Comparative XRD of various KSO catalysts calcined at 500, 600, 700 and 800°C	74

Figure 3.11	XRD of A) KSO 700 (inset : the peaks associated with K species between the 2θ values of $25\text{-}50^\circ$ as indicated in XRD of KSO 700) and B) KSO 800	75
Figure 3.12	Comparative XRD of KSO 800 catalyst calcined for 1, 2, 3, 4 and 5h	77
Figure 3.13	Wide XPS spectra of A) KSO 700 and B) KSO 800	78
Figure 3.14	A) C1s spectra of KSO 700 and B) C1s spectra of KSO 800	79
Figure 3.15	A) K2p spectra of KSO 700 and B) K2p spectra of KSO 800	79
Figure 3.16	A) Sn3d spectra of KSO 700, B) Sn 3d spectra of KSO 800, C) deconvolution of Sn3d _{5/2} of KSO 700 and D) deconvolution of Sn3d _{3/2} of KSO 800	80
Figure 3.17	A) O1s spectra of KSO 700, B) O1s spectra of KSO 800, C) deconvolution of O1s of KSO 700 and D) deconvolution of O1s of KSO 800	81
Figure 3.18	SEM image of A) Pure SnO ₂ , B) KSO 700 and C) KSO 800; EDAX micrograph of D) pure SnO ₂ , E) KSO 700, F) KSO 800 (spectrum 2), G) KSO 800 (spectrum 3), H) KSO 800 (spectrum 4)	83
Figure 3.19	Schematic diagram of barium tin oxide catalyst preparation via wet impregnation method	87
Figure 3.20	TGA-DTA profile of uncalcined barium tin oxide catalyst	88
Figure 3.21	A) Comparative XRD of pure tin oxide and barium tin oxides (BSO, 2BSO, B2SO) and B) comparative XRD of BSO catalysts calcined at 550°C , 650°C , 750°C , and 850°C	89
Figure 3.22	A) Wide XPS spectra of BSO catalyst calcined at 850°C , B) Ba3d spectra, C) Sn3d spectra, and D) deconvoluted O1s spectra of BSO	90

Figure 3.23	SEM image of A) pure SnO ₂ B) uncalcined BSO catalyst C) calcined BSO catalyst D) calcined 2BSO catalyst E) calcined B2SO catalyst	92
Figure 3.24	EDAX spectra of specified area of BSO catalyst	93
Chapter 4		
Figure 4.1A	Impact of K/Ce atomic ratio (0.0-3.0) on methyl esterification reaction of waste cooking oil (WCO) and castor oil (CO)	99
Figure 4.1B	Effect of catalyst activation temperature (600 - 1000°C) on methyl esterification reaction of waste cooking oil and castor oil	101
Figure 4.2	(A) Impact of oil : methanol molar ratio (1:8 - 1:18) (B) impact of catalyst weight percentage (0.5 - 3.0%) on methyl esterification of WCO and castor oil	102
Figure 4.3	(A) Impact of reaction temperature (45 - 75°C), (B) impact of reaction duration (15 – 150 min) on methyl esterification of WCO and castor oil	104
Figure 4.4	Reusability of 2K-CeO ₂ -800 catalyst in transesterification of WCO and CO at corresponding optimized reaction condition	106
Figure 4.5	(A) Kinetic plot [-ln(1-ME) vs time] of WCO transesterification reaction, (B) kinetic plot of CO transesterification reaction using 2K-CeO ₂ -800 catalyst	108
Figure 4.6	(A) Arrhenius plot ln k vs (1/T), and (B) Eyring-Polanyi plot ln (k/T) vs (1/T) of transesterification of WCO and CO using 2K-CeO ₂ -800 catalyst	110
Figure 4.7	(A) ¹ H NMR spectra of biodiesel derived from waste cooking oil and (B) ¹ H NMR spectra of biodiesel derived from castor oil	113
Figure 4.8	(A) ¹³ C NMR spectra of biodiesel derived from waste cooking oil and (B) ¹³ C NMR spectra of biodiesel derived from castor oil	114

Chapter 5

- Figure 5.1** (A) Effect of catalyst activation temperature, and (B) effect of catalyst activation time on methyl esterification reaction of WCO and CO using KSO catalyst 121
- Figure 5.2** (A) Impact of oil : methanol molar ratio (1 : 4 – 1 : 24) (B) impact of catalyst weight (0.5 - 4.0) percentage on methyl esterification of WCO and CO 123
- Figure 5.3** (A) Impact of reaction temperature (45 – 75°C), and (B) impact of reaction duration (5 – 50 min) on methyl esterification of WCO and CO 125
- Figure 5.4** Reusability of KSO 800 catalyst in transesterification of WCO and CO at corresponding optimized reaction conditions 126
- Figure 5.5** (A) Kinetic plot $[-\ln(1-\text{ME})$ vs time] of WCO transesterification reaction, (B) kinetic plot $[-\ln(1-\text{ME})$ vs time] of CO transesterification reaction using KSO 800 catalyst 129
- Figure 5.6** (A) Arrhenius plot $\ln k$ vs $(1/T)$, and (B) Eyring-Polanyi's plot $\ln(k/T)$ vs $(1/T)$ of transesterification of WCO and CO using KSO 800 catalyst 131
- Figure 5.7** (A) ^1H NMR spectra of biodiesel derived from waste cooking oil and (B) ^1H NMR spectra of biodiesel derived from castor oil 134
- Figure 5.8** (A) ^{13}C NMR spectra of biodiesel derived from waste cooking oil and (B) ^{13}C NMR spectra of biodiesel derived from castor oil 135

Chapter 6

- Figure 6.1** A) Effect of Ba : Sn atomic ratio and B) catalyst calcination temperature on methyl esterification of waste cooking oil (WCO) and castor oil (CO) 143

Figure 6.2	A) Effect of oil to methanol molar ratio and B) effect of catalyst weight percentage on methyl esterification reaction of waste cooking oil (WCO) and castor oil (CO)	145
Figure 6.3	A) Effect of reaction temperature and B) reaction time on methyl esterification reaction of waste cooking oil (WCO) and castor oil (CO)	147
Figure 6.4	Reusability of the BSO catalyst for WCO and CO transesterification at corresponding optimized reaction condition	149
Figure 6.5	(A) Kinetic plot $[-\ln(1-ME)$ vs time] of WCO transesterification reaction, (B) kinetic plot $[-\ln(1-ME)$ vs time] of CO transesterification reaction using BSO catalyst	151
Figure 6.6	(A) Arrhenius plot $\ln k$ vs $(1/T)$, and (B) Eyring-Polanyi's plot $\ln(k/T)$ vs $(1/T)$ of transesterification of WCO and CO using BSO catalyst	153
Figure 6.7	(A) ^1H NMR spectra of biodiesel derived from waste cooking oil and (B) ^1H NMR spectra of biodiesel derived from castor oil using BSO catalyst	156
Figure 6.8	(A) ^{13}C NMR spectra of biodiesel derived from waste cooking oil and (B) ^{13}C NMR spectra of biodiesel derived from castor oil using BSO catalyst	157

LIST OF TABLES

Table		Page No.
Chapter 1		
Table 1.1	Literature review on various catalysts used for biodiesel production	26
Table 1.2	Literature review on potassium (K) and barium (Ba) based heterogeneous catalysts used in transesterification	31
Chapter 2		
Table 2.1	Physicochemical properties of waste cooking oil and castor oil	36
Table 2.2	Physicochemical characterization of biodiesel	59
Chapter 3		
Table 3.1	Surface properties of potassium tin oxide (KSO) catalysts	83
Table 3.2	Atomic percentage and weight percentage of barium tin oxide catalysts analyzed by EDAX	93
Table 3.3	Surface analysis of barium stannate compounds by BET - BJH	94
Chapter 4		
Table 4.1	Rate constants at different temperature for WCO and CO transesterification	107
Table 4.2	Green parameters for WCO and CO transesterification using 2K-CeO ₂ -800 catalyst	111
Table 4.3	FAME composition of the biodiesel derived from castor oil using 2K-CeO ₂ -800 catalyst	115
Table 4.4	FAME composition of biodiesel derived from waste cooking oil using 2K-CeO ₂ -800 catalyst	116

Table 4.5	Comparison of fuel properties of WCOME and COME with ASTM standards for biodiesel	117
------------------	-----------------------------------------------------------------------------------	-----

Chapter 5

Table 5.1	Rate constants at different temperature for WCO and CO transesterification using KSO 800	128
------------------	------------------------------------------------------------------------------------------	-----

Table 5.2	Green parameters for WCO and CO transesterification using KSO 800 catalyst	132
------------------	----------------------------------------------------------------------------	-----

Table 5.3	FAME composition of the biodiesel derived from castor oil using KSO-800 catalyst	136
------------------	----------------------------------------------------------------------------------	-----

Table 5.4	FAME composition of biodiesel derived from waste cooking oil using KSO-800 catalyst	137
------------------	-------------------------------------------------------------------------------------	-----

Table 5.5	Comparison of fuel properties of WCOME and COME with ASTM standard for biodiesel	138
------------------	----------------------------------------------------------------------------------	-----

Chapter 6

Table 6.1	Rate constants for transesterification of WCO and CO at different temperature using BSO catalyst	150
------------------	--------------------------------------------------------------------------------------------------	-----

Table 6.2	Green parameters for WCO and CO transesterification using BSO catalyst	154
------------------	------------------------------------------------------------------------	-----

Table 6.3	FAME composition of biodiesel derived from castor oil using BSO catalyst	158
------------------	--------------------------------------------------------------------------	-----

Table 6.4	FAME composition of biodiesel derived from waste cooking oil using BSO catalyst	159
------------------	---------------------------------------------------------------------------------	-----

Table 6.5	Comparison of fuel properties of WCOME and COME with ASTM standard for biodiesel	160
------------------	----------------------------------------------------------------------------------	-----

Chapter 7

Table 7.1	Summary of the work reported	174
------------------	------------------------------	-----