

Contents

Abstract	v
List of Tables	xiii
List of Figures	xv
1 Introduction	1
1.1 Background and Motivation	3
1.2 Overview of EVs	4
1.2.1 Classification of Electric Vehicles	6
1.2.2 Power Electronics in EVs	11
1.2.3 Reliability in Power Electronics	13
1.2.4 Reliability Issues in EVs:	14
1.3 Key Challenges and Constraints	15
1.4 Research Objectives and Scopes	15
1.5 Methodology	16
1.6 Organization of the Thesis	16
2 Literature Survey	21
2.1 Introduction	21
2.2 EV Charging Architecture	21
2.2.1 EVs Supply Equipment (EVSE)	22
2.2.2 Battery Management System (BMS)	27
2.2.3 EV Charging Techniques	29
2.3 Electric Vehicle Charging Standards and Power Levels	34
2.3.1 Charging power levels of EVs	35

2.3.2	EV charging level comparison	36
2.3.3	Power infrastructure in EV (on-board charger/off-board charger) . .	38
2.4	Converter Topologies for EVs Battery Chargers	39
2.5	Electric Vehicle Grid-Integration (EVGI)	45
2.5.1	Negative impacts	47
2.5.2	Positive impacts	47
2.5.3	Utilization of EVs to improve reliability or better renewable energy grid integration system	47
2.6	Reliability Assessment Techniques in EVs	49
2.6.1	Markov model	51
2.6.2	Monte Carlo Simulation (MCS)	52
2.6.3	Contingency Enumeration Method	53
2.6.4	State Space Method	54
2.6.5	Fundamental Considerations in Assessing the Reliability of EVs . .	56
2.6.6	Reliability Evaluation using a V2G Approach and High EV Pene- tration	59
2.6.7	Reliability Parameters	62
2.7	Future Advancement in Grid Integrated EV Technology	65
2.7.1	Improvements in Charging techniques	65
2.7.2	Global communication and artificial intelligence (AI) in EVs	66
2.7.3	Solar to Vehicle Charging techniques	67
2.7.4	Smart charging techniques	68
2.8	Summary	69
3	Event-Triggered Control of Power Electronics Converter	71
3.1	Introduction	71
3.2	Control in Power Electronics	73
3.3	Modelling and Event-Triggered Control of Power Electronics Converter . .	74
3.4	Problem Formulation and Objective Determination	76
3.5	Main Results	78
3.5.1	Analysis of the Inter-event Time	80
3.6	Numerical Simulation and Experimental Results	83

3.6.1	Simulation Results	84
3.6.2	Experimental Results	85
3.7	Summary	88
4	Sliding Mode Control for Bidirectional Converter for G2V and V2G operations	89
4.1	Introduction	89
4.2	Bi-directional Power Converters in EVs	91
4.3	Bidirectional Power Flow Operations in EVs: G2V and V2G	91
4.4	Modeling and Sliding Mode Control of Power Converters	92
4.5	Electrical Architecture Description	95
4.5.1	Current Control Loop Model	96
4.5.2	Step-down Mode	96
4.5.3	Step-up Mode	98
4.5.4	Voltage Control Loop Design	100
4.6	Simulation Results	101
4.6.1	Simulations for G2V mode	101
4.6.2	Simulation results for V2G Mode	103
4.6.3	Potential limitations of SMC-Chattering Issue:	104
4.7	Summary	104
5	Charging Strategies for Solar-to-Vehicle (S2V) systems using Boost Converters	105
5.1	Introduction	105
5.2	Solar to Vehicle (S2V) EV Charging Systems	107
5.3	MPPT and Super Twisting Algorithms (STA)	109
5.4	Modeling and Control of S2V Charger using STA	111
5.4.1	Integration of PV Panels with Boost Converter in an EV Battery Charging System	112
5.4.2	DC-DC Boost Converter Model	116
5.5	MPPT Controller Design	117
5.5.1	Sliding Surface Design	117
5.5.2	Super-Twisting Controller Design	117

5.5.3	Robustness and Model Uncertainty	118
5.5.4	Stability Analysis	119
5.6	Simulation Results	120
5.6.1	Under varying irradiances	120
5.6.2	Under varying temperatures	122
5.6.3	Performance Benchmarking of S2V Strategies:	126
5.6.4	Hardware Implementation Considerations	128
5.7	Summary	129

6 A Versatile Plug-in Solution for Integrated Solar, Grid, and Vehicle

Interactive Charging		131
6.1	Introduction	131
6.2	Exploring Topological Options for EV Battery Chargers	135
6.2.1	Solar-to-Vehicle (S2V)	135
6.2.2	Grid-to-Vehicle (G2V)	138
6.2.3	Vehicle-2-Vehicle (V2V)	139
6.3	Converter Configuration and Analysis for On-Board EV Battery Chargers .	142
6.3.1	Conventional Boost and Interleaved Boost topology	143
6.4	Steady-State Analysis of Interleaved Buck-Boost Converter	144
6.4.1	Modes of Operation	146
6.4.2	Average current at the output	148
6.4.3	Input Current	149
6.4.4	Critical conduction parameter and the operation in DCM	149
6.5	Modeling and Design of the proposed System	151
6.5.1	Capacitor design for output	151
6.5.2	Design of Input Filters	152
6.5.3	SMALL SIGNAL CONVERTER MODEL	152
6.6	Result and discussion	154
6.7	Simulation results	157
6.8	Description for Interleaved Boost Converter Hardware Results:	163
6.8.1	Experimental Setup:	163
6.8.2	Waveform:	163

6.9	Summary	165
7	Solar-Integrated Interleaved Direct Current Charging System for Electric Vehicles	167
7.1	Introduction	167
7.2	Solar PV- Cell Model	169
7.2.1	Factors Affecting Solar Power	170
7.2.2	The PV System's Characteristics	172
7.2.3	MPPT Controller Design	177
7.2.4	DC-DC Boost Converter (BC) Model	178
7.2.5	Interleaved Boost Converter (IBC)	179
7.2.6	Design Parameters Considered	180
7.2.7	Modelling and Design	182
7.3	Proposed Method: Circuit Description	182
7.3.1	Parameters Considered	183
7.3.2	MPPT Algorithms	183
7.3.3	Modeling and Design	187
7.3.4	Control Technique	187
7.4	Simulation Results and discussion	190
7.5	Summary	195
8	Conclusion and Future Research	197
8.1	Summary	197
8.2	Major Contributions of the Thesis	199
8.2.1	Minor Contributions of the Thesis	200
8.3	Conclusions	200
8.4	Benefits of the Proposed Work	201
8.4.1	Reliability and Performance Improvements:	201
8.5	Scopes for the Future Work	202