

# References

## References

- Abdullah, N. H., Shameli, K., Nia, P. M., Etesami, M., Abdullah, E. C., & Abdullah, L. C. (2020). Electrocatalytic activity of starch/Fe<sub>3</sub>O<sub>4</sub>/zeolite bionanocomposite for oxygen reduction reaction. *Arabian Journal of Chemistry*, 13(1), 1297-1308.
- Ai, Z., Zhang, L., Lee, S., & Ho, W. (2009). Interfacial hydrothermal synthesis of Cu@Cu<sub>2</sub>O core-shell microspheres with enhanced visible-light-driven photocatalytic activity. *The Journal of Physical Chemistry C*, 113(49), 20896-20902.
- Algar, W. R., Wegner, D., Huston, A. L., Blanco-Canosa, J. B., Stewart, M. H., Armstrong, A., ... & Medintz, I. L. (2012). Quantum dots as simultaneous acceptors and donors in time-gated Forster resonance energy transfer relays: characterization and biosensing. *Journal of the American Chemical Society*, 134(3), 1876-1891.
- Ali, A., Hira Zafar, M. Z., ul Haq, I., Phull, A. R., Ali, J. S., & Hussain, A. (2016). Synthesis, characterization, applications, and challenges of iron oxide nanoparticles. *Nanotechnology, science and applications*, 9, 49.
- Alla, S. K., Verma, A. D., Kumar, V., Mandal, R. K., Sinha, I., & Prasad, N. K. (2016). Solvothermal synthesis of CuO-MgO nanocomposite particles and their catalytic applications. *RSC advances*, 6(66), 61927-61933.
- Arslan, I., Balcioğlu, I. A., & Tuhkanen, T. (1999). Oxidative treatment of simulated dyehouse effluent by UV and near-UV light assisted Fenton's reagent. *Chemosphere*, 39(15), 2767-2783.
- Ayodele, O. B., & Hameed, B. H. (2013). Development of kaolinite supported ferric oxalate heterogeneous catalyst for degradation of 4-nitrophenol in photo-Fenton process. *Applied clay science*, 83, 171-181.
- Bajpai, A. K., & Likhitkar, S. (2013). Investigation of magnetically enhanced swelling behaviour of superparamagnetic starch nanoparticles. *Bulletin of Materials Science*, 36(1), 15-24.
- Bedja, I., & Kamat, P. V. (2002). Capped semiconductor colloids. Synthesis and photoelectrochemical behavior of TiO<sub>2</sub>-capped SnO<sub>2</sub> nanocrystallites. *The Journal of Physical Chemistry*, 99(22), 9182-9188.
- Biesinger, M. C., Payne, B. P., Grosvenor, A. P., Lau, L. W., Gerson, A. R., & Smart, R. S. C. (2011). Resolving surface chemical states in XPS analysis of first row transition metals, oxides and hydroxides: Cr, Mn, Fe, Co and Ni. *Applied Surface Science*, 257(7), 2717-2730.
- Buchner, M., Henne, B., Ney, V., Lumetzberger, J., Wilhelm, F., Rogalev, A., ... & Ney, A. (2018). Pinned orbital moments in uncompensated antiferromagnetic Co doped ZnO. *Journal of Applied Physics*, 123(20), 203905.

---

## References

---

- Bumajdad, A., Ali, S., & Mathew, A. (2011). Characterization of iron hydroxide/oxide nanoparticles prepared in microemulsions stabilized with cationic/non-ionic surfactant mixtures. *Journal of colloid and interface science*, 355(2), 282-292.
- Campos-Martin, J. M., Blanco-Brieva, G., & Fierro, J. L. (2006). Hydrogen peroxide synthesis: an outlook beyond the anthraquinone process. *Angewandte Chemie International Edition*, 45(42), 6962-6984.
- Cao, L., Ma, D., Zhou, Z., Xu, C., Cao, C., Zhao, P., & Huang, Q. (2019). Efficient photocatalytic degradation of herbicide glyphosate in water by magnetically separable and recyclable BiOBr/Fe<sub>3</sub>O<sub>4</sub> nanocomposites under visible light irradiation. *Chemical Engineering Journal*, 368, 212-222.
- Cao, S., Tao, F. F., Tang, Y., Li, Y., & Yu, J. (2016). Size-and shape-dependent catalytic performances of oxidation and reduction reactions on nanocatalysts. *Chemical Society Reviews*, 45(17), 4747-4765.
- Cao, X., Chen, Y., Jiao, S., Fang, Z., Xu, M., Liu, X., ... & Feng, S. (2014). Magnetic photocatalysts with ap-n junction: Fe<sub>3</sub>O<sub>4</sub> nanoparticle and FeWO<sub>4</sub> nanowire heterostructures. *Nanoscale*, 6(21), 12366-12370.
- Cao, Y., Li, C., Li, J., Li, Q., & Yang, J. (2015). Magnetically separable Fe<sub>3</sub>O<sub>4</sub>/AgBr hybrid materials: highly efficient photocatalytic activity and good stability. *Nanoscale Research Letters*, 10(1), 1-6.
- Chae, A., Jo, S., Choi, Y., Park, B., Park, S. Y., & In, I. (2017). Synthesis of β-FeOOH/Fe<sub>3</sub>O<sub>4</sub> hybrid photocatalyst using catechol-quaternized poly (N-vinyl pyrrolidone) as a double-sided molecular tape. *Journal of Materials Science*, 52(14), 8493-8501.
- Chen, P., Cai, Y., Wang, J., Wang, K., Tao, Y., Xue, J., & Wang, H. (2018). Preparation of protonized titanate nanotubes/Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub> ternary composites and dye self-sensitization for visible-light-driven photodegradation of Rhodamine B. *Powder Technology*, 326, 272-280.
- Chen, Q., Tong, R., Chen, X., Xue, Y., Xie, Z., Kuang, Q., & Zheng, L. (2018). Ultrafine ZnO quantum dot-modified TiO<sub>2</sub> composite photocatalysts: the role of the quantum size effect in heterojunction-enhanced photocatalytic hydrogen evolution. *Catalysis Science & Technology*, 8(5), 1296-1303.
- Chen, X., Murugananthan, M., & Zhang, Y. (2016). Degradation of p-Nitrophenol by thermally activated persulfate in soil system. *Chemical Engineering Journal*, 283, 1357-1365.
- Cheng, G., Zhao, J., Tu, Y., He, P., & Fang, Y. (2005). A sensitive DNA electrochemical biosensor based on magnetite with a glassy carbon electrode modified by multi-walled carbon nanotubes in polypyrrole. *Analytica Chimica Acta*, 533(1), 11-16.

---

## References

---

- Chowdhury, M., Ntiribinyange, M., Nyamayaro, K., & Fester, V. (2015). Photocatalytic activities of ultra-small  $\beta$ -FeOOH and TiO<sub>2</sub> heterojunction structure under simulated solar irradiation. *Materials Research Bulletin*, 68, 133-141.
- Christoskova, St G., Stoyanova, M., & Georgieva, M. (2001). Low-temperature iron-modified cobalt oxide system: Part 2. Catalytic oxidation of phenol in aqueous phase. *Applied Catalysis A: General*, 208(1-2), 243-249.
- Coronado, J. M., Fresno, F., Hernández-Alonso, M. D., & Portela, R. (Eds.). (2013). *Design of advanced photocatalytic materials for energy and environmental applications* (pp. 39-48). London: Springer.
- Cullity, B. D., & Stock, S. R. (2001). *Elements of X-ray Diffraction, Third Edition*. Prentice-Hall.
- De, A. K., Majumdar, S., Pal, S., Kumar, S., & Sinha, I. (2020). Zn doping induced band gap widening of Ag<sub>2</sub>O nanoparticles. *Journal of Alloys and Compounds*, 832, 154127.
- Devi, L. G., Kumar, S. G., Reddy, K. M., & Munikrishnappa, C. (2009). Photo degradation of Methyl Orange an azo dye by Advanced Fenton Process using zero valent metallic iron: Influence of various reaction parameters and its degradation mechanism. *Journal of hazardous materials*, 164(2-3), 459-467.
- Dohnal, V., & Fenclova, D. (1995). Air-water partitioning and aqueous solubility of phenols. *Journal of Chemical and Engineering Data*, 40(2), 478-483.
- Dong, H., Guo, X., & Yin, Y. (2018). A facile synthesis of goethite-modified gC<sub>3</sub>N<sub>4</sub> composite for photocatalytic degradation of tylosin in an aqueous solution. *Research on Chemical Intermediates*, 44(5), 3151-3167.
- Dozzi, M. V., & Selli, E. (2013). Doping TiO<sub>2</sub> with p-block elements: Effects on photocatalytic activity. *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 14, 13-28.
- Drung, D., Abmann, C., Beyer, J., Kirste, A., Peters, M., Ruede, F., & Schurig, T. (2007). Highly sensitive and easy-to-use SQUID sensors. *IEEE Transactions on Applied Superconductivity*, 17(2), 699-704.
- Edwards, J. K., Solsona, B. E., Landon, P., Carley, A. F., Herzing, A., Kiely, C. J., & Hutchings, G. J. (2005). Direct synthesis of hydrogen peroxide from H<sub>2</sub> and O<sub>2</sub> using TiO<sub>2</sub>-supported Au-Pd catalysts. *Journal of Catalysis*, 236(1), 69-79.
- Egerton, R. F., Wang, F., & Crozier, P. A. (2006). Beam-induced damage to thin specimens in an intense electron probe. *Microscopy and Microanalysis*, 12(1), 65.
- Environmental Protection Agency, US Release and pollution prevention report (2000).

---

## References

---

- Eshaq, G., Wang, S., Sun, H., & Sillanpää, M. (2020). Core/shell FeVO<sub>4</sub>@ BiOCl heterojunction as a durable heterogeneous Fenton catalyst for the efficient sonophotocatalytic degradation of p-nitrophenol. *Separation and Purification Technology*, 231, 115915.
- Fang, D., Yu, Y., Xu, Z., Liang, J., & Zhou, L. (2018). Enhanced catalytic performance of β-FeOOH by coupling with single-walled carbon nanotubes in a visible-light-Fenton-like process. *Science and Engineering of Composite Materials*, 25(1), 9-15.
- Feizpoor, S., & Habibi-Yangjeh, A. (2018). Ternary TiO<sub>2</sub>/Fe<sub>3</sub>O<sub>4</sub>/CoWO<sub>4</sub> nanocomposites: novel magnetic visible-light-driven photocatalysts with substantially enhanced activity through pn heterojunction. *Journal of colloid and interface science*, 524, 325-336.
- FeOOH on g-C<sub>3</sub>N<sub>4</sub> for deep oxidation of emerging contaminants by photocatalytic activation of peroxymonosulfate under solar irradiation. *Chemical Engineering Journal*, 400, 125872.
- Ferroudj, N., Nzimoto, J., Davidson, A., Talbot, D., Briot, E., Dupuis, V., ... & Abramson, S. (2013). Maghemite nanoparticles and maghemite/silica nanocomposite microspheres as magnetic Fenton catalysts for the removal of water pollutants. *Applied Catalysis B: Environmental*, 136, 9-18.
- Flaherty, D. W. (2018). Direct synthesis of H<sub>2</sub>O<sub>2</sub> from H<sub>2</sub> and O<sub>2</sub> on Pd catalysts: Current understanding, outstanding questions, and research needs.
- Fortuny, A., Bengoa, C., Font, J., & Fabregat, A. (1999). Bimetallic catalysts for continuous catalytic wet air oxidation of phenol. *Journal of hazardous materials*, 64(2), 181-193.
- Fujishima, A., Rao, T. N., & Tryk, D. A. (2000). Titanium dioxide photocatalysis. *Journal of photochemistry and photobiology C: Photochemistry reviews*, 1(1), 1-21.
- Furukawa, S., & Miyasato, T. (1988). Quantum size effects on the optical band gap of microcrystalline Si: H. *Physical Review B*, 38(8), 5726.
- Ganapathy, M., Subramanian, H., Sampath, S., Mahalingam, A., & Alagan, V. (2020). Microwave assisted synthesis of ZnO-PbS heterojunction for degradation of organic pollutants under visible light. *Scientific Reports (Nature Publisher Group)*, 10(1).
- Ge, J., Zhang, Y., Heo, Y. J., & Park, S. J. (2019). Advanced design and synthesis of composite photocatalysts for the remediation of wastewater: A review. *Catalysts*, 9(2), 122.
- Ghicov, A., Macak, J. M., Tsuchiya, H., Kunze, J., Haeublein, V., Frey, L., & Schmuki, P. (2006). Ion implantation and annealing for an efficient N-doping of TiO<sub>2</sub> nanotubes. *Nano Letters*, 6(5), 1080-1082.

---

## References

---

- Ghijsen, J., Tjeng, L. H., van Elp, J., Eskes, H., Westerink, J., Sawatzky, G. A., & Czyzyk, M. T. (1988). Electronic structure of Cu<sub>2</sub>O and CuO. *Physical Review B*, 38(16), 11322.
- Ghorai, K., Panda, A., Bhattacharjee, M., Mandal, D., Hossain, A., Bera, P., ... & Gayen, A. (2020). Facile synthesis of CuCr<sub>2</sub>O<sub>4</sub>/CeO<sub>2</sub> nanocomposite: A new Fenton like catalyst with domestic LED light assisted improved photocatalytic activity for the degradation of RhB, MB and MO dyes. *Applied Surface Science*, 536, 147604.
- Gong, H., Zhang, Y., Cao, Y., Luo, M., Feng, Z., Yang, W., ... & Yan, H. (2018). Pt@Cu<sub>2</sub>O/WO<sub>3</sub> composite photocatalyst for enhanced photocatalytic water oxidation performance. *Applied Catalysis B: Environmental*, 237, 309-317.
- Gopidas, K. R., Bohorquez, M., & Kamat, P. V. (1990). Photophysical and photochemical aspects of coupled semiconductors: charge-transfer processes in colloidal cadmium sulfide-titania and cadmium sulfide-silver (I) iodide systems. *Journal of Physical Chemistry*, 94(16), 6435-6440.
- Goto, H., Hanada, Y., Ohno, T., & Matsumura, M. (2004). Quantitative analysis of superoxide ion and hydrogen peroxide produced from molecular oxygen on photoirradiated TiO<sub>2</sub> particles. *Journal of Catalysis*, 225(1), 223-229.
- Guo, S., Zhang, G., Guo, Y., & Jimmy, C. Y. (2013). Graphene oxide-Fe<sub>2</sub>O<sub>3</sub> hybrid material as highly efficient heterogeneous catalyst for degradation of organic contaminants. *Carbon*, 60, 437-444.
- Hassan, S. S., Abdel-Shafy, H. I., & Mansour, M. S. (2018). Removal of pyrene and benzo (a) pyrene micropollutant from water via adsorption by green synthesized iron oxide nanoparticles. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 9(1), 015006.
- Hassanien, A. S., & Akl, A. A. (2015). Influence of composition on optical and dispersion parameters of thermally evaporated non-crystalline Cd<sub>50</sub>S<sub>50</sub>-xSex thin films. *Journal of Alloys and Compounds*, 648, 280-290.
- Hazemann, J. L., Berar, J. F., & Manceau, A. (1991). Rietveld studies of the aluminium-iron substitution in synthetic goethite. In *Materials Science Forum* (Vol. 79, pp. 821-826). Trans Tech Publications Ltd.
- He, J., Ma, W., He, J., Zhao, J., & Jimmy, C. Y. (2002). Photooxidation of azo dye in aqueous dispersions of H<sub>2</sub>O<sub>2</sub>/α-FeOOH. *Applied Catalysis B: Environmental*, 39(3), 211-220.
- He, S. A., Li, W., Wang, X., Ma, Q., Li, M., Xu, W., ... & Zhao, C. H. (2020). High-efficient precious-metal-free g-C<sub>3</sub>N<sub>4</sub>-Fe<sub>3</sub>O<sub>4</sub>/β-FeOOH photocatalyst based on double-heterojunction for visible-light-driven hydrogen evolution. *Applied Surface Science*, 506, 144948.

---

## References

---

Henkel, H., & Weber, W. (1914). *U.S. Patent No. 1,108,752*. Washington, DC: U.S. Patent and Trademark Office.

Hirakawa, H., Shiota, S., Shiraishi, Y., Sakamoto, H., Ichikawa, S., & Hirai, T. (2016). Au nanoparticles supported on BiVO<sub>4</sub>: Effective inorganic photocatalysts for H<sub>2</sub>O<sub>2</sub> production from water and O<sub>2</sub> under visible light. *ACS Catalysis*, 6(8), 4976-4982.

Hirakawa, T., & Nosaka, Y. (2008). Selective production of superoxide ions and hydrogen peroxide over nitrogen-and sulfur-doped TiO<sub>2</sub> photocatalysts with visible light in aqueous suspension systems. *The Journal of Physical Chemistry C*, 112(40), 15818-15823.

Hongping, H. E., Zhong, Y., Liang, X., Wei, T. A. N., Jianxi, Z. H. U., & Wang, C. Y. (2015).

Hou, H., Zeng, X., & Zhang, X. (2020). Production of Hydrogen Peroxide by Photocatalytic Processes. *Angewandte Chemie International Edition*.

Hou, L., Zhang, Q., Jérôme, F., Duprez, D., Zhang, H., & Royer, S. (2014). Shape-controlled nanostructured magnetite-type materials as highly efficient Fenton catalysts. *Applied Catalysis B: Environmental*, 144, 739-749.

Hou, W. C., & Wang, Y. S. (2017). Photocatalytic generation of H<sub>2</sub>O<sub>2</sub> by graphene oxide in organic electron donor-free condition under sunlight. *ACS Sustainable Chemistry & Engineering*, 5(4), 2994-3001.

Hou, X., Huang, X., Jia, F., Ai, Z., Zhao, J., & Zhang, L. (2017). Hydroxylamine promoted goethite surface Fenton degradation of organic pollutants. *Environmental science & technology*, 51(9), 5118-5126.

Hou, Y., Wang, Y., Yuan, H., Chen, H., Chen, G., Shen, J., & Li, L. (2016). The enhanced catalytic degradation of SiO<sub>2</sub>/Fe<sub>3</sub>O<sub>4</sub>/C@ TiO<sub>2</sub> photo-Fenton system on p-nitrophenol. *Journal of Nanoparticle Research*, 18(11), 343.

Huang, H., Li, F., Wang, H., & Zheng, X. (2017). The size controlled synthesis of Cu<sub>2</sub>S/P25 hetero junction solar-energy-materials and their applications in photocatalytic degradation of dyes. *RSC advances*, 7(79), 50056-50063.

Huang, L., Peng, F., Yu, H., & Wang, H. (2009). Preparation of cuprous oxides with different sizes and their behaviors of adsorption, visible-light driven photocatalysis and photocorrosion. *Solid State Sciences*, 11(1), 129-138.

Huang, Z., Han, F., Li, M., Zhou, Z., Guan, X., & Guo, L. (2019). Which phase of iron oxyhydroxides (FeOOH) is more competent in overall water splitting as a photocatalyst, goethite, akaganeite or lepidocrocite? A DFT-based investigation. *Computational Materials Science*, 169, 109110.

Hu, W., & Yang, J. (2017). Two-dimensional van der Waals heterojunctions for functional materials and devices. *Journal of Materials Chemistry C*, 5(47), 12289-12297.

---

## References

---

- Ito, S., Zakeeruddin, S. M., Humphry-Baker, R., Liska, P., Charvet, R., Comte, P., ... & Uchida, S. (2006). High-efficiency organic-dye-sensitized solar cells controlled by nanocrystalline-TiO<sub>2</sub> electrode thickness. *Advanced Materials*, 18(9), 1202-1205.
- Jaramillo-Páez, C., Navío, J. A., Hidalgo, M. C., Bouziani, A., & El Azzouzi, M. (2017). Mixed  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub>/Bi<sub>2</sub>WO<sub>6</sub> oxides for photoassisted hetero-Fenton degradation of Methyl Orange and Phenol. *Journal of Photochemistry and Photobiology A: Chemistry*, 332, 521-533.
- Jelle, A. A., Hmadeh, M., O'Brien, P. G., Perovic, D. D., & Ozin, G. A. (2016). Photocatalytic properties of all four polymorphs of nanostructured iron oxyhydroxides. *ChemNanoMat*, 2(11), 1047-1054.
- Jiang, D., Xue, J., Wu, L., Zhou, W., Zhang, Y., & Li, X. (2017). Photocatalytic performance enhancement of CuO/Cu<sub>2</sub>O heterostructures for photodegradation of organic dyes: effects of CuO morphology. *Applied Catalysis B: Environmental*, 211, 199-204.
- Jiang, R., Wu, D., Lu, G., Yan, Z., Liu, J., Zhou, R., & Nkoom, M. (2019). Fabrication of Fe<sub>3</sub>O<sub>4</sub> quantum dots modified BiOCl/BiVO<sub>4</sub> pn heterojunction to enhance photocatalytic activity for removing broad-spectrum antibiotics under visible light. *Journal of the Taiwan Institute of Chemical Engineers*, 96, 681-690.
- Ji, Z., Zhao, J., Shen, X., Yue, X., Yuan, A., Zhou, H., & Yang, J. (2015). Construction of magnetically separable Ag<sub>3</sub>PO<sub>4</sub>/Fe<sub>3</sub>O<sub>4</sub>/GO composites as recyclable photocatalysts. *Ceramics International*, 41(10), 13509-13515.
- Kakuta, S., Numata, T., & Okayama, T. (2014). Shape effects of goethite particles on their photocatalytic activity in the decomposition of acetaldehyde. *Catalysis Science & Technology*, 4(1), 164-169.
- Kamat, P. V., & Fox, M. A. (1983). Photosensitization of TiO<sub>2</sub> colloids by erythrosin B in acetonitrile. *Chemical physics letters*, 102(4), 379-384.
- Kango, S., Kalia, S., Celli, A., Njuguna, J., Habibi, Y., & Kumar, R. (2013). Surface modification of inorganic nanoparticles for development of organic-inorganic nanocomposites—A review. *Progress in Polymer Science*, 38(8), 1232-1261.
- Karunagaran, R., Coghlan, C., Tung, T. T., Kabiri, S., Tran, D. N., Doonan, C. J., & Losic, D. (2017). Study of iron oxide nanoparticle phases in graphene aerogels for oxygen reduction reaction. *New Journal of Chemistry*, 41(24), 15180-15186.
- Kaviyarasan, K., Vinoth, V., Sivasankar, T., Asiri, A. M., Wu, J. J., & Anandan, S. (2019). Photocatalytic and photoelectrocatalytic performance of sonochemically synthesized Cu<sub>2</sub>O@TiO<sub>2</sub> heterojunction nanocomposites. *Ultrasonics Sonochemistry*, 51, 223-229.
- Khan, M. R., Chuan, T. W., Yousuf, A., Chowdhury, M. N. K., & Cheng, C. K. (2015). Schottky barrier and surface plasmonic resonance phenomena towards the photocatalytic

---

## References

---

reaction: study of their mechanisms to enhance photocatalytic activity. *Catalysis Science & Technology*, 5(5), 2522-2531.

Khatamian, M., Divband, B., & Jodaee, A. (2012). Degradation of 4-nitrophenol (4-NP) using ZnO nanoparticles supported on zeolites and modeling of experimental results by artificial neural networks. *Materials chemistry and physics*, 134(1), 31-37.

Kofuji, Y., Isobe, Y., Shiraishi, Y., Sakamoto, H., Ichikawa, S., Tanaka, S., & Hirai, T. (2018). Hydrogen peroxide production on a carbon nitride–boron nitride-reduced graphene oxide hybrid photocatalyst under visible light. *ChemCatChem*, 10(9), 2070-2077.

Kofuji, Y., Ohkita, S., Shiraishi, Y., Sakamoto, H., Ichikawa, S., Tanaka, S., & Hirai, T. (2017). Mellitic triimide-doped carbon nitride as sunlight-driven photocatalysts for hydrogen peroxide production. *ACS Sustainable Chemistry & Engineering*, 5(8), 6478-6485.

Kormann, C., Bahnemann, D. W., & Hoffmann, M. R. (1988). Photocatalytic production of hydrogen peroxides and organic peroxides in aqueous suspensions of titanium dioxide, zinc oxide, and desert sand. *Environmental science & technology*, 22(7), 798-806.

Kronkalns, G., Maiorov, M. M., Serga, V., Krumina, A., & Karashanova, D. (2014). Preparation and properties of noble metal/magnetite composite nanoparticles. *Magneto hydrodynamics*, 50(4), 423-430.

Kumar, S., Verma, A., Pal, S., & Sinha, I. (2018). Curcumin-Functionalized Ag/Ag<sub>2</sub>O Nanocomposites: Efficient Visible-Light Z-scheme Photocatalysts. *Photochemistry and photobiology*, 94(4), 641-649.

Kuntail, J., Pal, S., & Sinha, I. (2020). Interfacial phenomena during Fenton reaction on starch stabilized magnetite nanoparticles: Molecular dynamics and experimental investigations. *Journal of Molecular Liquids*, 318, 114037.

Lahiri, B. B., Ranoo, S., & Philip, J. (2016). Infrared thermography based magnetic hyperthermia study in Fe<sub>3</sub>O<sub>4</sub> based magnetic fluids. *Infrared Physics & Technology*, 78, 173-184.

Landon, P., Collier, P. J., Carley, A. F., Chadwick, D., Papworth, A. J., Burrows, A., ... & Hutchings, G. J. (2003). Direct synthesis of hydrogen peroxide from H<sub>2</sub> and O<sub>2</sub> using Pd and Au catalysts. *Physical Chemistry Chemical Physics*, 5(9), 1917-1923.

Lee, T., Bui, H. T., Yoo, J., Ra, M., Han, S. H., Kim, W., & Kwon, W. (2019). Formation of TiO<sub>2</sub>@Carbon Core/Shell Nanocomposites from a Single Molecular Layer of Aromatic Compounds for Photocatalytic Hydrogen Peroxide Generation. *ACS applied materials & interfaces*, 11(44), 41196-41203.

---

## References

---

- Li, G., Zhang, W., Hou, J., Li, T., Li, P., Wang, Y., ... & Wang, K. (2020). Enhanced visible light photochemical activity and stability of MoS<sub>2</sub>/Cu<sub>2</sub>O nanocomposites by tunable heterojunction. *Materials Today Communications*, 23, 100933.
- Li, J., Fang, W., Yu, C., Zhou, W., & Xie, Y. (2015). Ag-based semiconductor photocatalysts in environmental purification. *Applied Surface Science*, 358, 46-56.
- Li, L., Feng, Y., Liu, Y., Wei, B., Guo, J., Jiao, W., ... & Zhang, Q. (2016). Titanium dioxide nanoparticles modified by salicylic acid and arginine: Structure, surface properties and photocatalytic decomposition of p-nitrophenol. *Applied Surface Science*, 363, 627-635.
- Li, M., Qian, Y., Du, J., Wu, H., Zhang, L., Li, G., ... & Kang, D. J. (2019). CuS nanosheets decorated with CoS<sub>2</sub> nanoparticles as an efficient electrocatalyst for enhanced hydrogen evolution at all pH values. *ACS Sustainable Chemistry & Engineering*, 7(16), 14016-14022.
- Li, S., Xu, K., Hu, S., Jiang, W., Zhang, J., Liu, J., & Zhang, L. (2017). Synthesis of flower-like Ag<sub>2</sub>O/BiOCCOOH pn heterojunction with enhanced visible light photocatalytic activity. *Applied Surface Science*, 397, 95-103.
- Li, X., Niu, C., Huang, D., Wang, X., Zhang, X., Zeng, G., & Niu, Q. (2013). Preparation of magnetically separable Fe<sub>3</sub>O<sub>4</sub>/BiOI nanocomposites and its visible photocatalytic activity. *Applied surface science*, 286, 40-46.
- Li, Z., Wang, N., Lin, Z., Wang, J., Liu, W., Sun, K., ... & Wang, Z. (2016). Room-temperature high-performance H<sub>2</sub>S sensor based on porous CuO nanosheets prepared by hydrothermal method. *ACS applied materials & interfaces*, 8(32), 20962-20968.
- Lin, H., Liu, Y., Deng, J., Xie, S., Zhao, X., Yang, J., ... & Dai, H. (2017). Graphitic carbon nitride-supported iron oxides: high-performance photocatalysts for the visible-light-driven degradation of 4-nitrophenol. *Journal of Photochemistry and Photobiology A: Chemistry*, 336, 105-114.
- Liu, F., Dong, S., Zhang, Z., Li, X., Dai, X., Xin, Y., ... & Zheng, Z. (2019). Synthesis of a well-dispersed CaFe<sub>2</sub>O<sub>4</sub>/g-C<sub>3</sub>N<sub>4</sub>/CNT composite towards the degradation of toxic water pollutants under visible light. *RSC Advances*, 9(44), 25750-25761.
- Liu, G., Zhu, D., Zhou, W., Liao, S., Cui, J., Wu, K., & Hamilton, D. (2010). Solid-phase photocatalytic degradation of polystyrene plastic with goethite modified by boron under UV-vis light irradiation. *Applied surface science*, 256(8), 2546-2551.
- Liu, H., & Di Valentin, C. (2017). Band gap in magnetite above Verwey temperature induced by symmetry Breaking. *The Journal of Physical Chemistry C*, 121(46), 25736-25742.
- Liu, Y., Chen, F., Wang, Q., Wang, J., & Wang, J. (2018). Direct unassisted hydrogen peroxide generation from oxygen and water on plasmonic Ag-graphene-Cu nanosandwich. *Applied Catalysis B: Environmental*, 224, 940-950.

---

## References

---

- Low, J., Yu, J., Jaroniec, M., Wageh, S., & Al-Ghamdi, A. A. (2017). Heterojunction photocatalysts. *Advanced materials*, 29(20), 1601694.
- Luan, J., & Plaisier, A. (2004). Study on treatment of wastewater containing nitrophenol compounds by liquid membrane process. *Journal of Membrane Science*, 229(1-2), 235-239.
- Lu, B., Liu, A., Wu, H., Shen, Q., Zhao, T., & Wang, J. (2016). Hollow Au–Cu<sub>2</sub>O core–shell nanoparticles with geometry-dependent optical properties as efficient plasmonic photocatalysts under visible light. *Langmuir*, 32(12), 3085-3094.
- Lunsford, J. H. (2003). The direct formation of H<sub>2</sub>O<sub>2</sub> from H<sub>2</sub> and O<sub>2</sub> over palladium catalysts. *Journal of catalysis*, 216(1-2), 455-460.
- Lv, D., Zhang, D., Liu, X., Liu, Z., Hu, L., Pu, X., ... & Dou, J. (2016). Magnetic NiFe<sub>2</sub>O<sub>4</sub>/BiOBr composites: one-pot combustion synthesis and enhanced visible-light photocatalytic properties. *Separation and Purification Technology*, 158, 302-307.
- Mackay, A. L. (1960). β-ferric oxyhydroxide. *Mineralogical Magazine and Journal of the Mineralogical Society*, 32(250), 545-557.
- Mahmood, A., Ramay, S. M., Al-Zaghayer, Y. S., AlHazaa, A. A. N., Al Masary, W. A., & Atiq, S. (2016). Synthesis and investigation of photocatalytic properties of Au/Fe<sub>3</sub>O<sub>4</sub> nanocomposite materials for degradation of methylene blue. *Desalination and Water Treatment*, 57(42), 20069-20075.
- Maiti, D., & Devi, P. S. (2015). Selective formation of iron oxide and oxyhydroxide nanoparticles at room temperature: Critical role of concentration of ferric nitrate. *Materials Chemistry and Physics*, 154, 144-151.
- Malathi, A., Arunachalam, P., Madhavan, J., Al-Mayouf, A. M., & Ghanem, M. A. (2018). Rod-on-flake α-FeOOH/BiOI nanocomposite: Facile synthesis, characterization and enhanced photocatalytic performance. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 537, 435-445.
- Mamba, G., & Mishra, A. (2016). Advances in magnetically separable photocatalysts: smart, recyclable materials for water pollution mitigation. *Catalysts*, 6(6), 79.
- Ma, R., Wang, L., Wang, H., Liu, Z., Xing, M., Zhu, L., ... & Xiao, F. S. (2019). Solid acids accelerate the photocatalytic hydrogen peroxide synthesis over a hybrid catalyst of titania nanotube with carbon dot. *Applied Catalysis B: Environmental*, 244, 594-603.
- Moon, G. H., Kim, W., Bokare, A. D., Sung, N. E., & Choi, W. (2014). Solar production of H<sub>2</sub>O<sub>2</sub> on reduced graphene oxide–TiO<sub>2</sub> hybrid photocatalysts consisting of earth-abundant elements only. *Energy & Environmental Science*, 7(12), 4023-4028.
- Musić, S., Krehula, S., Popović, S., & Skoko, Ž. (2003). Some factors influencing forced hydrolysis of FeCl<sub>3</sub> solutions. *Materials Letters*, 57(5-6), 1096-1102.

---

## References

---

- Natural Magnetite: an efficient catalyst for the degradation of organic contaminant. *Scientific reports*, 5(1), 1-10.
- Nayak, P., Kumar, S., Sinha, I., & Singh, K. K. (2019). ZnO/CuO nanocomposites from recycled printed circuit board: preparation and photocatalytic properties. *Environmental Science and Pollution Research*, 26(16), 16279-16288.
- Nidheesh, P. V. (2015). Heterogeneous Fenton catalysts for the abatement of organic pollutants from aqueous solution: a review. *Rsc Advances*, 5(51), 40552-40577.
- Omri, A., Hamza, W., & Benzina, M. (2020). Photo-Fenton oxidation and mineralization of methyl orange using Fe-sand as effective heterogeneous catalyst. *Journal of Photochemistry and Photobiology A: Chemistry*, 393, 112444.
- O'regan, B., & Grätzel, M. (1991). A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO<sub>2</sub> films. *nature*, 353(6346), 737-740.
- Pakhomov, N. A., & Buyanov, R. A. (2005). Current trends in the improvement and development of catalyst preparation methods. *Kinetics and catalysis*, 46(5), 669-683.
- Pan, W., Zhang, G., Zheng, T., & Wang, P. (2015). Degradation of p-nitrophenol using CuO/Al<sub>2</sub>O<sub>3</sub> as a Fenton-like catalyst under microwave irradiation. *RSC Advances*, 5(34), 27043-27051.
- Parameshwari, R., Priyadarshini, P., & Chandrasekaran, G. (2011). Optimization, structural, spectroscopic and magnetic studies on stable akaganeite nanoparticles via co-precipitation method. *American Journal of Materials Science*, 1(1), 18-25.
- Pereira, M. C., Oliveira, L. C. A., & Murad, E. (2012). Iron oxide catalysts: Fenton and Fentonlike reactions—a review. *Clay minerals*, 47(3), 285-302.
- Peretti, S. W., Tompkins, C. J., Goodall, J. L., & Michaels, A. S. (2002). Extraction of 4-nitrophenol from 1-octanol into aqueous solution in a hollow fiber liquid contactor. *Journal of membrane science*, 195(2), 193-202.
- Qian, X., Wu, Y., Kan, M., Fang, M., Yue, D., Zeng, J., & Zhao, Y. (2018). FeOOH quantum dots coupled g-C<sub>3</sub>N<sub>4</sub> for visible light driving photo-Fenton degradation of organic pollutants. *Applied Catalysis B: Environmental*, 237, 513-520.
- Qin, Y., Zhang, H., Tong, Z., Song, Z., & Chen, N. (2017). A facile synthesis of Fe<sub>3</sub>O<sub>4</sub>@SiO<sub>2</sub>@ZnO with superior photocatalytic performance of 4-nitrophenol. *Journal of environmental chemical engineering*, 5(3), 2207-2213.
- Radoń, A., Drygała, A., Hawełek, Ł., & Łukowiec, D. (2017). Structure and optical properties of Fe<sub>3</sub>O<sub>4</sub> nanoparticles synthesized by co-precipitation method with different organic modifiers. *Materials Characterization*, 131, 148-156.

---

## References

---

- Ramazanov, M. A., Hajiyeva, F. V., Maharramov, A. M., Di Palma, L., Sannino, D., Takafuji, M., ... & Bayramova, Z. A. (2018). New magnetic polymer nanocomposites on the basis of isotactic polypropylene and magnetite nanoparticles for adsorption of ultrahigh frequency electromagnetic waves. *Polymer-Plastics Technology and Engineering*, 57(5), 449-458.
- Reber, J. F., & Meier, K. (1984). Photochemical production of hydrogen with zinc sulfide suspensions. *The Journal of Physical Chemistry*, 88(24), 5903-5913.
- Reynal, A., & Palomares, E. (2011). Ruthenium Polypyridyl Sensitisers in Dye Solar Cells Based on Mesoporous TiO<sub>2</sub> (Eur. J. Inorg. Chem. 29/2011). *European Journal of Inorganic Chemistry*, 2011(29).
- Robinson, T., McMullan, G., Marchant, R., & Nigam, P. (2001). Remediation of dyes in textile effluent: a critical review on current treatment technologies with a proposed alternative. *Bioresource technology*, 77(3), 247-255.
- Rose, H. H. (2008). Optics of high-performance electron microscopes. *Science and Technology of Advanced Materials*, 9(1), 014107.
- Rusevova, K., Kopinke, F. D., & Georgi, A. (2012). Nano-sized magnetic iron oxides as catalysts for heterogeneous Fenton-like reactions—Influence of Fe (II)/Fe (III) ratio on catalytic performance. *Journal of hazardous materials*, 241, 433-440.
- Saljooqi, A., Shamspur, T., & Mostafavi, A. (2020). Synthesis of titanium nanoplate decorated by Pd and Fe<sub>3</sub>O<sub>4</sub> nanoparticles immobilized on graphene oxide as a novel photocatalyst for degradation of parathion pesticide. *Polyhedron*, 179, 114371.
- Sandelin, F., Oinas, P., Salmi, T., Paloniemi, J., & Haario, H. (2006). Kinetics of the recovery of active anthraquinones. *Industrial & engineering chemistry research*, 45(3), 986-992.
- San, X., Li, M., Liu, D., Wang, G., Shen, Y., Meng, D., & Meng, F. (2018). A facile one-step hydrothermal synthesis of NiO/ZnO heterojunction microflowers for the enhanced formaldehyde sensing properties. *Journal of Alloys and Compounds*, 739, 260-269.
- Sato, K., Aoki, M., & Noyori, R. (1998). A "green" route to adipic acid: Direct oxidation of cyclohexenes with 30 percent hydrogen peroxide. *Science*, 281(5383), 1646-1647.
- Serpone, N., Borgarello, E., & Grätzel, M. (1984). Visible light induced generation of hydrogen from H<sub>2</sub>S in mixed semiconductor dispersions; improved efficiency through inter-particle electron transfer. *Journal of the Chemical Society, Chemical Communications*, (6), 342-344.
- Shaegh, S. A. M., Nguyen, N. T., Ehteshami, S. M. M., & Chan, S. H. (2012). A membraneless hydrogen peroxide fuel cell using Prussian Blue as cathode material. *Energy & Environmental Science*, 5(8), 8225-8228.

---

## References

---

- Shan, X., Guo, X., Yin, Y., Miao, Y., & Dong, H. (2017). Surface modification of graphene oxide by goethite with enhanced tylosin photocatalytic activity under visible light irradiation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 520, 420-427.
- Shao, Z., Zeng, T., He, Y., Zhang, D., & Pu, X. (2019). A novel magnetically separable  $\text{CoFe}_2\text{O}_4/\text{Cd}_{0.9}\text{Zn}_{0.5}$  1S photocatalyst with remarkably enhanced  $\text{H}_2$  evolution activity under visible light irradiation. *Chemical Engineering Journal*, 359, 485-495.
- Shaoqing, Y., Jun, H., & Jianlong, W. (2010). Radiation-induced catalytic degradation of p-nitrophenol (PNP) in the presence of  $\text{TiO}_2$  nanoparticles. *Radiation Physics and Chemistry*, 79(10), 1039-1046.
- Shiraishi, Y., Kanazawa, S., Kofuji, Y., Sakamoto, H., Ichikawa, S., Tanaka, S., & Hirai, T. (2014). Sunlight-driven hydrogen peroxide production from water and molecular oxygen by metal-free photocatalysts. *Angewandte Chemie International Edition*, 53(49), 13454-13459.
- Shiraishi, Y., Kanazawa, S., Tsukamoto, D., Shiro, A., Sugano, Y., & Hirai, T. (2013). Selective hydrogen peroxide formation by titanium dioxide photocatalysis with benzylic alcohols and molecular oxygen in water. *ACS Catalysis*, 3(10), 2222-2227.
- Shiraishi, Y., Kofuji, Y., Sakamoto, H., Tanaka, S., Ichikawa, S., & Hirai, T. (2015). Effects of surface defects on photocatalytic  $\text{H}_2\text{O}_2$  production by mesoporous graphitic carbon nitride under visible light irradiation. *ACS Catalysis*, 5(5), 3058-3066.
- Shukla, M., & Sinha, I. (2018). Catalytic activation of nitrobenzene on PVP passivated silver cluster: A DFT investigation. *International Journal of Quantum Chemistry*, 118(3), e25490.
- Singh, A. P., Saini, N., & Mehta, B. R. (2017). Enhanced Photoelectrochemical Performance of Hydrogen Treated Hematite Thin Films Decorated with a Thin Akaganéite ( $\beta\text{-FeOOH}$ ) Layer. *ChemistrySelect*, 2(4), 1413-1420.
- Singh, P. N., Tiwary, D., & Sinha, I. (2016). Starch-functionalized magnetite nanoparticles for hexavalent chromium removal from aqueous solutions. *Desalination and Water Treatment*, 57(27), 12608-12619.
- Smith, A. M., & Nie, S. (2010). Semiconductor nanocrystals: structure, properties, and band gap engineering. *Accounts of chemical research*, 43(2), 190-200.
- Spanhel, L., Weller, H., & Henglein, A. (1987). Photochemistry of semiconductor colloids. 22. Electron ejection from illuminated cadmium sulfide into attached titanium and zinc oxide particles. *Journal of the American Chemical Society*, 109(22), 6632-6635.
- Sun, M., Senthil, R. A., Pan, J., Osman, S., & Khan, A. (2018). A facile synthesis of visible-light driven rod-on-rod like  $\alpha\text{-FeOOH}/\alpha\text{-AgVO}_3$  nanocomposite as greatly enhanced photocatalyst for degradation of rhodamine B. *Catalysts*, 8(9), 392.

---

## References

---

- Sun, S. P., & Lemley, A. T. (2011). p-Nitrophenol degradation by a heterogeneous Fenton-like reaction on nano-magnetite: process optimization, kinetics, and degradation pathways. *Journal of molecular catalysis A: chemical*, 349(1-2), 71-79.
- Takei, T., Dong, Q., Yonesaki, Y., Kumada, N., & Kinomura, N. (2010). Preparation of ultrafine magnetite and its oxygen adsorption. *Materials Science and Engineering: B*, 173(1-3), 84-88.
- Takeuchi, M., Yamashita, H., Matsuoka, M., Anpo, M., Hirao, T., Itoh, N., & Iwamoto, N. (2000). Photocatalytic decomposition of NO under visible light irradiation on the Cr-ion-implanted TiO<sub>2</sub> thin film photocatalyst. *Catalysis Letters*, 67(2-4), 135-137.
- Tang, Y., Zhang, D., Li, Y., Huang, B., Li, H., Pu, X., & Geng, Y. (2019). Fabrication of magnetically recoverable Ag/CuNb<sub>2</sub>O<sub>6</sub>/CuFe<sub>2</sub>O<sub>4</sub> ternary heterojunction composite for highly efficient photocatalytic degradation of pollutants. *Separation and Purification Technology*, 220, 78-88.
- Tang, Y., Zhang, D., Qiu, X., Zeng, L., Huang, B., Li, H., ... & Geng, Y. (2019). Fabrication of a NiCo<sub>2</sub>O<sub>4</sub>/Zn<sub>0.1</sub>Cd<sub>0.9</sub>S pn heterojunction photocatalyst with improved separation of charge carriers for highly efficient visible light photocatalytic H<sub>2</sub> evolution. *Journal of Alloys and Compounds*, 809, 151855.
- Tang, Y., Zhang, X., Ma, Y., Wang, X., Su, C., Zhang, D., ... & Geng, Y. (2020). One-dimensional core-shell Zn<sub>0.1</sub>Cd<sub>0.9</sub>S/SnIn<sub>4</sub>S<sub>8</sub> heterojunction for enhanced visible light photocatalytic degradation. *Separation and Purification Technology*, 230, 115896.
- Taylor, T. C., & Salzmann, G. M. (1933). The action of aqueous alkali on starches, amyloses and modified starches. *Journal of the American Chemical Society*, 55(1), 264-275.
- Thakur, S., Kshetri, T., Kim, N. H., & Lee, J. H. (2017). Sunlight-driven sustainable production of hydrogen peroxide using a CdS-graphene hybrid photocatalyst. *Journal of Catalysis*, 345, 78-86.
- Tian, Y., Newton, T., Kotov, N. A., Guldi, D. M., & Fendler, J. H. (1996). Coupled composite CdS- CdSe and core- shell types of (CdS) CdSe and (CdSe) CdS nanoparticles. *The Journal of Physical Chemistry*, 100(21), 8927-8939.
- Torres-Martínez, C. L., Kho, R., Mian, O. I., & Mehra, R. K. (2001). Efficient photocatalytic degradation of environmental pollutants with mass-produced ZnS nanocrystals. *Journal of colloid and interface science*, 240(2), 525-532.
- Tsukamoto, D., Shiro, A., Shiraishi, Y., Sugano, Y., Ichikawa, S., Tanaka, S., & Hirai, T. (2012). Photocatalytic H<sub>2</sub>O<sub>2</sub> production from ethanol/O<sub>2</sub> system using TiO<sub>2</sub> loaded with Au-Ag bimetallic alloy nanoparticles. *Acs catalysis*, 2(4), 599-603.
- Tumuluri, A., Naidu, K. L., & Raju, K. J. (2014). Band gap determination using Tauc's plot for LiNbO<sub>3</sub> thin films. *Int. J. Chem. Tech. Res.*, 6(6), 3353-3356.

---

## References

---

- Voloshin, Y., Halder, R., & Lawal, A. (2007). Kinetics of hydrogen peroxide synthesis by direct combination of H<sub>2</sub> and O<sub>2</sub> in a microreactor. *Catalysis Today*, 125(1-2), 40-47.
- Wang, C., Tissot, H., Escudero, C., Pérez-Dieste, V., Stacchiola, D., & Weissenrieder, J. (2018). Redox properties of Cu<sub>2</sub>O (100) and (111) surfaces. *The Journal of Physical Chemistry C*, 122(50), 28684-28691.
- Wang, D., Guo, L., Zhen, Y., Yue, L., Xue, G., & Fu, F. (2014). AgBr quantum dots decorated mesoporous Bi<sub>2</sub>WO<sub>6</sub> architectures with enhanced photocatalytic activities for methylene blue. *Journal of Materials Chemistry A*, 2(30), 11716-11727.
- Wang, L., Qian, Y., Du, J., Wu, H., Wang, Z., Li, G., ... & Kang, D. J. (2019a). Facile synthesis of cactus-shaped CdS-Cu<sub>9</sub>S<sub>5</sub> heterostructure on copper foam with enhanced photoelectrochemical performance. *Applied Surface Science*, 492, 849-855.
- Wang, Q., Liang, S., Zhang, G., Su, R., Yang, C., Xu, P., & Wang, P. (2019b). Facile and rapid microwave-assisted preparation of Cu/Fe-AO-PAN fiber for PNP degradation in a photo-Fenton system under visible light irradiation. *Separation and Purification Technology*, 209, 270-278.
- Wang, X., Lu, W., Zhao, Z., Zhong, H., Zhu, Z., & Chen, W. (2020). In situ stable growth of β-FeOOH on g-C<sub>3</sub>N<sub>4</sub> for deep oxidation of emerging contaminants by photocatalytic activation of peroxymonosulfate under solar irradiation. *Chemical Engineering Journal*, 400, 125872.
- Wang, Y., Liu, C. S., Li, F. B., Liu, C. P., & Liang, J. B. (2009). Photodegradation of polycyclic aromatic hydrocarbon pyrene by iron oxide in solid phase. *Journal of Hazardous Materials*, 162(2-3), 716-723.
- Wang, Y., Zhang, F., Yang, M., Wang, Z., Ren, Y., Cui, J., ... & Kang, D. J. (2019). Synthesis of porous MoS<sub>2</sub>/CdSe/TiO<sub>2</sub> photoanodes for photoelectrochemical water splitting. *Microporous and Mesoporous Materials*, 284, 403-409.
- Wang, Z., Huang, B., Dai, Y., Qin, X., Zhang, X., Wang, P., ... & Yu, J. (2009). Highly photocatalytic ZnO/In<sub>2</sub>O<sub>3</sub> heteronanostructures synthesized by a coprecipitation method. *The Journal of Physical Chemistry C*, 113(11), 4612-4617.
- Wang, Z. L., Poncharal, P., & De Heer, W. A. (2000). Measuring physical and mechanical properties of individual carbon nanotubes by in situ TEM. *Journal of Physics and Chemistry of Solids*, 61(7), 1025-1030.
- Wei, X., Xie, T., Peng, L., Fu, W., Chen, J., Gao, Q., ... & Wang, D. (2011). Effect of heterojunction on the behavior of photogenerated charges in Fe<sub>3</sub>O<sub>4</sub>@ Fe<sub>2</sub>O<sub>3</sub> nanoparticle photocatalysts. *The Journal of Physical Chemistry C*, 115(17), 8637-8642.

---

## References

---

- Wen, X. J., Niu, C. G., Huang, D. W., Zhang, L., Liang, C., & Zeng, G. M. (2017). Study of the photocatalytic degradation pathway of norfloxacin and mineralization activity using a novel ternary Ag/AgCl-CeO<sub>2</sub> photocatalyst. *Journal of Catalysis*, 355, 73-86.
- Wen, X. J., Niu, C. G., Zhang, L., Huang, D. W., & Zeng, G. M. (2017b). In-situ synthesis of visible-light-driven plasmonic Ag/AgCl-CdWO<sub>4</sub> photocatalyst. *Ceramics International*, 43(2), 1922-1929.
- Weon, S., He, F., & Choi, W. (2019). Status and challenges in photocatalytic nanotechnology for cleaning air polluted with volatile organic compounds: visible light utilization and catalyst deactivation. *Environmental Science: Nano*, 6(11), 3185-3214.
- Wu, H., Qian, Y., Cui, J., Chai, Q., Du, J., Zhang, L., ... & Kang, D. J. (2019). Enhanced Interfacial Charge Transfer and Separation Rate based on Sub 10 nm MoS<sub>2</sub> Nanoflakes In Situ Grown on Graphitic-C<sub>3</sub>N<sub>4</sub>. *Advanced Materials Interfaces*, 6(13), 1900554.
- Wu, S. C., Tan, C. S., & Huang, M. H. (2017). Strong facet effects on interfacial charge transfer revealed through the examination of photocatalytic activities of various Cu<sub>2</sub>O-ZnO heterostructures. *Advanced Functional Materials*, 27(9), 1604635.
- Wu, Y., Hu, W., Xie, R., Liu, X., Yang, D., Chen, P., ... & Zhang, F. (2018). Composite of nano-goethite and natural organic luffa sponge as template: Synergy of high efficiency adsorption and visible-light photocatalysis. *Inorganic Chemistry Communications*, 98, 115-119.
- Xiao, Y., Deng, Y., Huan, W., Li, J., Zhang, J., & Xing, M. (2019). Hollow-structured Fe<sub>2</sub>O<sub>3</sub>/Au/SiO<sub>2</sub> nanorods with enhanced and recyclable photo-Fenton oxidation for the remediation of organic pollutants. *Materials today chemistry*, 11, 86-93.
- Xie, F., Xu, Y., Xia, K., Jia, C., & Zhang, P. (2016). Alternate pulses of ultrasound and electricity enhanced electrochemical process for p-nitrophenol degradation. *Ultrasonics sonochemistry*, 28, 199-206.
- Xu, Q., Zhang, L., Yu, J., Wageh, S., Al-Ghamdi, A. A., & Jaroniec, M. (2018). Direct Z-scheme photocatalysts: Principles, synthesis, and applications. *Materials Today*, 21(10), 1042-1063.
- Xu, Y., & Schoonen, M. A. (2000). The absolute energy positions of conduction and valence bands of selected semiconducting minerals. *American Mineralogist*, 85(3-4), 543-556.
- Xu, Z., Yu, Y., Fang, D., Xu, J., Liang, J., & Zhou, L. (2015). Microwave-ultrasound assisted synthesis of β-FeOOH and its catalytic property in a photo-Fenton-like process. *Ultrasonics sonochemistry*, 27, 287-295.
- Xu, Z., Zhang, M., Wu, J., Liang, J., Zhou, L., & Lü, B. (2013). Visible light-degradation of azo dye methyl orange using TiO<sub>2</sub>/β-FeOOH as a heterogeneous photo-Fenton-like catalyst. *Water science and technology*, 68(10), 2178-2185.

---

## References

---

- Yamashita, H., Harada, M., Misaka, J., Takeuchi, M., Ikeue, K., & Anpo, M. (2002). Degradation of propanol diluted in water under visible light irradiation using metal ion-implanted titanium dioxide photocatalysts. *Journal of Photochemistry and Photobiology A: Chemistry*, 148(1-3), 257-261.
- Yang, J., Li, Z., Zhao, C., Wang, Y., & Liu, X. (2014). Facile synthesis of Ag–Cu<sub>2</sub>O composites with enhanced photocatalytic activity. *Materials Research Bulletin*, 60, 530-536.
- Yang, H., Tian, J., Li, T., & Cui, H. (2016). Synthesis of novel Ag/Ag<sub>2</sub>O heterostructures with solar full spectrum (UV, visible and near-infrared) light-driven photocatalytic activity and enhanced photoelectrochemical performance. *Catalysis Communications*, 87, 82-85.
- Yang, T., Meng, L., Han, S., Hou, J., Wang, S., & Wang, X. (2017). Simultaneous reductive and sorptive removal of Cr (VI) by activated carbon supported  $\beta$ -FeOOH. *RSC advances*, 7(55), 34687-34693.
- Yella, A., Lee, H. W., Tsao, H. N., Yi, C., Chandiran, A. K., Nazeeruddin, M. K., ... & Grätzel, M. (2011). Porphyrin-sensitized solar cells with cobalt (II/III)-based redox electrolyte exceed 12 percent efficiency. *science*, 334(6056), 629-634.
- Yin, H., Wada, Y., Kitamura, T., & Yanagida, S. (2001). Photoreductive dehalogenation of halogenated benzene derivatives using ZnS or CdS nanocrystallites as photocatalysts. *Environmental science & technology*, 35(1), 227-231.
- Yoshimura, J., Kudo, A., Tanaka, A., Domen, K., Maruya, K. I., & Onishi, T. (1988). H<sub>2</sub> evolution caused by electron transfer between different semiconductors under visible light irradiation. *Chemical physics letters*, 147(4), 401-404.
- Yu, C., Yang, K., Jimmy, C. Y., Cao, F., Li, X., & Zhou, X. (2011). Fast fabrication of Co<sub>3</sub>O<sub>4</sub> and CuO/BiVO<sub>4</sub> composite photocatalysts with high crystallinity and enhanced photocatalytic activity via ultrasound irradiation. *Journal of alloys and compounds*, 509(13), 4547-4552.
- Zarei, A., Hedayatinasab, F., & Rezaei-Vahidian, H. (2020). Photocatalytic degradation of nitro-aromatic explosives using visible-light-activated WO<sub>3</sub>: Optimization and catalyst modification. *Environmental Progress & Sustainable Energy*, 39(4), e13386.
- Zeng, X., Wang, Z., Wang, G., Gengenbach, T. R., McCarthy, D. T., Deletic, A., ... & Zhang, X. (2017). Highly dispersed TiO<sub>2</sub> nanocrystals and WO<sub>3</sub> nanorods on reduced graphene oxide: Z-scheme photocatalysis system for accelerated photocatalytic water disinfection. *Applied Catalysis B: Environmental*, 218, 163-173.
- Zhang, H., Bayne, M., Fernando, S., Legg, B., Zhu, M., Penn, R. L., & Banfield, J. F. (2011). Size-dependent bandgap of nanogoethite. *The Journal of Physical Chemistry C*, 115(36), 17704-17710.

---

## References

---

- Zhang, H. X., Gao, J. J., Meng, H., Lu, Y. Z., & Li, C. X. (2012). Catalytic oxidative desulfurization of fuel by H<sub>2</sub>O<sub>2</sub> in situ produced via oxidation of 2-propanol. *Industrial & engineering chemistry research*, 51(13), 4868-4874.
- Zhang, P., & Lou, X. W. (2019). Design of Heterostructured Hollow Photocatalysts for Solar-to-Chemical Energy Conversion. *Advanced Materials*, 31(29), 1900281.
- Zhang, S., Zhao, X., Niu, H., Shi, Y., Cai, Y., & Jiang, G. (2009). Superparamagnetic Fe<sub>3</sub>O<sub>4</sub> nanoparticles as catalysts for the catalytic oxidation of phenolic and aniline compounds. *Journal of hazardous materials*, 167(1-3), 560-566.
- Zhang, W., Chen, J., Wang, W., Hao, L., Ni, Y., Lu, C., & Xu, Z. (2016). Superparamagnetic core-shell material with tunable magnetic behavior by regulating electron transfer efficiency and structure stability of the shell. *Results in physics*, 6, 606-613.
- Zhang, W., Hu, C., Zhai, W., Wang, Z., Sun, Y., Chi, F., ... & Lv, Y. (2016). Novel Ag<sub>3</sub>PO<sub>4</sub>/CeO<sub>2</sub> pn hierarchical heterojunction with enhanced photocatalytic performance. *Materials Research*, 19(3), 673-679.
- Zhang, X., Jiang, W., Zhou, Y., Xuan, S., Peng, C., Zong, L., & Gong, X. (2011). Magnetic recyclable Ag catalysts with a hierarchical nanostructure. *Nanotechnology*, 22(37), 375701.
- Zhang, Y., Hu, L., Zhu, C., Liu, J., Huang, H., Liu, Y., & Kang, Z. (2016). Air activation by a metal-free photocatalyst for "totally-green" hydrocarbon selective oxidation. *Catalysis Science & Technology*, 6(19), 7252-7258.
- Zhao, B., Mele, G., Pio, I., Li, J., Palmisano, L., & Vasapollo, G. (2010). Degradation of 4-nitrophenol (4-NP) using Fe-TiO<sub>2</sub> as a heterogeneous photo-Fenton catalyst. *Journal of Hazardous Materials*, 176(1-3), 569-574.
- Zhao, H., Tian, C., Mei, J., Yang, S., & Wong, P. K. (2020). Synergistic effect and mechanism of catalytic degradation toward antibiotic contaminants by amorphous goethite nanoparticles decorated graphitic carbon nitride. *Chemical Engineering Journal*, 124551.
- Zhao, Y., Jiangyong, H., & Chen, H. (2010). Elimination of estrogen and its estrogenicity by heterogeneous photo-Fenton catalyst β-FeOOH/resin. *Journal of Photochemistry and Photobiology A: Chemistry*, 212(2-3), 94-100.
- Zheng, Y., Zhang, Z., & Li, C. (2016). Beta-FeOOH-supported graphitic carbon nitride as an efficient visible light photocatalyst. *Journal of Molecular Catalysis A: Chemical*, 423, 463-471.
- Zheng, L., Su, H., Zhang, J., Walekar, L. S., Molamahmood, H. V., Zhou, B., ... & Hu, Y. H. (2018). Highly selective photocatalytic production of H<sub>2</sub>O<sub>2</sub> on sulfur and nitrogen co-doped graphene quantum dots tuned TiO<sub>2</sub>. *Applied Catalysis B: Environmental*, 239, 475-484.

---

## References

---

- Zheng, Z., Ng, Y. H., Wang, D. W., & Amal, R. (2016). Epitaxial growth of Au–Pt–Ni nanorods for direct high selectivity H<sub>2</sub>O<sub>2</sub> production. *Advanced Materials*, 28(45), 9949-9955.
- Zhou, H., Hu, L., Wan, J., Yang, R., Yu, X., Li, H., ... & Lu, X. (2016). Microwave-enhanced catalytic degradation of p-nitrophenol in soil using MgFe<sub>2</sub>O<sub>4</sub>. *Chemical Engineering Journal*, 284, 54-60.
- Zhou, H., Yang, Y., You, S., Liu, B., Ren, N., & Xing, D. (2018). Oxygen reduction reaction activity and the microbial community in response to magnetite coordinating nitrogen-doped carbon catalysts in bioelectrochemical systems. *Biosensors and Bioelectronics*, 122, 113-120.
- Zhou, L., Lei, J., Wang, L., Liu, Y., & Zhang, J. (2018). Highly efficient photo-Fenton degradation of methyl orange facilitated by slow light effect and hierarchical porous structure of Fe<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> photonic crystals. *Applied Catalysis B: Environmental*, 237, 1160-1167.
- Zhu, T., Ong, W. L., Zhu, L., & Ho, G. W. (2015). TiO<sub>2</sub> fibers supported β-FeOOH nanostructures as efficient visible light photocatalyst and room temperature sensor. *Scientific reports*, 5, 10601.
- Zuo, G., Li, B., Guo, Z., Wang, L., Yang, F., Hou, W., ... & Du, Y. (2019). Efficient photocatalytic hydrogen peroxide production over TiO<sub>2</sub> passivated by SnO<sub>2</sub>. *Catalysts*, 9(7), 623.
- Zuo, Y., & Hoigne, J. (1992). Formation of hydrogen peroxide and depletion of oxalic acid in atmospheric water by photolysis of iron (III)-oxalato complexes. *Environmental Science & Technology*, 26(5), 1014-1022.

# List of Publications

## LIST OF PUBLICATIONS

- **Shaili Pal**, Sunil Kumar, Alkadevi Verma, Ajay Kumar, Tim Ludwig, Michael Frank, Sanjay Mathur, Rajiv Prakash, Indrajit Sinha, “Development of magnetically recyclable visible light photocatalysts for hydrogen peroxide production”, *Material Science in Semiconductor Processing*, 2020, 112, 105024.
- **Shaili Pal**, Prakash Narayan Singh, Alkadevi Verma, Ajay Kumar, Dhanesh Tiwary, Rajiv Prakash, Indrajit Sinha, “Visible light photo-Fenton catalytic properties of starch functionalized iron oxyhydroxide nanocomposites”, *Environmental Nanotechnology, Monitoring & Management*, 2020, 100311.
- Jyoti Kuntail, **Shaili Pal**, Indrajit Sinha, “Interfacial phenomena during Fenton reaction on starch stabilized magnetite nanoparticles: Molecular dynamics and experimental investigations”, *Journal of Molecular Liquids*, 2020, 114037..
- Alkadevi Verma, Madhulata Shukla, Sunil Kumar, **Shaili Pal**, Indrajit Sinha, “Mechanism of visible light enhanced catalysis over curcumin functionalized Ag nanocatalysts”, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 2020, 240, 118534.
- Sharf Ilahi Siddiqui, Prakash Narayan Singh, Nusrat Tara, **Shaili Pal**, Saif Ali Chaudhry, Indrajit Sinha, “Arsenic removal from water by starch functionalized maghemite nano-adsorbents: Thermodynamics and kinetics investigations”, *Colloids and Interface Science Communications*, 2020, 36, 100263.
- Pratibha Verma, **Shaili Pal**, Swati Chauhan, Ankush Mishra, Indrajit Sinha, Sundaram Singh, Vandana Srivastava, “Starch functionalized magnetite nanoparticles: A green, biocatalyst for one-pot multicomponent synthesis of imidazopyrimidine derivatives in

aqueous medium under ultrasound irradiation”, Journal of Molecular Structure, 2020, 1203, 127410.

- Arup Kumar De, Sourav Majumdar, **Shaili Pal**, Sunil Kumar, Indrajit Sinha, “Zn doping induced band gap widening of Ag<sub>2</sub>O nanoparticles”, Journal of Alloys and Compound, 2020, 832, 154127.
- Sunil Kumar, **Shaili Pal**, Jyoti Kuntail, Indrajit Sinha, “Curcumin functionalized CuO/Ag nanocomposite: Efficient visible light Z-scheme photocatalyst for methyl orange degradation”, Environmental Nanotechnology, Monitoring & Management, 2019, 12, 100236.
- Sunil Kumar, **Shaili Pal**, Jyoti Kuntail, Arup Kumar De and Indrajit Sinha, “Construction of a Visible Light Z-scheme Photocatalyst: Curcumin Functionalized Cu<sub>2</sub>O/Ag Nanocomposites”, Chemistry Select, 2019, 4(36), 10709-10718.
- Sunil Kumar, Alka Devi Verma, **Shaili Pal** and Indrajit Sinha, “Curcumin Functionalized Ag/Ag<sub>2</sub>O Nanocomposites: Efficient Visible Light Z-scheme Photocatalysts”, Photochemistry and Photobiology, 2018, 94, 641-649.
- AD Verma, **Shaili Pal**, Pratibha Verma, Vandana Srivastava, RK Mandal, Indrajit Sinha, “Ag-Cu bimetallic nanocatalysts for p-nitrophenol reduction using a green hydrogen source”, Journal of Environmental Chemical Engineering, 2017, 5, 6148-6155.