

## References

---

- Abadi, M., Agarwal, A., Barham, P., Brevdo, E., Chen, Z., Citro, C., Corrado, G.S., Davis, A., Dean, J., Devin, M. and Ghemawat, S., 2016. Tensorflow: Large-scale machine learning on heterogeneous distributed systems. *arXiv preprint arXiv:1603.04467*.
- Abbass, S.J. and Abdulrahman, G., 2013. Kinematic analysis of human gait cycle. *Al-Nahrain Journal for Engineering Sciences*, 16(2), pp.208-222.
- Abiri, R., Borhani, S., Sellers, E.W., Jiang, Y. and Zhao, X., 2019. A comprehensive review of EEG-based brain–computer interface paradigms. *Journal of neural engineering*, 16(1), p.011001.
- Abraham, J., Rao, P.S.S., Inbaraj, S.G., Shetty, G. and Jose, C.J., 1970. An epidemiological study of hemiplegia due to stroke in South India. *Stroke*, 1(6), pp.477-481.
- Achmamad, A., Elfezazi, M., Chehri, A., Ahmed, I., Jbari, A. and Saadane, R., 2023. ML-Based Identification of Neuromuscular Disorder Using EMG Signals for Emotional Health Application. *ACM Transactions on Internet Technology*.
- Agarwal, S., Chadha, R. and Bhati, B.S., 2023, May. EMG Feature Selection Approach to Improve Classification Accuracy—A Review. In *2023 Third International Conference on Secure Cyber Computing and Communication (ICSCCC)* (pp. 524-529). IEEE.
- Ahsan, M.R., Ibrahimy, M.I. and Khalifa, O.O., 2009. EMG signal classification for human computer interaction: a review. *European Journal of Scientific Research*, 33(3), pp.480-501.

Al-Asadi, A.W., Salehpour, P. and Aghdasi, H.S., 2024. A robust semi-supervised deep learning approach for emotion recognition using EEG signals. *International Journal of Machine Learning and Cybernetics*, pp.1-14.

Al-Ayyad, M., Owida, H.A., De Fazio, R., Al-Naami, B. and Visconti, P., 2023. Electromyography monitoring systems in rehabilitation: A review of clinical applications, wearable devices and signal acquisition methodologies. *Electronics*, 12(7), p.1520.

Alexander, N.B., 1996. Differential diagnosis of gait disorders in older adults. *Clinics in geriatric medicine*, 12(4), pp.689-703.

Aljasar, S.A., Xu, Y. and Saqib, M., 2020. Anaylsis and Detection of Community-acquired pneumonia using pspnet with complex Daubechies wavelets. *Indian Journal of Computer Science and Engineering*, 11(3), pp.217-225.

Alotaibi, N.D., Jahanshahi, H., Yao, Q., Mou, J. and Bekiros, S., 2023. An ensemble of long short-term memory networks with an attention mechanism for upper limb electromyography signal classification. *Mathematics*, 11(18), p.4004.

Al-Saffar, A.A.M., Tao, H. and Talab, M.A., 2017, October. Review of deep convolution neural network in image classification. In *2017 International conference on radar, antenna, microwave, electronics, and telecommunications (ICRAMET)* (pp. 26-31). IEEE.

Altaheri, H., Muhammad, G., Alsulaiman, M., Amin, S.U., Altuwaijri, G.A., Abdul, W., Bencherif, M.A. and Faisal, M., 2023. Deep learning techniques for classification of electroencephalogram (EEG) motor imagery (MI) signals: A review. *Neural Computing and Applications*, 35(20), pp.14681-14722.

Altın, C. and Er, O., 2016. Comparison of different time and frequency domain feature extraction methods on elbow gesture's EMG. *European journal of interdisciplinary studies*, 2(3), pp.25-34.

Alyasseri, Z.A.A., Khader, A.T., Al-Betar, M.A., Abasi, AK and Makhadmeh, S.N., 2019. EEG signals denoising using optimal wavelet transform hybridized with efficient metaheuristic methods. *IEEE Access*, 8, pp.10584-10605.

Amin, S.U., Altaheri, H., Muhammad, G., Alsulaiman, M. and Abdul, W., 2021, May. Attention based Inception model for robust EEG motor imagery classification. In *2021 IEEE international instrumentation and measurement technology conference (I2MTC)* (pp. 1-6). IEEE.

Aminoff, M.J., 2012. Electroencephalography: general principles and clinical applications. In *Aminoff's electrodiagnosis in clinical neurology* (pp. 37-84). WB Saunders.

Anselmino, E., Mazzoni, A. and Micera, S., 2024. EMG-based prediction of step direction for a better control of lower limb wearable devices. *Computer Methods and Programs in Biomedicine*, 254, p.108305.

Apsega, A., Petrauskas, L., Alekna, V., Daunoraviciene, K., Sevchenko, V., Mastaviciute, A., Vitkus, D., Tamulaitiene, M. and Griskevicius, J., 2020. Wearable sensors technology as a tool for discriminating frailty levels during instrumented gait analysis. *Applied Sciences*, 10(23), p.8451.

Arnal, A., 2014. XXIII congreso de ecuaciones diferenciales y aplicaciones: XIII congreso de matemática aplicada.

Ayodele, T.O., 2010. Types of machine learning algorithms. *New advances in machine learning*, 3(19-48), pp.5-1.

Baan, H., Dubbeldam, R., Nene, A.V. and van de Laar, M.A., 2012, June. Gait analysis of the lower limb in patients with rheumatoid arthritis: a systematic review. In *Seminars in arthritis and rheumatism* (Vol. 41, No. 6, pp. 768-788). WB Saunders.

Badawi, A.A., Al-Kabbany, A. and Shaban, H.A., 2020. Sensor Type, Axis, and Position-Based Fusion and Feature Selection for Multi-modal Human Daily Activity Recognition in Wearable Body Sensor Networks. *Journal of Healthcare Engineering*, 2020(1), p.7914649.

Badura, A., Masłowska, A., Myśliwiec, A. and Piętka, E., 2021. Multi-modal signal analysis for pain recognition in physiotherapy using wavelet scattering transform. *Sensors*, 21(4), p.1311.

Baker, R., 2006. Gait analysis methods in rehabilitation. *Journal of neuroengineering and rehabilitation*, 3, pp.1-10.

Balusu, B.S. and Bhatt, S.N., 2024. A Novel Deep Learning Model Using an LSTM Algorithm to Automate Sleep Staging from Sleep EEG Data. *International Journal of High School Research*, 6(4).

Baozhou, Z., Hofstee, P., Lee, J. and Al-Ars, Z., 2021. An attention module for convolutional neural networks. *arXiv preprint arXiv:2108.08205*.

Barlow, H.B., 1989. Unsupervised learning. *Neural computation*, 1(3), pp.295-311.

Bauwens, P., 1948. Electromyography.

Belinkov, Y., 2022. Probing classifiers: Promises, shortcomings, and advances. *Computational Linguistics*, 48(1), pp.207-219.

Binnie, C.D. and Prior, P.F., 1994. Electroencephalography. *Journal of Neurology, Neurosurgery & Psychiatry*, 57(11), pp.1308-1319.

Borzelli, D., De Marchis, C., Quercia, A., De Pasquale, P., Casile, A., Quartarone, A., Calabrò, R.S. and d'Avella, A., 2024. Muscle Synergy Analysis as a Tool for Assessing the Effectiveness of Gait Rehabilitation Therapies: A Methodological Review and Perspective. *Bioengineering*, 11(8), p.793.

Boukhenoufa, I., Zhai, X., Utti, V., Jackson, J. and McDonald-Maier, K.D., 2022. Wearable sensors and machine learning in post-stroke rehabilitation assessment: A systematic review. *Biomedical Signal Processing and Control*, 71, p.103197.

Boyer, M., Bouyer, L., Roy, J.S. and Campeau-Lecours, A., 2023. Reducing noise, artifacts and interference in single-channel emg signals: A review. *Sensors*, 23(6), p.2927.

Bracewell, R.N., 1989. The fourier transform. *Scientific American*, 260(6), pp.86-95.

Brambilla, C., Pirovano, I., Mira, R.M., Rizzo, G., Scano, A. and Mastropietro, A., 2021. Combined use of EMG and EEG techniques for neuromotor assessment in rehabilitative applications: A systematic review. *Sensors*, 21(21), p.7014.

Breitman, N., Yona, T. and Fischer, A.G., 2023. Gait Event Detection Wearable Device Development and the Effect of Vibration Feedback on Ankle Kinematics and Kinetics. *IEEE Sensors Journal*.

Broström, E.W., Esbjörnsson, A.C., von Heideken, J. and Iversen, M.D., 2012. Gait deviations in individuals with inflammatory joint diseases and osteoarthritis and the usage of three-dimensional gait analysis. *Best Practice & Research Clinical Rheumatology*, 26(3), pp.409-422.

Burden, A., 2007. Surface electromyography. In *Biomechanical evaluation of movement in sport and exercise* (pp. 91-116). Routledge.

Burrus, C.S., Gopinath, R.A. and Guo, H., 1998. Wavelets and wavelet transforms. *rice university, houston edition*, 98.

Caffi, L., Boccia, S., Longatelli, V., Guanziroli, E., Molteni, F. and Pedrocchi, A., 2022. Brain-muscle connectivity during gait: corticomuscular coherence as quantification of the cognitive reserve. *bioRxiv*, pp.2022-05.

Caruana, R. and Niculescu-Mizil, A., 2006, June. An empirical comparison of supervised learning algorithms. In *Proceedings of the 23rd international conference on Machine learning* (pp. 161-168).

Cerutti, S. and Marchesi, C. eds., 2011. *Advanced methods of biomedical signal processing*. John Wiley & Sons.

Chaudhary, U., Birbaumer, N. and Ramos-Murguialday, A., 2016. Brain–computer interfaces for communication and rehabilitation. *Nature Reviews Neurology*, 12(9), pp.513-525.

Chen, H., Wang, Y., Guo, T., Xu, C., Deng, Y., Liu, Z., Ma, S., Xu, C., Xu, C. and Gao, W., 2021. Pre-trained image processing transformer. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition* (pp. 12299-12310).

Cheng, X., Huang, K., Zou, Y. and Ma, S., 2024. SleepEGAN: A GAN-enhanced ensemble deep learning model for imbalanced classification of sleep stages. *Biomedical Signal Processing and Control*, 92, p.106020.

Chong, K.C., Vojnic, C.D., Quanbury, A.O. and Letts, R.M., 1978. The assessment of the internal rotation gait in cerebral palsy: an electromyographic gait analysis. *Clinical Orthopaedics and Related Research®*, (132), pp.145-150.

Chu, Y., Zhao, X., Zou, Y., Xu, W., Song, G., Han, J. and Zhao, Y., 2020. Decoding multiclass motor imagery EEG from the same upper limb by combining Riemannian geometry features and partial least squares regression. *Journal of neural engineering*, 17(4), p.046029.

- Cifrek, M., Medved, V., Tonković, S. and Ostojić, S., 2009. Surface EMG based muscle fatigue evaluation in biomechanics. *Clinical biomechanics*, 24(4), pp.327-340.
- Cisnal, A., Pérez-Turiel, J., Fraile, J.C., Sierra, D. and de la Fuente, E., 2021. Robhand: A hand exoskeleton with real-time emg-driven embedded control. quantifying hand gesture recognition delays for bilateral rehabilitation. *IEEE Access*, 9, pp.137809-137823.
- Cohen, A., 1992. Biorthogonal wavelets. *Wavelets: A tutorial in theory and applications*, 2, pp.123-152.
- Crawford, B., Miller, K., Shenoy, P. and Rao, R., 2005, July. Real-time classification of electromyographic signals for robotic control. In *AAAI* (Vol. 5, pp. 523-528).
- Cucchiarelli, A. and Fioretti, S., 2019. A deep learning approach to emg-based classification of gait phases during level ground walking. *Electronics*, 8(8), p.894.
- D'Accolti, D., Clemente, F., Mannini, A., Mastinu, E., Ortiz-Catalan, M. and Cipriani, C., 2023. Online classification of transient EMG patterns for the control of the wrist and hand in a transradial prosthesis. *IEEE Robotics and Automation Letters*, 8(2), pp.1045-1052.
- Day, S., 2002. Important factors in surface EMG measurement. *Bortec Biomedical Ltd publishers*, pp.1-17.
- De Choudhury, M. and Kiciman, E., 2018. Integrating artificial and human intelligence in complex, sensitive problem domains: experiences from mental health. *Ai Magazine*, 39(3), pp.69-80.
- De la Cruz-Sánchez, B.A., Arias-Montiel, M. and Lugo-González, E., 2022. EMG-controlled hand exoskeleton for assisted bilateral rehabilitation. *Biocybernetics and Biomedical Engineering*, 42(2), pp.596-614.

de Santana Correia, A. and Colombini, E.L., 2022. Attention, please! A survey of neural attention models in deep learning. *Artificial Intelligence Review*, 55(8), pp.6037-6124.

de Seta, V., Toppi, J., Pichiorri, F., Masciullo, M., Colamarino, E., Mattia, D. and Cincotti, F., 2021, May. Towards a hybrid EEG-EMG feature for the classification of upper limb movements: comparison of different processing pipelines. In *2021 10th International IEEE/EMBS Conference on Neural Engineering (NER)* (pp. 355-358). IEEE.

De, D., Bharti, P., Das, S.K. and Chellappan, S., 2015. Multimodal wearable sensing for fine-grained activity recognition in healthcare. *IEEE Internet Computing*, 19(5), pp.26-35.

Dey, N. ed., 2016. *Classification and clustering in biomedical signal processing*. IGI global.

Di Nardo, F., Basili, T., Meletani, S. and Scaradozzi, D., 2022. Wavelet-based assessment of the muscle-activation frequency range by EMG analysis. *IEEE Access*, 10, pp.9793-9805.

Dicharry, J., 2010. Kinematics and kinetics of gait: from lab to clinic. *Clinics in sports medicine*, 29(3), pp.347-364.

Dickson, D.W., 1998. Pick's disease: a modern approach. *Brain pathology*, 8(2), pp.339-354.

Dimitrova, N.A. and Dimitrov, G.V., 2003. Interpretation of EMG changes with fatigue: facts, pitfalls, and fallacies. *Journal of Electromyography and Kinesiology*, 13(1), pp.13-36.

- Dong, N., Zhao, L., Wu, C.H. and Chang, J.F., 2020. Inception v3 based cervical cell classification combined with artificially extracted features. *Applied Soft Computing*, 93, p.106311.
- Dong, Y., Wang, S., Huang, Q., Berg, R.W., Li, G. and He, J., 2023. Neural decoding for intracortical brain–computer interfaces. *Cyborg and Bionic Systems*, 4, p.0044.
- Eldele, E., Chen, Z., Liu, C., Wu, M., Kwoh, C.K., Li, X. and Guan, C., 2021. An attention-based deep learning approach for sleep stage classification with single-channel EEG. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 29, pp.809-818.
- Elsayed, N., Zaghloul, Z.S. and Bayoumi, M., 2017. Brain computer interface: EEG signal preprocessing issues and solutions. *Int. J. Comput. Appl*, 169(3), pp.12-16.
- Emimal, M., Hans, W.J., Inbamalar, T.M. and Lindsay, N.M., 2024. Classification of EMG signals with CNN features and voting ensemble classifier. *Computer Methods in Biomechanics and Biomedical Engineering*, pp.1-15.
- Enders, H. and Nigg, B.M., 2016. Measuring human locomotor control using EMG and EEG: Current knowledge, limitations and future considerations. *European journal of sport science*, 16(4), pp.416-426.
- Farahani, A., Pourshojae, B., Rasheed, K. and Arabnia, H.R., 2020, December. A concise review of transfer learning. In *2020 international conference on computational science and computational intelligence (CSCI)* (pp. 344-351). IEEE.
- Farina, D., Merletti, R., Indino, B. and Graven-Nielsen, T., 2004. Surface EMG crosstalk evaluated from experimental recordings and simulated signals. *Methods of information in medicine*, 43(01), pp.30-35.
- Fauvet, M., Cremoux, S., Chalard, A., Tisseyre, J., Gasq, D. and Amarantini, D., 2019, March. A novel method to generalize time-frequency coherence analysis

between EEG or EMG signals during repetitive trials with high intra-subject variability in duration. In *2019 9th International IEEE/EMBS Conference on Neural Engineering (NER)* (pp. 437-440). IEEE.

Feigin, V.L., Brainin, M., Norrving, B., Martins, S., Sacco, R.L., Hacke, W., Fisher, M., Pandian, J. and Lindsay, P., 2022. World Stroke Organization (WSO): global stroke fact sheet 2022. *International Journal of Stroke*, 17(1), pp.18-29.

Fleming, A., Stafford, N., Huang, S., Hu, X., Ferris, D.P. and Huang, H.H., 2021. Myoelectric control of robotic lower limb prostheses: a review of electromyography interfaces, control paradigms, challenges and future directions. *Journal of neural engineering*, 18(4), p.041004.

Fonseca, L., Tigra, W., Navarro, B., Guiraud, D., Fattal, C., Bó, A., Fachin-Martins, E., Leynaert, V., Gélis, A. and Azevedo-Coste, C., 2019. Assisted grasping in individuals with tetraplegia: Improving control through residual muscle contraction and movement. *Sensors*, 19(20), p.4532.

Freed, A., Chan, A.D., Lemaire, E.D. and Parush, A., 2011, May. Wearable emg analysis for rehabilitation (wear)-surface electromyography in clinical gait analysis. In *2011 IEEE International Symposium on Medical Measurements and Applications* (pp. 601-604). IEEE.

Fricke, C., Alizadeh, J., Zakhary, N., Woost, T.B., Bogdan, M. and Classen, J., 2021. Evaluation of three machine learning algorithms for the automatic classification of EMG patterns in gait disorders. *Frontiers in neurology*, 12, p.666458.

Fu, L., Li, H., Ji, H. and Li, J., 2023. EEG-EMG Analysis Method in Hybrid Brain Computer Interface for Hand Rehabilitation Training. *Computing and Informatics*, 42(3), pp.741-761.

- Galassi, A., Lippi, M. and Torroni, P., 2020. Attention in natural language processing. *IEEE transactions on neural networks and learning systems*, 32(10), pp.4291-4308.
- Ganz, D.A., Bao, Y., Shekelle, P.G. and Rubenstein, L.Z., 2007. Will my patient fall?. *Jama*, 297(1), pp.77-86.
- Gao, X., Wang, Y., Chen, X. and Gao, S., 2021. Interface, interaction, and intelligence in generalized brain–computer interfaces. *Trends in cognitive sciences*, 25(8), pp.671-684.
- Ghaffarian, S., Valente, J., Van Der Voort, M. and Tekinerdogan, B., 2021. Effect of attention mechanism in deep learning-based remote sensing image processing: A systematic literature review. *Remote Sensing*, 13(15), p.2965.
- Gil-Martín, M., López-Iniesta, J. and San-Segundo, R., 2021. Classifier module of types of movements based on signal processing and deep learning techniques. *Engineering Proceedings*, 10(1), p.14.
- Giri, H.R., Negi, P.C.B.S., Sharma, S. and Sharma, N., 2024, May. An Intuitive Real-Time Brain Control Interface based on Motor Imagery and Execution. In *2024 IEEE 4th International Conference on Human-Machine Systems (ICHMS)* (pp. 1-6). IEEE.
- Giroux, M., Moissenet, F. and Dumas, R., 2013. EMG-based validation of musculoskeletal models for gait analysis. *Computer methods in biomechanics and biomedical engineering*, 16(sup1), pp.152-154.
- Gitler, A.D., Dhillon, P. and Shorter, J., 2017. Neurodegenerative disease: models, mechanisms, and a new hope. *Disease models & mechanisms*, 10(5), pp.499-502.
- Golbe, L.I., Davis, P.H., Schoenberg, B.S. and Duvoisin, R.C., 1988. Prevalence and natural history of progressive supranuclear palsy. *Neurology*, 38(7), pp.1031-1031.

Goldberger, A.L., Amaral, L.A., Glass, L., Hausdorff, J.M., Ivanov, P.C., Mark, R.G., Mietus, J.E., Moody, G.B., Peng, C.K. and Stanley, H.E., 2000. PhysioBank, PhysioToolkit, and PhysioNet: components of a new research resource for complex physiologic signals. *circulation*, 101(23), pp.e215-e220.

Gonçalves, T., Rio-Torto, I., Teixeira, L.F. and Cardoso, J.S., 2022. A survey on attention mechanisms for medical applications: are we moving toward better Algorithms?. *IEEE Access*, 10, pp.98909-98935.

Gordleeva, S.Y., Lobov, S.A., Grigorev, N.A., Savosenkov, A.O., Shamshin, M.O., Lukoyanov, M.V., Khoruzhko, M.A. and Kazantsev, V.B., 2020. Real-time EEG–EMG human–machine interface-based control system for a lower-limb exoskeleton. *Ieee Access*, 8, pp.84070-84081.

Gosala, B., Kapgate, P.D., Jain, P., Chaurasia, R.N. and Gupta, M., 2023. Wavelet transforms for feature engineering in EEG data processing: An application on Schizophrenia. *Biomedical Signal Processing and Control*, 85, p.104811.

Grabli, D., Karachi, C., Welter, M.L., Lau, B., Hirsch, E.C., Vidailhet, M. and François, C., 2012. Normal and pathological gait: what we learn from Parkinson's disease. *Journal of Neurology, Neurosurgery & Psychiatry*, 83(10), pp.979-985.

Guger, C., Harkam, W., Hertnaes, C. and Pfurtscheller, G., 1999, November. Prosthetic control by an EEG-based brain-computer interface (BCI). In *Proc. aaate 5th european conference for the advancement of assistive technology* (pp. 3-6).

Guidetti, L., Rivellini, G. and Figura, F., 1996. EMG patterns during running: Intra- and inter-individual variability. *Journal of Electromyography and Kinesiology*, 6(1), pp.37-48.

Guo, Y., Zhao, G., Liu, Q., Mei, Z., Ivanov, K. and Wang, L., 2013. Balance and knee extensibility evaluation of hemiplegic gait using an inertial body sensor network. *Biomedical engineering online*, 12, pp.1-14.

Gupta, R. and Agarwal, R., 2021. Lower-limb muscle EMG analysis to predict ankle-foot activities for prosthesis control. In *Smart Computing* (pp. 404-411). CRC Press.

Gupta, S. and Singh, H., 1996, November. Preprocessing EEG signals for direct human-system interface. In *Proceedings IEEE international joint symposia on intelligence and systems* (pp. 32-37). IEEE.

Gwin, J.T. and Ferris, D.P., 2012. Beta-and gamma-range human lower limb cortico-muscular coherence. *Frontiers in human neuroscience*, 6, p.258.

Hall, J.E. and Hall, M.E., 2020. *Guyton and Hall Textbook of Medical Physiology: Guyton and Hall Textbook of Medical Physiology*. Elsevier Health Sciences.

Hamerman, D., 1989. The biology of osteoarthritis. *New England Journal of Medicine*, 320(20), pp.1322-1330.

Harris, G.F. and Wertsch, J.J., 1994. Procedures for gait analysis. *Archives of physical medicine and rehabilitation*, 75(2), pp.216-225.

Haufe, S., Isaias, I.U., Pellegrini, F. and Palmisano, C., 2023. Gait event prediction using surface electromyography in parkinsonian patients. *Bioengineering*, 10(2), p.212.

Hausdorff, J.M., 2009. Gait dynamics in Parkinson's disease: common and distinct behavior among stride length, gait variability, and fractal-like scaling. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 19(2).

Hausdorff, J.M., Lertratanakul, A., Cudkowicz, M.E., Peterson, A.L., Kaliton, D. and Goldberger, A.L., 2000. Dynamic markers of altered gait rhythm in amyotrophic lateral sclerosis. *Journal of applied physiology*.

Heemels, M.T., 2016. Neurodegenerative diseases. *Nature*, 539(7628), pp.179-180.

Heil, C.E. and Walnut, D.F., 1989. Continuous and discrete wavelet transforms. *SIAM review*, 31(4), pp.628-666.

Hermawan, A.T., Zaeni, I.A.E., Wibawa, A.P., Gunawan, G., Hendrawan, W.H. and Kristian, Y., 2024. A multi representation deep learning approach for epileptic seizure detection. *Journal of Robotics and Control (JRC)*, 5(1), pp.187-204.

Hesse, S., Reiter, F., Jahnke, M., Dawson, M., Sarkodie-Gyan, T. and Mauritz, K.H., 1997. Asymmetry of gait initiation in hemiparetic stroke subjects. *Archives of physical medicine and rehabilitation*, 78(7), pp.719-724.

Hochberg, L.R. and Donoghue, J.P., 2006. Sensors for brain-computer interfaces. *IEEE Engineering in Medicine and Biology Magazine*, 25(5), pp.32-38.

Howard, A.G., Zhu, M., Chen, B., Kalenichenko, D., Wang, W., Weyand, T., Andreetto, M. and Adam, H., 2017. Mobilenets: Efficient convolutional neural networks for mobile vision applications. *arXiv preprint arXiv:1704.04861*.

Hug, F., 2011. Can muscle coordination be precisely studied by surface electromyography?. *Journal of electromyography and kinesiology*, 21(1), pp.1-12.

Humphreys, S.C. and Eck, J.C., 1999. Clinical evaluation and treatment options for herniated lumbar disc. *American family physician*, 59(3), pp.575-582.

Ibrahim, F.E., Emara, H.M., El-Shafai, W., Elwekeil, M., Rihan, M., Eldokany, I.M., Taha, T.E., El-Fishawy, A.S., El-Rabaie, E.S.M., Abdellatef, E. and Abd El-Samie, F.E., 2022. Deep-learning-based seizure detection and prediction from

electroencephalography signals. *International Journal for Numerical Methods in Biomedical Engineering*, 38(6), p.e3573.

Iwasaki, Y., 2017. Creutzfeldt-jakob disease. *Neuropathology*, 37(2), pp.174-188.

Izdebski, K., Oliveira, A.S., Schlink, B.R., Legkov, P., Kärcher, S., Hairston, W.D., Ferris, D.P. and König, P., 2016, June. Usability of EEG systems: user experience study. In *Proceedings of the 9th ACM International Conference on Pervasive Technologies Related to Assistive Environments* (pp. 1-4).

Jawerth, B. and Sweldens, W., 1994. An overview of wavelet based multi-resolution analyses. *SIAM review*, 36(3), pp.377-412.

Jin, H., Xu, R. and Wang, J., 2019. The effects of short-term wearing of customized 3D printed single-sided lateral wedge insoles on lower limbs in healthy males: a randomized controlled trial. *Medical science monitor: international medical journal of experimental and clinical research*, 25, p.7720.

Jones, S.P., Baqai, K., Clegg, A., Georgiou, R., Harris, C., Holland, E.J., Kalkonde, Y., Lightbody, C.E., Maulik, P.K., Srivastava, P.M. and Pandian, JD, 2022. Stroke in India: a systematic review of the incidence, prevalence, and case fatality. *International Journal of Stroke*, 17(2), pp.132-140.

Jordan, M.I. and Mitchell, T.M., 2015. Machine learning: Trends, perspectives, and prospects. *Science*, 349(6245), pp.255-260.

Kamble, K. and Sengupta, J., 2023. A comprehensive survey on emotion recognition based on electroencephalograph (EEG) signals. *Multimedia Tools and Applications*, 82(18), pp.27269-27304.

Kaur, A., 2021. Wheelchair control for disabled patients using EMG/EOG based human machine interface: a review. *Journal of medical engineering & technology*, 45(1), pp.61-74.

Kelsey, J.L., Golden, A.L. and Mundt, D.J., 1990. Low back pain/prolapsed lumbar intervertebral disc. *Rheumatic Disease Clinics of North America*, 16(3), pp.699-716.

Ketkar, N., Moolayil, J., Ketkar, N. and Moolayil, J., 2021. Convolutional neural networks. *Deep learning with Python: learn best practices of deep learning models with PyTorch*, pp.197-242.

Key, M.L., Mehtiyev, T. and Qu, X., 2024, June. Advancing EEG-based gaze prediction using depthwise separable convolution and enhanced pre-processing. In *International Conference on Human-Computer Interaction* (pp. 3-17). Cham: Springer Nature Switzerland.

Kiloh, L.G., McComas, A.J. and Osselton, J.W., 2013. *Clinical electroencephalography*. Butterworth-Heinemann.

Kim, B. and Seo, S., 2023. EfficientNetV2-based dynamic gesture recognition using transformed scalogram from triaxial acceleration signal. *Journal of Computational Design and Engineering*, 10(4), pp.1694-1706.

Kim, J., Oh, S.I., Cho, H., Kim, H.S., Chon, J., Lee, W.J., Shin, J.H., Ahn, J.Y., Kim, T., Han, J.S. and Jang, H.Y., 2015. Gait patterns of chronic ambulatory hemiplegic elderly compared with normal age-matched elderly. *International Journal of Precision Engineering and Manufacturing*, 16, pp.385-392.

Kim, J.J., Cho, H., Park, Y., Jang, J., Kim, J.W. and Ryu, J.S., 2020. Biomechanical influences of gait patterns on knee joint: Kinematic & EMG analysis. *Plos one*, 15(5), p.e0233593.

Kim, N., Park, J., Shin, H. and Bae, Y., 2022, April. Gastrocnemius medial head stiffness is associated with potential fall risk in community-dwelling older adults. In *Healthcare* (Vol. 10, No. 5, p. 785). MDPI.

- Kim, P. and Kim, P., 2017. Convolutional neural network. *MATLAB deep learning: with machine learning, neural networks and artificial intelligence*, pp.121-147.
- Kleissen, R.F.M., Buurke, J.H., Harlaar, J. and Zilvold, G., 1998. Electromyography in the biomechanical analysis of human movement and its clinical application. *Gait & posture*, 8(2), pp.143-158.
- Kok, C.L., Ho, C.K., Tan, F.K. and Koh, Y.Y., 2024. Machine Learning-Based Feature Extraction and Classification of EMG Signals for Intuitive Prosthetic Control. *Applied Sciences*, 14(13), p.5784.
- Konrad, P., 2005. The abc of emg. *A practical introduction to kinesiological electromyography*, 1(2005), pp.30-5.
- Krishnan, S. and Athavale, Y., 2018. Trends in biomedical signal feature extraction. *Biomedical Signal Processing and Control*, 43, pp.41-63.
- Kumar, J.S. and Bhuvaneswari, P., 2012. Analysis of electroencephalography (EEG) signals and its categorization—a study. *Procedia engineering*, 38, pp.2525-2536.
- Kumar, M., Gautam, P. and Semwal, V.B., 2022. Effect of machine learning techniques for efficient classification of EMG patterns in gait disorders. *International Journal of Electrical and Electronics Research*, 10(2), pp.117-121.
- Kumar, P.S., Arumuganathan, R., Sivakumar, K. and Vimal, C., 2008, October. Removal of artifacts from EEG signals using adaptive filter through wavelet transform. In *2008 9th International Conference on Signal Processing* (pp. 2138-2141). IEEE.
- Kutyniok, G. and Labate, D., 2009. Resolution of the wavefront set using continuous shearlets. *Transactions of the American Mathematical Society*, 361(5), pp.2719-2754.
- Lalitharatne, T.D., Teramoto, K., Hayashi, Y. and Kiguchi, K., 2013. Towards hybrid EEG-EMG-based control approaches to be used in bio-robotics applications:

Current status, challenges and future directions. *Paladyn, Journal of Behavioral Robotics*, 4(2), pp.147-154.

Lappalainen, H. and Miskin, J.W., 2000. Ensemble learning. In *Advances in Independent Component Analysis* (pp. 75-92). London: Springer London.

Le, H.T., Phung, S.L. and Bouzerdoum, A., 2018, August. Human gait recognition with micro-Doppler radar and deep autoencoder. In *2018 24th International Conference on Pattern Recognition (ICPR)* (pp. 3347-3352). IEEE.

Lee, Y.E. and Lee, S.H., 2022, February. EEG-transformer: Self-attention from transformer architecture for decoding EEG of imagined speech. In *2022 10th International winter conference on brain-computer interface (BCI)* (pp. 1-4). IEEE.

Leeb, R., Sagha, H., Chavarriaga, R. and del R Millán, J., 2011. A hybrid brain–computer interface based on the fusion of electroencephalographic and electromyographic activities. *Journal of neural engineering*, 8(2), p.025011.

Leerskov, K., Rehman, M., Niazi, I., Cremoux, S. and Jochumsen, M., 2020, October. Investigating the feasibility of combining EEG and EMG for controlling a hybrid human computer interface in patients with spinal cord injury. In *2020 IEEE 20th International Conference on Bioinformatics and Bioengineering (BIBE)* (pp. 403-410). IEEE.

Lei, Y., Wang, D., Wang, W., Qu, H., Wang, J. and Shi, B., 2023. Improving single-hand open/close motor imagery classification by error-related potentials correction. *Heliyon*, 9(8).

Li, F., He, F., Wang, F., Zhang, D., Xia, Y. and Li, X., 2020. A novel simplified convolutional neural network classification algorithm of motor imagery EEG signals based on deep learning. *Applied Sciences*, 10(5), p.1605.

- Li, X., Samuel, O.W., Zhang, X., Wang, H., Fang, P. and Li, G., 2017. A motion-classification strategy based on sEMG-EEG signal combination for upper-limb amputees. *Journal of neuroengineering and rehabilitation*, 14, pp.1-13.
- Li, Z., Liu, F., Yang, W., Peng, S. and Zhou, J., 2021. A survey of convolutional neural networks: analysis, applications, and prospects. *IEEE transactions on neural networks and learning systems*, 33(12), pp.6999-7019.
- Lin, C.J. and Lukodono, R.P., 2021. Sustainable human–robot collaboration based on human intention classification. *Sustainability*, 13(11), p.5990.
- Lina, J.M. and Mayrand, M., 1995. Complex daubechies wavelets. *Applied and Computational Harmonic Analysis*, 2(3), pp.219-229.
- Liu, S., Wang, X., Zhao, L., Li, B., Hu, W., Yu, J. and Zhang, Y.D., 2021. 3DCANN: A spatio-temporal convolution attention neural network for EEG emotion recognition. *IEEE Journal of Biomedical and Health Informatics*, 26(11), pp.5321-5331.
- Lucas, L., DiCicco, M. and Matsuoka, Y., 2004. An EMG-controlled hand exoskeleton for natural pinching. *Journal of Robotics and Mechatronics*, 16, pp.482-488.
- Ma, X., Qiu, S., Wei, W., Wang, S. and He, H., 2019. Deep channel-correlation network for motor imagery decoding from the same limb. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 28(1), pp.297-306.
- Mahlknecht, P., Kiechl, S., Bloem, B.R., Willeit, J., Scherfler, C., Gasperi, A., Rungger, G., Poewe, W. and Seppi, K., 2013. Prevalence and burden of gait disorders in elderly men and women aged 60–97 years: a population-based study. *PloS one*, 8(7), p.e69627.
- Malan, N.S. and Sharma, S., 2022. Motor imagery EEG spectral-spatial feature optimization using dual-tree complex wavelet and neighbourhood component analysis. *IRBM*, 43(3), pp.198-209.

- Mammone, N., Ieracitano, C. and Morabito, F.C., 2020. A deep CNN approach to decode motor preparation of upper limbs from time–frequency maps of EEG signals at source level. *Neural Networks*, 124, pp.357-372.
- Mandal, U.K., Verma, S.K. and Prasad, A., 2021. Composition of wavelet transforms and wave packet transform involving Kontorovich-Lebedev transform. *Filomat*, 35(1), pp.47-60.
- Marque, P., Gasq, D., Castel-Lacanal, E., De Boissezon, X. and Loubinoux, I., 2014. Post-stroke hemiplegia rehabilitation: evolution of the concepts. *Annals of physical and rehabilitation medicine*, 57(8), pp.520-529.
- Massó, N., Rey, F., Romero, D., Gual, G., Costa, L. and Germán, A., 2010. Surface electromyography applications in the sport. *Apunts Med Esport*, 45(165), pp.121-130.
- McDonald, C., El Yaakoubi, N.A. and Lennon, O., 2024. Brain (EEG) and muscle (EMG) activity related to 3D sit-to-stand kinematics in healthy adults and in central neurological pathology-A Systematic Review. *Gait & Posture*.
- McGee, S., 2021. *Evidence-based physical diagnosis e-book*. Elsevier Health Sciences.
- McInnes, I.B. and Schett, G., 2011. The pathogenesis of rheumatoid arthritis. *New England Journal of Medicine*, 365(23), pp.2205-2219.
- Merletti, R. and Farina, D. eds., 2016. *Surface electromyography: physiology, engineering, and applications*. John Wiley & Sons.
- Merlo, A. and Campanini, I., 2016. Applications in movement and gait analysis. *Surface electromyography: physiology, engineering, and applications*, pp.440-459.
- Mesin, L., 2018. Optimal spatio-temporal filter for the reduction of crosstalk in surface electromyogram. *Journal of neural engineering*, 15(1), p.016013.

Mesin, L., 2020. Crosstalk in surface electromyogram: literature review and some insights. *Physical and Engineering Sciences in Medicine*, 43, pp.481-492.

Mesin, L., 2020. Cross-talk in surface electromyogram: literature review and some insights. *Physical and Engineering Sciences in Medicine*, 43, pp.481-492.

Mirelman, A., Bonato, P., Camicioli, R., Ellis, T.D., Giladi, N., Hamilton, J.L., Hass, C.J., Hausdorff, J.M., Pelosin, E. and Almeida, Q.J., 2019. Gait impairments in Parkinson's disease. *The Lancet Neurology*, 18(7), pp.697-708.

Misgeld, B.J., Lüken, M., Heitzmann, D., Wolf, S.I. and Leonhardt, S., 2015. Body-sensor-network-based spasticity detection. *IEEE journal of biomedical and health informatics*, 20(3), pp.748-755.

Mitchell, J.D. and Borasio, G.D., 2007. Amyotrophic lateral sclerosis. *The lancet*, 369(9578), pp.2031-2041.

Mokdad, A., Debbal, S.M.E.A. and Meziani, F., 2020. Application of the continuous wavelet transform for the analysis of pathological severity degree of electromyograms (EMGs) signals. *Polish Journal of Medical Physics and Engineering*, 26(3), pp.149-154.

Moon, Y., Sung, J., An, R., Hernandez, M.E. and Sosnoff, J.J., 2016. Gait variability in people with neurological disorders: A systematic review and meta-analysis. *Human movement science*, 47, pp.197-208.

Mukti, I.Z. and Biswas, D., 2019, December. Transfer learning based plant diseases detection using ResNet50. In *2019 4th International conference on electrical information and communication technology (EICT)* (pp. 1-6). IEEE.

Muthuswamy, J., 2004. Biomedical signal analysis. *Department of Bioengineering, Arizona State University, Tempe, Arizona, Copyright*.

Narin, A., 2022. Detection of focal and non-focal epileptic seizure using continuous wavelet transform-based scalogram images and pre-trained deep neural networks. *Irbm*, 43(1), pp.22-31.

Narin, A., 2022. Detection of focal and non-focal epileptic seizure using continuous wavelet transform-based scalogram images and pre-trained deep neural networks. *Irbm*, 43(1), pp.22-31.

Nazmi, N., Yamamoto, S.I., Rohim, M.A.S. and Shair, E.F., 2024, July. Classification of Gait Phases by Using SVM and ANN Based on EMG Signals. In *2024 IEEE Symposium on Industrial Electronics & Applications (ISIEA)* (pp. 1-6). IEEE.

Negi, P.C., Negi, S. and Sharma, N., 2022, November. Gait analysis-based identification of neurodegenerative diseases using machine learning techniques. In *2022 International Conference on Advances in Computing, Communication and Materials (ICACCM)* (pp. 1-6). IEEE.

Negi, P.C., Pandey, S.S., Sharma, S. and Sharma, N., 2024. Scalogram-Based Gait Abnormalities Classification Using Deep Convolutional Networks for Neurological and Non-Neurological Disorders. *Journal of Medical and Biological Engineering*, pp.1-15.

Negi, P.C., Pandey, S.S., Sharma, S. and Sharma, N., 2024. Scalogram-Based Gait Abnormalities Classification Using Deep Convolutional Networks for Neurological and Non-Neurological Disorders. *Journal of Medical and Biological Engineering*, pp.1-15.

Negi, S., Negi, P.C., Sharma, S. and Sharma, N., 2020. Human locomotion classification for different terrains using machine learning techniques. *Critical Reviews™ in Biomedical Engineering*, 48(4).

- Negi, S., Sagar, U., Nautiyal, V.K. and Sharma, N., 2022. Design and analysis of magnetorheological damper based ankle-foot prosthesis prototype. *Industrial Robot: the international journal of robotics research and application*, 49(2), pp.240-248.
- Neyshabur, B., Sedghi, H. and Zhang, C., 2020. What is being transferred in transfer learning?. *Advances in neural information processing systems*, 33, pp.512-523.
- Ng, G. and Andrysek, J., 2023. Classifying changes in amputee gait following physiotherapy using machine learning and continuous inertial sensor signals. *Sensors*, 23(3), p.1412.
- Nicolas-Alonso, L.F. and Gomez-Gil, J., 2012. Brain computer interfaces, a review. *sensors*, 12(2), pp.1211-1279.
- Niu, Z., Zhong, G. and Yu, H., 2021. A review on the attention mechanism of deep learning. *Neurocomputing*, 452, pp.48-62.
- Norali, A.N., Som, M. and Kangar-Arau, J., 2009, October. Surface electromyography signal processing and application: A review. In *Proceedings of the International Conference on Man-Machine Systems (ICoMMS)* (No. 11-13).
- Nunez, P.L. and Pilgreen, K.L., 1991. The spline-Laplacian in clinical neurophysiology: a method to improve EEG spatial resolution. *Journal of Clinical Neurophysiology*, 8(4), pp.397-413.
- Nutakki, C., Mathew, R.J., Suresh, A., Vijay, A.R., Krishna, S., Babu, A.S. and Diwakar, S., 2020. Classification and kinetic analysis of healthy gait using multiple accelerometer sensors. *Procedia Computer Science*, 171, pp.395-402.
- Ofner, P., Schwarz, A., Pereira, J. and Müller-Putz, G.R., 2017. Upper limb movements can be decoded from the time-domain of low-frequency EEG. *PloS one*, 12(8), p.e0182578.

Oskoei, M.A. and Hu, H., 2007. Myoelectric control systems—A survey. *Biomedical signal processing and control*, 2(4), pp.275-294.

Pandey, C.P. and Phukan, P., 2020. Continuous and discrete wavelet transforms associated with hermite transform. *International Journal of Analysis and Applications*, 18(4), pp.531-549.

Papagiannis, G.I., Triantafyllou, A.I., Roumpelakis, I.M., Zampeli, F., Garyfallia Eleni, P., Koulouvaris, P., Papadopoulos, E.C., Papagelopoulos, P.J. and Babis, G.C., 2019. Methodology of surface electromyography in gait analysis: review of the literature. *Journal of medical engineering & technology*, 43(1), pp.59-65.

Pathak, R.S., 2009. *The wavelet transform* (Vol. 4). Springer Science & Business Media.

Pauk, J., Daunoraviciene, K., Ziziene, J., Minta-Bielecka, K. and Dzieciol-Anikiej, Z., 2023. Classification of muscle activity patterns in healthy children using biclustering algorithm. *Biomedical Signal Processing and Control*, 84, p.104731.

Phinyomark, A., Limsakul, C. and Phukpattaranont, P., 2009. A novel feature extraction for robust EMG pattern recognition. *arXiv preprint arXiv:0912.3973*.

Phinyomark, A., Limsakul, C. and Phukpattaranont, P., 2009. A novel feature extraction for robust EMG pattern recognition. *arXiv preprint arXiv:0912.3973*.

Phinyomark, A., Limsakul, C. and Phukpattaranont, P., 2011. Application of wavelet analysis in EMG feature extraction for pattern classification. *Measurement Science Review*, 11(2), pp.45-52.

Phinyomark, A., N. Khushaba, R. and Scheme, E., 2018. Feature extraction and selection for myoelectric control based on wearable EMG sensors. *Sensors*, 18(5), p.1615.

Piozin, C., Altamira, G.H., Simon, C., Lavrard, B., Audran, J.Y., Waszak, F. and Eski-izmirli, S., 2022, February. Motion prediction for the sensorimotor control of hand prostheses with a brain-machine interface using EEG. In *2022 10th International Winter Conference on Brain-Computer Interface (BCI)* (pp. 1-8). IEEE.

Pirker, W. and Katzenschlager, R., 2017. Gait disorders in adults and the elderly: A clinical guide. *Wiener Klinische Wochenschrift*, 129(3), pp.81-95.

Popescu, N., Channa, A. and Ifrim, R., Neuro-cognitive evaluations using deep learning and wearable sensorial devices. *New Approaches*, 26.

Pourmokhtari, M. and Beigzadeh, B., 2024. Simple recognition of hand gestures using single-channel EMG signals. *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine*, 238(3), pp.372-380.

Qiu, X., Yan, F. and Liu, H., 2023. A difference attention ResNet-LSTM network for epileptic seizure detection using EEG signal. *Biomedical Signal Processing and Control*, 83, p.104652.

Radha, H.M., Hassan, A.K.A. and Al-Timemy, A.H., 2023. Enhancing upper limb prosthetic control in amputees using non-invasive EEG and EMG signals with machine learning techniques. *aro-the scientific journal of koya university*, 11(2), pp.99-108.

Rahman, K.A., Shair, E.F., Abdullah, A.R., Lee, T.H., Nazmi, N. and Fahad, N., Analysis of Gait Patterns in Neurodegenerative Disorders Among Older Adults: A Ground Reaction Force Data Approach.

Rainoldi, A., Melchiorri, G. and Caruso, I., 2004. A method for positioning electrodes during surface EMG recordings in lower limb muscles. *Journal of neuroscience methods*, 134(1), pp.37-43.

Rangel, G., Cuevas-Tello, J.C., Nunez-Varela, J., Puente, C. and Silva-Trujillo, A.G., 2024. A Survey on Convolutional Neural Networks and Their Performance Limitations in Image Recognition Tasks. *Journal of Sensors*, 2024(1), p.2797320.

Regterschot, G.R.H., Ribbers, G.M. and Bussmann, J.B., 2021. Wearable movement sensors for rehabilitation: From technology to clinical practice. *Sensors*, 21(14), p.4744.

Riyadi, M.A., Setiawan, I. and Amir, A., 2021, September. EEG multiclass signal classification based on subtractive clustering-ANFIS and wavelet packet decomposition. In *2021 International Conference on Electrical and Information Technology (IEIT)* (pp. 81-86). IEEE.

Romanato, M., Spolaor, F., Volpe, D., Fioretti, S., Sawacha, Z. and Di Nardo, F., 2022, June. Recruitment of Gastrocnemius Lateralis during walking in Parkinson's Disease assessed by EMG analysis. In *2022 IEEE International Symposium on Medical Measurements and Applications (MeMeA)* (pp. 1-6). IEEE.

Romanato, M., Strazza, A., Piatkowska, W.J., Spolaor, F., Fioretti, S., Volpe, D., Sawacha, Z. and Di Nardo, F., 2021, June. Characterization of EMG time-frequency content during Parkinson walking: a pilot study. In *2021 IEEE International Symposium on Medical Measurements and Applications (MeMeA)* (pp. 1-6). IEEE.

Rouzitalab, A., Boulay, C.B., Park, J. and Sachs, A.J., 2023. Intracortical brain-computer interfaces in primates: a review and outlook. *Biomedical Engineering Letters*, 13(3), pp.375-390.

Sadiya, S., Alhanai, T. and Ghassemi, M.M., 2021, May. Artifact detection and correction in EEG data: A review. In *2021 10th International IEEE/EMBS Conference on Neural Engineering (NER)* (pp. 495-498). IEEE.

Saha, S. and Baumert, M., 2020. Intra-and inter-subject variability in EEG-based sensorimotor brain computer interface: a review. *Frontiers in computational neuroscience*, 13, p.87.

Salehi, A.W., Khan, S., Gupta, G., Alabduallah, B.I., Almjally, A., Alsolai, H., Siddiqui, T. and Mellit, A., 2023. A study of CNN and transfer learning in medical imaging: Advantages, challenges, future scope. *Sustainability*, 15(7), p.5930.

Saminu, S., Xu, G., Zhang, S., Ab El Kader, I., Aliyu, H.A., Jabire, A.H., Ahmed, Y.K. and Adamu, M.J., 2023. Applications of artificial intelligence in automatic detection of epileptic seizures using EEG signals: A review. In *Artificial Intelligence and Applications* (Vol. 1, No. 1, pp. 11-25).

Samuel, O.W., Zhou, H., Li, X., Wang, H., Zhang, H., Sangaiah, A.K. and Li, G., 2018. Pattern recognition of electromyography signals based on novel time domain features for amputees' limb motion classification. *Computers & Electrical Engineering*, 67, pp.646-655.

Sattar, N.Y., Syed, U.A., Muhammad, S. and Kausar, Z., 2019, July. Real-time EMG signal processing with implementation of PID control for upper-limb prosthesis. In *2019 IEEE/ASME International Conference on Advanced Intelligent Mechatronics (AIM)* (pp. 120-125). IEEE.

Selesnick, I.W., Baraniuk, R.G. and Kingsbury, N.C., 2005. The dual-tree complex wavelet transform. *IEEE signal processing magazine*, 22(6), pp.123-151.

Sethi, D., Bharti, S. and Prakash, C., 2022. A comprehensive survey on gait analysis: History, parameters, approaches, pose estimation, and future work. *Artificial Intelligence in Medicine*, 129, p.102314.

Sharma, S., Kumar, G., Kumar, S. and Mohapatra, D., 2012. Techniques for feature extraction from EMG signal. *International Journal of Advanced Research in Computer Science and Software Engineering*, 2(1).

Shen, C., Pei, Z., Chen, W., Wang, J., Zhang, J. and Chen, Z., 2022. Toward generalization of sEMG-based pattern recognition: A novel feature extraction for gesture recognition. *IEEE Transactions on Instrumentation and Measurement*, 71, pp.1-12.

Shen, Z., Zhang, Y., Wei, L., Zhao, H. and Yao, Q., 2018. Automated Machine Learning: From Principles to Practices. *arXiv preprint arXiv:1810.13306*.

Shi, Q.Q., Li, P.L., Yick, K.L., Jiao, J. and Liu, Q.L., 2022. Influence of Contoured Insoles with Different Materials on Kinematics and Kinetics Changes in Diabetic Elderly during Gait. *International journal of environmental research and public health*, 19(19), p.12502.

Shih, J.J., Krusienski, D.J. and Wolpaw, J.R., 2012, March. Brain-computer interfaces in medicine. In *Mayo clinic proceedings* (Vol. 87, No. 3, pp. 268-279). Elsevier.

Shin, H.C., Roth, H.R., Gao, M., Lu, L., Xu, Z., Nogues, I., Yao, J., Mollura, D. and Summers, R.M., 2016. Deep convolutional neural networks for computer-aided detection: CNN architectures, dataset characteristics and transfer learning. *IEEE transactions on medical imaging*, 35(5), pp.1285-1298.

Sifuzzaman, M., Islam, M.R. and Ali, M.Z., 2009. Application of wavelet transform and its advantages compared to Fourier transform.

Sikorska, B., Knight, R., Ironside, J.W. and Liberski, P.P., 2012. Creutzfeldt-Jakob disease. *Neurodegenerative Diseases*, pp.76-90.

Silvoni, S., Ramos-Murguialday, A., Cavinato, M., Volpato, C., Cisotto, G., Turolla, A., Piccione, F. and Birbaumer, N., 2011. Brain-computer interface in stroke: a review of progress. *Clinical EEG and neuroscience*, 42(4), pp.245-252.

Simonyan, K. and Zisserman, A., 2014. Very deep convolutional networks for large-scale image recognition. *arXiv preprint arXiv:1409.1556*.

Singh, R.E., Iqbal, K., White, G. and Holtz, J.K., 2019. A review of EMG techniques for detection of gait disorders. *Artificial intelligence-applications in medicine and biology*, pp.19-40.

Solomonow, M., Baratta, R., Bernardi, M., Zhou, B., Lu, Y., Zhu, M. and Acierno, S., 1994. Surface and wire EMG crosstalk in neighbouring muscles. *Journal of Electromyography and Kinesiology*, 4(3), pp.131-142.

Sorkhabadi, S.M.R., Chinimilli, P.T., Gaytan-Jenkins, D. and Zhang, W., 2019, March. Human locomotion activity and speed recognition using electromyography based features. In *2019 Wearable Robotics Association Conference (WearRAcon)* (pp. 80-85). IEEE.

Sousa, A.S. and Tavares, J.M.R., 2012. Surface electromyographic amplitude normalization methods: a review. *Electromyography: new developments, procedures and applications*.

Srinivasan, V., Eswaran, C. and Sriraam, A.N., 2005. Artificial neural network based epileptic detection using time-domain and frequency-domain features. *Journal of Medical Systems*, 29, pp.647-660.

ŠŤASTNÝ, J., Sovka, P. and Kostilek, M., 2014. Overcoming Inter-Subject Variability In BCI Using EEG-Based Identification. *Radioengineering*, 23(1).

- Stegeman, D.F., Blok, J.H., Hermens, H.J. and Roeleveld, K., 2000. Surface EMG models: properties and applications. *Journal of electromyography and kinesiology*, 10(5), pp.313-326.
- Strutzenberger, G., Leutgeb, L., Claußen, L. and Schwameder, H., 2022. Gait on slopes: Differences in temporo-spatial, kinematic and kinetic gait parameters between walking on a ramp and on a treadmill. *Gait & Posture*, 91, pp.73-78.
- Subramaniam, S., Majumder, S., Faisal, A.I. and Deen, M.J., 2022. Insole-based systems for health monitoring: Current solutions and research challenges. *Sensors*, 22(2), p.438.
- Suganthi, J.R. and Rajeswari, K., 2024. Pattern recognition for EMG based forearm orientation and contraction in myoelectric prosthetic hand. *Journal of Intelligent & Fuzzy Systems*, (Preprint), pp.1-13.
- Sun, Y., Chen, X., Liu, B., Liang, L., Wang, Y., Gao, S. and Gao, X., 2024. Signal acquisition of brain-computer interfaces: a medical-engineering crossover perspective review. *Fundamental Research*.
- Sutton, R.S. and Barto, A.G., 2018. *Reinforcement learning: An introduction*. MIT press.
- Taborri, J., Palermo, E., Masiello, D. and Rossi, S., 2017, May. Factorization of EMG via muscle synergies in walking task: Evaluation of intra-subject and inter-subject variability. In *2017 IEEE International Instrumentation and Measurement Technology Conference (I2MTC)* (pp. 1-6). IEEE.
- Tahafchi, P. and Judy, J.W., 2019, July. Freezing-of-gait detection using wearable sensor technology and possibilistic k-nearest-neighbor algorithm. In *2019 41st Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)* (pp. 4246-4249). IEEE.

- Talib, I., Sundaraj, K., Lam, C.K., Hussain, J. and Ali, M.A., 2019. A review on crosstalk in myographic signals. *European journal of applied physiology*, 119, pp.9-28.
- Tang, X., Shen, H., Zhao, S., Li, N. and Liu, J., 2023. Flexible brain–computer interfaces. *Nature Electronics*, 6(2), pp.109-118.
- Tao, W., Liu, T., Zheng, R. and Feng, H., 2012. Gait analysis using wearable sensors. *Sensors*, 12(2), pp.2255-2283.
- Tavakolan, M., Frehlick, Z., Yong, X. and Menon, C., 2017. Classifying three imaginary states of the same upper extremity using time-domain features. *PloS one*, 12(3), p.e0174161.
- Tayeb, Z., Bose, R., Dragomir, A., Osborn, L.E., Thakor, N.V. and Cheng, G., 2020. Decoding of pain perception using EEG signals for a real-time reflex system in prostheses: a case study. *Scientific reports*, 10(1), p.5606.
- Taylor, F.C. and Suresh Kumar, K., 2012. Stroke in India factsheet (updated 2012). *South Asia Network for Chronic Disease, IIPH Hyderabad, Public Health Foundation of India*.
- Teplan, M., 2002. Fundamentals of EEG measurement. *Measurement science review*, 2(2), pp.1-11.
- Terayama, K., Sakakibara, R. and Ogawa, A., 2018. Wearable gait sensors to measure ataxia due to spinocerebellar degeneration. *Neurology and Clinical Neuroscience*, 6(1), pp.9-12.
- Thakur, N. and Mathew, L., 2018, March. sEMG signal classification using ensemble learning classification approach and DWT. In *2018 International Conference on Current Trends towards Converging Technologies (ICCTCT)* (pp. 1-4). IEEE.

- Tkach, D., Huang, H. and Kuiken, T.A., 2010. Study of stability of time-domain features for electromyographic pattern recognition. *Journal of neuroengineering and rehabilitation*, 7, pp.1-13.
- Toledo, S.F., 2005. Effect of gait speed on gait rhythmicity in Parkinson's disease: variability of stride time and swing time respond differently. *Journal of neuroengineering and rehabilitation*, 2, pp.1-7.
- Tomida, K., Ohtsuka, K., Teranishi, T., Ogawa, H., Takai, M., Suzuki, A., Kawakami, K. and Sonoda, S., 2022. Effects of change in walking speed on time-distance parameters in post-stroke hemiplegic gait. *Fujita medical journal*, 8(4), pp.121-126.
- Tompkins, W.J., 1993. Biomedical digital signal processing. *Editorial Prentice Hall*.
- Torres, E.P., Torres, E.A., Hernández-Álvarez, M. and Yoo, S.G., 2020. EEG-based BCI emotion recognition: A survey. *Sensors*, 20(18), p.5083.
- Trbalić, A.Š., Hasić, A., Skejić, E. and Demirović, N., 2024, May. Seizure Detection Based on EEG Signals and Deep Learning. In *2024 47th MIPRO ICT and Electronics Convention (MIPRO)* (pp. 1145-1150). IEEE.
- Tryon, J. and Trejos, A.L., 2021. Evaluating convolutional neural networks as a method of EEG–EMG fusion. *Frontiers in Neurorobotics*, 15, p.692183.
- Tryon, J., Friedman, E. and Trejos, A.L., 2019, June. Performance evaluation of EEG/EMG fusion methods for motion classification. In *2019 IEEE 16th International Conference on Rehabilitation Robotics (ICORR)* (pp. 971-976). IEEE.
- Türker, K.S., 1993. Electromyography: some methodological problems and issues. *Physical therapy*, 73(10), pp.698-710.
- Uribe, J.S., Vale, F.L. and Dakwar, E., 2010. Electromyographic monitoring and its anatomical implications in minimally invasive spine surgery. *Spine*, 35(26S), pp.S368-S374.

- Uribe, J.S., Vale, F.L. and Dakwar, E., 2010. Electromyographic monitoring and its anatomical implications in minimally invasive spine surgery. *Spine*, 35(26S), pp.S368-S374.
- Vaquerizo-Villar, F., Gutiérrez-Tobal, G.C., Calvo, E., Álvarez, D., Kheirandish-Gozal, L., Del Campo, F., Gozal, D. and Hornero, R., 2023. An explainable deep-learning model to stage sleep states in children and propose novel EEG-related patterns in sleep apnea. *Computers in Biology and Medicine*, 165, p.107419.
- Värbu, K., Muhammad, N. and Muhammad, Y., 2022. Past, present, and future of EEG-based BCI applications. *Sensors*, 22(9), p.3331.
- Vaswani, A., 2017. Attention is all you need. *arXiv preprint arXiv:1706.03762*.
- Vázquez-Vélez, G.E. and Zoghbi, H.Y., 2021. Parkinson's disease genetics and pathophysiology. *Annual review of neuroscience*, 44(1), pp.87-108.
- Veer, K. and Agarwal, R., 2014. Wavelet denoising and evaluation of electromyogram signal using statistical algorithm. *International Journal of Biomedical Engineering and Technology*, 16(4), pp.293-305.
- Veličković, P., Cucurull, G., Casanova, A., Romero, A., Lio, P. and Bengio, Y., 2017. Graph attention networks. *arXiv preprint arXiv:1710.10903*.
- Verghese, J., LeValley, A., Hall, C.B., Katz, M.J., Ambrose, A.F. and Lipton, R.B., 2006. Epidemiology of gait disorders in community-residing older adults. *Journal of the American Geriatrics Society*, 54(2), pp.255-261.
- Vidaurre, C., Krämer, N., Blankertz, B. and Schlögl, A., 2009. Time domain parameters as a feature for EEG-based brain-computer interfaces. *Neural Networks*, 22(9), pp.1313-1319.
- Volpe, R.G., 1988. Alterations of gait in neuromuscular disease. *Clinics in Podiatric Medicine and Surgery*, 5(3), pp.627-638.

Vuong, K., Canning, C.G., Menant, J.C. and Loy, C.T., 2018. Gait, balance, and falls in Huntington disease. *Handbook of clinical neurology*, 159, pp.251-260.

Wang, C., Wang, X., Long, Z., Tian, T., Gao, M., Yun, X., Qian, Y. and Li, J., 2018, December. Estimation of spatial-temporal gait parameters based on the fusion of inertial and film-pressure signals. In *2018 IEEE International Conference on Bioinformatics and Biomedicine (BIBM)* (pp. 1232-1239). IEEE.

Wang, H., Guo, H., Zhang, K., Gao, L. and Zheng, J., 2022. Automatic sleep staging method of EEG signal based on transfer learning and fusion network. *Neurocomputing*, 488, pp.183-193.

Wang, J., Wang, T., Kong, W., Wang, H., Xue, A. and Xi, X., 2021. Exploring Corticomuscular Coupling During Active and Passive Movements using Electroencephalography and Surface Electromyography.

Wang, X., Teng, S., Hao, C., Liu, Y., He, J., Zhang, S. and Fan, D., 2022, December. Selective ensemble learning for cross-muscle ALS disease identification with EMG signal. In *2022 IEEE International Conference on Bioinformatics and Biomedicine (BIBM)* (pp. 3187-3192). IEEE.

Webb, G.I. and Zheng, Z., 2004. Multistrategy ensemble learning: Reducing error by combining ensemble learning techniques. *IEEE Transactions on Knowledge and Data Engineering*, 16(8), pp.980-991.

Weeks, M. and Bayoumi, M., 2003. Discrete wavelet transform: architectures, design and performance issues. *Journal of VLSI signal processing systems for signal, image and video technology*, 35, pp.155-178.

Welihinda, D.V.D.S., Gunarathne, L.K.P., Herath, H.M.K.K.M.B., Yasakethu, S.L.P., Madusanka, N. and Lee, B.I., 2024. EEG and EMG-based human-machine interface for navigation of mobility-related assistive wheelchair (MRA-W). *Heliyon*, 10(6).

Wenning, G.K., Colosimo, C., Geser, F. and Poewe, W., 2004. Multiple system atrophy. *The Lancet Neurology*, 3(2), pp.93-103.

Whittle, M.W., 1996. Clinical gait analysis: A review. *Human movement science*, 15(3), pp.369-387.

Winter, D.A. and Yack, H.J., 1987. EMG profiles during normal human walking: stride-to-stride and inter-subject variability. *Electroencephalography and clinical neurophysiology*, 67(5), pp.402-411.

Winters, T.F., Gage, J.R. and Hicks, R., 1987. Gait patterns in spastic hemiplegia in children and young adults. *J Bone Joint Surg Am*, 69(3), pp.437-441.

Woo, S., Park, J., Lee, J.Y. and Kweon, I.S., 2018. Cbam: Convolutional block attention module. In *Proceedings of the European conference on computer vision (ECCV)* (pp. 3-19).

Woolley, S.M., 2001. Characteristics of gait in hemiplegia. *Topics in stroke rehabilitation*, 7(4), pp.1-18.

Wu, J., 2017. Introduction to convolutional neural networks. *National Key Lab for Novel Software Technology. Nanjing University. China*, 5(23), p.495.

Xiong, D., Zhang, D., Zhao, X., Chu, Y. and Zhao, Y., 2021. Synergy-based neural interface for human gait tracking with deep learning. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 29, pp.2271-2280.

Xue, J. and Lai, K.W.C., 2024. Continuous Lower Limb Multi-Intent Prediction for Electromyography-Driven Intrinsic and Extrinsic Control. *Advanced Intelligent Systems*, 6(1), p.2300318.

Yahya, N., Musa, H., Ong, Z.Y. and Elamvazuthi, I., 2019. Classification of motor functions from electroencephalogram (EEG) signals based on an integrated

method comprised of common spatial pattern and wavelet transform framework. *Sensors*, 19(22), p.4878.

Yaman, E. and Subasi, A., 2019. Comparison of bagging and boosting ensemble machine learning methods for automated EMG signal classification. *BioMed research international*, 2019(1), p.9152506.

Yang, J., Lu, Z., Chen, S., Liu, C. and Zhao, H., 2024. Continuous knee joint angle prediction with surface EMG. *Biomedical Signal Processing and Control*, 95, p.106354.

Yang, Q., 2008, September. An Introduction to Transfer Learning. In *ADMA* (p. 1).

Yang, S., Li, M. and Wang, J., 2022. Fusing sEMG and EEG to increase the robustness of hand motion recognition using functional connectivity and GCN. *IEEE Sensors Journal*, 22(24), pp.24309-24319.

Yogarajan, G., Alsubaie, N., Rajasekaran, G., Revathi, T., Alqahtani, M.S., Abbas, M., Alshahrani, M.M. and Soufiene, B.O., 2023. EEG-based epileptic seizure detection using binary dragonfly algorithm and deep neural network. *Scientific Reports*, 13(1), p.17710.

You, Y.Y. and Chung, S.H., 2015. The effects of gait velocity on the gait characteristics of hemiplegic patients. *Journal of physical therapy science*, 27(3), pp.921-924.

You, YY and Chung, S.H., 2015. The effects of gait velocity on the gait characteristics of hemiplegic patients. *Journal of physical therapy science*, 27(3), pp.921-924.

Zbinden, J., Molin, J. and Ortiz-Catalan, M., 2024. Deep learning for enhanced prosthetic control: Real-time motor intent decoding for simultaneous control of artificial limbs. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*.

Zetterberg, H. and Bendlin, B.B., 2021. Biomarkers for Alzheimer's disease—preparing for a new era of disease-modifying therapies. *Molecular psychiatry*, 26(1), pp.296-308.

Zhang, A., Lipton, Z.C., Li, M. and Smola, A.J., 2021. Dive into deep learning. *arXiv preprint arXiv:2106.11342*.

Zhang, H., Wu, C., Zhang, Z., Zhu, Y., Lin, H., Zhang, Z., Sun, Y., He, T., Mueller, J., Manmatha, R. and Li, M., 2022. Resnest: Split-attention networks. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition* (pp. 2736-2746).

Zhang, X.D., 2022. *Modern signal processing*. Walter de Gruyter GmbH & Co KG.

Zhang, Y.P., Cao, G.Z., Ling, Z.Q., He, B.B., Cheng, H.R., Li, W.Z. and Cao, S.B., 2021, July. A real-time gait phase recognition method based on multi-information fusion. In *2021 18th International Conference on Ubiquitous Robots (UR)* (pp. 249-255). IEEE.

Zhang, Z., Han, T., Huang, C. and Shuai, C., 2024. Hardware and Software Design and Implementation of Surface-EMG-Based Gesture Recognition and Control System. *Electronics*, 13(2), p.454.

Zhao, C., Li, J. and Guo, Y., 2024. Sequence signal reconstruction based multi-task deep learning for sleep staging on single-channel EEG. *Biomedical Signal Processing and Control*, 88, p.105615.

Zhao, H., Xu, H., Wang, Z., Wang, L., Qiu, S., Peng, D., Li, J. and Jiang, J., 2023. Analysis and evaluation of hemiplegic gait based on wearable sensor network. *Information Fusion*, 90, pp.382-391.

Zheng, S., Jiang, L., Mai, X., Tang, T., Feng, L., Lin, F. and Wei, Y., 2023, July. Improving Motor Imagery Brain-Computer Interface Performance Through Data

Screening. In *International Conference on Intelligent Robotics and Applications* (pp. 222-232). Singapore: Springer Nature Singapore.

Zhou, Y. and Zhao, D., 2021. Application of convolutional neural network-based biosensor and electroencephalogram signal in sleep staging. *Journal of Ambient Intelligence and Humanized Computing*, pp.1-11.

Zhu, Y. and Newsam, S., 2017, September. Densenet for dense flow. In *2017 IEEE international conference on image processing (ICIP)* (pp. 790-794). IEEE.

Zhuang, F., Qi, Z., Duan, K., Xi, D., Zhu, Y., Zhu, H., Xiong, H. and He, Q., 2020. A comprehensive survey on transfer learning. *Proceedings of the IEEE*, 109(1), pp.43-76.

## List of Publications

---

### Journal Publications

1. Negi, P.C., Pandey, S.S., Sharma, S. and Sharma, N., 2024. Scalogram-Based Gait Abnormalities Classification Using Deep Convolutional Networks for Neurological and Non-Neurological Disorders. *Journal of Medical and Biological Engineering*, pp.1-15.
2. Negi, P.C., 2024. EMG scalogram-based classification of gait disorders using attention-based CNN: a comparative study of wavelet functions. *International Journal of Biomedical Engineering and Technology*, 45(4), pp.314-336.
3. Hybrid Attention-CNN Model for Classification of Gait Abnormalities Using EMG Scalogram Images. **Accepted in Journal of Medical Engineering & Technology (Taylor and Francis).**

### Conference Proceedings

1. Negi, P.C., Giri, H., Sharma, S. and Sharma, N., 2024, May. A Comparative Study of Scalograms for Human Activity Classification. In *2024 IEEE 4th International Conference on Human-Machine Systems (ICHMS)* (pp. 1-5). IEEE.
2. Giri, H.R., Negi, P.C.B.S., Sharma, S. and Sharma, N., 2024, May. An Intuitive Real-Time Brain Control Interface based on Motor Imagery and Execution. In *2024 IEEE 4th International Conference on Human Machine Systems (ICHMS)* (pp. 1-6). IEEE.

3. Negi, P.C., Pandey, S.S., Sharma, S. and Sharma, N., 2023, August. Classification of Gait Abnormalities Using Transfer Learning with EMG Scalogram Features. In *International Conference on ICT for Sustainable Development* (pp. 407-415). Singapore: Springer Nature Singapore.
4. Negi, P.C., Negi, S. and Sharma, N., 2022, November. Gait analysis-based identification of neurodegenerative diseases using machine learning techniques. In *2022 International Conference on Advances in Computing, Communication and Materials (ICACCM)* (pp. 1-6). IEEE.
5. Negi, S., Negi, P.C., Singh, D.B.V. and Sharma, N., 2021. Comparative analysis of SVM and DNN for multiple terrain classification using hybrid sensor. In *Proceedings of Integrated Intelligence Enable Networks and Computing: IIENC 2020* (pp. 317-325). Springer Singapore.
6. Negi, S., CBS Negi, P., Sharma, S. and Sharma, N., 2020. Electromyographic and acceleration signals-based gait phase analysis for multiple terrain classification using deep learning. *International Journal of Advanced Research in Engineering and Technology*, 11(6).

## **Response to examiner queries.**

### **Examiner 1**

#### **Query 1: Are all data recorded locally found suitable, or were some discarded?**

**Response 1:** The data used for EMG and EEG studies was recorded locally at the School of Biomedical Engineering, IIT (BHU), Sir Sunderlal Hospital (BHU), and affiliated local clinics. Only those recordings that met the required signal quality standards and aligned with the study objectives were retained. Data exhibiting excessive noise, motion artifacts, or incomplete recordings were excluded to maintain the integrity and accuracy of the analysis.

#### **Response to Additional Recommendations:**

- a) The differences in vertical scale observed in the graphs are due to variations in signal amplitude across different clinical cases. These variations are the result of differences in muscle activation and neuronal response associated with underlying medical conditions. For instance, in hemiplegic patients, signal magnitudes tend to be lower due to partial neuronal loss. In contrast, other pathological conditions may exhibit elevated signal amplitudes due to compensatory muscle activity required for movement maintenance.
- b) The suggested graphical improvements will be incorporated into the viva voce presentation as per the recommendation.
- c) EEG signals are inherently susceptible to noise, commonly originating from motion artifacts, signal crosstalk, and other disturbances. Wavelet transform has been employed to reduce such noise, resulting in enhanced signal clarity. It should be noted that the current study utilized EEG data captured during simple hand opening and closing tasks, and did not include forward or backward hand movement.
- d) Confusion matrices illustrating classification performance will be presented during the viva voce.
- e) The detailed architecture, including layer sizes of the deep learning models used, will be provided during the viva voce.
- f) The configuration and parameters of the attention block, along with the corresponding attention maps, will be discussed and demonstrated during the viva voce.

## **Examiner 2**

### **Recommendation 1: Language and grammatical inconsistencies.**

**Response 1:** The thesis has undergone a thorough revision to correct grammatical errors and ensure consistency in language. Improvements have been made throughout the document to enhance clarity and readability.

### **Recommendation 2: Clear distinction between contributions and existing literature in some sections.**

**Response 2:** Extensive research has been conducted in the domain of gait classification, as highlighted in Chapter 2. However, there is a notable gap in the literature regarding the integration of attention-based deep learning techniques with EMG scalogram analysis for this purpose. Only a limited number of studies have explored this specific combination. This thesis addresses that gap by proposing a novel framework that utilizes attention-based neural networks in conjunction with EMG scalograms for improved gait classification performance. A similar research gap exists in the domain of hand movement classification using combined EEG-EMG scalograms, which is also explored in this work. The specific contributions related to these underexplored areas are detailed in Chapters 4 and 5. Additionally, the broader research challenges and existing limitations are thoroughly discussed in the Introduction and elaborated upon throughout the subsequent chapters.

### **Recommendation 3: Stronger discussion of limitations and comparative benchmarking.**

**Response 3:** The discussion on limitations has been expanded in the revised thesis in section 7.2 of chapter 7. It now includes considerations such as sample size, variability across subjects, generalizability of models, and signal acquisition constraints.

### **Limitations:**

While this study demonstrates the potential of scalogram-based techniques combined with attention-based deep learning networks for the classification of gait abnormalities and brain-computer interface (BCI) applications, several limitations must be acknowledged that may affect the generalizability and robustness of the findings.

1. **Sample Size and Diversity:** One of the primary limitations of the study is the relatively small sample size. A limited cohort may not adequately capture the full variability present in real-world neuromuscular and neurodegenerative disorders. Small sample sizes can lead to model overfitting, reduced statistical power, and compromised ability to generalize findings to broader populations.
2. **Scope of Medical Conditions:** The current study focuses on a selected subset of neuromuscular conditions, including hemiplegia and related gait-affecting disorders. While this targeted approach provides valuable insights, it may restrict the applicability of the proposed methodology across other gait disorders such as Parkinson's disease, multiple sclerosis, or orthopedic impairments.
3. **Lack of Age-Related Gait Profiles:** The dataset does not include aged individuals with standard (i.e., non-pathological) gait patterns, which limits the assessment of the model's ability to distinguish between age-related physiological changes and pathological gait abnormalities.
4. **Simplicity of Task Design in BCI Application:** In the BCI component of the study, EEG and EMG signals were recorded during basic motor tasks, such as simple hand opening and closing. While this provided a controlled and noise-minimized dataset, it does not reflect the complexity of real-world motor intention scenarios.
5. **Technical and Hardware Constraints:** The study was conducted using a specific set of hardware and recording environments, which may influence the signal quality and system performance. Differences in electrode placement, sensor quality, and environmental noise can affect the reproducibility of results.
6. **Absence of Longitudinal Data:** All recordings in this study were cross-sectional, representing a single time-point observation per participant. As a result, the ability of the model to track disease progression or adapt to temporal changes in patient condition could not be evaluated. Incorporating longitudinal data will be essential for assessing the stability of the method over time and for developing systems capable of monitoring treatment outcomes or disease evolution.

Despite these limitations, the outcomes of this pilot study present a strong case for the utility of scalograms in multimodal biomedical signal classification. The integration of attention mechanisms with time-frequency representations offers a promising direction for improving classification accuracy and interpretability. These preliminary findings provide a foundational framework for future investigations.

**Recommendation 4: A note on ethical considerations in the deployment of BCIs and assistive devices.**

**Response:** A dedicated section (Section 7.3) on ethical considerations has been incorporated in Chapter 7. This section discusses key issues surrounding the responsible development and deployment of brain-computer interfaces (BCIs) and assistive technologies. Topics include informed patient consent, data privacy, potential misuse, equitable accessibility, and adherence to biomedical ethics standards.

**Ethical Considerations in the Deployment of BCIs and Assistive Devices**

The ethical deployment of Brain-Computer Interfaces (BCIs) and assistive technologies necessitates a comprehensive, multidisciplinary approach encompassing bioethics, data privacy, psychology, engineering, and policy-making. As these technologies directly interact with neural systems, they raise significant ethical concerns that require thorough scrutiny. Below are key ethical domains that are essential for the responsible implementation of BCI-based systems:

- 1. Informed Consent:** A fundamental principle of biomedical ethics is the assurance of informed and voluntary participation in research and the use of technology. This is especially challenging in brain-computer interfaces (BCIs), where end users may experience cognitive, communicative, or psychological impairments. In such cases, it is essential to ensure that participants possess the capacity to provide meaningful consent. Enhanced consent procedures should be implemented to address this, such as using simplified language, providing assisted decision-making tools, and conducting repeated assessments to confirm understanding over time.
- 2. Data Privacy, Confidentiality, and Security:** BCIs collect and process neurophysiological signals that can provide insights into a person's thoughts, intentions, and mental health status. The potential for this neural data to be accessed, shared, or misused—intentionally or through data breaches—raises concerns regarding cognitive privacy. Therefore, ethical BCI design must integrate secure data acquisition protocols, end-to-end encryption, anonymization techniques, and stringent access controls.
- 3. Equity and Inclusivity:** The progress and implementation of BCIs and assistive technologies predominantly benefit well-funded research environments and popula-

tions with access to advanced healthcare systems. This creates disparities in access and equity. Ethical frameworks must promote equitable access, affordability, and inclusive design to ensure these technologies are available to all who may benefit from them.

- 4. Safety, Reliability, and Long-Term Impacts:** While generally safer, non-invasive systems also present risks linked to electromagnetic exposure, long-term wearability, and signal fatigue. Thorough preclinical and clinical testing is crucial to assess these systems' immediate and long-term physiological effects. Furthermore, users should be made aware of uncertainties regarding device longevity, maintenance requirements, and the potential psychological implications of extended BCI use.
- 5. User Training, Support, and Post-Deployment Care:** The ethical deployment of assistive devices and BCIs extends beyond their technical design to encompass responsibilities after use. Users often need training to operate these systems effectively, ongoing technical support, and healthcare follow-up. Ethical frameworks should promote a continuum of care that includes maintenance, troubleshooting, device upgrades, and user re-education as interfaces develop.