

Bibliography

- [1] B. Zogheib and E. Tohidi. “A new matrix method for solving two-dimensional time-dependent diffusion equations with Dirichlet boundary conditions”. In: *Applied Mathematics and Computation* 291 (2016), pp. 1–13.
- [2] S. Singh, V. K. Patel, V. K. Singh, and E. Tohidi. “Application of Bernoulli matrix method for solving two-dimensional hyperbolic telegraph equations with Dirichlet boundary conditions”. In: *Computers & Mathematics with Applications* 75.7 (2018), pp. 2280–2294.
- [3] K. Atkinson, W. Han, and Stewart, D. E. *Numerical solution of ordinary differential equations*. Vol. 108. John Wiley & Sons, 2011.
- [4] A. A. Obayomi. “A new set of non-standard finite difference schemes for the solution of an equation of the type $y' = y(1 - y^n)$ ”. In: *International Journal of Pure and Applied Sciences and Technology* 12 .2 (2012), pp. 34–42.
- [5] E. A. Ibijola and P. Kama. “On the convergence, consistency and stability of a one-step method for numerical integration of ordinary differential equation”. In: *International journal of computer mathematics* 73.2 (1999), pp. 261–277.
- [6] P. Kama and E. A. Ibijola. “On a new one-step method for numerical solution of initial-value problems in ordinary differential equations”. In: *International journal of computer mathematics* 77.3 (2001), pp. 457–467.
- [7] A. Raza and A. Khan. “Haar wavelet series solution for solving neutral delay differential equations”. In: *Journal of King Saud University-Science* 31.4 (2019), pp. 1070–1076.
- [8] M. K. Jena and K. S. Sahu. “Haar wavelet operational matrix method to solve initial value problems: a short survey”. In: *International Journal of Applied and Computational Mathematics* 3.4 (2017), pp. 3961–3975.
- [9] W. M. Abd-Elhameed, Y. H. Youssri, and E. H. Doha. “New Solutions for Singular Lane-Emden Equations Arising in Astrophysics Based on Shifted Ultraspherical Operational Matrices of Derivatives”. In: *Computational Methods for Differential Equations* 2.3 (2014), pp. 171–185.
- [10] E. H. Doha, W. M. Abd-Elhameed, and Youssri, Y. H. “Second kind Chebyshev operational matrix algorithm for solving differential equations of Lane-Emden type”. In: *New Astronomy* 23 (2013), pp. 113–117.
- [11] P. DuChateau and D. Zachmann. *Applied partial differential equations*. Courier Corporation, Dover Publications, New York, 2012.
- [12] J. N. Kapur. *Mathematical modelling*. New Age International, New Delhi, 1988.

- [13] M. A. Marsan, M. Garetto, P. Giaccone, E. Leonardi, E. Schiattarella, and Tarello, A. “Using partial differential equations to model TCP mice and elephants in large IP networks”. In: *IEEE/ACM Transactions on Networking* 13.6 (2005), pp. 1289–1301.
- [14] F. L. Hall. “Traffic stream characteristics”. In: *Traffic Flow Theory. US Federal Highway Administration* 36 (1996).
- [15] M. Levy. *Parabolic equation methods for electromagnetic wave propagation*. 45. IET, 2000.
- [16] D. V. Widder. *The heat equation*. Vol. 67. Academic Press, 1976.
- [17] M. Dehghan, Y. Rahmani, D. D. Ganji , S. Saedodin , M. S. Valipour, and Rashidi, S. “Convection–radiation heat transfer in solar heat exchangers filled with a porous medium: homotopy perturbation method versus numerical analysis”. In: *Renewable Energy* 74 (2015), pp. 448–455.
- [18] R. K. Singla and R. Das. “Adomian decomposition method for a stepped fin with all temperature-dependent modes of heat transfer”. In: *International Journal of Heat and Mass Transfer* 82 (2015), pp. 447–459.
- [19] H. Ghaneai and M. M. Hosseini. “Variational iteration method with an auxiliary parameter for solving wave-like and heat-like equations in large domains”. In: *Computers & Mathematics with Applications* 69.5 (2015), pp. 363–373.
- [20] S. Gupta, D. Kumar, and J. Singh. “Analytical solutions of convection–diffusion problems by combining Laplace transform method and homotopy perturbation method”. In: *Alexandria Engineering Journal* 54.3 (2015), pp. 645–651.
- [21] R. K. Mohanty. “An unconditionally stable difference scheme for the one-space-dimensional linear hyperbolic equation”. In: *Applied Mathematics Letters* 17.1 (2004), pp. 101–105.
- [22] R. K. Mohanty. “An unconditionally stable finite difference formula for a linear second order one space dimensional hyperbolic equation with variable coefficients”. In: *Applied Mathematics and Computation* 165.1 (2005), pp. 229–236.
- [23] B. R. Baliga and S. V. Patankar. “A control volume finite-element method for two-dimensional fluid flow and heat transfer”. In: *Numerical Heat Transfer* 6.3 (1983), pp. 245–261.
- [24] G. Comini and R. W. Lewis. “A numerical solution of two-dimensional problems involving heat and mass transfer”. In: *International journal of heat and mass transfer* 19.12 (1976), pp. 1387–1392.
- [25] S. Tang, S. Qin, and R. O. Weber. “Numerical studies on 2-dimensional reaction-diffusion equations”. In: *The ANZIAM Journal* 35.2 (1993), pp. 223–243.
- [26] X. Li and C. Xu. “A space-time spectral method for the time fractional diffusion equation”. In: *SIAM Journal on Numerical Analysis* 47.3 (2009), pp. 2108–2131.

-
- [27] A. Bueno-Orovio, D. Kay, and K. Burrage. “Fourier spectral methods for fractional-in-space reaction-diffusion equations”. In: *BIT Numerical mathematics* 54.4 (2014), pp. 937–954.
- [28] E. H. Doha, A. H. Bhrawy, and S. S. Ezz-Eldien. “Efficient Chebyshev spectral methods for solving multi-term fractional orders differential equations”. In: *Applied Mathematical Modelling* 35.12 (2011), pp. 5662–5672.
- [29] M. Dehghan and A. Mohebbi. “High order implicit collocation method for the solution of two-dimensional linear hyperbolic equation”. In: *Numerical Methods for Partial Differential Equations: An International Journal* 25.1 (2009), pp. 232–243.
- [30] V. K. Patel, S. Singh, V.K. Singh, and E. Tohidi. “Two-dimensional shifted Legendre polynomial collocation method for electromagnetic waves in dielectric media via almost operational matrices”. In: *Mathematical Methods in the Applied Sciences* 40.10 (2017), pp. 3698–3717.
- [31] S. Esmaeili, M. Shamsi, and Y. Luchko. “Numerical solution of fractional differential equations with a collocation method based on Müntz polynomials”. In: *Computers & Mathematics with Applications* 62.3 (2011), pp. 918–929.
- [32] Q. Yang, I. Turner, T. Moroney, and F. Liu. “A finite volume scheme with preconditioned Lanczos method for two-dimensional space-fractional reaction-diffusion equations”. In: *Applied Mathematical Modelling* 38.15-16 (2014), pp. 3755–3762.
- [33] Y. H. Youssri. “A new operational matrix of Caputo fractional derivatives of Fermat polynomials: an application for solving the Bagley-Torvik equation”. In: *Advances in Difference Equations* 2017.1 (2017), p. 73.
- [34] W. M. Abd-Elhameed and Y. H. Youssri. “Generalized Lucas polynomial sequence approach for fractional differential equations”. In: *Nonlinear Dynamics* 89.2 (2017), pp. 1341–1355.
- [35] W. M. Abd-Elhameed and Y. H. Youssri. “A novel operational matrix of Caputo fractional derivatives of Fibonacci polynomials: spectral solutions of fractional differential equations”. In: *Entropy* 18.10 (2016), p. 345.
- [36] S. Singh, V. K. Patel, V. K. Singh, and E. Tohidi. “Numerical solution of nonlinear weakly singular partial integro-differential equation via operational matrices”. In: *Applied Mathematics and Computation* 298 (2017), pp. 310–321.
- [37] E. Tohidi, F. Soleymani, and A. Kilicman. “Robustness of operational matrices of differentiation for solving state-space analysis and optimal control problems”. In: *Abstract and Applied Analysis*. Vol. 2013. Hindawi. 2013.
- [38] S. A. Yousefi. “Legendre wavelets method for solving differential equations of Lane–Emden type”. In: *Applied Mathematics and Computation* 181.2 (2006), pp. 1417–1422.
- [39] E. Tohidi and M. K. Zak. “A new matrix approach for solving second-order linear matrix partial differential equations”. In: *Mediterranean journal of mathematics* 13.3 (2016), pp. 1353–1376.

- [40] E. Tohidi and F. Toutounian. “Convergence analysis of Bernoulli matrix approach for one-dimensional matrix hyperbolic equations of the first order”. In: *Computers & Mathematics with Applications* 68.1-2 (2014), pp. 1–12.
- [41] F. Toutounian, E. Tohidi, and A. Kilicman. “Fourier operational matrices of differentiation and transmission: introduction and applications”. In: *Abstract and Applied Analysis*. Vol. 2013. Hindawi. 2013.
- [42] P. Sannuti. “Analysis and synthesis of dynamic systems via block-pulse functions”. In: *Proceedings of the Institution of Electrical Engineers*. Vol. 124. 6. IET. 1977, pp. 569–571.
- [43] P. N. Paraskevopoulos. “Chebyshev series approach to system identification, analysis and optimal control”. In: *Journal of the Franklin Institute* 316.2 (1983), pp. 135–157.
- [44] H. Ingrong and C. Jyhhong. “Shifted Chebyshev direct method for solving variational problems”. In: *International Journal of systems science* 16.7 (1985), pp. 855–861.
- [45] C. F. Chen and C. H. Hsiao. “A Walsh series direct method for solving variational problems”. In: *Journal of the Franklin Institute* 300.4 (1975), pp. 265–280.
- [46] R. E. King and P. N. Paraskevopoulos. “Parametric identification of discrete-time SISO systems”. In: *International Journal of Control* 30.6 (1979), pp. 1023–1029.
- [47] C. Hwang and Y.-P. Shih. “Parameter identification via Laguerre polynomials”. In: *International Journal of Systems Science* 13.2 (1982), pp. 209–217.
- [48] C. Hwang and Y.-P. Shih. “Solution of integral equations via Laguerre polynomials”. In: *Computers & Electrical Engineering* 9.3-4 (1982), pp. 123–129.
- [49] R. Y. Chang and M. L. Wang. “Parameter identification via shifted Legendre polynomials”. In: *International Journal of Systems Science* 13.10 (1982), pp. 1125–1135.
- [50] P. N. Paraskevopoulos, P. D. Sparis, and S. G. Mouroutsos. “The Fourier series operational matrix of integration”. In: *International Journal of Systems Science* 16.2 (1985), pp. 171–176.
- [51] M. Razzaghi and M. Razzaghi. “Fourier series direct method for variational problems”. In: *International Journal of Control* 48.3 (1988), pp. 887–895.
- [52] P. N. Paraskevopoulos, P. G. Sklavounos, and G. C. Georgiou. “The operational matrix of integration for Bessel functions”. In: *Journal of the Franklin Institute* 327.2 (1990), pp. 329–341.
- [53] J.-S. Guf and W.-S. Jiang. “The Haar wavelets operational matrix of integration”. In: *International Journal of Systems Science* 27.7 (1996), pp. 623–628.
- [54] M. Razzaghi and S. Yousefi. “The Legendre wavelets operational matrix of integration”. In: *International Journal of Systems Science* 32.4 (2001), pp. 495–502.

- [55] A. K. Singh, V. K. Singh, and O. P. Singh. “The Bernstein operational matrix of integration”. In: *Applied Mathematical Sciences* 3.49 (2009), pp. 2427–2436.
- [56] A. Saadatmandi and M. Dehghan. “A new operational matrix for solving fractional-order differential equations”. In: *Computers & mathematics with applications* 59.3 (2010), pp. 1326–1336.
- [57] E. H. Doha, A. H. Bhrawy, and S. S. Ezz-Eldien. “A new Jacobi operational matrix: an application for solving fractional differential equations”. In: *Applied Mathematical Modelling* 36.10 (2012), pp. 4931–4943.
- [58] F. Mohammadi and M. M. Hosseini. “A new Legendre wavelet operational matrix of derivative and its applications in solving the singular ordinary differential equations”. In: *Journal of the Franklin Institute* 348.8 (2011), pp. 1787–1796.
- [59] S. G. Hosseini and F. Mohammadi. “A new operational matrix of derivative for Chebyshev wavelets and its applications in solving ordinary differential equations with non analytic solution”. In: *Appl. Math. Sci* 5.51 (2011), pp. 2537–2548.
- [60] P. Rahimkhani, Y. Ordokhani, and E. Babolian. “A new operational matrix based on Bernoulli wavelets for solving fractional delay differential equations”. In: *Numerical Algorithms* 74.1 (2017), pp. 223–245.
- [61] H. Ding and Y. Zhang. “New numerical methods for the Riesz space fractional partial differential equations”. In: *Computers & Mathematics with Applications* 63.7 (2012), pp. 1135–1146.
- [62] L. Su, W. Wang, and Q. Xu. “Finite difference methods for fractional dispersion equations”. In: *Applied Mathematics and Computation* 216.11 (2010), pp. 3329–3334.
- [63] J. H. Lane. “On the Theoretical Temperature of the Sun, under the Hypothesis of a Gaseous Mass maintaining its Volume by its Internal Heat, and depending on the Laws of Gases as known to Terrestrial Experiment”. In: *American Journal of Science and Arts (1820-1879)* 50.148 (1870), p. 57.
- [64] H. T. Davis. *Introduction to nonlinear differential and integral equations*. Courier Corporation, 1962.
- [65] S. Chandrasekhar. *Introduction to study of stellar structure*, Dover, New York. 1967.
- [66] Reid. *Riccati differential equations*. Mathematics in science and engineering, 86. 1972.
- [67] H. Adibi and A. M. Rismani. “On using a modified Legendre-spectral method for solving singular IVPs of Lane–Emden type”. In: *Computers & Mathematics with Applications* 60.7 (2010), pp. 2126–2130.
- [68] R. K. Pandey, N. Kumar, A. Bhardwaj, and G. Dutta. “Solution of Lane–Emden type equations using Legendre operational matrix of differentiation”. In: *Applied Mathematics and Computation* 218.14 (2012), pp. 7629–7637.

- [69] R. K. Pandey, and N. Kumar. “Solution of Lane–Emden type equations using Bernstein operational matrix of differentiation”. In: *New Astronomy* 17.3 (2012), pp. 303–308.
- [70] N. T. Shawagfeh. “Nonperturbative approximate solution for Lane–Emden equation”. In: *Journal of Mathematical Physics* 34.9 (1993), pp. 4364–4369.
- [71] A.-M. Wazwaz. “A new algorithm for solving differential equations of Lane–Emden type”. In: *Applied Mathematics and Computation* 118.2-3 (2001), pp. 287–310.
- [72] S. Liao. “A new analytic algorithm of Lane–Emden type equations”. In: *Applied Mathematics and Computation* 142.1 (2003), pp. 1–16.
- [73] J. H. He. “Variational approach to the Lane–Emden equation, Appl. Math. Comput.143 (2003) 539–541.” In: *Applied Mathematics and Computation* (2003).
- [74] S. Iqbal, and A. Javed. “Application of optimal homotopy asymptotic method for the analytic solution of singular Lane–Emden type equation”. In: *Applied Mathematics and Computation* 217.19 (2011), pp. 7753–7761.
- [75] J. I. Ramos. “Series approach to the Lane–Emden equation and comparison with the homotopy perturbation method”. In: *Chaos, Solitons & Fractals* 38.2 (2008), pp. 400–408.
- [76] M. S. H. Chowdhury and I. Hashim. “Solutions of Emden–Fowler equations by homotopy-perturbation method”. In: *Nonlinear Analysis: Real World Applications* 10.1 (2009), pp. 104–115.
- [77] O.P. Singh, R. K. Pandey, and V. K. Singh. “An analytic algorithm of Lane–Emden type equations arising in astrophysics using modified homotopy analysis method”. In: *Computer Physics Communications* 180.7 (2009), pp. 1116–1124.
- [78] M. Parand K. S. and M. Dehghan. “Rational Legendre pseudospectral approach for solving nonlinear differential equations of Lane–Emden type”. In: *Journal of Computational Physics* 228.23 (2009), pp. 8830–8840.
- [79] H. R. Marzban, H. R. Tabrizidooz, and M. Razzaghi. “Hybrid functions for nonlinear initial-value problems with applications to Lane–Emden type equations”. In: *Physics Letters A* 372.37 (2008), pp. 5883–5886.
- [80] K. R. Parand, A. R. Rezaei, and A. Taghavi. “Lagrangian method for solving Lane–Emden type equation arising in astrophysics on semi-infinite domains”. In: *Acta Astronautica* 67.7-8 (2010), pp. 673–680.
- [81] K. Parand, M. Dehghan, A. R. Rezaei, and S. M. Ghaderi. “An approximation algorithm for the solution of the nonlinear Lane–Emden type equations arising in astrophysics using Hermite functions collocation method”. In: *Computer Physics Communications* 181.6 (2010), pp. 1096–1108.
- [82] M. Dehghan, S. Aryanmehr, and M. R. Eslahchi. “A technique for the numerical solution of initial-value problems based on a class of Birkhoff-type interpolation method”. In: *Journal of Computational and Applied Mathematics* 244 (2013), pp. 125–139.

- [83] M. Lakestani and M. Dehghan. “Four techniques based on the B-spline expansion and the collocation approach for the numerical solution of the Lane–Emden equation”. In: *Mathematical Methods in the Applied Sciences* 36.16 (2013), pp. 2243–2253.
- [84] H. Singh, H. M. Srivastava, and D. Kumar. “A reliable algorithm for the approximate solution of the nonlinear Lane-Emden type equations arising in astrophysics.” In: *Numerical Methods for Partial Differential Equations* (2018), pp. 1524–1555.
- [85] J. F. Carinena, G. Marmo, A. M. Perelomov, and M. F. Ranada. “Related operators and exact solutions of Schrödinger equations”. In: *International Journal of Modern Physics A* 13.28 (1998), pp. 4913–4929.
- [86] B. D. O. Anderson and J. B. Moore. *Optimal control: linear quadratic methods*. Courier Corporation, 2007.
- [87] I. Lasiecka and R. Triggiani. “Differential and algebraic Riccati equations with application to boundary/point control problems: continuous theory and approximation theory”. In: *Lecture notes in control and Information Sciences* 164 (1991).
- [88] F. Dubois and A. Saédi. “Unconditionally stable scheme for Riccati equation”. In: *ESAIM: Proceedings*. Vol. 8. EDP Sciences. 2000, pp. 39–52.
- [89] M. A. El-Tawil, A. A. Bahnasawi, and A. Abdel-Naby. “Solving Riccati differential equation using Adomian’s decomposition method”. In: *Applied Mathematics and Computation* 157.2 (2004), pp. 503–514.
- [90] S. Abbasbandy. “A new application of He’s variational iteration method for quadratic Riccati differential equation by using Adomian’s polynomials”. In: *Journal of Computational and Applied Mathematics* 207.1 (2007), pp. 59–63.
- [91] S. Abbasbandy. “Iterated He’s homotopy perturbation method for quadratic Riccati differential equation”. In: *Applied Mathematics and Computation* 175.1 (2006), pp. 581–589.
- [92] Y. Tan and S. Abbasbandy. “Homotopy analysis method for quadratic Riccati differential equation”. In: *Communications in Nonlinear Science and Numerical Simulation* 13.3 (2008), pp. 539–546.
- [93] H. Aminikhah. “Approximate analytical solution for quadratic Riccati differential equation”. In: *Iranian Journal of Numerical Analysis and Optimization* 3.2 (2013).
- [94] Boris G. K. “Bessel Functions and Their Applications. CRC Press, 2003”. In: *Taylor & Francis, Ltd., London* (2002).
- [95] W. W. Bell. *Special functions for scientists and engineers*. Courier Corporation, 2004.
- [96] G. E Andrews, R. Askey, and R. Roy. *Special Functions, volume 71 of Encyclopedia of Mathematics and its Applications*. 1999.
- [97] A. Quarteroni, R. Sacco, and F. Saleri. *Numerical mathematics*. Vol. 37. Springer Science & Business Media, 2010.

- [98] M. Shamsi and M. Razzaghi. “Numerical solution of the controlled duffing oscillator by the interpolating scaling functions”. In: *Journal of electromagnetic waves and applications* 18.5 (2004), pp. 691–705.
- [99] F. Geng, Y. Lin, and M. Cui. “A piecewise variational iteration method for Riccati differential equations”. In: *Computers & Mathematics with Applications* 58.11-12 (2009), pp. 2518–2522.
- [100] R. K. Pandey, and N. Kumar. “Solution of Lane–Emden type equations using Bernstein operational matrix of differentiation”. In: *New Astronomy* 17.3 (2012), pp. 303–308.
- [101] V. V. Kirillov and V. N. Kopeykin. “Solving a two-dimensional telegraph equation with anisotropic parameters”. In: *Radiophysics and Quantum Electronics* 45.12 (2002), pp. 929–941.
- [102] M. Dehghan and A. Mohebbi. “The combination of collocation, finite difference, and multigrid methods for solution of the two-dimensional wave equation”. In: *Numerical Methods for Partial Differential Equations: An International Journal* 24.3 (2008), pp. 897–910.
- [103] D. J. Wollkind. “Applications of linear hyperbolic partial differential equations: predator-prey systems and gravitational instability of nebulae”. In: *Mathematical Modelling* 7.2-3 (1986), pp. 413–428.
- [104] C. Lock, J. C. Greeff, and S. V. Joubert. “Modelling of telegraph equations in transmission lines”. PhD thesis. Tshwane University of Technology, 2007.
- [105] S. Goldstein. “On diffusion by discontinuous movements, and on the telegraph equation”. In: *The Quarterly Journal of Mechanics and Applied Mathematics* 4.2 (1951), pp. 129–156.
- [106] E. Orsingher. “Hyperbolic equations arising in random models”. In: *Stochastic processes and their applications* 21.1 (1985), pp. 93–106.
- [107] M. S. Bartlett. “A note on random walks at constant speed”. In: *Advances in Applied Probability* 10.4 (1978), pp. 704–707.
- [108] E. V. Tolubinsky. “The Theory of Transfer Processes”. In: *Naukova Dumka, Kiev* (1969), p. 49.
- [109] E. Orsingher. “A planar random motion governed by the two-dimensional telegraph equation”. In: *Journal of applied probability* 23.2 (1986), pp. 385–397.
- [110] F. Gao and C. Chi. “Unconditionally stable difference schemes for a one-space-dimensional linear hyperbolic equation”. In: *Applied Mathematics and Computation* 187.2 (2007), pp. 1272–1276.
- [111] A. Mohebbi and M. Dehghan. “High order compact solution of the one-space-dimensional linear hyperbolic equation”. In: *Numerical Methods for Partial Differential Equations: An International Journal* 24.5 (2008), pp. 1222–1235.
- [112] M. Dehghan and A. Shokri. “A numerical method for solving the hyperbolic telegraph equation”. In: *Numerical Methods for Partial Differential Equations: An International Journal* 24.4 (2008), pp. 1080–1093.

- [113] M. Dehghan, S. A. Yousefi, and A. Lotfi. “The use of He’s variational iteration method for solving the telegraph and fractional telegraph equations”. In: *International Journal for Numerical Methods in Biomedical Engineering* 27.2 (2011), pp. 219–231.
- [114] A. Saadatmandi and M. Dehghan. “Numerical solution of hyperbolic telegraph equation using the Chebyshev tau method”. In: *Numerical Methods for Partial Differential Equations: An International Journal* 26.1 (2010), pp. 239–252.
- [115] M. Lakestani and B. N. Saray. “Numerical solution of telegraph equation using interpolating scaling functions”. In: *Computers & Mathematics with Applications* 60.7 (2010), pp. 1964–1972.
- [116] B. Bülbül and M. Sezer. “Taylor polynomial solution of hyperbolic type partial differential equations with constant coefficients”. In: *International Journal of Computer Mathematics* 88.3 (2011), pp. 533–544.
- [117] R. C. Mittal and R. Bhatia. “Numerical solution of second order one dimensional hyperbolic telegraph equation by cubic B-spline collocation method.” In: *Applied Mathematics and Computation* (2013), pp. 496–506.
- [118] M. R. Hooshmandasl M. H. Heydari and F. M. M. Ghaini. In: ().
- [119] M. Dehghan and R. Salehi. “A method based on meshless approach for the numerical solution of the two-space dimensional hyperbolic telegraph equation”. In: *Mathematical Methods in the Applied Sciences* 35.10 (2012), pp. 1220–1233.
- [120] M. Dehghan and A. Ghesmati. “Combination of meshless local weak and strong (MLWS) forms to solve the two dimensional hyperbolic telegraph equation”. In: *Engineering Analysis with Boundary Elements* 34.4 (2010), pp. 324–336.
- [121] D. Rostamy, M. Emamjome, and S. Abbasbandy. “A meshless technique based on the pseudospectral radial basis functions method for solving the two-dimensional hyperbolic telegraph equation”. In: *The European Physical Journal Plus* 132.6 (2017), p. 263.
- [122] M. Dehghan and A. Shokri. “A meshless method for numerical solution of a linear hyperbolic equation with variable coefficients in two space dimensions”. In: *Numerical Methods for Partial Differential Equations: An International Journal* 25.2 (2009), pp. 494–506.
- [123] R. K. Mohanty, M. K. Jain, and U. Arora. “An unconditionally stable ADI method for the linear hyperbolic equation in three space dimensions”. In: *International Journal of Computer Mathematics* 79.1 (2002), pp. 133–142.
- [124] H. Ding and Y. Zhang. “A new fourth-order compact finite difference scheme for the two-dimensional second-order hyperbolic equation”. In: *Journal of computational and applied mathematics* 230.2 (2009), pp. 626–632.
- [125] R. C. Mittal and R. Bhatia. “A numerical study of two dimensional hyperbolic telegraph equation by modified B-spline differential quadrature method”. In: *Applied Mathematics and Computation* 244 (2014), pp. 976–997.

- [126] R. Jiware, S. Pandit, and R. C. Mittal. “A differential quadrature algorithm to solve the two dimensional linear hyperbolic telegraph equation with Dirichlet and Neumann boundary conditions”. In: *Applied Mathematics and Computation* 218.13 (2012), pp. 7279–7294.
- [127] M. Lakestani, M. Dehghan, and S. Irandoust-Pakchin. “The construction of operational matrix of fractional derivatives using B-spline functions”. In: *Communications in Nonlinear Science and Numerical Simulation* 17(3):1149–62 (2012).
- [128] R. H. Bartels and G. W. Stewart. “Algorithm 432, solution of the matrix equation $AX + XB = C$ ”. In: *Comm, Ass, Computer Machinery* 15 (1972), pp. 820–826.
- [129] E. Tohidi and F. Toutounian. “Convergence analysis of Bernoulli matrix approach for one-dimensional matrix hyperbolic equations of the first order”. In: *Computers & Mathematics with Applications* 68.1-2 (2014), pp. 1–12.
- [130] Q. Niu, X. Wang, and L.-Z. Lu. “A relaxed gradient based algorithm for solving Sylvester equations”. In: *Asian Journal of Control* 13.3 (2011), pp. 461–464.
- [131] M. Dehghan, and A. Shirilord. “A generalized modified Hermitian and skew-Hermitian splitting (GMHSS) method for solving complex Sylvester matrix equation”. In: *Applied Mathematics and Computation* 348 (2019), pp. 632–651.
- [132] H. A. Vorst. *Iterative Krylov methods for large linear systems*. Vol. 13. Cambridge University Press, 2003.
- [133] E. Tadmor. “A review of numerical methods for nonlinear partial differential equations”. In: *Bulletin of the American Mathematical Society* 49.4 (2012), pp. 507–554.
- [134] R. D’Ambrosio and B. Paternoster. “Numerical solution of reaction–diffusion systems of λ – ω type by trigonometrically fitted methods”. In: *Journal of Computational and Applied Mathematics* 294 (2016), pp. 436–445.
- [135] X. Y. Li, and B. Y. Wu. “A numerical method for solving distributed order diffusion equations”. In: *Applied Mathematics Letters* 53 (2016), pp. 92–99.
- [136] H. Karel J. and M. Wyns. “Convergence of the Modified Craig–Sneyd scheme for two-dimensional convection–diffusion equations with mixed derivative term”. In: *Journal of Computational and Applied Mathematics* 296 (2016), pp. 170–180.
- [137] P. M. Jordan and A. Puri. “Digital signal propagation in dispersive media”. In: *Journal of Applied Physics* 85.3 (1999), pp. 1273–1282.
- [138] S. Singh, V. K. Patel, and V. K. Singh. “Application of wavelet collocation method for hyperbolic partial differential equations via matrices”. In: *Applied Mathematics and Computation* 320 (2018), pp. 407–424.
- [139] S. Singh, V. K. Patel, and V. K. Singh. “Convergence rate of collocation method based on wavelet for nonlinear weakly singular partial integro-differential equation arising from viscoelasticity”. In: *Numerical Methods for Partial Differential Equations* 34.5 (2018), pp. 1781–1798.

- [140] F. Toutounian and E. Tohidi. “A new Bernoulli matrix method for solving second order linear partial differential equations with the convergence analysis”. In: *Applied Mathematics and Computation* 223 (2013), pp. 298–310.
- [141] F. Mirzaee and S. Bimesl. “A Uniformly Convergent Euler Matrix Method for Telegraph Equations Having Constant Coefficients”. In: *Mediterranean Journal of Mathematics* 13.1 (2016), pp. 497–515.
- [142] F. Mirzaee and S. Bimesl. “A new approach to numerical solution of second-order linear hyperbolic partial differential equations arising from physics and engineering”. In: *Results in Physics* 3 (2013), pp. 241–247.
- [143] F. Mirzaee and S. Bimesl. “Application of Euler matrix method for solving linear and a class of nonlinear Fredholm integro-differential equations”. In: *Mediterranean Journal of Mathematics* 11.3 (2014), pp. 999–1018.
- [144] G. W. Leibniz. “Mathematische Schriften”. In: *CI Gerhardt. Bd. III, Halle: HW Schmidt (Nachdruck Hildesheim: Olms, 1962)* (1856).
- [145] P. J. Torvik and R. L. Bagley. “On the appearance of the fractional derivative in the behavior of real materials”. In: *Journal of Applied Mechanics* 51.2 (1984), pp. 294–298.
- [146] M. Caputo and F. Mainardi. “A new dissipation model based on memory mechanism”. In: *Pure and applied Geophysics* 91.1 (1971), pp. 134–147.
- [147] S. Westerlund. “Causality, report no. 940426”. In: *University of Kalmar* (1994).
- [148] A. Alikhanov, M. Beshtokov, and M. Mehra. “The Crank-Nicholson type compact difference scheme for a loaded time-fractional Hallaire’s equation”. In: *arXiv preprint arXiv:1903.04228* (2019).
- [149] M. Zubair, M. J. Mughal, and Naqvi, Q. A. “Differential electromagnetic equations in fractional space”. In: *Electromagnetic Fields and Waves in Fractional Dimensional Space*. Springer, 2012, pp. 7–16.
- [150] N. Engheta. “Fractional curl operator in electromagnetics”. In: *Microwave and Optical Technology Letters* 17.2 (1998), pp. 86–91.
- [151] M. Zubair, M. J. Mughal, and Q. A. Naqvi. *Electromagnetic fields and waves in fractional dimensional space*. Springer Science & Business Media, 2012.
- [152] Q. A. Naqvi and M. Abbas. “Complex and higher order fractional curl operator in electromagnetics”. In: *Optics Communications* 241.4-6 (2004), pp. 349–355.
- [153] V. E. Tarasov. “Fractional equations of Curie–von Schweidler and Gauss laws”. In: *Journal of Physics: Condensed Matter* 20.14 (2008), p. 145212.
- [154] V. E. Tarasov. “Fractional integro-differential equations for electromagnetic waves in dielectric media”. In: *Theoretical and Mathematical Physics* 158.3 (2009), pp. 355–359.
- [155] I. Podlubny. “An introduction to fractional derivatives, fractional differential equations, to methods of their solution and some of their applications”. In: *Mathematics in science and engineering* 198 (1999).

- [156] F. Zeng, C. Li, F. Liu, and I. Turner. “The use of finite difference/element approaches for solving the time-fractional subdiffusion equation”. In: *SIAM Journal on Scientific Computing* 35.6 (2013), A2976–A3000.
- [157] Z. Sun and X. Wu. “A fully discrete difference scheme for a diffusion-wave system”. In: *Applied Numerical Mathematics* 56.2 (2006), pp. 193–209.
- [158] W. Deng. “Finite element method for the space and time fractional Fokker–Planck equation”. In: *SIAM journal on numerical analysis* 47.1 (2008), pp. 204–226.
- [159] A. Schmidt and L. Gaul. “Finite element formulation of viscoelastic constitutive equations using fractional time derivatives”. In: *Nonlinear Dynamics* 29.1-4 (2002), pp. 37–55.
- [160] B. Jin, R. Lazarov, and Z. Zhou. “Error estimates for a semidiscrete finite element method for fractional order parabolic equations”. In: *SIAM Journal on Numerical Analysis* 51.1 (2013), pp. 445–466.
- [161] Y. Li and W. Zhao. “Haar wavelet operational matrix of fractional order integration and its applications in solving the fractional order differential equations”. In: *Applied Mathematics and Computation* 216.8 (2010), pp. 2276–2285.
- [162] E. Keshavarz, Y. Ordokhani, and M. Razzaghi. “Bernoulli wavelet operational matrix of fractional order integration and its applications in solving the fractional order differential equations”. In: *Applied Mathematical Modelling* 38.24 (2014), pp. 6038–6051.
- [163] M. Dehghan, J. Manafian, and A. Saadatmandi. “Solving nonlinear fractional partial differential equations using the homotopy analysis method”. In: *Numerical Methods for Partial Differential Equations: An International Journal* 26.2 (2010), pp. 448–479.
- [164] M. Dehghan, M. Safarpour, and M. Abbaszadeh. “Two high-order numerical algorithms for solving the multi-term time fractional diffusion-wave equations”. In: *Journal of Computational and Applied Mathematics* 290 (2015), pp. 174–195.
- [165] V. Srivastava and K. N. Rai. “A multi-term fractional diffusion equation for oxygen delivery through a capillary to tissues”. In: *Mathematical and Computer Modelling* 51.5-6 (2010), pp. 616–624.
- [166] H. Jiang, F. Liu, I. Turner, and K. Burrage. “Analytical solutions for the multi-term time–space Caputo–Riesz fractional advection–diffusion equations on a finite domain”. In: *Journal of Mathematical Analysis and Applications* 389.2 (2012), pp. 1117–1127.
- [167] H. Zhang, F. Liu, I. Turner, and Q. Yang. “Numerical solution of the time fractional Black–Scholes model governing European options”. In: *Computers & Mathematics with Applications* 71.9 (2016), pp. 1772–1783.
- [168] Z. Liu, A. Cheng, and X. Li. “A novel finite difference discrete scheme for the time fractional diffusion-wave equation”. In: *Applied Numerical Mathematics* 134 (2018), pp. 17–30.

- [169] F. Mirzaee and N. Samadyar. “Combination of finite difference method and meshless method based on radial basis functions to solve fractional stochastic advection–diffusion equations”. In: *Engineering with Computers* (2019), pp. 1–14.
- [170] N. Samadyar and F. Mirzaee. “Numerical solution of two-dimensional weakly singular stochastic integral equations on non-rectangular domains via radial basis functions”. In: *Engineering Analysis with Boundary Elements* 101 (2019), pp. 27–36.
- [171] F. Mirzaee, S. Alipour, and N. Samadyar. “A numerical approach for solving weakly singular partial integro-differential equations via two-dimensional-orthonormal Bernstein polynomials with the convergence analysis”. In: *Numerical Methods for Partial Differential Equations* 35.2 (2019), pp. 615–637.
- [172] F. Shakeri and M. Dehghan. “The method of lines for solution of the one-dimensional wave equation subject to an integral conservation condition”. In: *Computers & Mathematics with Applications* 56.9 (2008), pp. 2175–2188.
- [173] F. Liu and S. K. Bhatia. “Solution techniques for transport problems involving steep concentration gradients: application to noncatalytic fluid solid reactions”. In: *Computers & Chemical Engineering* 25.9-10 (2001), pp. 1159–1168.
- [174] F. Liu, I. Turner, and V. Anh. “An unstructured mesh finite volume method for modelling saltwater intrusion into coastal aquifers”. In: *Korean Journal of Computational & Applied Mathematics* 9.2 (2002), pp. 391–407.
- [175] S. V. Joubert, J. C. Greeff, and T. H. Fay. “Can CAS be trusted?” In: *The Buffelspoort TIME2008 Peer-reviewed Conference Proceedings*. 2008, pp. 22–26.
- [176] S. Singh, V. K. Patel, and V. K. Singh. “Operational matrix approach for the solution of partial integro-differential equation”. In: *Applied Mathematics and Computation* 283 (2016), pp. 195–207.
- [177] V. Devi, R. K. Maurya, V. K. Patel, and V. K. Singh. “Lagrange Operational Matrix Methods to Lane–Emden, Riccati’s and Bessel’s Equations”. In: *International Journal of Applied and Computational Mathematics* 5.3 (2019), p. 79.

