

1.3 References

- [1] R.I. Masel, "Chemical kinetics and catalysis" *Wiley-Interscience New York*, 2001.
- [2] P. F. Diederich, "Metal-Catalyzed Cross-Coupling Reactions" *Wiley-VCH Weinheim*, 1998.
- [3] A. Boudier, L.O. Bromm, M. Lotz, P. Knochel, "New applications of polyfunctional organometallic compounds in organic synthesis" *Angewandte Chemie International Edition*, **39** (2000) 4414-4435.
- [4] A. Suzuki, "Synthetic studies via the cross-coupling reaction of organoboron derivatives with organic halides" *Pure and applied chemistry*, **63** (1991) 419-422.
- [5] T.N. Mitchell, "Palladium-catalysed reactions of organotin compounds" *synthesis*, **09** (1992) 803-815.
- [6] J. Terao, N. Kambe, "Cross-coupling reaction of alkyl halides with Grignard reagents catalyzed by Ni, Pd, or Cu complexes with π -carbon ligand", *Accounts of chemical research*, **41** (2008) 1545-1554.
- [7] P. Beak, A. Basu, D.J. Gallagher, Y.S. Park, S. Thayumanavan, "Regioselective, diastereoselective, and enantioselective lithiation– substitution sequences: Reaction pathways and synthetic applications", *Accounts of chemical research*, **29** (1996) 552-560.
- [8] P. Knochel, W. Dohle, N. Gommermann, F.F. Kneisel, F. Kopp, T. Korn, I. Sapountzis, V.A. Vu, "Highly functionalized organomagnesium reagents prepared through halogen–metal exchange", *Angewandte Chemie International Edition*, **42** (2003) 4302-4320.

- [9] S.E. Denmark, R.F. Sweis, "Design and Implementation of New, Silicon-Based, Cross-Coupling Reactions: Importance of Silicon– Oxygen Bonds", *Accounts of chemical research*, **35** (2002) 835-846.
- [10] G.T. Crisp, "Variations on a theme—recent developments on the mechanism of the Heck reaction and their implications for synthesis", *Chemical Society Reviews*, **27** (1998) 427-436.
- [11] E.i. Negishi, "Magical power of transition metals: past, present, and future", *Angewandte Chemie International Edition*, **50** (2011) 6738-6764.
- [12] J. Rivera-Utrilla, I. Bautista-Toledo, M. Ferro-Garcia, C. Moreno-Castilla, "Bioadsorption of Pb (II), Cd (II), and Cr (VI) on activated carbon from aqueous solutions", *Carbon*, **41** (2003) 323-330.
- [13] C.E. Garrett, K. Prasad, "The art of meeting palladium specifications in active pharmaceutical ingredients produced by Pd-catalyzed reactions", *Advanced Synthesis & Catalysis*, **346** (2004) 889-900.
- [14] C. Wang, Z. Xi, "Co-operative effect of Lewis acids with transition metals for organic synthesis", *Chemical Society Reviews*, **36** (2007) 1395-1406.
- [15] X.-F. Wu, J.-L. Gong, X. Qi, "A powerful combination: recent achievements on using TBAI and TBHP as oxidation system", *Organic & Biomolecular Chemistry*, **12** (2014) 5807-5817.
- [16] M.S. Yusubov, V.V. Zhdankin, "Iodine catalysis: A green alternative to transition metals in organic chemistry and technology", *Resource-Efficient Technologies*, **1** (2015) 49-67.

Introduction

- [17] H. Togo, S. Iida, "Synthetic use of molecular iodine for organic synthesis", *Synlett*, **14** (2006) 2159-2175.
- [18] Y.F. Li, "Tert-butyl hydroperoxide (TBHP): A versatile oxidizing agent in organic synthesis", *Synlett*, **18** (2007) 2922-2923.
- [19] A. Minatti, K.H. Dötz, "Enantioselective Epoxidation of α , β -Enones by Electrophilic Activation with a BINOL-Zinc Catalyst, in", *Wiley Online Library*, 2006.
- [20] S.-J. Jeon, H. Li, P.J. Walsh, "A green chemistry approach to a more efficient asymmetric catalyst: solvent-free and highly concentrated alkyl additions to ketones", *Journal of the American Chemical Society*, **127** (2005) 16416-16425.
- [21] C.N. Cornell, M.S. Sigman, "Discovery of and mechanistic insight into a ligand-modulated palladium-catalyzed Wacker oxidation of styrenes using TBHP", *Journal of the American Chemical Society*, **127** (2005) 2796-2797.
- [22] K.C. Majumdar, P.K. Basu, S.K. Chattopadhyay, "formation of five- and six-membered heterocyclic rings under radical cyclisation conditions", *Tetrahedron*, **63** (2007) 793-826.
- [23] K. Yamamoto, Y.G. Chen, F.G. Buono, "Oxidative dehydrogenation of dihydropyrimidinones and dihydropyrimidines", *Organic letters*, **7** (2005) 4673-4676.
- [24] N.A. Milas, S.A. Harris, "Studies in Organic Peroxides. V. t-Butyl Hydroperoxide", *Journal of the American Chemical Society*, **60** (1938) 2434-2436.

- [25] P. Finkbeiner, B.J. Nachtsheim, "Iodine in modern oxidation catalysis", *Synthesis*, **45** (2013) 979-999.
- [26] S. Hummel, S.F. Kirsch, "When gold can do what iodine cannot do: A critical comparison", *Beilstein Journal of Organic Chemistry*, **7** (2011) 847-859.
- [27] Y.C. Wong, C.T. Tseng, T.T. Kao, Y.C. Yeh, and K.S. Shia, "Tandem cyclization of α -cyano α -alkynyl aryl ketones induced by tert-butyl hydroperoxide and tetrabutylammonium iodide" *Organic letters*, **14(23)** (2012), pp.6024-6027.
- [28] Z. Jia, T. Nagano, X. Li, and A.S. Chan. "Iodide-Ion-Catalyzed Carbon–Carbon Bond-Forming Cross-Dehydrogenative Coupling for the Synthesis of Indole Derivatives". *European Journal of Organic Chemistry*, **5** (2013), pp.858-861.
- [29] J. Xiong, Z. Lu, N. Ding, S. Ren, Y. Li, "Synthesis of the pentasaccharide moiety of thornasterside", *European Journal of Organic Chemistry*, **27** (2013) 6158-6166.
- [30] X. Li, C. Zhou, X. Xu, "TBAI-catalyzed oxidative coupling of β -ketoesters with carboxylic acid: synthesis of α -carboxylic- β -ketoesters", *Arkivoc*, **9** (2012) 150-158.
- [31] H. Aruri, U. Singh, S. Sharma, S. Gudup, M. Bhogal, S. Kumar, D. Singh, V.K. Gupta, R. Kant, R.A. Vishwakarma, "Cross-Dehydrogenative Coupling of Azoles with α -C (sp³)–H of Ethers and Thioethers under Metal-Free Conditions: Functionalization of H–N Azoles via C–H Activation", *The Journal of Organic Chemistry*, **80** (2015) 1929-1936.

Introduction

- [32] F. Shahsavari, A. Abbasi, M. Ghazanfarpour-Darjani, S.M. Ghafelebashi, M. Daftari-Besheli, "Synthesis of Allylbenzene Derivatives through sp³ C–H Bond Functionalization of Toluene Derivatives", *Synlett*, **28** (2017) 1646-1648.
- [33] X.-L. Yang, F. Chen, N.-N. Zhou, W. Yu, B. Han, "Synthesis of isoxazoline-functionalized phenanthridines via iminoxyl radical-participated cascade sequence", *Organic letters*, **16** (2014) 6476-6479.
- [34] A. Gogoi, A. Modi, S. Guin, S.K. Rout, D. Das, B.K. Patel, "A metal free domino synthesis of 3-aryloindoles via two sp³ C–H activation, Chemical Communications", **50** (2014) 10445-10447.
- [35] T. He, L. Yu, L. Zhang, L. Wang, M. Wang, "Direct C2-alkylation of azoles with alcohols and ethers through dehydrogenative cross-coupling under metal-free conditions", *Organic Letters*, **13** (2011) 5016-5019.
- [36] H.A. Agisho, S. Hairat, M. Zaki, "An efficient TBHP/TBAI-mediated protocol for the synthesis of 4H-chromen-4-ones from chroman-4-ones via oxidative C–C bond formation", *Monatshefte für Chemie-Chemical Monthly*, **151** (2020) 599-603.
- [37] Y. Gao, Q. Song, G. Cheng, X. Cui, "KI-catalyzed arylation of benzothiazoles from the coupling of aryl aldehydes with benzothiazoles in neat water", *Organic & Biomolecular Chemistry*, **12** (2014) 1044-1047.
- [38] H.-M. Huang, F. Huang, Y.-J. Li, J.-H. Jia, Q. Ye, L. Han, J.-R. Gao, "A general, simple and green process to access pyrrolo [2, 1-a] isoquinolines using a KI/TBHP catalytic system", *RSC advances*, **4** (2014) 27250-27258.

- [39] H.L. Li, Y. Wang, P.P. Sun, X. Luo, Z. Shen, W.P. Deng, " α , β -Double Electrophilic Addition of Allene-1, 3-Dicarboxylic Esters for the Construction of Polysubstituted Furans by KI/*tert*-Butyl Hydroperoxide (TBHP)-Promoted Oxidative Annulation", *Chemistry—A European Journal*, **22** (2016) 9348-9355.
- [40] B. Zhou, S. Guo, Z. Fang, Z. Yang, C. Liu, W. He, N. Zhu, X. Li, K. Guo, "KI-Promoted Oxidative Coupling of Styrenes with Indoles under Metal-Free Conditions: Facile Access to C-3 Dicarbonyl Indoles", *Synthesis*, **51** (2019) 3511-3519.
- [41] Y. Lv, Y. Li, T. Xiong, Y. Lu, Q. Liu, Q. Zhang, "n-Bu₄NI-Catalyzed oxidative imidation of ketones with imides: synthesis of α -amino ketones", *Chemical Communications*, **50** (2014) 2367-2369.
- [42] A. Singh, A.K. Narula, "Copper and N-Heterocyclic Carbene-Catalyzed Oxidative Amidation of Aldehydes with Amines", *Synlett*, **32** (2021) 718-722.
- [43] Z. Liu, X. Zhang, J. Li, F. Li, C. Li, X. Jia, J. Li, "Exploiting the Reactivity of Isocyanide: Coupling Reaction between Isocyanide and Toluene Derivatives Using the Isocyano Group as an N1 Synthon", *Organic letters*, **18** (2016) 4052-4055.
- [44] Q. Xue, J. Xie, H. Li, Y. Cheng, C. Zhu, "Metal-free, highly efficient organocatalytic amination of benzylic C–H bonds", *Chemical Communications*, **49** (2013) 3700-3702.
- [45] T. Froehr, C.P. Sindlinger, U. Kloeckner, P. Finkbeiner, B.J. Nachtsheim, "A metal-free amination of benzoxazoles—The first example of an iodide-catalyzed oxidative amination of heteroarenes", *Organic letters*, **13** (2011) 3754-3757.

Introduction

- [46] S. Wang, J. Wang, R. Guo, G. Wang, S.-Y. Chen, X.-Q. Yu, "n-Bu₄NI-catalyzed oxidative amidation of aldehydes with tertiary amines", *Tetrahedron Letters*, **54** (2013) 6233-6236.
- [47] L. Wang, K. Zhu, Q. Chen, M. He, "Transition-metal-free direct alkylation of aryl tetrazoles via intermolecular oxidative C–N formation", *The Journal of Organic Chemistry*, **79** (2014) 11780-11786.
- [48] W.-P. Mai, H.-H. Wang, Z.-C. Li, J.-W. Yuan, Y.-M. Xiao, L.-R. Yang, P. Mao, L.-B. Qu, "n-Bu₄NI-catalyzed direct synthesis of α -ketoamides from aryl methyl ketones with dialkylformamides in water using TBHP as oxidant", *Chemical Communications*, **48** (2012) 10117-10119.
- [49] H. Li, J. Xie, Q. Xue, Y. Cheng, C. Zhu, "Metal-free n-Bu₄NI-catalyzed direct synthesis of amides from alcohols and N, N-disubstituted formamides", *Tetrahedron Letters*, **53** (2012) 6479-6482.
- [50] Y. Li, L. Ma, F. Jia, Z. Li, "Amide bond formation through iron-catalyzed oxidative amidation of tertiary amines with anhydrides", *The Journal of Organic Chemistry*, **78** (2013) 5638-5646.
- [51] W.-J. Yoo, C.-J. Li, "Highly efficient oxidative amidation of aldehydes with amine hydrochloride salts", *Journal of the American Chemical Society*, **128** (2006) 13064-13065.
- [52] M. Lamani, K.R. Prabhu, "Iodine-catalyzed amination of benzoxazoles: a metal-free route to 2-aminobenzoxazoles under mild conditions", *The Journal of Organic Chemistry*, **76** (2011) 7938-7944.

- [53] J. Wang, J.-T. Hou, J. Wen, J. Zhang, X.-Q. Yu, "Iron-catalyzed direct amination of azoles using formamides or amines as nitrogen sources in air", *Chemical Communications*, **47** (2011) 3652-3654.
- [54] K.R. Reddy, C.U. Maheswari, M. Venkateshwar, M.L. Kantam, "Oxidative Amidation of Aldehydes and Alcohols with Primary Amines Catalyzed by KI-TBHP", *Wiley Online Library*, 2008.
- [55] S. Chen, Y. Xu, X. Wan, "Direct condensation of sulfonamide and formamide: NaI-catalyzed synthesis of N-sulfonyl formamidine using TBHP as oxidant", *Organic Letters*, **13** (2011) 6152-6155.
- [56] Y. Zheng, J. Mao, J. Chen, G. Rong, D. Liu, H. Yan, Y. Chi, X. Xu, "Unexpected C= N bond formation via NaI-catalyzed oxidative de-tetra-hydrogenative cross-couplings between N, N-dimethyl aniline and sulfamides", *RSC Adv*, **5** (2015) 50113-50117.
- [57] Z.-Q. Lao, W.-H. Zhong, Q.-H. Lou, Z.-J. Li, X.-B. Meng, "KI-catalyzed imidation of sp³ C-H bond adjacent to amide nitrogen atom", *Organic & Biomolecular Chemistry*, **10** (2012) 7869-7871.
- [58] M. Karimi, D. Saberi, K. Azizi, E. Ghonchepour, A. Heydari, "FeSO₄· 7H₂O-catalyzed oxidative amidation of methylarenes", *Tetrahedron Letters*, **56** (2015) 2674-2677.
- [59] H. Huang, W. Chen, Y. Xu, J. Li, "I⁻/TBHP catalyzed C sp³-N/C sp²-N bond formation via oxidative coupling with benzophenone imine in water", *Green Chemistry*, **17** (2015) 4715-4719.

Introduction

- [60] H. Yu, J. Shen, "Dehydrogenative cyclization of N-acyl dipeptide esters for the synthesis of imidazolidin-4-ones", *RSC advances*, **5** (2015) 9815-9818.
- [61] S.B. Inturi, B. Kalita, A.G.J. Ahamed, "Highly Efficient Synthesis of 4, 3-Fused 1, 2, 4-Triazoles via One-Pot Multicomponent Domino Reaction Catalyzed by KI/TBHP", *ChemistrySelect*, **2** (2017) 8377-8382.
- [62] S. Xu, Z. Luo, Z. Jiang, D. Lin, "Transition-Metal-Free N9-Amidoalkylation of Purines with N, N-Dialkylamides", *Synlett*, **28** (2017) 868-872.
- [63] C. Tan, Y. Liu, X. Liu, H. Jia, K. Xu, S. Huang, J. Wang, J. Tan, "Stereoselective synthesis of trans-aziridines via intramolecular oxidative C (sp³)–H amination of β -amino ketones", *Organic Chemistry Frontiers*, **7** (2020) 780-786.
- [64] Z. Yang, J. He, Y. Wei, W. Li, P. Liu, "KI/TBHP-promoted [3+ 2] cycloaddition of pyrrolo [1, 2-a] quinoxalines and N-arylsulfonylhydrazones", *Organic & Biomolecular Chemistry*, **18** (2020) 3360-3366.
- [65] S. Bhukta, R. Chatterjee, R. Dandela, "Iodine–TBHP mediated efficient synthesis of α -ketoamides from vinyl azides and amines under mild conditions", *Organic & Biomolecular Chemistry*, **20** (2022) 3907-3912.
- [66] Y. Zhang, M. Luo, Y. Zhang, K. Cheng, Y. Li, C. Qi, R. Shen, H. Wang, "CuCl₂ · 2H₂O/TBHP mediated synthesis of β -enaminones via coupling reaction of vinyl azides with aldehydes", *Organic & Biomolecular Chemistry*, **20** (2022) 1952-1957.
- [67] A. Mishra, S. Chauhan, P. Verma, S. Singh, V. Srivastava, "TBHP-Initiated Transamidation of Secondary Amides via C–N Bond Activation: A Metal-Free Approach", *Asian Journal of Organic Chemistry*, **8** (2019) 853-857.

- [68] D. Sarma, B. Majumdar, B. Deori, S. Jain, T.K. Sarma, "Photoinduced Enhanced Decomposition of TBHP: A Convenient and Greener Pathway for Aqueous Domino Synthesis of Quinazolinones and Quinoxalines", *ACS omega*, **6** (2021) 11902-11910.
- [69] S. Sharma, N.B. Dutta, M. Bhuyan, B. Das, G. Baishya, "tert-Butylhydroperoxide (TBHP) mediated oxidative cross-dehydrogenative coupling of quinoxalin-2 (1 H)-ones with 4-hydroxycoumarins, 4-hydroxy-6-methyl-2-pyrone and 2-hydroxy-1, 4-naphthoquinone under metal-free conditions", *Organic & Biomolecular Chemistry*, **18** (2020) 6537-6548.
- [70] J. Zhang, P. Zhou, A. Yin, S. Zhang, W. Liu, "Synthetic Route to Enaminones via Metal-Free Four-Component Sequential Reactions of Aryl Olefins with CHCl₃, Et₃N, and TBHP", *The Journal of Organic Chemistry*, **86** (2021) 8980-8986.
- [71] L. Xu, P. Xu, Y.-M. Zhu, W. Rao, S.-Y. Wang, "NaI/TBHP-promoted reaction of indole-2-thiones with arylsulfonyl hydrazides: construction of achiral axial 3, 3'-biindole-2, 2'-dibenzenesulfonothioate derivatives", *Organic Chemistry Frontiers*, **8** (2021) 5383-5388.
- [72] H.A. Agisho, H. Esatu, S. Hairat, M. Zaki, "TBHP/TBAI-Mediated simple and efficient synthesis of 3, 5-disubstituted and 1, 3, 5-trisubstituted 1H-1, 2, 4-triazoles via oxidative decarbonylation of aromatic aldehydes and testing for antibacterial activities", *Tetrahedron Letters*, **61** (2020) 151989.
- [73] Z.-W. Feng, J. Li, Y.-Q. Jiang, Y. Tian, G.-Q. Xu, X. Shi, Q.-J. Ding, W. Li, C.-H. Ma, B. Yu, "Transition-metal-free sulfonylations of methylthiolated

Introduction

alkynones to synthesize 3-sulfonylated thioflavones", *New Journal of Chemistry*, **44** (2020) 14786-14790.

[74] D. Kumar Sigalapalli, M. Kadagathur, A. Sujat Shaikh, G.S. Jadhav, B. Bakchi, B. Nagendra Babu, N.D. Tangellamudi, "Microwave-Assisted TBHP-Mediated Synthesis of 2-Amino-1, 3, 4-oxadiazoles in Water", *ChemistrySelect*, **5** (2020) 13248-13258.

2.7 Reference

- [1] V, Rajeshwer, and K.N Singh. "Utilization of methylarenes as versatile building blocks in organic synthesis." *Chemical Society Reviews* **44.22** (2015): 8062-8096.
- [2] S.D Richardson, and S. Y. Kimura. "Water analysis: emerging contaminants and current issues." *Analytical chemistry*, **88.1** (2016): 546-582.
- [3] C. Jia, T. Kitamura, and Y. Fujiwara, "Catalytic functionalization of arenes and alkanes via C-H bond activation," *Accounts of Chemical Research*, **34(8)** (2001), 633–639.
- [4] P. Kumar, T. Guntreddi, R. Singh, and K. N. Singh, "A practical protocol for the synthesis of bibenzyls via C(sp³)-H activation of methyl arenes under metal-free conditions," *Organic Chemistry Frontiers*, **4** (2016) 147–150.
- [5] S. Verma, R. B. Nasir Baig, M. N. Nadagouda, and R. S. Varma, "Photocatalytic C-H Activation of Hydrocarbons over VO@g-C₃N₄," *ACS Sustainable Chemistry and Engineering*, **4** (2016) 2333–2336.
- [6] G. A. Olah and S. J. Kuhn, "Formylation with Formyl Fluoride: A New Aldehyde Synthesis and Formylation Method," *Journal of the American Chemical Society*, **82** (1960), 2380–2382
- [7] H. Wynberg, "The reimer-tiemann reaction," *Chemical Reviews*, **60** (1960) 169–184.
- [8] N. N. Crouse, "The Gattermann-Koch Reaction Present address, Institute of Medical Research, The Christ Hospital, Cincinnati, Ohio.," *Organic Reactions*, (2011) 290–300.

TBHP Mediated Solvent-Free Cascade Csp3-H Bond Functionalization...

- [9] G. Jones and S. P. Stanforth, "The Vilsmeier Reaction of Non-Aromatic Compounds," *Organic Reactions*, **56** (2000) 355–686.
- [10] R. Sahay, "Biotransformation of Aromatic Methyl Groups to Aldehyde Groups Using Laccase of *Gloeophyllum Stratum* MTCC-1117," 2020.
- [11] B. Nammalwar, C. Fortenberry, R. A. Bunce, S. K. Lageshetty, and K. D. Ausman, "Efficient oxidation of arylmethylene compounds using nano-MnO₂," *Tetrahedron Letters*, **54** (2013) 2010–2013.
- [12] Z. Sun, G. Li, Y. Zhang, H. O. Liu, and X. Gao, "Ag–Cu–BTC prepared by postsynthetic exchange as effective catalyst for selective oxidation of toluene to benzaldehyde," *Catalysis Communications*, **59** (2015) 92–96.
- [13] M. M. Lakouraj, S. M. Hossaini, V. Hasantabar, and M. Soleimani, "2, 4-ionene supported permanganate: A novel, efficient and selective solid phase oxidizing agent for oxidation of organic compounds," *Journal of Advanced Oxidation Technologies*, **14** (2011) 251–259.
- [14] C. Jin, L. Zhang, and W. Su, "Direct benzylic oxidation with sodium hypochlorite using a new efficient catalytic system: TEMPO/Co(OAc)₂," *Synlett*, vol. **2011**(2011) 1435–1438.
- [15] S. Tripathi, S. N. Singh, and L. D. S. Yadav, "Visible light photocatalysis with CBr₄: a highly selective aerobic photooxidation of methylarenes to aldehydes," *RSC Advances*, **6** (2016) 14547–1455.
- [16] B. B. Sarma, I. Efremenko, and R. Neumann, "Oxygenation of Methylarenes to Benzaldehyde Derivatives by a Polyoxometalate Mediated Electron Transfer-Oxygen Transfer Reaction in Aqueous Sulfuric Acid," *Journal of the American*

Chemical Society, **137** (2015) 5916–5922.

- [17] E. Gaster, S. Kozuch, and D. Pappo, “Selective Aerobic Oxidation of Methylarenes to Benzaldehydes Catalyzed by N-Hydroxyphthalimide and Cobalt(II) Acetate in Hexafluoropropan-2-ol,” *Angewandte Chemie International Edition*, **56** (2017) 5912–5915.
- [18] J. P. Lumb, “Stopping Aerobic Oxidation in Its Tracks: Chemoselective Synthesis of Benzaldehydes from Methylarenes,” *Angewandte Chemie International Edition*, vol. **56** (2017) 9276–9277.
- [19] J. R. Harjani, S. J. Nara, and M. M. Salunkhe, “Lewis acidic ionic liquids for the synthesis of electrophilic alkenes via the Knoevenagel condensation,” *Tetrahedron Letters*, **43** (2002) 1127–1130.
- [20] M. Hosseini-Sarvari, H. Sharghi, and S. Etemad, “Nanocrystalline ZnO for Knoevenagel Condensation and Reduction of the Carbon, Carbon Double Bond in Conjugated Alkenes,” *Helvetica Chimica Acta*, **91** (2008), 715–724.
- [21] M. Vijender, P. Kishore, and B. Satyanarayana, “Zirconium tetrachloride-SiO₂ catalyzed Knoevenagel condensation: a simple and efficient protocol for the synthesis of substituted electrophilic alkenes,” *General Papers ARKIVOC*, **13** (2008) 122–128.
- [22] P. Peng, B. X. Tang, S. F. Pi, Y. Liang, and J. H. Li, “Synthesis of (E)-3-(isobenzofuran-3(1H)-ylidene)-indolin-2-ones by the palladium-catalyzed intramolecular C-H functionalization process,” *Journal of Organic Chemistry*, **74** (2009) 3569–3572.
- [23] J. K. Augustine, Y. A. Naik, A. B. Mandal, N. Chowdappa, and V. B. Praveen,

- “gem-dibromomethylarenes: A convenient substitute for noncommercial aldehydes in the Knoevenagel-Doebner reaction for the synthesis of α,β -unsaturated carboxylic acids,” *Journal of Organic Chemistry*, **72** (2007) 9854–9856.
- [24] J. Lu and P. H. Toy, “Organocatalytic decarboxylative Doebner-Knoevenagel reactions between arylaldehydes and monoethyl malonate mediated by a bifunctional polymeric catalyst,” *Synlett*, **2011** (2011), 1723–1726.
- [25] L. F. Tietze, “Domino reactions in organic synthesis,” *Chemical Reviews*, **96** (1996) 115–136.
- [26] G. A. Kraus and M. E. Krolski, “Synthesis of a Precursor to Quassamarin,” *Journal of Organic Chemistry*, **51** (1986) 3347–3350.
- [27] L. F. Tietze and N. Rackelmann, “Domino reactions in the synthesis of heterocyclic natural products and analogs,” *Pure and Applied Chemistry*, **76** (2004) 1967–1983.
- [28] F. Ouyang, Y. Zhou, Z. M. Li, N. Hu, and D. J. Tao, “Tetrabutylphosphonium amino acid ionic liquids as efficient catalysts for solvent-free Knoevenagel condensation reactions,” *Korean Journal of Chemical Engineering* **2014 31:8**, **31** (2014) 1377–1383.
- [29] K. Isobe, T. Hoshi, T. Suzuki, and H. Hagiwara, “Knoevenagel reaction in water catalyzed by amine supported on silica gel,” *Molecular Diversity* **2005 9:4**, vol. **9** (2005) 317–320.
- [30] N. N. Karade, S. V. Gampawar, S. V. Shinde, and W. N. Jadhav, “L-proline catalyzed solvent-free Knoevenagel condensation for the synthesis of 3-

substituted coumarins,” *Chinese Journal of Chemistry*, 25 (2007) 1686–1689.

- [31] K. M. Parida, S. Mallick, P. C. Sahoo, and S. K. Rana, “A facile method for synthesis of amine-functionalized mesoporous zirconia and its catalytic evaluation in Knoevenagel condensation,” *Applied Catalysis A: General*, vol. 381 (2010) 226–232.
- [32] M. B. Deshmukh, S. S. Patil, S. D. Jadhav, and P. B. Pawar, “Green Approach for Knoevenagel Condensation of Aromatic Aldehydes with Active Methylene Group,” *Synthetic Communications*, **42** (2012) 1177-1183.

3.7 References

- [1] M. D. Kärkäs, "Electrochemical strategies for C–H functionalization and C–N bond formation," *Chemical Society Reviews*, **47** (2018) 5786–5865.
- [2] A. K. Mailyan, J. A. Eickhoff, A. S. Minakova, Z. Gu, P. Lu, A. Zakarian, "Cutting-Edge and Time-Honored Strategies for Stereoselective Construction of C-N Bonds in Total Synthesis," *Chemical Reviews*, **116** (2016) 4441–4557.
- [3] M. Rovira, M. Soler, I. Güell, M. Z. Wang, L. Gómez, X. Ribas, "Orthogonal Discrimination among Functional Groups in Ullmann-Type C-O and C-N Couplings," *The Journal of Organic Chemistry*, **81** (2016) 7315–7325.
- [4] Q. Q. Kang, W. Wu, Q. Li, W.T. Wei, "Photochemical strategies for C–N bond formation via metal catalyst-free (hetero) aryl C (sp²)–H functionalization," *Green Chemistry*, **22** (2020) 3060–3068.
- [5] Q. Wang, Y. Su, L. Li, H. Huang, "Transition-metal catalysed C-N bond activation," *Chemical Society Reviews*, **45** (2016) 1257–1272.
- [6] J. S. Carey, D. Laffan, C. Thomson, M. T. Williams, "Analysis of the reactions used for the preparation of drug candidate molecules," *Organic & biomolecular chemistry*, **4** (2006) 2337–2347.
- [7] T. Kuranaga, Y. Sesoko, M. Inoue, "Cu-mediated enamide formation in the total synthesis of complex peptide natural products," *Natural Product Reports*, **31** (2014) 514–532.
- [8] J. W. Bode, "Emerging methods in amide- and peptide-bond formation.," *Current opinion in drug discovery & development*, **9** (2006) 765–775.

- [9] T. Cupido, J. Tulla-Puche, J. Spengler, F. Albericio, "The synthesis of naturally occurring peptides and their analogs.," *Current opinion in drug discovery & development*, **10** (2007) 768–783.
- [10] R. M. De Figueiredo, J. S. Suppo, J. M. Campagne, "Nonclassical Routes for Amide Bond Formation," *Chemical Reviews*, **116** (2016) 12029–12122.
- [11] E. Valeur, M. Bradley, "Amide bond formation: beyond the myth of coupling reagents." *Chemical Society Reviews*, **38** (2009) 606-631.
- [12] C. L. Allen, J. M. J. Williams, "Metal-catalysed approaches to amide bond formation," *Chemical Society Reviews*, **40** (2011) 3405–3415.
- [13] M. T. Sabatini, L. T. Boulton, H. F. Sneddon, T. D. Sheppard, "A green chemistry perspective on catalytic amide bond formation," *Nature Catalysis*, **2** (2019) 10-17.
- [14] M. C. Bryan, P. J. Dunn, D. Entwistle, F. Gallou, S. G. Koenig, J. D. Hayler, M. R. Hickey, S. Hughes, M. E. Kopach, G. Moine, M. E. Richardson, "Key Green Chemistry research areas from a pharmaceutical manufacturers' perspective revisited," *Green Chemistry*, **20** (2018) 5082-5103.
- [15] J. M. Humphrey A. R. Chamberlin, "Chemical Synthesis of Natural Product Peptides: Coupling Methods for the Incorporation of Noncoded Amino Acids into Peptides," *Chemical Reviews*, **97** (1997) 2243-2266.
- [16] G. E. Veitch, K. L. Bridgwood, S. V. Ley, "Magnesium Nitride as a Convenient Source of Ammonia: Preparation of Primary Amides." *Organic Letters*, **10** (2008) 3623-3625.

TBHP initiated C-N Bond Formation via Oxidative Coupling of Benzyl...

- [17] A. Ojeda-Porras, D. Gamba-Sánchez, “Recent Developments in Amide Synthesis Using Nonactivated Starting Materials,” *The Journal of organic chemistry*, **81** (2016) 11548-11555.
- [18] W. Ren, M. Yamane, “Carbamoylation of Aryl Halides by Molybdenum or Tungsten Carbonyl Amine Complexes,” *The Journal of organic chemistry*, **75** (2010) 3017-3020.
- [19] I. Nakamura and Y. Yamamoto, “Transition-Metal-Catalyzed Reactions in Heterocyclic Synthesis,” *Chemical reviews*, **104** (2004) 2127-2198.
- [20] T. Punniyamurthy, S. Velusamy, J. Iqbal, “Recent advances in transition metal catalyzed oxidation of organic substrates with molecular oxygen,” *Chemical reviews*, **105** (2005) 2329–2363.
- [21] E. M. Beccalli, G. Brogini, M. Martinelli, S. Sottocornola, “C–C, C–O, C–N Bond Formation on sp² Carbon by Pd(II)-Catalyzed Reactions Involving Oxidant Agents,” *Chemical Reviews*, **107** (2007) 5318-5365.
- [22] J. Yin and S. L. Buchwald, “Palladium-catalyzed intermolecular coupling of aryl halides and amides,” *Organic Letters*, vol. 2 (2000) 1101–1104.
- [23] A. Klapars, X. Huang, S. B.-J. of the American, and undefined 2002, “A general and efficient copper catalyst for the amidation of aryl halides,” *Journal of the American Chemical Society*, **123** (2001) 7727-7729.
- [24] J. Yin, S. L. Buchwald “Pd-catalyzed intermolecular amidation of aryl halides: the discovery that xantphos can be trans-chelating in a palladium complex,” *Journal of the American Chemical Society*, **124** (2002) 6043-6048.

- [25] P. Nagaraaj, V. Vijayakumar. "Oxidation of amine α -carbon to amide: a review on direct methods to access the amide functionality," *Organic Chemistry Frontiers*, **6** (2019) 2570-2599.
- [26] M. Karimi, D. Saberi, K. Azizi, M. Arefi, "Transition-metal-free oxidative amidation of benzyl alcohols with amines catalyzed by NaI: a new method for the synthesis of benzamides," *Tetrahedron Letters*, **55** (2014) 5351-5353.
- [27] P. Gautam, B. M. Bhanage "Recent advances in the transition metal catalyzed carbonylation of alkynes, arenes and aryl halides using CO surrogates," *Catalysis Science & Technology*, **5** (2015) 4663-4702.
- [28] A. Veatch, E. J. Alexanian "Cobalt-catalyzed aminocarbonylation of (hetero) aryl halides promoted by visible light," *Chemical science*, **11** (2020) 7210-7213.
- [29] R. Ohmura, M. Takahata, H. Togo "Metal-free one-pot oxidative conversion of benzylic alcohols and benzylic halides into aromatic amides with molecular iodine in aq ammonia, and hydrogen peroxide," *Tetrahedron Letters*, **51** (2010) 4378-4381.
- [30] H. K. Singh, A. Kamal, S. Kumari, D. Kumar, S. K. Maury, V. Srivastava, S Singh, "Eosin Y-catalyzed synthesis of 3-aminoimidazo[1,2-a]pyridines via the hat process under visible light through formation of the C-N bond," *ACS Omega*, **5** (2020) 29854-29863.
- [31] S. K. Maury, S. Kumari, A. K. Kushwaha, A. Kamal, H. K. Singh, D. Kumar, S Singh, "Grinding induced catalyst free, multicomponent synthesis of indoloindole pyrimidine," *Tetrahedron Letters*, **61** (2020) 152383.

TBHP initiated C-N Bond Formation via Oxidative Coupling of Benzyl..

- [32] X. F. Wu, J. L. Gong, X. Qi “A powerful combination: recent achievements on using TBAI and TBHP as oxidation system,” *Organic & Biomolecular Chemistry*, **12** (2014) 5807-5817.
- [33] T. Nakane, Y. Tanioka, N. Tsukada, “Synthesis of Multinuclear Copper Complexes Bridged by Diquinolylamidates and Their Application to Copper-Catalyzed Coupling of Terminal Alkynes and Aryl, Allyl, and Benzyl Halides,” *Organometallics*, **34** (2015) 1191-1196.
- [34] B. Mondal, S. C. Sahoo, S. C. Pan, “nBu₄NI-Catalyzed α -Benzoylation of Ketones with Terminal Aryl Alkenes,” *European Journal of Organic Chemistry*, **2015** (2015) 3135-3140.
- [35] X. Xu, P. Hu, W. Yu, G. Hong, Y. Tang, M. Fang, X. Li “Bu₄NI-catalyzed synthesis of imidazo[1,2- a]pyridines via oxidative coupling of aminopyridines with nitroolefins,” *Synlett*, **25** (2014) 718–720.
- [36] D. Saberi, H. Hashemi “TBAI-catalyzed oxidative self-coupling of benzyl bromides under solvent-free conditions: A new pathway toward synthesis of benzyl benzoates,” *Catalysis Communications*, **106** (2018) 50-54.
- [37] A. Joshi, R. Kumar, R. Semwal, D. Rawat, S. Adimurthy, “Ionic liquid catalysed aerobic oxidative amidation and thioamidation of benzylic amines under neat conditions,” *Green Chemistry*, **21**(2019) 962-967.
- [38] S. N. Rao, N. Naresh, K. Reddy, S. Samanta, S. Adimurthy, “I₂-Catalyzed Oxidative Amidation of Benzylamines and Benzyl Cyanides under Mild Conditions,” *The Journal of Organic Chemistry*, **82** (2017), 13632-13642.

4.8 References

- [1] A. Greenberg, C. M. Breneman, and J. F. Liebman, (eds). "The amide linkage: Structural significance in chemistry, biochemistry, and materials science". John Wiley & Sons, 2000.
- [2] E. Valeur, M. Bradley, "Amide bond formation: beyond the myth of coupling reagents" *Chemical Society Reviews*, **38**(2009) 606-31.
- [3] T. Wieland and M. Bodanszky, "The World of Peptides: A Brief History of Peptide Chemistry . T. Wieland, M. Bodanszky," *Isis*, **84** (1993) 174–175.
- [4] J. I. Kroschwitz, M. Howe-Grant, R. E. Kirk, & D. F. Othmer. *Encyclopedia of chemical technology*. John Wiley & Sons. 1996
- [5] S.Y Huang, D. W. Lipp, and R. S. Farinato. "Acrylamide polymers." *Kirk-Othmer Encyclopedia of Chemical Technology* 2000.
- [6] X. Liu, C. C Hsiao, L. Guo, & M. Rueping. "Cross-Coupling of Amides with Alkylboranes via Nickel-Catalyzed C–N Bond Cleavage". *Organic letters*, **20** (2018), 2976-2979.
- [7] D. Y. Wang *et al.*, "Stille coupling via C–N bond cleavage," *Nat. Commun.* **2016** *71*, **7** (2016) 1–9.
- [8] G. Meng, and M. Szostak, "Palladium/NHC (NHC= N-heterocyclic carbene)-catalyzed B-alkyl suzuki cross-coupling of amides by selective N–C bond cleavage". *Organic letters*, **20**(2018.) 6789-6793.
- [9] C. L. Allen, A. R. Chhatwal, and J. M. J. Williams, "Direct amide formation

- from unactivated carboxylic acids and aminesw ChemComm,” *This J. is Cite this Chem. Commun*, **48** (2012) 666–668.
- [10] K. Ishihara, and T.Yano. “Synthesis of Carboxamides by LDA-Catalyzed Haller– Bauer and Cannizzaro Reactions”. *Organic Letters*, **6** (2004) 1983-1986.
- [11] S. Chandra Ghosh, J. S. Y Ngiam, A. M. Seayad, D. Thanh Tuan, C. L. L Chai, and A. Chen, “Copper-Catalyzed Oxidative Amidation of Aldehydes with Amine Salts: Synthesis of Primary, Secondary, and Tertiary Amides,” *The Journal of organic chemistry*, **77** (2012) 8007-8015.
- [12] H. Morimoto, R. Fujiwara, Y. Shimizu, K. Morisaki, and T. Ohshima, “Lanthanum(III) Triflate Catalyzed Direct Amidation of Esters,” *Organic letters*, **16** (2014) 2018-2021.
- [13] S. Shi, S. P. Nolan and M. Szostak, *Acc. Chem. Res.*, *Accounts of Chemical Research*, **51**, (2018): 2589-2599.
- [14] K. Yamaguchi, M. Matsushita, and N. Mizuno, “Efficient Hydration of Nitriles to Amides in Water, Catalyzed by Ruthenium Hydroxide Supported on Alumina” *Angewandte Chemie International Edition*, **43** (2004) 1576-1580.
- [15] A. Goto, K. Endo, S. Saito, A. Goto, K. Endo, and S. Saito, “Nitrile Hydration Rh I-Catalyzed Hydration of Organonitriles under Ambient Conditions,” *Angew. Chem. Int. Ed*, vol. 47, (2008) pp. 3607–3609.
- [16] R. S. Ramón, N. Marion, and S. P. Nolan, “Gold Activation of Nitriles: Catalytic Hydration to Amides.” *Chemistry–A European Journal* **15**, 35 (2009) 8695-8697.

- [17] A. Joshi, R. Kumar, R. Semwal, D. Rawat, and S. Adimurthy, "Ionic liquid catalysed aerobic oxidative amidation and thioamidation of benzylic amines under neat conditions," *Green Chemistry* 21, 5 (2019): 962-967..
- [18] S. H. Cho, E. J. Yoo, I. Bae, and S. Chang, "Copper-Catalyzed Hydrative Amide Synthesis with Terminal Alkyne, Sulfonyl Azide, and Water," *Journal of the American Chemical Society* 127, 46 (2005) 16046-16047.
- [19] Z. W. Chen, H. F. Jiang, X. Y. Pan, and Z. J. He, "Practical synthesis of amides from alkynyl bromides, amines, and water," *Tetrahedron*, 67 (2011) 5920–5927.
- [20] J. W. Kim, K. Yamaguchi, and N. Mizuno, "Heterogeneously Catalyzed Efficient Oxygenation of Primary Amines to Amides by a Supported Ruthenium Hydroxide Catalyst" *Angewandte Chemie International Edition* 47, 48 (2008) 9249-9251.
- [21] X.-F. Wu, C. Beromeo Bheeter, H. Neumann, P. H. Dixneuf, and M. Beller, "12237 Cite this," *Chem. Commun.*, 48, (2012) 12237–12239.
- [22] A. Poeschl and D. M. Mountford, "A facile manganese dioxide mediated oxidation of primary benzylamines to benzamides," *Organic & Biomolecular Chemistry* 12, 36 (2014) 7150-7158.
- [23] S. N. Rao, N. Naresh, K. Reddy, S. Samanta, and S. Adimurthy, "I₂-Catalyzed Oxidative Amidation of Benzylamines and Benzyl Cyanides under Mild Conditions," *The Journal of Organic Chemistry* 82, 24 (2017) 13632-13642

- [24] X .Chen, Y. Peng, Y. Li, M. Wu, H. Guo, J. Wang, and S. Sun. “Cu-catalyzed aerobic oxidative C–CN bond cleavage of benzyl cyanide for the synthesis of primary amides”. *RSC advances*, 7 (2017) 18588-18591.

5.7 References

- [1] Z.-Y. Tan, K.-X. Wu, L.-S. Huang, R.-S. Wu, Z.-Y. Du, D.-Z. Xu, "Iron-catalyzed cross-dehydrogenative coupling of indolin-2-ones with active methylenes for direct carbon-carbon double bond formation", *Green Chemistry*, **22** (2020) 332-335.
- [2] (a) J.Y. Mak, R.H. Pouwer, C.M. Williams, "Natural Products with Anti-Bredt and Bridgehead Double Bonds," *Angewandte Chemie International Edition*, **53** (2014) 13664-13688.
- [3] (a) C.-T. Chiou, W.-C. Lee, J.-H. Liao, J.-J. Cheng, L.-C. Lin, C.-Y. Chen, J.-S. Song, M.-H. Wu, K.-S. Shia, W.-T. Li, Synthesis and evaluation of 3-ylideneoxindole acetamides as potent anticancer agents, *European journal of medicinal chemistry*, **98** (2015) 1-12.
- [4] (a) P. Chumala, M. Suchy, Phytoalexins from *Thlaspi arvense*, a wild crucifer resistant to virulent *Leptosphaeria maculans*: structures, syntheses and antifungal activity, *Phytochemistry*, **64** (2003) 949-956.
- [5] T. Jiang, K. L. Kuhen, K. Wolff, H. Yin, K. Bieza, J. Caldwell, B. Bursulaya, T. Tuntlad, K. Zhang, D. Karanewsky and Y. He, "Bioorg. Med. Chem. Lett". 2006, 16, 2109
- [6] (a) R. Hoessel, S. Leclerc, J.A. Endicott, M.E. Nobel, A. Lawrie, P. Tunnah, M. Leost, E. Damiens, D. Marie, D. Marko, Indirubin, the active constituent of a Chinese antileukaemia medicine, inhibits cyclin-dependent kinases, *Nature cell biology*, **1** (1999) 60-67.
- [7] (a) G.J. Roth, A. Heckel, F. Colbatzky, S. Handschuh, J.r. Kley, T. Lehmann-Lintz, R. Lotz, U. Tontsch-Grunt, R. Walter, F. Hilberg, Design, synthesis, and evaluation

- of indolinones as triple angiokinase inhibitors and the discovery of a highly specific 6-methoxycarbonyl-substituted indolinone (BIBF 1120), *Journal of medicinal chemistry*, **52** (2009) 4466-4480.
- [8] (a) B. Weniger, Y. Jiang, R. Anton, J. Bastida, T. Varea, J.-C. Quirion, Oxindole alkaloids from *Neolaugeria resinosa*, *Phytochemistry*, **32** (1993) 1587-1590. (b) C.-T. Chiou, W.-C. Lee, J.-H. Liao, J.-J. Cheng, L.-C. Lin, C.-Y. Chen, J.-S. Song, M.-H. Wu, K.-S. Shia, W.-T. Li, Synthesis and evaluation of 3-ylideneoxindole acetamides as potent anticancer agents, *European journal of medicinal chemistry*, **98** (2015) 1-12.
- [9] I. Fatima, I. Ahmad, S.A. Nawaz, Enzyme inhibition studies of oxindole alkaloids from *Isatis costata*, *Heterocycles*, **68** (2006) 1421-1428.
- [10] (a) R. Yanada, S. Obika, M. Oyama, Y. Takemoto, Stereoselective synthesis of 3-alkylideneoxindoles using tandem In-mediated carbometalation and Pd-catalyzed cross-Coupling reaction, *Organic Letters*, **6** (2004) 2825-2828.
- [11] (a) N. Lashgari, G.M. Ziarani, A. Badiei, P. Gholamzadeh, Knoevenagel condensation of isatins with malononitrile/ethyl cyanoacetate in the presence of sulfonic acid functionalized silica (SBA-Pr-SO₃H) as a new nano-reactor, *European Journal of Chemistry*, **3** (2012) 310-313.
- [12] For a review, see: (a) F. Jia, Z. Li, Iron-catalyzed/mediated oxidative transformation of C–H bonds, *Organic Chemistry Frontiers*, **1** (2014) 194-214. (b) C. Liu, J. Yuan, M. Gao, S. Tang, W. Li, R. Shi, A. Lei, Oxidative coupling between two hydrocarbons: an update of recent C–H functionalizations, *Chemical Reviews*, **115** (2015) 12138-12204.

- [13] L. Zhu, P. Yan, L. Zhang, Z. Chen, X. Zeng, G. Zhong, TiCl₄/DMAP mediated Z-selective Knoevenagel condensation of isatins with nitroacetates and related compounds, *RSC advances*, **7** (2017) 51352-51358.
- [14] D.A. Androsov, T.L. Kishbaugh, G.W. Gribble, Mn (III)-based radical addition reactions of 2-nitroindole with activated CH compounds, *Tetrahedron Letters*, **49** (2008) 6621-6623.
- [15] D. Kumar, S. Kumari, S. Gajaganti, V. Srivastava, S. Singh, Et₃N-Promoted Cascade Sp³ C-H Bond Functionalization of Methyl Arene with Active Methylene Compounds Under Solvent-Free Condition. *ChemistrySelect*, **4**(2019), 2225-2228.
- [16] (a) C. Zhang, Z. Xu, L. Zhang, N. Jiao, *Angew. Chem., Int. Ed.*, **50**(2011), 11088. (b) C. Zhang, N. Jiao, *J. Am. Chem. Soc.* **132**(2010), 28. (c) X. Zhang, L. Wang, *Green Chem.* **14**(2012), 2141. (d) J. N. Moorthy, K. Senapati, N. Singhal, *Tetrahedron Lett.* **50**(2009) 2493.
- [17] (a) Z. He, W. Liu, Z. Li, *Chem. Asian J.* **6**(2011), 1340. (b) E. Boess, C. Schmitz, M. Klussmann, *J. Am. Chem. Soc.* **134**(2012), 5317. (c) J. Zhang, Z. Wang, Y. Wang, C. Wan, X. Zheng, Z. Wang, *Green Chem.* **11**(2009), 1973. (d) B. O. A. Tasch, L. Bensch, D. Antovic, T. J. J. Müller, *Org. Biomol. Chem.* **11**(2013), 6113.
- [18] W.B. Wu, and Huang, "Highly regioselective C–N bond formation through C–H azolation of indoles promoted by iodine in aqueous media." *Organic letters*, **14** (2012.) 5832-5835.
- [19] Y. Zi, Z. J. Cai, S. Y. Wang, & S. J. Ji. "Synthesis of isatins by I₂/TBHP mediated oxidation of indoles." *Organic letters*, **16** (2014) 3094-3097.

List of publications: Dhirendra Kumar

- 1 TBAI-catalyzed C–N bond formation through oxidative coupling of benzyl bromides with amines: a new avenue to the synthesis of amides
Dhirendra Kumar, Suresh Kumar Maury, Savita Kumari, Arsala Kamal, Himanshu Kumar Singh, Sundaram Singh & Vandana Srivastava
Synthetic communication, Volume 52, 2022 - Issue 3, 2022
- 2 Visible Light Mediated, Photocatalyst-Free Condensation of Barbituric Acid with Carbonyl Compounds
Savita Kumari, Suresh Kumar Maury, **Dhirendra Kumar**, Arsala Kamal, Himanshu Kumar Singh, Sundaram Singh
Chemistry Select, 6(12), Pages 2980-2987(2021)
- 3 Visible Light-Induced Cu-Catalyzed Synthesis of Schiff's Base of 2- Amino Benzonitrile Derivatives and Acetophenones
Arsala Kamal, Himanshu Kumar Singh, **Dhirendra Kumar**, Suresh Kumar Maury, Savita Kumari, Sundaram Singh
Chemistry Select 6.1:52-58(2021).
- 4 Grinding induced catalyst free, multicomponent synthesis of Indoloindole pyrimidine
Suresh Kumar Maury, Savita Kumari, Ambuj Kumar Kushwaha, Arsala Kamal, Himanshu Kumar Singh, **Dhirendra Kumar**, Sundaram Singh
Tetrahedron Letter 61 (2020) 152383
- 5 Eosin Y-Catalyzed Synthesis of 3-Aminoimidazo[1,2-a] Pyridines via the HAT Process under Visible Light through Formation of the C–N Bond
Himanshu Kumar Singh, Arsala Kamal, Savita Kumari, Suresh Kumar Maury, **Dhirendra Kumar**, Sundaram Singh
ACS Omega 5, 46, 29854–29863(2020)
- 6 A facile and efficient multicomponent ultrasound-assisted “on water” synthesis of benzodiazepine ring
Suresh Kumar Maury, **Dhirendra Kumar**, Arsala Kamal, Himanshu Kumar Singh, Savita Kumari, Sundaram Singh
Molecular Diversity, (2020) DOI: 10.1007/s11030-019-10031-y
- 7 A New Avenue to the Synthesis of Symmetrically Substituted Pyridines Catalyzed by Magnetic Nano–Fe₃O₄: Methyl Arenes as Sustainable Surrogates of Aryl Aldehydes
Somaiah Gajaganti, **Dhirendra Kumar**, Bharat Allam, Sundaram Singh and Vandana Srivastava
ChemistrySelect4(31):9241-9246,(2019)
- 8 Sc (OTf)₃ Catalysed Multicomponent Synthesis Of Chromeno[2,3-d] pyrimidine-triones Under Solvent-free Condition
Savita Kumari, **Dhirendra Kumar**, Somaiah Gajaganti, Sundaram Singh and Vandana Srivastava
Synthetic communication, Volume 49, (2019) ,3,,431-433.

List of Publications

- 9 Et₃N- Promoted Cascade Sp³ C-H Bond Functionalization of Methyl Arene with Active Methylene compounds Under Solvent Free Condition
Dhirendra Kumar, Savita Kumari, Somaiah Gajaganti, Sundaram Singh and Vandana Srivastava
Chemistry Select 4, 7, :2225-2228(2019).

 - 10 An Efficient, Green, and Solvent-free Multi-component Synthesis of Benzimidazolo/Benzothiazolo Quinazolinone Derivatives Using Sc (OTf)₃ Catalyst Under Controlled Microwave Irradiation
Somaiah Gajaganti, Savita Kumari, **Dhirendra Kumar**, Bharat Allam Sundaram Singh and Vandana Srivastava
Journal of heterocyclic chemistry, jhet.3314, vol 55, issue 11, pp. 2578-2584, (2018).
-