

Contents

List of Figures	xv
List of Tables	xix
Preface	xxi
1 Introduction	1
1.1 Biological Neural Network	2
1.1.1 Biological Model	6
1.2 Artificial Neural Networks(ANNs)	11
1.3 Some Additive Neural Networks	22
1.3.1 Hopfield Neural Networks	24
1.3.2 Complex-valued Neural Networks	28
1.3.3 Memristor based Neural Networks	30
1.4 An Overview of Mathematical Concepts	32
1.4.1 Delay Differential Equations	32
1.4.2 Matrix Measure Theory	37
1.5 Synchronization	41
1.6 Summary of the thesis	44
2 Global exponential synchronization of complex valued recurrent neural networks in presence of uncertainty along with time-varying bounded and unbounded delay terms	47
2.1 Some preliminaries and Problem formulation	48
2.1.1 Preliminaries	48
2.1.2 Problem formulation	49
2.2 Main results	53
2.3 Numerical Examples	59
2.4 Conclusion	73
3 Global quasi-synchronization of complex-valued recurrent neural networks with time-varying delay and interaction terms	75

3.1	Some preliminaries and Problem formulation	76
3.1.1	Problem formulation	77
3.2	Main results	81
3.3	Numerical Example	87
3.4	Conclusion	93
4	Quasi-projective synchronization of memristor-based complex valued recurrent neural network with time-varying delay and mismatched parameters	95
4.1	Preliminaries and Model Formulation	96
4.2	Main results	105
4.3	Numerical Simulation	117
4.4	Conclusion	131
5	Quasi-projective synchronization of inertial complex-valued recurrent neural networks with mixed time-varying delay and mismatched parameters	133
5.1	Preliminaries and System Formulation	134
5.2	Main results	144
5.3	Numerical Simulation	154
5.4	Conclusion	163
6	Conclusion and Future Works	165
	 Bibliography	 169

List of Figures

1.1	Schematic structure of a typical neuron [1].	4
1.2	Schematic diagram of a network of neurons.	7
1.3	A diagram of an artificial neuron of the network.	13
1.4	(a) A Step function, (b) Piecewise linear function, and (c) Sigmoid activation function for $\beta = 3, 4$ and 5	14
1.5	A feedforward network without hidden layer.	17
1.6	Multilayer feedforward neural network with one hidden layer.	18
1.7	A recurrent neural network without a hidden layer	19
1.8	A recurrent network with one hidden layer of neurons.	20
1.9	Partially connected neural network.	21
1.10	Additive model of a neuron.	22
1.11	Hopfield neural network for $n=4$ neurons.	24
2.1	Plots of the state trajectories $u_1(t), v_1(t), u_2(t)$ and $v_2(t)$ with respect to time t in 3-dimensional space without uncertain parameters ΔA and ΔB of the system (2.3.1) and bounded time varying delay term $\tau(t) = (2 + \cos(t))$	62
2.2	Plots of the state trajectories $u_1(t), v_1(t), u_2(t)$ and $v_2(t)$ with respect to time t in 3-dimensional space with uncertain parameters ΔA and ΔB and bounded time varying delay term $\tau(t) = (2 + \cos(t))$	63
2.3	Plots of the state trajectories $u_1(t)$ and $\tilde{u}_1(t), v_1(t)$ and $\tilde{v}_1(t), u_2(t)$ and $\tilde{u}_2(t), v_2(t)$ and $\tilde{v}_2(t)$ with respect to time t , of master system (2.3.1) and response system (2.3.2) without uncertain parameters ΔA and ΔB and bounded time varying delay term $\tau(t) = (2 + \cos(t))$	64
2.4	Plots of the global exponential synchronization errors $e_i(t), i = 1, 2, 3, 4$ of the systems (2.3.1) and (2.3.2) without uncertain parameters ΔA and ΔB and bounded time varying delay term $\tau(t) = (2 + \cos(t))$	65
2.5	Plots of the state trajectories $u_1(t)$ and $\tilde{u}_1(t), v_1(t)$ and $\tilde{v}_1(t), u_2(t)$ and $\tilde{u}_2(t), v_2(t)$ and $\tilde{v}_2(t)$ with respect to time t , of master system (2.3.1) and response system (2.3.2) with uncertain parameters ΔA and ΔB and bounded time varying delay term $\tau(t) = (2 + \cos(t))$	65
2.6	Plots of the global exponential synchronization errors $e_i(t), i = 1, 2, 3, 4$ of the systems (2.3.1) and (2.3.2) with uncertain parameters ΔA and ΔB and bounded time varying delay term $\tau(t) = (2 + \cos(t))$	66

2.7	Plots of the state trajectories $u_1(t), v_1(t), u_2(t)$ and $v_2(t)$ with respect to time t in 3-dimensional space without uncertain parameters ΔA and ΔB of the system (2.3.3) and unbounded time varying delay term $\tau(t) = \text{ceil}(3t/2)$	69
2.8	Plots of the state trajectories $u_1(t), v_1(t), u_2(t)$ and $v_2(t)$ with respect to time t in 3-dimensional space with uncertain parameters ΔA and ΔB and unbounded time varying delay term $\tau(t) = \text{ceil}(3t/2)$	70
2.9	Plots of the state trajectories $u_1(t)$ and $\tilde{u}_1(t), v_1(t)$ and $\tilde{v}_1(t), u_2(t)$ and $\tilde{u}_2(t), v_2(t)$ and $\tilde{v}_2(t)$ with respect to time t , of master system (2.3.3) and response system (2.3.4) without uncertain parameters ΔA and ΔB and unbounded time varying delay term $\tau(t) = \text{ceil}(3t/2)$	71
2.10	Plots of the global exponential synchronization errors $e_i(t), i = 1, 2, 3, 4$ of the systems (2.3.3) and (2.3.4) without uncertain parameters ΔA and ΔB and unbounded time varying delay term $\tau(t) = \text{ceil}(3t/2)$	72
2.11	Plots of the state trajectories $u_1(t)$ and $\tilde{u}_1(t), v_1(t)$ and $\tilde{v}_1(t), u_2(t)$ and $\tilde{u}_2(t), v_2(t)$ and $\tilde{v}_2(t)$ with respect to time t , of master system (2.3.3) and response system (2.3.4) with uncertain parameters ΔA and ΔB and unbounded time varying delay term $\tau(t) = \text{ceil}(3t/2)$	72
2.12	Plots of the global exponential synchronization errors $e_i(t), i = 1, 2, 3, 4$ of the systems (2.3.3) and (2.3.4) with uncertain parameters ΔA and ΔB and unbounded time varying delay term $\tau(t) = \text{ceil}(3t/2)$	73
3.1	Plots of the state trajectories $u_1(t), v_1(t)$ with respect to time t in 3-dimensional space of the system (3.3.1) with time varying delay term $\tau(t) = 0.1\cos(t)$	88
3.2	Plots of the state trajectories $u_2(t)$ and $v_2(t)$ with respect to time t in 3-dimensional space of the system (3.3.2) with time varying delay term $\tau(t) = 0.1\cos(t)$	89
3.3	Plots of the state trajectories $u_1(t)$ and $\tilde{u}_1(t)$ with respect to time t , of master system (3.3.1) and response system (3.3.2) with time varying delay term $\tau(t) = 0.1\cos(t)$	90
3.4	Plots of the state trajectories $v_1(t)$ and $\tilde{v}_1(t)$ with respect to time t , of master system (3.3.1) and response system (3.3.2) with time varying delay term $\tau(t) = 0.1\cos(t)$	91
3.5	Plots of the state trajectories $u_2(t)$ and $\tilde{u}_2(t)$ with respect to time t , of master system (3.3.1) and response system (3.3.2) with time varying delay term $\tau(t) = 0.1\cos(t)$	91
3.6	Plots of the state trajectories $v_2(t)$ and $\tilde{v}_2(t)$ with respect to time t , of master system (3.3.1) and response system (3.3.2) with time varying delay term $\tau(t) = 0.1\cos(t)$	92
3.7	Plots of the global quasi-synchronization error $e(t)$ of the systems (3.3.1) and (3.3.2) with time varying delay term as $\tau(t) = 0.1\cos(t)$ having error bound = 0.3131.	92

4.1	The state trajectories of the system (4.3.1) in three-dimensional space for (a) $v_1(t)$, $\varrho_1(t)$, and (b) $v_2(t)$ and $\varrho_2(t)$	119
4.2	The state trajectories of the systems (4.3.1) and (4.3.2) for (a) $v_1(t)$, $\tilde{v}_1(t)$, and (b) $v_2(t)$, $\tilde{v}_2(t)$ with time t for the Example 4.3.1	123
4.3	The state trajectories of the systems (4.3.1) and (4.3.2) for (a) $\varrho_1(t)$, $\tilde{\varrho}_1(t)$, and (b) $\varrho_2(t)$, $\tilde{\varrho}_2(t)$ with time t for the Example 4.3.1	123
4.4	Plots of the system (4.3.1) for (a) without controllers and (b) with controllers for the Example 4.3.1	124
4.5	The state trajectories of the system (4.3.1) in three-dimensional space for (a) $v_1(t)$, $\varrho_1(t)$, and (b) $v_2(t)$ and $\varrho_2(t)$	126
4.6	The state trajectories of the systems (4.3.1) and (4.3.2) for (a) $v_1(t)$, $\tilde{v}_1(t)$, and (b) $v_2(t)$, $\tilde{v}_2(t)$ with time t for the Example 4.3.2	129
4.7	The state trajectories of the systems (4.3.1) and (4.3.2) for (a) $\varrho_1(t)$, $\tilde{\varrho}_1(t)$, and (b) $\varrho_2(t)$, $\tilde{\varrho}_2(t)$ with time t for the Example 4.3.2	130
4.8	Plots of the system (4.3.1) for (a) without controllers and (b) with controllers for the Example 4.3.2	130
5.1	The plots of state trajectories $\omega_1(t)$ and $\omega_2(t)$ of the system (5.3.1) for Example 5.3.1.	155
5.2	The plots of real state trajectories $\alpha_1(t)$, $\alpha_2(t)$ and $\tilde{\alpha}_1(t)$, $\tilde{\alpha}_2(t)$ of drive system (5.3.1) and response system (5.3.2) for Example 5.3.1.	157
5.3	The plots of imaginary state trajectories $\beta_1(t)$, $\beta_2(t)$ and $\tilde{\beta}_1(t)$, $\tilde{\beta}_2(t)$ of drive system (5.3.1) and response system (5.3.2) for Example 5.3.1.	158
5.4	Plots of the error system (5.3.1) without controllers and with controllers having error bound = 0.9294 for Example 5.3.1.	158
5.5	The state trajectories $\omega_1(t)$ and $\omega_2(t)$ of the system (5.3.1) for Example 5.3.2.	160
5.6	The plots of real state trajectories $\alpha_1(t)$, $\alpha_2(t)$ and $\tilde{\alpha}_1(t)$, $\tilde{\alpha}_2(t)$ of drive system (5.3.1) and response system (5.3.2) for Example 5.3.2.	161
5.7	The plots of imaginary state trajectories $\beta_1(t)$, $\beta_2(t)$ and $\tilde{\beta}_1(t)$, $\tilde{\beta}_2(t)$ of drive system (5.3.1) and response system (5.3.2) for Example 5.3.2.	162
5.8	Plots of the error system (5.3.1) without controllers and with controllers having error bound = 0.8892 for Example 5.3.2.	162

List of Tables

1.1	Comparison between a human brain and an artificial neural network.	12
1.2	Complex valued activation functions.	30