

# Table of content

|   | <b>Page. No.</b> |
|---|------------------|
| List of Figures   | i-vi             |
| List of Tables  | vii-viii         |
| Symbols used  | ix               |
| Abbreviation used   | x                |
| Preface   | xi-xii           |
| <b>1 Introduction</b>                                       | <b>1-12</b>      |
| <b>2 Literature review</b>                                  | <b>13-46</b>     |
| 2.1 History of hyaluronic acid                              | 13               |
| 2.2 Production Strategies                                   | 16               |
| 2.3 Purification Strategies                                 | 31               |
| 2.4 HA Applications   | 36               |
| 2.4.1 Application in oncology                               | 40               |
| 2.4.2 Application in osteoarthritis                         | 41               |
| 2.4.3 Application in ophthalmology                          | 42               |
| 2.4.4 Application in orthokeratology                        | 43               |
| 2.4.5 Application in cosmetics                              | 44               |
| <b>3 Materials and methods</b>                              | <b>47-86</b>     |
| 3.1 Materials   | 47               |
| 3.1.1 Microorganism   | 47               |
| 3.1.2 Equipment   | 47               |
| 3.1.3 Chemicals and Reagents                                | 49               |
| 3.2 Media   | 49               |
| 3.2.1 Revival medium for <i>Streptococcus zooepidemicus</i> | 49               |

|              |  |    |
|--------------|--|----|
| <b>3.2.2</b> | Seed culture: Todd Hewitt Broth's composition                          | 50 |
| <b>3.2.3</b> | Sterilization of the media   | 50 |
| <b>3.3</b>   | Experimental setup for hyaluronic acid production                      | 50 |
| <b>3.4</b>   | Optimization of the medium for hyaluronic acid production              | 53 |
| <b>3.4.1</b> | Cell suspension preparation  | 53 |
| <b>3.4.2</b> | Inoculum preparation   | 53 |
| <b>3.4.3</b> | One variable at a time optimization                                    | 53 |
| <b>3.4.4</b> | Optimization of fabrication of hyaluronic acid with RSM                | 54 |
| <b>3.5</b>   | Impacts of aeration and agitation rates on oxygen transfer coefficient | 56 |
| <b>3.5.1</b> | Fermentation medium composition  | 56 |
| <b>3.5.2</b> | Assessment in Bioreactor Systems                                       | 57 |
| <b>3.6</b>   | Kinetic model  | 57 |
| <b>3.6.1</b> | Microbial growth   | 57 |
| <b>3.6.2</b> | Consumption of substrates  | 58 |
| <b>3.6.3</b> | Product Formation  | 59 |
| <b>3.6.4</b> | OTR, OUR, and $k_La$ values  | 60 |
| <b>3.6.5</b> | Rheological studies  | 62 |
| <b>3.7</b>   | Analytical methods   | 63 |
| <b>3.7.1</b> | Biomass determination  | 63 |
| <b>3.7.2</b> | Total sugar estimation   | 63 |
| <b>3.7.3</b> | Hyaluronic acid estimation   | 63 |
| <b>3.8</b>   | Optimization using artificial neural networking                        | 65 |
| <b>3.8.1</b> | Methods for prognostic modeling and optimization                       | 66 |
| <b>3.8.2</b> | Multilayer feed-forward neural network                                 | 66 |
| <b>3.8.3</b> | General regression neural network                                      | 69 |

|          |  |               |
|----------|--|---------------|
| 3.8.4    | SVM model  | 71            |
| 3.9      | Purification of hyaluronic acid                                | 73            |
| 3.9.1    | Hyaluronic acid recovery and purification                      | 74            |
| 3.9.2    | Protein and endotoxin determination                            | 77            |
| 3.10     | Hyaluronic acid characterization                               | 78            |
| 3.10.1   | High-performance liquid chromatography                         | 78            |
| 3.10.2   | Mass spectroscopy  | 79            |
| 3.10.3   | Fourier Transform-Infrared Spectroscopy                        | 79            |
| 3.10.4   | Scanning electron microscopy                                   | 79            |
| 3.10.5   | X-ray diffraction  | 79            |
| 3.10.6   | Proton nuclear magnetic resonance                              | 80            |
| 3.10.7   | Thermogravimetric analysis                                     | 80            |
| 3.10.8   | Antioxidant assay  | 80            |
| 3.11     | Hyaluronic acid as an antibacterial agent                      | 82            |
| 3.11.1   | Computational studies  | 82            |
| 3.11.1.1 | Preparation of protein and ligand for docking                  | 82            |
| 3.11.1.2 | Docking studies  | 83            |
| 3.11.1.3 | Molecular dynamic simulation studies                           | 84            |
| 3.11.1.4 | MM/PBSA free energy analysis                                   | 85            |
| 3.11.1.5 | Visual analysis  | 85            |
| 4        | <b>Results and discussions</b>                                 | <b>87-184</b> |
| 4.1      | Optimization of the medium for hyaluronic acid production      | 87            |
| 4.1.1    | Microbial growth   | 87            |
| 4.1.2    | Hyaluronic acid production using one variable at a time method | 88            |
| 4.1.3    | Impact of carbon provenance on hyaluronan yield                | 89            |
| 4.1.4    | Effect of molasses percentage                                  | 91            |

|       |  |     |
|-------|--|-----|
| 4.1.5 | Effect of temperature, pH, and agitation                               | 95  |
| 4.1.6 | Optimization of HA concentration by RSM                                | 109 |
| 4.2   | Impacts of aeration and agitation rates on oxygen transfer coefficient | 115 |
| 4.2.1 | Impact of agitation and aeration on DOT                                | 115 |
| 4.2.2 | Impact of agitation and aeration on DCW                                | 118 |
| 4.2.3 | Impact of agitation and aeration on HA production                      | 120 |
| 4.2.4 | Impact on agitation and aeration on viscosity                          | 121 |
| 4.2.5 | Impact of agitation and aeration on OTR and OUR and $k_{La}$           | 123 |
| 4.2.6 | Bench-scale correlation of $k_{La}$ values with HA production          | 126 |
| 4.2.7 | Impact of agitation and aeration rate on $k_{La}$ at pilot scale plant | 128 |
| 4.3   | Optimization using artificial neural networking                        | 130 |
| 4.3.1 | Development of the model   | 130 |
| 4.3.2 | Comparison of the MLFNs and GRNN                                       | 132 |
| 4.3.3 | Details of training and testing the SVM and GRNN                       | 135 |
| 4.3.4 | Comparisons with the RSM method of optimization                        | 139 |
| 4.4   | Hyaluronic acid production on bench scale                              | 140 |
| 4.5   | Hyaluronic acid recovery and purification                              | 143 |
| 4.5.1 | Precipitation  | 143 |
| 4.5.2 | Adsorption   | 146 |
| 4.5.3 | Diafiltration  | 149 |
| 4.6   | Hyaluronic acid characterization                                       | 154 |
| 4.6.1 | High-performance liquid chromatography                                 | 154 |
| 4.6.2 | FTIR absorption spectra of HA  | 156 |
| 4.6.3 | Mass spectrometry  | 157 |
| 4.6.4 | Scanning electron microscope   | 158 |

|         |  |                |
|---------|--|----------------|
| 4.6.5   | X-ray diffraction studies  | 160            |
| 4.6.6   | Proton nuclear magnetic resonance studies                                    | 160            |
| 4.6.7   | Thermogravimetric analysis   | 161            |
| 4.7     | Antioxidant capacity   | 163            |
| 4.8     | Hyaluronic acid as an antibacterial agent                                    | 165            |
| 4.8.1   | Molecular docking  | 165            |
| 4.8.1.1 | Molecular docking results with tyrosyl-tRNA synthetase                       | 165            |
| 4.8.1.2 | Molecular docking results with topoisomerase II DNA gyrase                   | 167            |
| 4.8.2   | Molecular simulation   | 170            |
| 4.8.2.1 | Simulation of tyrosyl-tRNA synthetase of <i>S. aureus</i> (1JIL)             | 170            |
| 4.8.2.2 | Simulation of tyrosyl-tRNA synthetase of <i>E. coli</i> (2YXN)               | 172            |
| 4.8.2.3 | Simulation studies of topoisomerase II DNA gyrase of <i>S. aureus</i> (5CDP) | 174            |
| 4.8.2.4 | Simulation studies of topoisomerase II DNA gyrase of <i>E. coli</i> (6RKS)   | 176            |
| 4.8.3   | Hydrogen bonding, SASA, and MM/PBSA energy analysis                          | 178            |
| 5       | <b>Conclusion</b>  | <b>185-189</b> |
|         | Summary and Conclusions  |                |
| 6       | <b>References</b>  | <b>190-231</b> |
|         | <b>List of publications</b>  | <b>232-233</b> |