

References:

Chapter 1:

1. Bloch F, Hansen WW, Packard M. Nuclear Induction. *Phys Rev* 1946; 69:127
2. Bloch F, Hansen WW, Packard M. The nuclear induction experiment. *Phys Rev* 1946;70:474-485.
3. Bloch F. The principle of nuclear induction. Nobel Lecture 1952, pp. 203-215
4. Hendrick JE (ed). *Glossary of MR Terms*, 5th ed. Reston, VA: American College of Radiology, 2005
5. Pohost GH, Elgavish GA, Evanochko WT. Nuclear magnetic resonance: with or without nuclear? *J Amer Coll Cardiol* 1986; 7:709-710.
6. Harris RK, Becker ED, Cabral de Menezes SM, et al. NMR Nomenclature. Nuclear Spin Properties and Conventions for Chemical Shifts (IUPAC Recommendations 2001). *Pure Appl Chem* 2001; 73:1795-1818.
7. Harris RK, Becker ED, Cabral de Menezes SM, et al. Further conventions for NMR shielding and chemical shifts (IUPAC recommendations 2008). *Pure Appl Chem* 2008; 80:59-84.
8. Proctor WG, Yu FC. The dependence of a nuclear magnetic resonance frequency upon chemical compound. *Phys Rev* 1950; 77:717.
9. Tubridy N, McKinsty CS. Neuroradiological history: Sir Joseph Larmor and the basis of MRI physics. *Neuroradiology* 2000; 42:852-855.
10. Bottomley PA, Griffiths JR (eds). *Handbook of Magnetic Resonance Spectroscopy In Vivo. MRS Theory, Practice and Applications*. John Wiley & Sons: Chichester, UK, 2014.
11. Elster AD, Burdette JH. *Questions and Answers in MRI*, 2nd ed. St. Louis: Mosby, 2001, pp 46-53.

12. Hahn EL. Nuclear induction due to free Larmor precession. *Phys Rev* 1950; 77: 297-8.
13. Proctor WG, Yu FC. The dependence of a nuclear magnetic resonance frequency upon chemical compound. *Phys Rev* 1950; 77:717.
14. Harris RK, Becker ED, Cabral de Menezes SM, et al. NMR Nomenclature. Nuclear Spin Properties and Conventions for Chemical Shifts (IUPAC Recommendations 2001). *Pure Appl Chem* 2001; 73:1795-1818.
15. Harris RK, Becker ED, Cabral de Menezes SM, et al. Further conventions for NMR shielding and chemical shifts (IUPAC recommendations 2008). *Pure Appl Chem* 2008; 80:59-84.
16. C. E. Mountford, P. Stanwell, A. Lin, S. Ramadan, and B. Ross, "Neurospectroscopy: The Past, Present and Future," *Chem. Rev.*, vol. 110, no. 5, pp. 3060–3086, May 2010, doi: 10.1021/cr900250y.
17. Near J, Harris AD, Juchem C, Kreis R, Marjańska M, Öz G, Slotboom J, Wilson M, Gasparovic C. Preprocessing, analysis and quantification in single-voxel magnetic resonance spectroscopy: experts' consensus recommendations. *NMR in Biomedicine* 2021; 34(5): e4257.
18. Kreis R, Boer V, Choi IY, Cudalbu C, de Graaf RA, Gasparovic C, Heerschap A, Krššák M, Lanz B, Maudsley AA, Meyerspeer M. Terminology and concepts for the characterization of in vivo MR spectroscopy methods and MR spectra: Background and experts' consensus recommendations. *NMR in Biomedicine* 2021; 34(5): e4347.
19. Bertoldo D, Watcharakorn A, Castillo M. Brain proton magnetic resonance spectroscopy. Introduction and overview. *Neuroimag Clin N Am* 2013; 23:359-380.
20. Öz G, Alger JR, Barker PB, et al. Clinical proton MR spectroscopy in central nervous system disorders. *Radiology* 2014; 270:658-679.

21. Posse S, Otazo R, Dager SR, Alger J. MR spectroscopic imaging: principles and recent advances. *J Magn Reson Imaging* 2013; 37:1301-1325.
22. Skotch A, Jiru F, Bunke J. Spectroscopic imaging: basic principles. *Eur J Radiol* 2008; 67:230-239.
23. Moonen CT, von Kienlin M, van Zijl PC, et al. Comparison of single-shot localization methods (STEAM and PRESS) for in vivo proton NMR spectroscopy. *NMR Biomed* 1989; 2:201–207.
24. P. A. Bottomley. Selective volume method for performing localized NMR spectroscopy. in U.S patent, (4 480 228), 1984.
25. J. Frahm, K-D. Merboldt, and W. Hanicke. Localized proton spectroscopy using stimulated echoes. *Journal of Magnetic Resonance* (1969), 72(3):502– 508, 1987.
26. R. de Graaf. *In vivo NMR Spectroscopy Principles and Techniques*. Wiley: Chichester, 1998.
27. Cudalbu C, Behar KL, Bhattacharyya PK, Bogner W, Borbath T, de Graaf RA, Gruetter R, Henning A, Juchem C, Kreis R, Lee P. Contribution of macromolecules to brain 1H MR spectra: Experts' consensus recommendations. *NMR in Biomedicine*. 2021 May; 34(5):e4393.

Chapter 2:

1. C. E. Mountford, P. Stanwell, A. Lin, S. Ramadan, and B. Ross, “Neurospectroscopy: The Past, Present and Future,” *Chem. Rev.*, vol. 110, no. 5, pp. 3060–3086, May 2010, doi: 10.1021/cr900250y.
2. A. Lin, T. Tran, S. Bluml, S. Merugumala, H.-J. Liao, and B. Ross, “Guidelines for Acquiring and Reporting Clinical Neurospectroscopy,” *Semin Neurol*, vol. 32, no. 04, pp. 432–453, Jan. 2013, doi: 10.1055/s-0032-1331814.

3. Kyathanahally SP, Döring A, Kreis R. Deep learning approaches for detection and removal of ghosting artifacts in MR spectroscopy. *Magnetic resonance in medicine* 2018; 80(3):851-63.
4. Golub, Gene H.; Van Loan, Charles F. (1996). *Matrix Computations* (3rd ed.). Baltimore: Johns Hopkins. ISBN 978-0-8018-5414-9.
5. Stoer, Josef; Bulirsch, Roland (2002). *Introduction to Numerical Analysis* (3rd ed.). Berlin, New York: Springer-Verlag. ISBN 978-0-387-95452-3.
6. M. Khosravy, N. Nitta, N. Gupta, N. Patel, and N. Babaguchi, "A descriptive review to sparsity measures," in *Compressive Sensing in Healthcare*, Elsevier, 2020, pp. 43–63.
7. Donoho, D.L. and Elad, M. (2003). "Optimally sparse representation in general (nonorthogonal) dictionaries via L1 minimization" (PDF). *Proceedings of the National Academy of Sciences*. 100 (5): 2197–2202. Bibcode:2003PNAS..100.2197D. doi:10.1073/pnas.0437847100. PMC 153464. PMID 16576749.
8. Tropp, J.A. (2004). "Greed is good: Algorithmic results for sparse approximation" (PDF). *IEEE Transactions on Information Theory*. 50 (10): 2231–2242. CiteSeerX 10.1.1.321.1443. doi:10.1109/TIT.2004.834793. S2CID 675692.
9. M. Khosravy, N. Nitta, N. Gupta, N. Patel, and N. Babaguchi, "A descriptive review to sparsity measures," in *Compressive Sensing in Healthcare*, Elsevier, 2020, pp. 43–63.
10. Donoho, D.L. (2006). "For most large underdetermined systems of linear equations, the minimal l_1 -norm solution is also the sparsest solution" (PDF). *Communications on Pure and Applied Mathematics*. 56 (6): 797–829. doi:10.1002/cpa.20132. S2CID 8510060.
11. Bourbaki, Nicolas (1987) [1981]. *Topological Vector Spaces: Chapters 1–5. Éléments de mathématique*. Translated by Eggleston, H.G.; Madan, S. Berlin New York: Springer-Verlag. ISBN 3-540-13627-4. OCLC 17499190.

12. I. W. Selesnick, "The double-density dual-tree DWT," in *IEEE Transactions on Signal Processing*, vol. 52, no. 5, pp. 1304-1314, May 2004, doi: 10.1109/TSP.2004.826174.
13. N. G. Kingsbury, "The dual-tree complex wavelet transform: A new technique for shift invariance and directional filters," in *Proc. Eighth IEEE DSP Workshop*, Salt Lake City, UT, Aug. 9–12, 1998.
14. I. Bayram and I. W. Selesnick, "Frequency-Domain Design of Overcomplete Rational-Dilation Wavelet Transforms," *IEEE Trans. Signal Process.*, vol. 57, no. 8, pp. 2957–2972, Aug. 2009, doi: 10.1109/TSP.2009.2020756.
15. Selesnick IW, Baraniuk RG, Kingsbury NC. The dual-tree complex wavelet transform. *IEEE signal processing magazine*. 2005 Nov;22(6):123-51.
16. Cortes, Corinna; Vapnik, Vladimir (1995). "Support-vector networks" (PDF). *Machine Learning*. 20 (3): 273–297.
17. Breiman, L. Random Forests. *Machine Learning* 45, 5–32 (2001).
18. Chen T, Guestrin C. Xgboost: A scalable tree boosting system. In *Proceedings of the 22nd acm sigkdd international conference on knowledge discovery and data mining* 2016 Aug 13 (pp. 785-794).
19. Ian Goodfellow and Yoshua Bengio and Aaron Courville (2016). *Deep Learning*. MIT Press. p. 326.
20. Sepp Hochreiter; Jürgen Schmidhuber (1997). "Long short-term memory". *Neural Computation*. 9 (8): 1735–1780.
21. Das D, Coello E, Schulte RF, Menze BH. Quantification of metabolites in magnetic resonance spectroscopic imaging using machine learning. In: *Proc. 2017 Medical Image Computing and Computer Assisted Intervention– MICCAI: 20th International Conference; 2017*.

22. Hatami N, Sdika M, Ratiney H. Magnetic resonance spectroscopy quantification using deep learning. In: Proc. 2018 Medical Image Computing and Computer Assisted Intervention–MICCAI: 21st International Conference; 2018.
23. Gurbani SS, Sheriff S, Maudsley AA, Shim H, Cooper LA. Incorporation of a spectral model in a convolutional neural network for accelerated spectral fitting. *Magnetic resonance in medicine* 2019; 81(5):3346-57.
24. Gurbani SS, Schreibmann E, Maudsley AA, Cordova JS, Soher BJ, Poptani H, Verma G, Barker PB, Shim H, Cooper LA. A convolutional neural network to filter artifacts in spectroscopic MRI. *Magnetic resonance in medicine* 2018; 80(5):1765-75.
25. Lee HH, Kim H. Intact metabolite spectrum mining by deep learning in proton magnetic resonance spectroscopy of the brain. *Magnetic resonance in medicine* 2019; 82(1):33-48.
26. Ma DJ, Le HA, Ye Y, Laine AF, Lieberman JA, Rothman DL, Small SA, Guo J. MR spectroscopy frequency and phase correction using convolutional neural networks. *Magnetic Resonance in Medicine* 2022; 87(4):1700-10.
27. Lei Y, Ji B, Liu T, Curran WJ, Mao H, Yang X. Deep learning-based denoising for magnetic resonance spectroscopy signals. In: Proc. 2021 Medical Imaging 2021: Biomedical Applications in Molecular, Structural, and Functional Imaging; 2021.
28. Hu W, Chen D, Qiu T, Chen H, Chen X, Yang L, Yan G, Guo D, Qu X. Denoising single voxel magnetic resonance spectroscopy with deep learning on repeatedly sampled in vivo data. *arXiv e-prints* 2021; 2101.
29. Dandil E, Biçer A. Automatic grading of brain tumours using LSTM neural networks on magnetic resonance spectroscopy signals. *IET Image Processing* 2020 ;14(10):1967-79.

30. H. H. Lee and H. Kim, "Parameterization of spectral baseline directly from short echo time full spectra in 1 H-MRS: MM Parameterization from Short-TE Full Spectra," *Magn. Reson. Med.*, vol. 78, no. 3, pp. 836–847, Sep. 2017, doi: 10.1002/mrm.26502.
31. A. Shamaei, J. Starčuková, and Z. Starčuk Jr., "A Wavelet Scattering Convolutional Network for Magnetic Resonance Spectroscopy Signal Quantitation:" in *Proceedings of the 14th International Joint Conference on Biomedical Engineering Systems and Technologies, Online Streaming, --- Select a Country ---*, 2021, pp. 268–275. doi: 10.5220/0010318502680275.

Chapter 3:

1. C. E. Mountford, P. Stanwell, A. Lin, S. Ramadan, and B. Ross, "Neurospectroscopy: The Past, Present and Future," *Chem. Rev.*, vol. 110, no. 5, pp. 3060–3086, May 2010, doi: 10.1021/cr900250y.
2. A. Lin, T. Tran, S. Bluml, S. Merugumala, H.-J. Liao, and B. Ross, "Guidelines for Acquiring and Reporting Clinical Neurospectroscopy," *Semin Neurol*, vol. 32, no. 04, pp. 432–453, Jan. 2013, doi: 10.1055/s-0032-1331814.
3. S. P. Kyathanahally, A. Döring, and R. Kreis, "Deep learning approaches for detection and removal of ghosting artifacts in MR spectroscopy: Detection and Removal of Ghosting Artifacts in MRS Using Deep Learning," *Magn. Reson. Med*, vol. 80, no. 3, pp. 851–863, Sep. 2018, doi: 10.1002/mrm.27096.
4. I. Daubechies, *Ten lectures on wavelets*. Philadelphia, Pa: Society for Industrial and Applied Mathematics, 1992.
5. S. G. Mallat, "Multifrequency channel decompositions of images and wavelet models," *IEEE Trans. Acoust., Speech, Signal Processing*, vol. 37, no. 12, pp. 2091–2110, Dec. 1989, doi: 10.1109/29.45554.

6. F. Ehrentreich, "Wavelet transform applications in analytical chemistry," *Anal Bioanal Chem*, vol. 372, no. 1, pp. 115–121, Jan. 2002, doi: 10.1007/s00216-001-1119-4.
7. J. Karvanen and A. Cichocki, "MEASURING SPARSENESS OF NOISY SIGNALS," p. 6.
8. I. Bayram and I. W. Selesnick, "Frequency-Domain Design of Overcomplete Rational-Dilation Wavelet Transforms," *IEEE Trans. Signal Process.*, vol. 57, no. 8, pp. 2957–2972, Aug. 2009, doi: 10.1109/TSP.2009.2020756.
9. C. Ding, D. Zhou, X. He, and H. Zha, "R¹-PCA: rotational invariant L¹-norm principal component analysis for robust subspace factorization," in *Proceedings of the 23rd international conference on Machine learning - ICML '06*, Pittsburgh, Pennsylvania, 2006, pp. 281–288, doi: 10.1145/1143844.1143880.
10. M. Khosravy, N. Nitta, N. Gupta, N. Patel, and N. Babaguchi, "A descriptive review to sparsity measures," in *Compressive Sensing in Healthcare*, Elsevier, 2020, pp. 43–63.
11. W. Wu et al., "Peak Alignment of Urine NMR Spectra Using Fuzzy Warping," *J. Chem. Inf. Model.*, vol. 46, no. 2, pp. 863–875, Mar. 2006, doi: 10.1021/ci050316w.
12. G. F. Giskeødegård et al., "Alignment of high resolution magic angle spinning magnetic resonance spectra using warping methods," *Analytica Chimica Acta*, vol. 683, no. 1, pp. 1–11, Dec. 2010, doi: 10.1016/j.aca.2010.09.026.
13. L. Chen, Z. Weng, L. Goh, and M. Garland, "An efficient algorithm for automatic phase correction of NMR spectra based on entropy minimization," *Journal of Magnetic Resonance*, vol. 158, no. 1–2, pp. 164–168, Sep. 2002, doi: 10.1016/S1090-7807(02)00069-1.
14. F. Jiru, "Introduction to post-processing techniques," *European Journal of Radiology*, vol. 67, no. 2, pp. 202–217, Aug. 2008, doi: 10.1016/j.ejrad.2008.03.005.

15. U. Klose, "In vivo proton spectroscopy in presence of eddy currents," *Magn. Reson. Med.*, vol. 14, no. 1, pp. 26–30, Apr. 1990, doi: 10.1002/mrm.1910140104.
16. W. W. F. Pijnappel, A. van den Boogaart, R. de Beer, and D. van Ormondt, "SVD-based quantification of magnetic resonance signals," *Journal of Magnetic Resonance* (1969), vol. 97, no. 1, pp. 122–134, Mar. 1992, doi: 10.1016/0022-2364(92)90241-X.
17. T. Laudadio, N. Mastronardi, L. Vanhamme, P. Van Hecke, and S. Van Huffel, "Improved Lanczos Algorithms for Blackbox MRS Data Quantitation," *Journal of Magnetic Resonance*, vol. 157, no. 2, pp. 292–297, Aug. 2002, doi: 10.1006/jmre.2002.2593.
18. D. Stefan et al., "Quantitation of magnetic resonance spectroscopy signals: the jMRUI software package," *Meas. Sci. Technol.*, vol. 20, no. 10, p. 104035, Oct. 2009, doi: 10.1088/0957-0233/20/10/104035.
19. D. L. Donoho, "De-noising by soft-thresholding," *IEEE Trans. Inform. Theory*, vol. 41, no. 3, pp. 613–627, May 1995, doi: 10.1109/18.382009.
20. I. M. Johnstone and B. W. Silverman, "Wavelet Threshold Estimators for Data with Correlated Noise," *Journal of the Royal Statistical Society. Series B (Methodological)*, vol. 59, no. 2, pp. 319–351, 1997.
21. D. L. Don and I. M. Johnstone, "Ideal spatial adaptation by wavelet shrinkage," p. 31.
22. Jun Jiang, Jian Guo, Weihua Fan, and Qingwei Chen, "An improved adaptive wavelet denoising method based on neighboring coefficients," in *2010 8th World Congress on Intelligent Control and Automation*, Jinan, China, Jul. 2010, pp. 2894–2898, doi: 10.1109/WCICA.2010.5554856.
23. G. Y. Chen and T. D. Bui, "Multiwavelets denoising using neighboring coefficients," *IEEE Signal Process. Lett.*, vol. 10, no. 7, pp. 211–214, Jul. 2003, doi: 10.1109/LSP.2003.811586.

24. R. Hussein, K. B. Shaban, and A. H. El-Hag, "Histogram-based thresholding in discrete wavelet transform for partial discharge signal denoising," in 2015 International Conference on Communications, Signal Processing, and their Applications (ICCSPA'15), Sharjah, United Arab Emirates, Feb. 2015, pp. 1–5, doi: 10.1109/ICCSPA.2015.7081289.
25. C. Huimin, Z. Ruimei, and H. Yanli, "Improved Threshold Denoising Method Based on Wavelet Transform," *Physics Procedia*, vol. 33, pp. 1354–1359, 2012, doi: 10.1016/j.phpro.2012.05.222.
26. Y. Ding and I. W. Selesnick, "Artifact-Free Wavelet Denoising: Non-convex Sparse Regularization, Convex Optimization," *IEEE Signal Process. Lett.*, vol. 22, no. 9, pp. 1364–1368, Sep. 2015, doi: 10.1109/LSP.2015.2406314.
27. G. Chen, W. Xie, and Y. Zhao, "Wavelet-based denoising: A brief review," in 2013 Fourth International Conference on Intelligent Control and Information Processing (ICICIP), Beijing, China, Jun. 2013, pp. 570–574, doi: 10.1109/ICICIP.2013.6568140.
28. L. Sendur and I. W. Selesnick, "Bivariate shrinkage functions for wavelet-based denoising exploiting interscale dependency," *IEEE Trans. Signal Process.*, vol. 50, no. 11, pp. 2744–2756, Nov. 2002, doi: 10.1109/TSP.2002.804091.
29. Y. Liu and X. Cheng, "A New Signal Denoising Algorithm from Wavelet Modulus Maxima," in Fourth International Conference on Fuzzy Systems and Knowledge Discovery (FSKD 2007), Haikou, China, 2007, pp. 32–35, doi: 10.1109/FSKD.2007.90.
30. I. K. Fodor, "Denoising through wavelet shrinkage: an empirical study," *J. Electron. Imaging*, vol. 12, no. 1, p. 151, Jan. 2003, doi: 10.1117/1.1525793.
31. C. He, J. Xing, J. Li, Q. Yang, and R. Wang, "A New Wavelet Threshold Determination Method Considering Interscale Correlation in Signal Denoising,"

- Mathematical Problems in Engineering, vol. 2015, pp. 1–9, 2015, doi: 10.1155/2015/280251.
32. T. Hui, C. Lin, L. Zengli, and C. Zaiyu, “Wavelet Image Denoising Based on The New Threshold Function,” p. 4, 2013.
33. S. Jangjit and M. Ketcham, “A New Wavelet Denoising Method for Noise Threshold,” EJ, vol. 21, no. 7, pp. 141–155, Dec. 2017, doi: 10.4186/ej.2017.21.7.141.
34. L. Jing-yi, L. Hong, Y. Dong, and Z. Yan-sheng, “A New Wavelet Threshold Function and Denoising Application,” Mathematical Problems in Engineering, vol. 2016, pp. 1–8, 2016, doi: 10.1155/2016/3195492.
35. S. A. A. Karim, M. T. Ismail, M. K. Hasan, J. Sulaiman, and H. Sakidin, “Denoising using new thresholding method,” Johor Bahru, Malaysia, 2016, p. 030034, doi: 10.1063/1.4954570.
36. S. G. Chang, Bin Yu, and M. Vetterli, “Adaptive wavelet thresholding for image denoising and compression,” IEEE Trans. on Image Process., vol. 9, no. 9, pp. 1532–1546, Sep. 2000, doi: 10.1109/83.862633.
37. M. Srivastava, C. L. Anderson, and J. H. Freed, “A New Wavelet Denoising Method for Selecting Decomposition Levels and Noise Thresholds,” IEEE Access, vol. 4, pp. 3862–3877, 2016, doi: 10.1109/ACCESS.2016.2587581.
38. Z. Wang, A. C. Bovik, H. R. Sheikh, and E. P. Simoncelli, “Image Quality Assessment: From Error Visibility to Structural Similarity,” IEEE Trans. on Image Process., vol. 13, no. 4, pp. 600–612, Apr. 2004, doi: 10.1109/TIP.2003.819861.
39. I. W. Selesnick, “The Double-Density Dual-Tree DWT,” IEEE Trans. Signal Process., vol. 52, no. 5, pp. 1304–1314, May 2004, doi: 10.1109/TSP.2004.826174.
40. T. S. Sharan, S. Sharma, and N. Sharma, “Denoising And Spike Removal From Raman Spectra Using Double Density Dual-Tree Complex Wavelet Transform,” p. 8.

Chapter 4:

1. Cudalbu C, Behar KL, Bhattacharyya PK, Bogner W, Borbath T, de Graaf RA, Gruetter R, Henning A, Juchem C, Kreis R, Lee P. Contribution of macromolecules to brain ¹H MR spectra: Experts' consensus recommendations. *NMR in Biomedicine*. 2021 May; 34(5):e4393.
2. Hoefemann M, Bolliger CS, Chong DG, van der Veen JW, Kreis R. Parameterization of metabolite and macromolecule contributions in interrelated MR spectra of human brain using multidimensional modelling. *NMR in Biomedicine*. 2020 Sep;33(9): e4328.
3. Wright AM, Murali-Manohar S, Borbath T, Avdievich NI, Henning A. Relaxation-corrected macromolecular model enables determination of ¹H longitudinal T1-relaxation times and concentrations of human brain metabolites at 9.4 T. *Magnetic resonance in medicine*. 2022 Jan;87(1):33-49.
4. Landheer K, Gajdošík M, Treacy M, Juchem C. Concentration and effective T2 relaxation times of macromolecules at 3T. *Magnetic Resonance in Medicine*. 2020 Nov;84(5):2327-37.
5. Murali-Manohar S, Borbath T, Wright AM, Soher B, Mekte R, Henning A. T2 relaxation times of macromolecules and metabolites in the human brain at 9.4 T. *Magnetic resonance in medicine*. 2020 Aug;84(2):542-58..
6. Deelchand DK, Auerbach EJ, Kobayashi N, Marjańska M. Transverse relaxation time constants of the five major metabolites in human brain measured in vivo using LASER and PRESS at 3 T. *Magnetic resonance in medicine*. 2018 Mar;79(3):1260-5..
7. Marjańska M, Auerbach EJ, Valabrègue R, Van de Moortele PF, Adriany G, Garwood M. Localized ¹H NMR spectroscopy in different regions of human brain in

- vivo at 7 T: T2 relaxation times and concentrations of cerebral metabolites. *NMR in Biomedicine*. 2012 Feb;25(2):332-9..
8. de Graaf, R.A., Brown, P.B., McIntyre, S., Nixon, T.W., Behar, K.L. and Rothman, D.L., 2006. High magnetic field water and metabolite proton T1 and T2 relaxation in rat brain in vivo. *Magnetic resonance in medicine: An official journal of the international society for magnetic resonance in medicine*, 56(2), pp.386-394.
 9. Behar KL, Ogino T. Assignment of resonances in the ^1H spectrum of rat brain by two-dimensional shift correlated and J-resolved NMR spectroscopy. *Magnetic resonance in medicine*. 1991 Feb;17(2):285-303.
 10. Behar KL, Rothman DL, Spencer DD, Petroff OA. Analysis of macromolecule resonances in ^1H NMR spectra of human brain. *Magnetic Resonance in Medicine*. 1994 Sep;32(3):294-302.
 11. Pijnappel WW, Van den Boogaart A, De Beer R, Van Ormondt D. SVD-based quantification of magnetic resonance signals. *Journal of Magnetic Resonance (1969)*. 1992 Mar 1;97(1):122-34.
 12. Laudadio T, Mastronardi N, Vanhamme L, Van Hecke P, Van Huffel S. Improved Lanczos algorithms for blackbox MRS data quantitation. *Journal of Magnetic Resonance*. 2002 Aug 1;157(2):292-7.
 13. Barkhuijsen H, De Beer R, Van Ormondt D. Improved algorithm for noniterative time-domain model fitting to exponentially damped magnetic resonance signals. *Journal of Magnetic Resonance (1969)*. 1987 Jul 1;73(3):553-7.
 14. Vanhamme L, van den Boogaart A, Van Huffel S. Improved method for accurate and efficient quantification of MRS data with use of prior knowledge. *Journal of magnetic resonance*. 1997 Nov 1;129(1):35-43.

15. Chong, D.G., Kreis, R., Bolliger, C.S., Boesch, C. and Slotboom, J., 2011. Two-dimensional linear-combination model fitting of magnetic resonance spectra to define the macromolecule baseline using FiTAID, a Fitting Tool for Arrays of Interrelated Datasets. *Magnetic resonance materials in physics, biology and medicine*, 24, pp.147-164.
16. A. Henning, in *Handbook of Magnetic Resonance Spectroscopy In Vivo: MRS Theory, Practice and Applications*, (ed) P. A. Bottomley, J. R. Griffiths (John Wiley & Sons, 2016) p. 303.
17. Považan M, Strasser B, Hangel G, Heckova E, Gruber S, Trattinig S, Bogner W. Simultaneous mapping of metabolites and individual macromolecular components via ultra-short acquisition delay ^1H MRSI in the brain at 7T. *Magnetic resonance in medicine*. 2018 Mar;79(3):1231-40.
18. Birch R, Peet AC, Dehghani H, Wilson M. Influence of macromolecule baseline on ^1H MR spectroscopic imaging reproducibility. *Magnetic resonance in medicine*. 2017 Jan;77(1):34-43.
19. Giapitzakis IA, Borbath T, Murali-Manohar S, Avdievich N, Henning A. Investigation of the influence of macromolecules and spline baseline in the fitting model of human brain spectra at 9.4 T. *Magnetic resonance in medicine*. 2019 Feb;81(2):746-58.
20. Seeger U, Klose U, Mader I, Grodd W, Nägele T. Parameterized evaluation of macromolecules and lipids in proton MR spectroscopy of brain diseases. *Magnetic Resonance in Medicine: An Official Journal of the International Society for Magnetic Resonance in Medicine*. 2003 Jan;49(1):19-28.
21. Bartha, R., Drost, D.J. and Williamson, P.C., 1999. Factors affecting the quantification of short echo in-vivo ^1H MR spectra: prior knowledge, peak

- elimination, and filtering. *NMR in Biomedicine: An International Journal Devoted to the Development and Application of Magnetic Resonance In Vivo*, 12(4), pp.205-216.
22. Lee HH, Kim H. Intact metabolite spectrum mining by deep learning in proton magnetic resonance spectroscopy of the brain. *Magnetic resonance in medicine*. 2019 Jul;82(1):33-48.
 23. Lee HH, Kim H. Parameterization of spectral baseline directly from short echo time full spectra in ^1H -MRS. *Magnetic resonance in medicine*. 2017 Sep;78(3):836-47.S.
 24. Gurbani SS, Sheriff S, Maudsley AA, Shim H, Cooper LA. Incorporation of a spectral model in a convolutional neural network for accelerated spectral fitting. *Magnetic resonance in medicine*. 2019 May;81(5):3346-57.
 25. Marjanska M, Deelchand DK, Kreis R. MRS fitting challenge data setup by ISMRM MRS study group. 2021. <https://experts.umn.edu/en/datasets/mrs-fitting-challenge-data-setup-by-ismrm-mrs-study-group>. Accessed 12 May, 2022.
 26. De Graaf RA. *In vivo NMR spectroscopy: principles and techniques*. John Wiley & Sons; 2019 Mar 11.
 27. Govindaraju V, Young K, Maudsley AA. Proton NMR chemical shifts and coupling constants for brain metabolites. *NMR in Biomedicine: An International Journal Devoted to the Development and Application of Magnetic Resonance In Vivo*. 2000 May;13(3):129-53.
 28. Perry TL, Hansen S, Berry K, Mok C, Lesk D. Free amino acids and related compounds in biopsies of human brain. *Journal of neurochemistry*. 1971 Mar;18(3):521-8.
 29. Selesnick IW, Baraniuk RG, Kingsbury NC. The dual-tree complex wavelet transform. *IEEE signal processing magazine*. 2005 Nov;22(6):123-51.

30. Chen T, Guestrin C. Xgboost: A scalable tree boosting system. In Proceedings of the 22nd acm sigkdd international conference on knowledge discovery and data mining 2016 Aug 13 (pp. 785-794).
31. Brockwell, P. J.; Davis, R. A. (2009). *Time Series: Theory and Methods* (2nd ed.). New York: Springer. p. 273. [ISBN 9781441903198](#).
32. Sagar C, Singh DK, Sharma N. Sparsity-Based Thresholding Criterion for Spurious Echo Removal and Denoising Magnetic Resonance Spectra Using Rational-Dilation Wavelet Transform. *Journal of Applied Spectroscopy*. 2022 Jul;89(3):542-51.
33. Bergstra J, Yamins D, Cox DD. Making a Science of Model Search. arXiv e-prints, page. arXiv preprint arXiv:1209.5111. 2012 Sep.
34. Kreis, R., Boer, V., Choi, I.Y., Cudalbu, C., de Graaf, R.A., Gasparovic, C., Heerschap, A., Krššák, M., Lanz, B., Maudsley, A.A. and Meyerspeer, M., 2021. Terminology and concepts for the characterization of in vivo MR spectroscopy methods and MR spectra: Background and experts' consensus recommendations. *NMR in Biomedicine*, 34(5), p.e4347.
35. Shwartz-Ziv R, Armon A. Tabular data: Deep learning is not all you need. arXiv. arXiv preprint arXiv:2106.03253. 2021.
36. Elsayed S, Thyssens D, Rashed A, Jomaa HS, Schmidt-Thieme L. Do we really need deep learning models for time series forecasting?. arXiv preprint arXiv:2101.02118. 2021 Jan 6.
37. Giapitzakis IA, Avdievich N, Henning A. Characterization of macromolecular baseline of human brain using metabolite cycled semi-LASER at 9.4 T. *Magnetic resonance in medicine*. 2018 Aug;80(2):462-73.
38. Kingma DP, Ba J. Adam: A method for stochastic optimization. arXiv preprint arXiv:1412.6980. 2014 Dec 22.

Chapter 5:

1. Near J, Harris AD, Juchem C, Kreis R, Marjańska M, Öz G, Slotboom J, Wilson M, Gasparovic C. Preprocessing, analysis and quantification in single-voxel magnetic resonance spectroscopy: experts' consensus recommendations. *NMR in Biomedicine* 2021; 34(5): e4257.
2. Cudalbu C, Behar KL, Bhattacharyya PK, Bogner W, Borbath T, de Graaf RA, Gruetter R, Henning A, Juchem C, Kreis R, Lee P. Contribution of macromolecules to brain ¹H MR spectra: Experts' consensus recommendations. *NMR in Biomedicine* 2021; 34(5): e4393.
3. Kreis R, Boer V, Choi IY, Cudalbu C, de Graaf RA, Gasparovic C, Heerschap A, Krššák M, Lanz B, Maudsley AA, Meyerspeer M. Terminology and concepts for the characterization of in vivo MR spectroscopy methods and MR spectra: Background and experts' consensus recommendations. *NMR in Biomedicine* 2021; 34(5): e4347.
4. Hoefemann M, Bolliger CS, Chong DG, van der Veen JW, Kreis R. Parameterization of metabolite and macromolecule contributions in interrelated MR spectra of human brain using multidimensional modeling. *NMR in Biomedicine* 2020; 33(9): e4328.
5. Murali-Manohar S, Borbath T, Wright AM, Soher B, Mекle R, Henning A. T2 relaxation times of macromolecules and metabolites in the human brain at 9.4 T. *Magnetic resonance in medicine* 2020; 84(2):542-58.
6. Landheer K, Gajdošík M, Treacy M, Juchem C. Concentration and effective T2 relaxation times of macromolecules at 3T. *Magnetic Resonance in Medicine* 2020; 84(5):2327-37.

7. Murali-Manohar S, Borbath T, Wright AM, Soher B, Mекle R, Henning A. T2 relaxation times of macromolecules and metabolites in the human brain at 9.4 T. *Magnetic resonance in medicine* 2020; 84(2):542-58.
8. Bottomley PA, Griffiths JR, editors. *Handbook of magnetic resonance spectroscopy in vivo: MRS theory, practice and applications*. John Wiley & Sons; 2016.
9. Birch R, Peet AC, Dehghani H, Wilson M. Influence of macromolecule baseline on ¹H MR spectroscopic imaging reproducibility. *Magnetic resonance in medicine* 2017; 77(1):34-43.
10. Pijnappel WW, Van den Boogaart A, De Beer R, Van Ormondt D. SVD-based quantification of magnetic resonance signals. *Journal of Magnetic Resonance (1969)* 1992; 97(1):122-134.
11. Laudadio T, Mastronardi N, Vanhamme L, Van Hecke P, Van Huffel S. Improved Lanczos algorithms for blackbox MRS data quantitation. *Journal of Magnetic Resonance* 2002; 157(2):292-297.
12. Barkhuijsen H, De Beer R, Van Ormondt D. Improved algorithm for noniterative time-domain model fitting to exponentially damped magnetic resonance signals. *Journal of Magnetic Resonance (1969)* 1987; 73(3):553-557.
13. Vanhamme L, van den Boogaart A, Van Huffel S. Improved method for accurate and efficient quantification of MRS data with use of prior knowledge. *Journal of Magnetic Resonance* 1997; 129(1):35-43.
14. Chong DG, Kreis R, Bolliger CS, Boesch C, Slotboom J. Two-dimensional linear-combination model fitting of magnetic resonance spectra to define the macromolecule baseline using FiTAID, a Fitting Tool for Arrays of Interrelated Datasets. *Magnetic resonance materials in physics, biology and medicine* 2011; 24:147-64.

15. Považan M, Strasser B, Hangel G, Heckova E, Gruber S, Trattinig S, Bogner W. Simultaneous mapping of metabolites and individual macromolecular components via ultra-short acquisition delay ^1H MRSI in the brain at 7T. *Magnetic resonance in medicine* 2018; 79(3):1231-40.
16. Seeger U, Klose U, Mader I, Grodd W, Nägele T. Parameterized evaluation of macromolecules and lipids in proton MR spectroscopy of brain diseases. *Magnetic Resonance in Medicine: An Official Journal of the International Society for Magnetic Resonance in Medicine* 2003; 49(1):19-28.
17. Bartha R, Drost DJ, Williamson PC. Factors affecting the quantification of short echo in-vivo ^1H MR spectra: prior knowledge, peak elimination, and filtering. *NMR in Biomedicine: An International Journal Devoted to the Development and Application of Magnetic Resonance In Vivo* 1999; 12(4):205-216.
18. Lee HH, Kim H. Parameterization of spectral baseline directly from short echo time full spectra in ^1H -MRS. *Magnetic Resonance in Medicine* 2017; 78(3):836-847.
19. LeCun Y, Bengio Y, Hinton G. Deep learning. *Nature* 2015; 521(7553):436-844.
20. Pereira S, Pinto A, Alves V, Silva CA. Brain tumor segmentation using convolutional neural networks in MRI images. *IEEE transactions on medical imaging* 2016; 4;35(5):1240-51.
21. Das D, Coello E, Schulte RF, Menze BH. Quantification of metabolites in magnetic resonance spectroscopic imaging using machine learning. In: *Proc. 2017 Medical Image Computing and Computer Assisted Intervention– MICCAI: 20th International Conference*; 2017.
22. Hatami N, Sdika M, Ratiney H. Magnetic resonance spectroscopy quantification using deep learning. In: *Proc. 2018 Medical Image Computing and Computer Assisted Intervention–MICCAI: 21st International Conference*; 2018.

23. Gurbani SS, Sheriff S, Maudsley AA, Shim H, Cooper LA. Incorporation of a spectral model in a convolutional neural network for accelerated spectral fitting. *Magnetic resonance in medicine* 2019; 81(5):3346-57.
24. Kyathanahally SP, Döring A, Kreis R. Deep learning approaches for detection and removal of ghosting artifacts in MR spectroscopy. *Magnetic resonance in medicine* 2018; 80(3):851-63.
25. Gurbani SS, Schreibmann E, Maudsley AA, Cordova JS, Soher BJ, Poptani H, Verma G, Barker PB, Shim H, Cooper LA. A convolutional neural network to filter artifacts in spectroscopic MRI. *Magnetic resonance in medicine* 2018; 80(5):1765-75.
26. Lee HH, Kim H. Intact metabolite spectrum mining by deep learning in proton magnetic resonance spectroscopy of the brain. *Magnetic resonance in medicine* 2019; 82(1):33-48.
27. Ma DJ, Le HA, Ye Y, Laine AF, Lieberman JA, Rothman DL, Small SA, Guo J. MR spectroscopy frequency and phase correction using convolutional neural networks. *Magnetic Resonance in Medicine* 2022; 87(4):1700-10.
28. Lei Y, Ji B, Liu T, Curran WJ, Mao H, Yang X. Deep learning-based denoising for magnetic resonance spectroscopy signals. In: *Proc. 2021 Medical Imaging 2021: Biomedical Applications in Molecular, Structural, and Functional Imaging*; 2021.
29. Hu W, Chen D, Qiu T, Chen H, Chen X, Yang L, Yan G, Guo D, Qu X. Denoising single voxel magnetic resonance spectroscopy with deep learning on repeatedly sampled in vivo data. *arXiv e-prints* 2021; 2101.
30. Dandil E, Biçer A. Automatic grading of brain tumours using LSTM neural networks on magnetic resonance spectroscopy signals. *IET Image Processing* 2020 ;14(10):1967-79.

31. Marjanska M, Deelchand DK, Kreis R. MRS fitting challenge data setup by ISMRM MRS study group. Data Repository for the University of Minnesota; 2021. <https://doi.org/10.13020/kw61-3j13>.
32. De Graaf RA, Author. In vivo NMR spectroscopy: principles and techniques. John Wiley & Sons; 2019.
33. Govindaraju V, Young K, Maudsley AA. Proton NMR chemical shifts and coupling constants for brain metabolites. *NMR in Biomedicine: An International Journal Devoted to the Development and Application of Magnetic Resonance In Vivo*. 2000 May;13(3):129-53.
34. Perry TL, Hansen S, Berry K, Mok C, Lesk D. Free amino acids and related compounds in biopsies of human brain. *Journal of neurochemistry* 1971; 18(3):521-8.
35. Selesnick IW, Baraniuk RG, Kingsbury NC. The dual-tree complex wavelet transform. *IEEE signal processing magazine* 2005; 22(6):123-51.
36. Ronneberger O, Fischer P, Brox T. U-net: Convolutional networks for biomedical image segmentation. In: *Proc. 2015 Medical Image Computing and Computer-Assisted Intervention–MICCAI: 18th International Conference*; 2015.
37. Szegedy C, Liu W, Jia Y, Sermanet P, Reed S, Anguelov D, Erhan D, Vanhoucke V, Rabinovich A. Going deeper with convolutions. In: *Proc. IEEE conference on computer vision and pattern recognition*; 2015.
38. He K, Zhang X, Ren S, Sun J. Deep residual learning for image recognition. In: *Proc. IEEE conference on computer vision and pattern recognition*; 2016.
39. Vaswani A, Shazeer N, Parmar N, Uszkoreit J, Jones L, Gomez AN, Kaiser Ł, Polosukhin I. Attention is all you need. In: *Proc. Advances in neural information processing systems*; 2017.

40. Kingma DP, Ba J. Adam. A method for stochastic optimization. arXiv preprint arXiv:1412.6980. 2014 Dec 22. DOI: <https://doi.org/10.48550/arXiv.1412.6980>.
41. Bisong E, Author. Building machine learning and deep learning models on google cloud platform: a comprehensive guide for beginners. Berkeley, California: Apress; 2019.
42. Bland JM, Altman D. Statistical methods for assessing agreement between two methods of clinical measurement. *The Lancet* 1986; 327(8476): 307-310.
43. Ernst T, Hennig J. Improved water suppression for localized *in vivo* ^1H Spectroscopy. *Journal of Magnetic Resonance, Series B* 1985; 106(2):181 – 186.
44. Chen JH, Sambol EB, Kennealey PT, O'Connor RB, DeCarolis PL, Cory DG, Singer S. Water suppression without signal loss in HR-MAS ^1H NMR of cells and tissues. *Journal of Magnetic Resonance* 2004; 171(1):143-150.
45. Mo H, Raftery D. Pre-SAT180, a simple and effective method for residual water suppression. *Journal of Magnetic Resonance* 2008; 190(1):1-6.