

## References

### A

- Aeimbhu, A., “Effect of calcination temperature on morphology, wettability and anatase/rutile phase ratio of titanium dioxide nanotube arrays” *Materials Today: Proceedings* **5** (2018) 14950–14954.
- Alotaibi, A. M., Sathasivam, S., Williamson, B. A., Kafizas, A., Sotelo-Vazquez, C., Taylor, A., Scanlon, D. O. and Parkin, I. P., “Chemical vapor deposition of photocatalytically active pure brookite TiO<sub>2</sub> thin films” *Chemistry of Materials* **30** (2018) 1353–1361.
- Arbiol, J., Cerda, J., Dezanneau, G., Cirera, A., Peiro, F., Cornet, A. and Morante, J. R., “Effects of Nb doping on the TiO<sub>2</sub> anatase-to-rutile phase transition” *Journal of Applied Physics* **92** (2002) 853–861.
- Arbuj, S. S., Hawaldar, R. R., Mulik, U. P., Wani, B. N., Amalnerkar, D. P. and Waghmode, S. B., “Preparation, characterization and photocatalytic activity of TiO<sub>2</sub> towards methylene blue degradation” *Materials Science and Engineering: B* **168**, (2010) 90–94.
- Ashok. Ch, Rao V.K, Chakra. S Ch, Rajendar. V., “TiO<sub>2</sub> nanoparticles synthesized by simple Microwave assisted method using room temperature ionic liquids” *Internatinal Journal of Multidisciplinary Advanced Research Trends* **II** (2015) 241–246.
- Asilturk, M., Sayilkan, F., Erdemoglu, S., Akarsu, M., Sayilkan, H., Erdemoglu, M. and Arpaç, E., “Characterization of the hydrothermally synthesized nano-TiO<sub>2</sub> crystallite and the photocatalytic degradation of Rhodamine B” *Journal of hazardous materials* **129** (2006) 164–170.
- Atuchin, V. V., Isaenko, L. I., Khyzhun, O. Yu., Pokrovsky, L. D., Sinelnichenko A. K. and Zhurkov, S. A., *Optical Materials* **30** (2008)a 2702- 2708.
- Atuchin, V. V., Pokrovsky, L. D., Khyzhun, O. Y., Sinelnichenko, A. K. and Ramana, C. V., “Surface crystallography and electronic structure of potassium yttrium tungstate” *Journal of Applied Physics*, **104** (2008)b 033518.
- Avasthi, D. K., “Modification and characterisation of materials by swift heavy ions” *Defence Science Journal* **59** (2009) 401–412.

## B

- Bagwasi, S., Tian, B., Zhang, J. and Nasir, M., “Synthesis, characterization and application of bismuth and boron Co-doped TiO<sub>2</sub>: a visible light active photocatalyst” *Chemical Engineering Journal* **217** (2013) 108–118.
- Bahadur, N., Pasricha, R., Chand, S. and Kotnala, R. K., “Effect of Ni doping on the microstructure and high Curie temperature ferromagnetism in sol–gel derived titania powders” *Materials Chemistry and Physics* **133** (2012) 471–479.
- Banfield, J., “Thermodynamic analysis of phase stability of nanocrystalline titania” *Journal of Materials Chemistry* **8** (1998) 2073–2076.
- Barakat, M. A., Hayes, G. and Shah, S. I., “Effect of cobalt doping on the phase transformation of TiO<sub>2</sub> nanoparticles” *Journal of nanoscience and nanotechnology* **5** (2005) 759–765.
- Barman, A., Saini, C. P., Sarkar, P., Satpati, B., Bhattacharyya, S. R., Kabiraj, D., Kanjilal, D., Dhar, S. and Kanjilal, A., “Self-organized titanium oxide nano-channels for resistive memory application” *Journal of Applied Physics* **118** (2015) 224903.
- Barman, A., Saini, C. P., Sarkar, P. K., Bhattacharjee, G., Bhattacharya, G., Srivastava, S., Satpati, B., Kanjilal, D., Ghosh, S. K. and Dhar, S., “Resistive switching behavior in oxygen ion irradiated TiO<sub>2-x</sub> films” *Journal of Physics D: Applied Physics* **51** (2018) 065306.
- Benyagoub, A., “Phase transformations in oxides induced by swift heavy ions”, *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **245** (2006) 225–230.
- Bessergenev, V. G., Mateus, M. C., Do Rego, A. B., Hantusch, M. and Burkel, E., “An improvement of photocatalytic activity of TiO<sub>2</sub> Degussa P25 powder” *Applied Catalysis A: General* **500** (2015) 40–50.
- Bharati, B., Sonkar, A. K., Singh, N., Dash, D. and Rath, C., “Enhanced photocatalytic degradation of dyes under sunlight using biocompatible TiO<sub>2</sub> nanoparticles” *Materials Research Express* **4** (2017) 085503.
- Bharati, B., Mishra, N. C., Kanjilal, D. and Rath, C., “500 keV Ar<sup>2+</sup> ion irradiation induced anatase to brookite phase transformation and ferromagnetism at room temperature in TiO<sub>2</sub> thin films” *Applied Surface Science* **428** (2018)a 723–729.
- Bharati, B., Mishra, N. C. and Rath, C., “Effect of 500 keV Ar<sup>2+</sup> ion irradiation on structural and magnetic properties of TiO<sub>2</sub> thin films annealed at 900° C” *Applied Surface Science* **455** (2018)b 717–723.

- Bhattacharyya, S., Pucci, A., Zitoun, D. and Gedanken, A., “One-pot fabrication and magnetic studies of Mn-doped TiO<sub>2</sub> nanocrystals with an encapsulating carbon layer” *Nanotechnology* **19** (2008) 495711.
- Binas, V. D., Sambani, K., Maggos, T., Katsanaki, A. and Kiriakidis, G., “Synthesis and photocatalytic activity of Mn-doped TiO<sub>2</sub> nanostructured powders under UV and visible light” *Applied Catalysis B: Environmental* **113** (2012) 79–86.
- Bricogne, G., “A Bayesian statistical theory of the phase problem. I. A multichannel maximum-entropy formalism for constructing generalized joint probability distributions of structure factors” *Acta Crystallographica Section A: Foundations of Crystallography* **44** (1988) 517–545.
- Bu, X., Zhang, G. and Zhang, C., “Effect of nitrogen doping on anatase–rutile phase transformation of TiO<sub>2</sub>” *Applied Surface Science* **258** (2012) 7997–8001.

## C

- Cardenas, C., Tobon, J. I., Garcia, C. and Vila, J., “Functionalized building materials: Photocatalytic abatement of NO<sub>x</sub> by cement pastes blended with TiO<sub>2</sub> nanoparticles” *Construction and Building Materials* **36** (2012) 820–825.
- Chauhan, R., Kumar, A. and Chaudhary, R. P., “Structural and photocatalytic studies of Mn doped TiO<sub>2</sub> nanoparticles” *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy* **98** (2012) 256–264.
- Chellappa, M., Anjaneyulu, U., Manivasagam, G. and Vijayalakshmi, U., “Preparation and evaluation of the cytotoxic nature of TiO<sub>2</sub> nanoparticles by direct contact method” *International journal of nanomedicine* **10** (2015) 31.
- Chen, J. and Poon, C., “Photocatalytic cementitious materials: influence of the microstructure of cement paste on photocatalytic pollution degradation” *Environmental science & technology* **43** (2009)a 8948–8952.
- Chen, J. and Poon, C.-S., “Photocatalytic activity of titanium dioxide modified concrete materials–Influence of utilizing recycled glass cullets as aggregates” *Journal of Environmental Management* **90** (2009)b 3436–3442.
- Chin, S., Park, E., Kim, M. and Jurng, J., “Photocatalytic degradation of methylene blue with TiO<sub>2</sub> nanoparticles prepared by a thermal decomposition process” *Powder Technology* **201** (2010) 171–176.
- Chong, L. H., Mallik, K., De Groot, C. H. and Kersting, R., “The structural and electrical properties of thermally grown TiO<sub>2</sub> thin films” *Journal of Physics: Condensed Matter* **18** (2005) 645.

Choudhury, B. and Choudhury, A., “Local structure modification and phase transformation of TiO<sub>2</sub> nanoparticles initiated by oxygen defects, grain size, and annealing temperature” *International Nano Letters* **3** (2013)a 55.

Choudhury, B. and Choudhury, A., “Oxygen vacancy and dopant concentration dependent magnetic properties of Mn doped TiO<sub>2</sub> nanoparticle” *Current Applied Physics* **13** (2013)b 1025–1031.

Chu, L., Li, L., Su, J., Tu, F., Liu, N. and Gao, Y., “A general method for preparing anatase TiO<sub>2</sub> treelike-nanoarrays on various metal wires for fiber dye-sensitized solar cells” *Scientific reports* **4** (2014) 4420.

Cruz, M. M., da Silva, R. C., Franco, N. and Godinho, M., “Ferromagnetism induced in rutile single crystals by argon and nitrogen implantation” *Journal of Physics: Condensed Matter* **21** (2009) 206002.

## D

Dafare, S., Deshpande, P. S. and Bhavsar, R. S., “Photocatalytic degradation of congo red dye on combustion synthesised Fe<sub>2</sub>O<sub>3</sub>” **20** (2013) 406–10.

Dal Corso, A., Posternak, M., Resta, R. and Baldereschi, A., “Ab initio study of piezoelectricity and spontaneous polarization in ZnO” *Physical Review B* **50** (1994) 10715.

Datta, D. P., Kanjilal, A., Garg, S. K., Sahoo, P. K., Satpati, B., Kanjilal, D. and Som, T., “Evolution of porous network in GaSb under normally incident 60 keV Ar<sup>+</sup>-ion irradiation” *Applied Surface Science* **310** (2014) 189–195.

Deng, Q. R., Xia, X. H., Guo, M. L., Gao, Y. and Shao, G., “Mn-doped TiO<sub>2</sub> nanopowders with remarkable visible light photocatalytic activity” *Materials Letters* **65** (2011) 2051–2054.

Dong, G. and Zhang, L., “Porous structure dependent photoreactivity of graphitic carbon nitride under visible light” *Journal of Materials Chemistry* **22** (2012)a 1160–1166.

Dong, G., Zhao, K. and Zhang, L., “Carbon self-doping induced high electronic conductivity and photoreactivity of gC<sub>3</sub>N<sub>4</sub>” *Chemical communications* **48** (2012)b 6178–6180.

## E

Endrodi, B., Kecsenovity, E., Rajeshwar, K. and Janaky, C., “One-step electrodeposition of nanocrystalline TiO<sub>2</sub> films with enhanced photoelectrochemical performance and

charge storage” *ACS Applied Energy Materials* **1** (2018) 851–858.

Erdemoglu, S., Aksu, S. K., Sayilkan, F., Izgi, B., Asilturk, M., Sayilkan, H., Frimmel, F. and Guçer, S., “Photocatalytic degradation of Congo Red by hydrothermally synthesized nanocrystalline TiO<sub>2</sub> and identification of degradation products by LC–MS” *Journal of Hazardous Materials* **155** (2008) 469–476.

## F

Fang, W., Xing, M. and Zhang, J., “A new approach to prepare Ti<sup>3+</sup> self-doped TiO<sub>2</sub> via NaBH<sub>4</sub> reduction and hydrochloric acid treatment” *Applied Catalysis B: Environmental* **160** (2014) 240–246.

Fehse, M., Cavaliere, S., Lippens, P. E., Savych, I., Iadecola, A., Monconduit, L., Jones, D. J., Roziere, J., Fischer, F. and Tessier, C., “Nb-doped TiO<sub>2</sub> nanofibers for lithium ion batteries” *The Journal of Physical Chemistry C* **117** (2013) 13827–13835.

Fleischer, R. L., Price, P. B., Walker, R. M. and Hubbard, E. L., “Track registration in various solid-state nuclear track detectors” *Physical Review* **133** (1964) A1443.

Folli, A., Pade, C., Hansen, T. B., De Marco, T. and Macphee, D. E., “TiO<sub>2</sub> photocatalysis in cementitious systems: Insights into self-cleaning and depollution chemistry” *Cement and concrete research* **42** (2012) 539–548.

Fu, G., Vary, P. S. and Lin, C.-T., “Anatase TiO<sub>2</sub> nanocomposites for antimicrobial coatings” *The Journal of Physical Chemistry B* **109** (2005) 8889–8898.

Fu, G., Yang, Y., Wei, G., Shu, X., Qiao, N. and Deng, L., “Influence of Sn Doping on Phase Transformation and Crystallite Growth of Nanocrystals” *Journal of Nanomaterials* **2014** (2014) 835450.

Fujishima, A. and Honda, K., “Electrochemical photolysis of water at a semiconductor electrode” *nature* **238** (1972) 37.

## G

Garcia-Serrano, J., Gomez-Hernandez, E., Ocampo-Fernandez, M. and Pal, U., “Effect of Ag doping on the crystallization and phase transition of TiO<sub>2</sub> nanoparticles” *Current Applied Physics* **9** (2009) 1097–1105.

Garg, S. K., Datta, D. P., Kumar, M., Kanjilal, D. and Som, T., “60 keV Ar<sup>+</sup>-ion induced pattern formation on Si surface: Roles of sputter erosion and atomic redistribution” *Applied Surface Science* **310** (2014)a 147–153.

- Garg, S. K., Datta, D. P., Ghatak, J., Tripathy, S. R., Kanjilal, D. and Som, T., “Medium energy Ar<sup>+</sup>-ion induced ripple formation: Role of ion energy in pattern formation” *Applied Surface Science* **317** (2014)b 476–479.
- Gu, Y., Xing, M. and Zhang, J., “Synthesis and photocatalytic activity of graphene based doped TiO<sub>2</sub> nanocomposites” *Applied Surface Science* **319** (2014) 8–15.
- Gu, X., Yu, N., Zhang, L., Yang, J., Hu, J. and Chen, Z., “Growth of TiO<sub>2</sub> nanorod bundles on carbon fibers as flexible and weaveable photocatalyst/photoelectrode” *RSC Advances* **5** (2015) 102868–102876.
- Guo, Y., Zhang, G., Gan, H. and Zhang, Y., “Micro/nano-structured CaWO<sub>4</sub>/Bi<sub>2</sub>WO<sub>6</sub> composite: synthesis, characterization and photocatalytic properties for degradation of organic contaminants” *Dalton Transactions* **41** (2012) 12697–12703.

## H

- Haghi, M., Hekmatafshar, M., Janipour, M. B., Gholizadeh, S. S., Faraz, M. K., Sayyadifar, F. and Ghaedi, M., “Antibacterial effect of TiO<sub>2</sub> nanoparticles on pathogenic strain of E. coli” *International Journal of Advanced Biotechnology and Research* **3** (2012) 621–624.
- Hassini, A., Sakai, J., Lopez, J. S. and Hong, N. H., “Magnetism in spin-coated pristine TiO<sub>2</sub> thin films” *Physics Letters A* **372** (2008) 3299–3302.
- He, F., Ma, F., Li, J., Li, T. and Li, G., “Effect of calcination temperature on the structural properties and photocatalytic activities of solvothermal synthesized TiO<sub>2</sub> hollow nanoparticles” *Ceramics international* **40** (2014) 6441–6446.
- Hoa, N. T. Q. and Huyen, D. N., “Comparative study of room temperature ferromagnetism in undoped and Ni-doped TiO<sub>2</sub> nanowires synthesized by solvothermal method” *Journal of Materials Science: Materials in Electronics* **24** (2013) 793–798.
- Hong, N. H., Sakai, J. and Gervais, F., “Magnetism due to oxygen vacancies and/or defects in undoped semiconducting and insulating oxide thin films” *Journal of magnetism and magnetic materials* **316** (2007) 214–217.
- Hu, Y., Tsai, H.-L. and Huang, C.-L., “Phase transformation of precipitated TiO<sub>2</sub> nanoparticles” *Materials Science and Engineering: A* **344** (2003)a 209–214.
- Hu, Y., Tsai, H.L. and Huang, C.L., “Effect of brookite phase on the anatase–rutile transition in titania nanoparticles” *Journal of the European Ceramic Society* **23** (2003)b 691–696.

- Hu, A., Zhang, X., Oakes, K. D., Peng, P., Zhou, Y. N. and Servos, M. R., “Hydrothermal growth of free standing TiO<sub>2</sub> nanowire membranes for photocatalytic degradation of pharmaceuticals” *Journal of Hazardous Materials* **189** (2011) 278–285.
- Hu, C., Xu, H., Liu, X., Zou, F., Qie, L., Huang Y. and Hu, X., “VO<sub>2</sub>/TiO<sub>2</sub> nanosponges as binder-free electrodes for high-performance supercapacitors” *Scientific Reports* **5** (2015) 16012.
- Huang, X. and HU, C., “Preparation and characterization of visible-light-active nitrogen-doped TiO<sub>2</sub> photocatalyst” *Journal of Environmental Sciences* **17** (2005) 562–565.
- Huang, J., Dong, P., Hao, W., Wang, T., Xia, Y., Da, G. and Fan, Y., “Biocompatibility of TiO<sub>2</sub> and TiO<sub>2</sub>/heparin coatings on NiTi alloy” *Applied Surface Science* **313** (2014) 172–182.

## I

- Iliev, M. N., Hadjiev, V. G. and Litvinchuk, A. P., “Raman and infrared spectra of brookite (TiO<sub>2</sub>): experiment and theory” *Vibrational Spectroscopy* **64** (2013) 148–152.
- Ishikawa, N., Yamamoto, S. and Chimi, Y., “Structural changes in anatase TiO<sub>2</sub> thin films irradiated with high-energy heavy ions” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **250** (2006) 250–253.

## J

- Jaiswal, M. K., Kanjilal, D. and Kumar, R., “Structural and optical studies of 100 MeV Au irradiated thin films of tin oxide” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **314** (2013) 170–175.
- Janus, M., Zatorska, J., Czyżewski, A., Bubacz, K., Kusiak-Nejman, E. and Morawski, A. W., “Self-cleaning properties of cement plates loaded with N, C-modified TiO<sub>2</sub> photocatalysts” *Applied Surface Science* **330** (2015) 200–206.
- Jassby, D., Farnar Budarz, J. and Wiesner, M., “Impact of aggregate size and structure on the photocatalytic properties of TiO<sub>2</sub> and ZnO nanoparticles” *Environmental science & technology* **46** (2012) 6934–6941.
- Jia, T., Fu, F., Zhao, J., Chen, J., Wang, X., Fan, Z., Cui, L. and Meng, F., “Sonochemical

- synthesis, characterization, and photocatalytic activity of N-Doped TiO<sub>2</sub> nanocrystals with mesoporous structure” *International Journal of Photoenergy* **2014** (2014) 516806.
- Jiao, Z., Chen, T., Xiong, J., Wang, T., Lu, G., Ye, J. and Bi, Y., “Visible-light-driven photoelectrochemical and photocatalytic performances of Cr-doped SrTiO<sub>3</sub>/TiO<sub>2</sub> heterostructured nanotube arrays” *Scientific reports* **3** (2013) 2720.
- Jing, L., Qu, Y., Su, H., Yao, C. and Fu, H., “Synthesis of high-activity TiO<sub>2</sub>-based photocatalysts by compounding a small amount of porous nanosized LaFeO<sub>3</sub> and the activity-enhanced mechanisms” *The Journal of Physical Chemistry C* **115** (2011) 12375–12380.
- Joshi, R. P., Hareesh, K., Bankar, A., Sanjeev, G., Asokan, K., Kanjilal, D., Dahiwal, S. S., Bhoraskar, V. N. and Dhole, S. D., “Anti-biofilm activity of Fe heavy ion irradiated polycarbonate” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **384** (2016) 6–13.
- K**
- Khalid, N. S., Fazli, F. I. M., Hamed, N. K. A. and LUQMAN, M., “Biocompatibility of TiO<sub>2</sub> Nanorods and Nanoparticles on HeLa Cells” *Sains Malaysiana* **45** (2016) 1675–1678.
- Khanam, R., Paul, N., Kumar, P., Kanjilal, D., Ahmed, G. A. and Mohanta, D., “Teflon impregnated anatase TiO<sub>2</sub> nanoparticles irradiated by 80 keV Xe<sup>+</sup> ions” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **336** (2014) 135–142.
- Khataee, R., Heydari, V., Moradkhannejhad, L., Safarpour, M. and Joo, S. W., “Self-cleaning and mechanical properties of modified white cement with nanostructured TiO<sub>2</sub>” *Journal of nanoscience and nanotechnology* **13** (2013) 5109–5114.
- Kim, C. S., Nakaso, K., Xia, B., Okuyama, K. and Shimada, M., “A new observation on the phase transformation of TiO<sub>2</sub> nanoparticles produced by a CVD method” *Aerosol science and technology* **39** (2005) 104–112.
- Kim, D., Hong, J., Park, Y. R. and Kim, K. J., “The origin of oxygen vacancy induced ferromagnetism in undoped TiO<sub>2</sub>” *Journal of Physics: Condensed Matter* **21** (2009) 195405.
- Kim, C. H., Kim, B.H. and Yang, K. S., “TiO<sub>2</sub> nanoparticles loaded on graphene/carbon composite nanofibers by electrospinning for increased photocatalysis” *Carbon* **50** (2012) 2472–2481.

Kotakoski, J., Brand, C., Lilach, Y., Cheshnovsky, O., Mangler, C., Arndt, M. and Meyer, J. C., “Toward two-dimensional all-carbon heterostructures via ion beam patterning of single-layer graphene” *Nano letters* **15** (2015) 5944–5949.

Koudriachova, M. V. and Harrison, N. M., “Li sites and phase stability in TiO<sub>2</sub>-anatase and Zr-doped TiO<sub>2</sub>-anatase” *Journal of Materials Chemistry* **16** (2006) 1973–1977.

## L

Landmann, M, Rauls E and Schmidt W G., “The electronic structure and optical response of rutile, anatase and brookite TiO<sub>2</sub>” *J. Phys.: Condens. Matter* **24** (2012) 195503.

Langel, W. and Parrinello, M., “Ab initio molecular dynamics of H<sub>2</sub>O adsorbed on solid MgO” *The Journal of chemical physics* **103** (1995) 3240–3252.

Li, W., Ni, C., Lin, H., Huang, C. P. and Shah, S. I., “Size dependence of thermal stability of TiO<sub>2</sub> nanoparticles” *Journal of Applied Physics* **96** (2004) 6663–6668.

Li, S.Q., Zhu, R.-R., Zhu, H., Xue, M., Sun, X.-Y., Yao, S.D. and Wang, S.L., “Nanotoxicity of TiO<sub>2</sub> nanoparticles to erythrocyte in vitro” *Food and Chemical Toxicology* **46** (2008) 3626–3631.

Li, J., Yu, Y., Chen, Q., Li, J. and Xu, D., “Controllable synthesis of TiO<sub>2</sub> single crystals with tunable shapes using ammonium-exchanged titanate nanowires as precursors” *Crystal Growth & Design* **10** (2010)a 2111–2115.

Li, X., Zhu, A. L., Qu, W., Wang, H., Hui, R., Zhang, L. and Zhang, J., “Magneli phase Ti<sub>4</sub>O<sub>7</sub> electrode for oxygen reduction reaction and its implication for zinc-air rechargeable batteries” *Electrochimica Acta* **55** (2010)b 5891–5898.

Li, D., Zheng, H., Wang, Q., Wang, X., Jiang, W., Zhang, Z. and Yang, Y., “A novel double-cylindrical-shell photoreactor immobilized with monolayer TiO<sub>2</sub>-coated silica gel beads for photocatalytic degradation of Rhodamine B and Methyl Orange in aqueous solution” *Separation and Purification Technology* **123** (2014)a 130–138.

Li, J., Zhang, L., Li, Y. and Yu, Y., “Synthesis and internal electric field dependent photoreactivity of Bi<sub>3</sub>O<sub>4</sub>Cl single-crystalline nanosheets with high {001} facet exposure percentages” *Nanoscale* **6** (2014)b 167–171.

Li, H., Shang, J., Shi, J., Zhao, K. and Zhang, L., “Facet-dependent solar ammonia synthesis of BiOCl nanosheets via a proton-assisted electron transfer pathway” *Nanoscale* **8** (2016)a 1986–1993.

- Li, H., Shang, J., Zhu, H., Yang, Z., Ai, Z. and Zhang, L., “Oxygen vacancy structure associated photocatalytic water oxidation of BiOCl” *ACS Catalysis* **6** (2016)b 8276–8285.
- Li, Q., Liu, Q., Peng, B., Chai, L. and Liu, H., “Self-cleaning performance of TiO<sub>2</sub>-coating cement materials prepared based on solidification/stabilization of electrolytic manganese residue” *Construction and Building Materials* **106** (2016)c 236–242.
- Liu, B., Wang, X., Cai, G., Wen, L., Song, Y. and Zhao, X., “Low temperature fabrication of V-doped TiO<sub>2</sub> nanoparticles, structure and photocatalytic studies” *Journal of hazardous materials* **169** (2009) 1112–1118.
- Liu, Z., Su, X., Hou, G., Bi, S., Xiao, Z. and Jia, H., “Spherical TiO<sub>2</sub> aggregates with different building units for dye-sensitized solar cells” *Nanoscale* **5** (2013) 8177–8183.
- Liu, C., Han, R., Ji, H., Sun, T., Zhao, J., Chen, N., Chen, J., Guo, X., Hou, W. and Ding, W., “S-doped mesoporous nanocomposite of HTiNbO<sub>5</sub> nanosheets and TiO<sub>2</sub> nanoparticles with enhanced visible light photocatalytic activity” *Physical Chemistry Chemical Physics* **18** (2016) 801–810.
- Lopez-Huerta, F., Cervantes, B., Gonzalez, O., Hernandez-Torres, J., Garcia-Gonzalez, L., Vega, R., Herrera-May, A. and Soto, E., “Biocompatibility and surface properties of TiO<sub>2</sub> thin films deposited by DC magnetron sputtering” *Materials* **7** (2014) 4105–4117.
- Lu, H. M., Zhang, W. X. and Jiang, Q., “Phase stability of nanoanatase” *Advanced Engineering Materials* **5** (2003) 787–788.
- Lu, L., Xia, X., Luo, J. K. and Shao, G., “Mn-doped TiO<sub>2</sub> thin films with significantly improved optical and electrical properties” *Journal of Physics D: Applied Physics* **45** (2012) 485102.
- Lu, Z., Chen, G., Hao, W., Sun, G. and Li, Z., “Mechanism of UV-assisted TiO<sub>2</sub>/reduced graphene oxide composites with variable photodegradation of methyl orange” *RSC Advances* **5** (2015) 72916–72922.

## M

- Majeed, A., He, J., Jiao, L., Zhong, X. and Sheng, Z., “Surface properties and biocompatibility of nanostructured TiO<sub>2</sub> film deposited by RF magnetron sputtering” *Nanoscale research letters* **10** (2015) 56.
- Majumder, S., Paramanik, D., Solanki, V., Mishra, I., Avasthi, D. K., Kanjilal, D. and

- Varma, S., “Ion irradiation induced nano pattern formation on TiO<sub>2</sub> single crystal” *Applied Surface Science* **258** (2012) 4122–4124.
- Matsumoto, Y., Murakami, M., Shono, T., Hasegawa, T., Fukumura, T., Kawasaki, M., Ahmet, P., Chikyow, T., Koshihara, S. and Koinuma, H., “Room-temperature ferromagnetism in transparent transition metal-doped titanium dioxide” *Science* **291** (2001) 854–856.
- Mazumdar, S. and Bhattacharyya, A. J., “One-pot synthesis of a TiO<sub>2</sub>–CdS nano-heterostructure assembly with enhanced photocatalytic activity” *Rsc Advances* **5** (2015) 34942–34948.
- Mehnane, H. F., Wang, C., Kondamareddy, K. K., Yu, W., Sun, W., Liu, H., Bai, S., Liu, W., Guo, S. and Zhao, X.-Z., “Hydrothermal synthesis of TiO<sub>2</sub> nanoparticles doped with trace amounts of strontium, and their application as working electrodes for dye sensitized solar cells: tunable electrical properties & enhanced photo-conversion performance” *RSC Advances* **7** (2017) 2358–2364.
- Mishra, M., Meinerzhagen, F., Schleberger, M., Kanjilal, D. and Mohanty, T., “Swift heavy ion induced optical and electronic modifications of graphene–TiO<sub>2</sub> nanocomposites” *The Journal of Physical Chemistry C* **119** (2015) 21270–21277.
- Mohanty, P., Mallick, P., Mishra, N.C., Banerjee, A., Shripathi, T., Rath, C., “Effect of oxygen vacancy on magnetic properties of Ti<sub>1-x</sub>Co<sub>x</sub>O<sub>2</sub> nanoparticles synthesized by sol-gel route” *International Journal of Nanotechnology and Applications* **5** (2011) 383-393.
- Mohanty, P., Mishra, N. C., Choudhary, R. J., Banerjee, A., Shripathi, T., Lalla, N. P., Annapoorni, S. and Rath, C., “Oxygen vacancy induced phase formation and room temperature ferromagnetism in undoped and Co-doped TiO<sub>2</sub> thin films” *Journal of Physics D: Applied Physics* **45** (2012) 325301.
- Mohanty, P., Saravanakumar, S., Saravanan, R. and Rath, C., “TiO<sub>2</sub> nanowires grown from nanoparticles: structure and charge density study” *Journal of nanoscience and nanotechnology* **13** (2013)a 6672–6678.
- Mohanty, P., Ganeshan, V. and Rath, C., “Room Temperature Ferromagnetism in Ti<sub>0.985</sub>Co<sub>0.015</sub>O<sub>2-δ</sub> Thin Films Grown by Pulsed Laser Deposition Technique” *Materials Science Forum* **760** (2013)b 1–7.
- Mohanty, P., Kabiraj, D., Mandal, R. K., Kulriya, P. K., Sinha, A. S. K. and Rath, C., “Evidence of room temperature ferromagnetism in argon/oxygen annealed TiO<sub>2</sub> thin films deposited by electron beam evaporation technique” *Journal of Magnetism and Magnetic Materials* **355** (2014)a 240–245.
- Mohanty, P., Singh, V. P., Mishra, N. C., Ojha, S., Kanjilal, D. and Rath, C., “Evolution of

structural and magnetic properties of Co-doped TiO<sub>2</sub> thin films irradiated with 100 MeV Ag<sup>7+</sup> ions” *Journal of Physics D: Applied Physics* **47** (2014)b 315001.

Moret, M. P., Zallen, R., Vijay, D. P. and Desu, S. B., “Brookite-rich titania films made by pulsed laser deposition” *Thin Solid Films* **366** (2000) 8–10.

## N

Neogi, S. K., Chattopadhyay, S., Banerjee, A., Bandyopadhyay, S., Sarkar, A. and Kumar, R., “Effect of 50 MeV Li<sup>3+</sup> irradiation on structural and electrical properties of Mn-doped ZnO” *Journal of Physics: Condensed Matter* **23** (2011) 205801.

Niu, Y., Xing, M., Zhang, J. and Tian, B., “Visible light activated sulfur and iron co-doped TiO<sub>2</sub> photocatalyst for the photocatalytic degradation of phenol” *Catalysis Today* **201** (2013) 159–166.

## O

Ohno, T., Sarukawa, K., Tokieda, K. and Matsumura, M., “Morphology of a TiO<sub>2</sub> photocatalyst (Degussa, P-25) consisting of anatase and rutile crystalline phases” *Journal of Catalysis* **203** (2001) 82–86.

Ong, W. L., Gao, M. and Ho, G. W., “Hybrid organic PVDF–inorganic M–rGO–TiO<sub>2</sub> (M = Ag, Pt) nanocomposites for multifunctional volatile organic compound sensing and photocatalytic degradation–H<sub>2</sub> production” *Nanoscale* **5** (2013) 11283–11290.

Oshima, K., Nakashima, K., Ueno, S. and Wada, S., “Synthesis of titanium dioxide nanoparticles by solvothermal method with polymer gel” *Transactions of the Materials Research Society of Japan* **39** (2014) 451–454.

Othman, S. H., Rashid, S. A., Ghazi, T. M. and Abdullah, N., “Effect of Fe Doping on Phase Transition of TiO<sub>2</sub> Nanoparticles Synthesized by MOCVD” *Journal of Applied Sciences* **10** (2010) 1044–1051.

## P

Pham, M.-H., Dinh, C.-T., Vuong, G.-T., Ta, N.-D. and Do, T.-O., “Visible light induced hydrogen generation using a hollow photocatalyst with two cocatalysts separated on two surface sides” *Physical Chemistry Chemical Physics* **16** (2014) 5937–5941.

Poon, C. S. and Cheung, E., "NO removal efficiency of photocatalytic paving blocks prepared with recycled materials" *Construction and Building Materials* **21** (2007) 1746–1753.

## Q

Qi, D., Xing, M. and Zhang, J., "Hydrophobic carbon-doped TiO<sub>2</sub>/MCF-F composite as a high performance photocatalyst" *The Journal of Physical Chemistry C* **118** (2014) 7329–7336.

Qureshi, A., Singh, D., Singh, N. L., Ataoglu, S., Gulluoglu, A. N., Tripathi, A. and Avasthi, D. K., "Effect of irradiation by 140 Mev Ag<sup>11+</sup> ions on the optical and electrical properties of polypropylene/TiO<sub>2</sub> composite" *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **267** (2009) 3456–3460.

## R

Rachel, A., Subrahmanyam, M. and Boule, P., "Comparison of photocatalytic efficiencies of TiO<sub>2</sub> in suspended and immobilised form for the photocatalytic degradation of nitrobenzenesulfonic acids" *Applied Catalysis B: Environmental* **37** (2002) 301–308.

Ramana, C. V., Atuchin, V. V., Becker, U., Ewing, R. C., Isaenko, L. I., Khyzhun, O. Yu., Merkulov, A. A., Pokrovsky, L. D., Sinelnichenko, A. K. and Zhurkov, S. A., *J Phys Chem C* **111** (2007) 1149-1152.

Rao, C. N. R., *Transition Metal Oxides*, *Annu. Rev. Phys. Chem.* **40** (1989) 291-326.

Rao, K. V. S., Rachel, A., Subrahmanyam, M. and Boule, P., "Immobilization of TiO<sub>2</sub> on pumice stone for the photocatalytic degradation of dyes and dye industry pollutants" *Applied Catalysis B: Environmental* **46** (2003) 77–85.

Rath, C., Mohanty, P., Pandey, A. C. and Mishra, N. C., "Oxygen vacancy induced structural phase transformation in TiO<sub>2</sub> nanoparticles" *Journal of Physics D: Applied Physics* **42** (2009)a 205101.

Rath, H., Dash, P., Som, T., Satyam, P. V., Singh, U. P., Kulriya, P. K., Kanjilal, D., Avasthi, D. K. and Mishra, N. C., "Structural evolution of TiO<sub>2</sub> nanocrystalline thin films by thermal annealing and swift heavy ion irradiation" *Journal of Applied Physics* **105** (2009)b 074311.

Rath, H., Dash, P., Som, T., Prakash, J., Tripathi, A., Avasthi, D. K., Singh, U. P. and Mishra, N. C., "Surface evolution of titanium oxide thin film with swift heavy ion

- irradiation” *Radiation Effects and Defects in Solids* **166** (2011) 571–577.
- Raut, N. C., Mathews, T., Ajikumar, P. K., George, R. P., Dash, S. and Tyagi, A. K., “Sunlight active antibacterial nanostructured N-doped TiO<sub>2</sub> thin films synthesized by an ultrasonic spray pyrolysis technique” *RSC Advances* **2** (2012) 10639–10647.
- Ravikumar, P., Kisan, B. and Perumal, A., “Enhanced room temperature ferromagnetism in antiferromagnetic NiO nanoparticles” *Aip Advances* **5** (2015) 087116.
- Ravikumar, P., Kisan, B. and Perumal, A., “Thickness dependent ferromagnetism in thermally decomposed NiO thin films” *Journal of Magnetism and Magnetic Materials* **418** (2016) 86–91.
- Rehan, M., Lai, X. and Kale, G. M., “Hydrothermal synthesis of titanium dioxide nanoparticles studied employing in situ energy dispersive X-ray diffraction” *CrystEngComm* **13** (2011) 3725–3732.
- Reyes-Coronado, D., Rodríguez-Gattorno, G., Espinosa-Pesqueira, M. E., Cab, C., de Coss, R. d and Oskam, G., “Phase-pure TiO<sub>2</sub> nanoparticles: anatase, brookite and rutile” *Nanotechnology* **19** (2008) 145605.
- Ricci, P. C., Carbonaro, C. M., Stagi, L., Salis, M., Casu, A., Enzo, S. and Delogu, F., “Anatase-to-rutile phase transition in TiO<sub>2</sub> nanoparticles irradiated by visible light” *The Journal of Physical Chemistry C* **117** (2013) 7850–7857.
- Rumaiz, A. K., Ali, B., Ceylan, A., Boggs, M., Beebe, T. and Shah, S. I., “Experimental studies on vacancy induced ferromagnetism in undoped TiO<sub>2</sub>” *Solid State Communications* **144** (2007) 334–338.

## S

- Saini, C. P., Barman, A., Satpati, B., Bhattacharyya, S. R., Kanjilal, D. and Kanjilal, A., “Defect-engineered optical bandgap in self-assembled TiO<sub>2</sub> nanorods on Si pyramids” *Applied Physics Letters* **108** (2016) 011907.
- Santara, B., Giri, P. K., Dhara, S., Imakita, K. and Fujii, M., “Oxygen vacancy-mediated enhanced ferromagnetism in undoped and Fe-doped TiO<sub>2</sub> nanoribbons” *Journal of Physics D: Applied Physics* **47** (2014) 235304.
- Scepanovic, M. J., Grujić-Brojčin, M., Dohčević-Mitrović, Z. D. and Popović, Z. V., “Characterization of anatase TiO<sub>2</sub> nanopowder by variable-temperature Raman spectroscopy” *Science of Sintering* **41** (2009) 67–73.
- Schattat, B., Bolse, W., Elsanousi, A. and Renz, T., “Interface mixing induced by swift

- heavy ions at metal-oxide/silicon interfaces” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **230** (2005) 240–245.
- Senarathna, U., Fernando, S. S. N., Gunasekara, T., Weerasekera, M. M., Hewageegana, H., Arachchi, N. D. H., Siriwardena, H. D. and Jayaweera, P. M., “Enhanced antibacterial activity of TiO<sub>2</sub> nanoparticle surface modified with *Garcinia zeylanica* extract” *Chemistry Central Journal* **11** (2017) 7.
- Shang, J., Zhao, F., Zhu, T. and Li, J., “Photocatalytic degradation of rhodamine B by dye-sensitized TiO<sub>2</sub> under visible-light irradiation” *Science China Chemistry* **54** (2011) 167–172.
- Sharma, S., Chaudhary, S., Kashyap, S. C. and Sharma, S. K., “Room temperature ferromagnetism in Mn doped TiO<sub>2</sub> thin films: electronic structure and Raman investigations” *Journal of Applied Physics* **109** (2011) 083905.
- Shen, H., Mi, L., Xu, P., Shen, W. and Wang, P.-N., “Visible-light photocatalysis of nitrogen-doped TiO<sub>2</sub> nanoparticulate films prepared by low-energy ion implantation” *Applied Surface Science* **253** (2007) 7024–7028.
- Shen, X., Tian, B. and Zhang, J., “Tailored preparation of titania with controllable phases of anatase and brookite by an alkalescent hydrothermal route” *Catalysis today* **201** (2013) 151–158.
- Shen, W., Zhang, C., Li, Q., Zhang, W., Cao, L. and Ye, J., “Preparation of titanium dioxide nano particle modified photocatalytic self-cleaning concrete” *Journal of cleaner production* **87** (2015) 762–765.
- Singh, S. K., Singh, M. K., Nayak, M. K., Kumari, S., Shrivastava, S., Grácio, J. J. and Dash, D., “Thrombus inducing property of atomically thin graphene oxide sheets” *ACS nano* **5** (2011) 4987–4996.
- Singh, S. K., Singh, M. K., Kulkarni, P. P., Sonkar, V. K., Grácio, J. J. and Dash, D., “Amine-modified graphene: thrombo-protective safer alternative to graphene oxide for biomedical applications” *ACS nano* **6** (2012) 2731–2740.
- Singh, V. P., Sandeep, K., Kushwaha, H. S., Powar, S. and Vaish, R., “Photocatalytic, hydrophobic and antimicrobial characteristics of ZnO nano needle embedded cement composites” *Construction and Building Materials* **158** (2018) 285–294.
- Sivakumar, R., Sanjeeviraja, C., Jayachandran, M., Gopalakrishnan, R., Sarangi, S. N., Paramanik, D. and Som, T., “Modification of WO<sub>3</sub> thin films by MeV N<sup>+</sup>-ion beam irradiation” *Journal of Physics: Condensed Matter* **19** (2007) 186204.

- Stepanov A.L., “Application of Ion Implantation for Modification of TiO<sub>2</sub>: A Review” *Rev.Adv.Mater. Sci.* **30** (2012) 150-165.
- Sudakar, C., Kharel, P., Suryanarayanan, R., Thakur, J. S., Naik, V. M., Naik, R. and Lawes, G., “Room temperature ferromagnetism in vacuum-annealed TiO<sub>2</sub> thin films” *Journal of Magnetism and Magnetic Materials* **320** (2008) L31–L36.
- Sugraney, R., Alvarez, J. I., Cruz-Yusta, M., Marmol, I., Morales, J., Vila, J. and Sanchez, L., “Enhanced photocatalytic degradation of NO<sub>x</sub> gases by regulating the microstructure of mortar cement modified with titanium dioxide” *Building and Environment* **69** (2013) 55–63.
- Sun, Y., Zhang, C., Zhu, Z., Wang, Z., Jin, Y., Liu, J. and Wang, Y., “The thermal-spike model description of the ion-irradiated polyimide” *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **218** (2004) 318–322.

## T

- Thakur, H., Kumar, R., Thakur, P., Brookes, N. B., Sharma, K. K., Pratap Singh, A., Kumar, Y., Gautam, S. and Chae, K. H., “Modifications in structural and electronic properties of TiO<sub>2</sub> thin films using swift heavy ion irradiation” *Journal of Applied Physics* **110** (2011)a 083718.
- Thakur, H., Thakur, P., Kumar, R., Brookes, N. B., Sharma, K. K., Singh, A. P., Kumar, Y., Gautam, S. and Chae, K. H., “Irradiation induced ferromagnetism at room temperature in TiO<sub>2</sub> thin films: X-ray magnetic circular dichroism characterizations” *Applied Physics Letters* **98** (2011)b 192512.
- Tian, Z. M., Yuan, S. L., Wang, Y. Q., He, J. H., Yin, S. Y., Liu, K. L., Yuan, S. J. and Liu, L., “Magnetic studies on Mn-doped TiO<sub>2</sub> bulk samples” *Journal of Physics D: Applied Physics* **41** (2008) 055006.
- Tian, J., Deng, H., Sun, L., Kong, H., Yang, P. and Chu, J., “Effects of Co doping on the phase transformation and optical properties of TiO<sub>2</sub> thin films by sol–gel method” *Physica E: Low-dimensional Systems and Nanostructures* **44** (2011) 550–554.
- Tian, J., Gao, H., Kong, H., Yang, P., Zhang, W. and Chu, J., “Influence of transition metal doping on the structural, optical, and magnetic properties of TiO<sub>2</sub> films deposited on Si substrates by a sol–gel process” *Nanoscale research letters* **8** (2013) 533.
- Trabelsi, H., Atheba, P., Gbassi, G. K., Ksibi, M. and Drogui, P., “Sunlight-activated photocatalysis of malachite green using a TiO<sub>2</sub>/cellulosic fiber” *Int. J. Hazardous Mater* **1** (2012) 6–10.

Tseng, L.-T., Luo, X., Tan, T. T., Li, S. and Yi, J., “Doping concentration dependence of microstructure and magnetic behaviours in Co-doped TiO<sub>2</sub> nanorods” *Nanoscale research letters* **9** (2014) 673.

## W

Wahyuningsih, S., Ramelan, A. H. and Saputri, L., “A Study on Structure/Phase Transformation of TiO<sub>2</sub> nanorods at Various Annealing Temperatures” *IOP Conference Series: Earth and Environmental Science* **75** (2017) 012002.

Wanag, A., Rokicka, P., Kusiak-Nejman, E., Kapica-Kozar, J., Wrobel, R. J., Markowska-Szczupak, A. and Morawski, A. W., “Antibacterial properties of TiO<sub>2</sub> modified with reduced graphene oxide” *Ecotoxicology and environmental safety* **147** (2018) 788–793.

Wang, J., Zhou, G., Chen, C., Yu, H., Wang, T., Ma, Y., Jia, G., Gao, Y., Li, B. and Sun, J., “Acute toxicity and biodistribution of different sized titanium dioxide particles in mice after oral administration” *Toxicology letters* **168** (2007) 176–185.

Wang, H.-L., Zhao, D.-Y. and Jiang, W.-F., “VIS-light-induced photocatalytic degradation of methylene blue (MB) dye using PoPD/TiO<sub>2</sub> composite photocatalysts” *Desalination and Water Treatment* **51** (2013) 2826–2835.

Wang, J., Sun, H., Huang, J., Li, Q. and Yang, J., “Band structure tuning of TiO<sub>2</sub> for enhanced photoelectrochemical water splitting” *The Journal of Physical Chemistry C* **118** (2014) 7451–7457.

Warheit, D. B., Webb, T. R., Reed, K. L., Frerichs, S. and Sayes, C. M., “Pulmonary toxicity study in rats with three forms of ultrafine-TiO<sub>2</sub> particles: differential responses related to surface properties” *Toxicology* **230** (2007) 90–104.

Wei, X., Skomski, R., Balamurugan, B., Sun, Z. G., “Ducharme, S. and Sellmyer, D. J., Magnetism of TiO and TiO<sub>2</sub> nanoclusters” *Journal of Applied Physics* **105** (2009) 07C517.

Wetchakun, N., Incessungvorn, B., Wetchakun, K. and Phanichphant, S., “Influence of calcination temperature on anatase to rutile phase transformation in TiO<sub>2</sub> nanoparticles synthesized by the modified sol–gel method” *Materials Letters* **82** (2012) 195–198.

Wong, T. J., Lim, F. J., Gao, M., Lee, G. H. and Ho, G. W., “Photocatalytic H<sub>2</sub> production of composite one-dimensional TiO<sub>2</sub> nanostructures of different morphological structures and crystal phases with graphene” *Catalysis Science & Technology* **3**

(2013) 1086–1093.

## X

Xia, X. H., Lu, L., Walton, A. S., Ward, M., Han, X. P., Brydson, R., Luo, J. K. and Shao, G., “Origin of significant visible-light absorption properties of Mn-doped TiO<sub>2</sub> thin films” *Acta Materialia* **60** (2012) 1974–1985.

Xing, Y., Li, X., Zhang, L., Xu, Q., Che, Z., Li, W., Bai, Y. and Li, K., “Effect of TiO<sub>2</sub> nanoparticles on the antibacterial and physical properties of polyethylene-based film” *Progress in Organic Coatings* **73** (2012) 219–224.

## Y

Yamashita, H., Harada, M., Misaka, J., Takeuchi, M., Ikeue, K. and Anpo, M., “Degradation of propanol diluted in water under visible light irradiation using metal ion-implanted titanium dioxide photocatalysts” *Journal of Photochemistry and Photobiology A: Chemistry* **148** (2002) 257–261.

Yang, T.-S., Shiu, C.-B. and Wong, M.-S., “Structure and hydrophilicity of titanium oxide films prepared by electron beam evaporation” *Surface Science* **548** (2004) 75–82.

Yang, L., Hakki, A., Wang, F. and Macphee, D. E., “Photocatalyst efficiencies in concrete technology: The effect of photocatalyst placement” *Applied Catalysis B: Environmental* **222** (2018) 200–208.

Yao, C., Li, F., Li, X. and Xia, D., “Fiber-like nanostructured Ti<sub>4</sub>O<sub>7</sub> used as durable fuel cell catalyst support in oxygen reduction catalysis” *Journal of Materials Chemistry* **22** (2012) 16560–16565.

Yin, Z. F., Wu, L., Yang, H. G. and Su, Y. H., “Recent progress in biomedical applications of titanium dioxide” *Physical chemistry chemical physics* **15** (2013) 4844–4858.

Yoon, S. D., Chen, Y., Yang, A., Goodrich, T. L., Zuo, X., Arena, D. A., Ziemer, K., Vittoria, C. and Harris, V. G., “Oxygen-defect-induced magnetism to 880 K in semiconducting anatase TiO<sub>2-δ</sub> films” *Journal of Physics: Condensed Matter* **18** (2006) L355.

Yu, Y., Hu, Z., Zhang, Y. and Gao, H., “CTAB@ BiOCl: a highly adsorptive photocatalyst for eliminating dye contamination” *RSC Advances* **6** (2016) 18577–18582.

Yuranova, T., Sarria, V., Jardim, W., Rengifo, J., Pulgarin, C., Trabesinger, G. and Kiwi, J., “Photocatalytic discoloration of organic compounds on outdoor building cement

panels modified by photoactive coatings” *Journal of Photochemistry and Photobiology A: Chemistry* **188** (2007) 334–341.

## Z

Zhang, H. and Banfield, J., “Thermodynamic analysis of phase stability of nanocrystalline titania” *Journal of Materials Chemistry* **8** (1998) 2073–2076.

Zhang, L. and Jimmy, C. Y., “A sonochemical approach to hierarchical porous titania spheres with enhanced photocatalytic activity” *Chemical Communications* (2003) 2078–2079.

Zhang, D., “Enhanced photocatalytic activity for titanium dioxide by co-modification with copper and iron” *Transition Metal Chemistry* **35** (2010)a 933–938.

Zhang, D. and Zeng, F., “Structural, photochemical and photocatalytic properties of zirconium oxide doped TiO<sub>2</sub> nanocrystallites” *Applied Surface Science* **257** (2010)b 867–871.

Zhang, Y., Gan, H. and Zhang, G., “A novel mixed-phase TiO<sub>2</sub>/kaolinite composites and their photocatalytic activity for degradation of organic contaminants” *Chemical Engineering Journal* **172** (2011)a 936–943.

Zhang, Y., Guo, Y., Zhang, G. and Gao, Y., “Stable TiO<sub>2</sub>/rectorite: preparation, characterization and photocatalytic activity” *Applied Clay Science* **51** (2011)b 335–340.

Zhang, Y., Wang, D. and Zhang, G., “Photocatalytic degradation of organic contaminants by TiO<sub>2</sub>/sepiolite composites prepared at low temperature” *Chemical Engineering Journal* **173** (2011)c 1–10.

Zhang, D., “Visible light-induced photocatalysis through surface plasmon excitation of platinum-metallized titania for photocatalytic bleaching of rhodamine B” *Monatshefte für Chemie-Chemical Monthly* **143** (2012) 729–738.

Zhang, L., Zhu, L., Hu, L., Li, Y., Song, H. and Ye, Z., “Interfacial effect on Mn-doped TiO<sub>2</sub> nanoparticles: from paramagnetism to ferromagnetism” *RSC Advances* **6** (2016) 57403–57408.

Zhao, A., Yang, J. and Yang, E.-H., “Self-cleaning engineered cementitious composites” *Cement and Concrete Composites* **64** (2015) 74–83.

Zhou, W., Liu, Q., Zhu, Z. and Zhang, J., “Preparation and properties of vanadium-doped TiO<sub>2</sub> photocatalysts” *Journal of Physics D: Applied Physics* **43** (2010) 035301.

Zimbone, M., Buccheri, M. A., Cacciato, G., Sanz, R., Rappazzo, G., Boninelli, S., Reitano, R., Romano, L., Privitera, V. and Grimaldi, M. G., “Photocatalytical and antibacterial activity of TiO<sub>2</sub> nanoparticles obtained by laser ablation in water” *Applied Catalysis B: Environmental* **165** (2015) 487–494.