

References

- [1] M. Golio and J. Golio, *RF and Microwave Passive and Active Technologies*, 2nd ed., ser. The RF and Microwave Handbook. CRC Press, Taylor & Francis Group, 10 2018, ISBN 9781420006728, DOI: 10.1201/9781315221854.
- [2] B. J. Baliga, *Silicon RF Power MOSFETS*, ser. Wiley Interscience Publication. World Scientific, 4 2005, ISBN 9789812561213, DOI: 10.1142/5725.
- [3] X. Xiao, “QoS in Wireless Networks,” in *Technical, Commercial and Regulatory Challenges of QoS*, ser. The Morgan Kaufmann Series in Networking. Boston: Morgan Kaufmann, 2008, ch. 13, pp. 225 – 246, ISSN 18759351, DOI: 10.1016/B978-0-12-373693-2.00013-6.
- [4] J. A. Kurtz, “Wireless Technology Overview,” in *Hacking Wireless Access Points*. Boston: Syngress, 2017, ch. 1, pp. 1 – 19, ISBN 978-0-12-805315-7, DOI: 10.1016/B978-0-12-805315-7.00001-2.
- [5] M. Secmen, “Multiband and wideband antennas for mobile communication systems,” in *Recent Developments in Mobile Communications*. Rijeka: IntechOpen, 2011, ch. 8, DOI: 10.5772/25921.
- [6] T. S. Rappaport, W. Roh, and K. Cheun, “Mobile’s millimeter-wave makeover,” *IEEE Spectrum*, 2014, vol. 51, no. 9, pp. 34–58.
- [7] S. R. Pokhrel, J. Ding, J. Park, O.-S. Park, and J. Choi, “Towards enabling critical mmTc: A review of URLLC within mmTc,” *IEEE Access*, 2020, vol. 8, pp. 131 796–131 813.
- [8] “Federal communications commission (fcc), radio spectrum allocation, 2018. [online].” [http://: https://www.itu.int/en/ITU-R/conferences/wrc./](http://www.itu.int/en/ITU-R/conferences/wrc/), 2018, [Accessed: 06-Apr-2018].

-
- [9] “International telecommunication union (itu), world radiocommunication conferences (wrc), 2018. [online]. available;,” <http://www.fcc.gov/engineering-technology/policy-and-rules-division/general/radio-spectrum-allocation/>, 2018, [Accessed: 06-Apr-2018].
- [10] “Federal communications commission (fcc), use of spectrum bands above 24 ghz for mobile radio services,” [http://Technical Report, no. GN Docket No. 14-177, 2017, pp. 1–137/](http://Technical Report, no. GN Docket No. 14-177, 2017, pp. 1-137/).
- [11] W. Roh, J.-Y. Seol, J. Park, B. Lee, J. Lee, Y. Kim, J. Cho, K. Cheun, and F. Aryanfar, “Millimeter-wave beamforming as an enabling technology for 5g cellular communications: Theoretical feasibility and prototype results,” *IEEE communications magazine*, 2014, vol. 52, no. 2, pp. 106–113.
- [12] F. Boccardi, R. W. Heath, A. Lozano, T. L. Marzetta, and P. Popovski, “Five disruptive technology directions for 5g,” *IEEE communications magazine*, 2014, vol. 52, no. 2, pp. 74–80.
- [13] “Ofcom, update on 5g spectrum in the uk, no. february. 2017, pp. 1–19.”
- [14] D.-K. Park, R. Waterhouse, Y. Qian, and T. Itoh, “Self-diplexed integrated antenna transceiver for wireless applications,” in *IEEE Antennas and Propagation Society International Symposium. 2001 Digest. Held in conjunction with: USNC/URSI National Radio Science Meeting (Cat. No. 01CH37229)*, vol. 3. IEEE, 2001, pp. 444–447.
- [15] N. Al-Falahy and O. Y. Alani, “Technologies for 5g networks: Challenges and opportunities,” *It Professional*, 2017, vol. 19, no. 1, pp. 12–20.
- [16] G. Q. Luo, Z. F. Hu, L. X. Dong, and L. L. Sun, “Planar slot antenna backed by substrate integrated waveguide cavity,” *IEEE Antennas and Wireless Propagation Letters*, 2008, vol. 7, pp. 236–239.
- [17] S. Yun, D.-Y. Kim, and S. Nam, “Bandwidth enhancement of cavity-backed slot antenna using a via-hole above the slot,” *IEEE Antennas and Wireless Propagation Letters*, 2012, vol. 11, pp. 1092–1095.
- [18] S. Mukherjee and A. Biswas, “Design of self-diplexing substrate integrated waveguide cavity-backed slot antenna,” *IEEE Antennas and Wireless Propagation Letters*, 2016, vol. 15, pp. 1775–1778.

- [19] *ANSYS Electronics Desktop ver. 19.0*, 2020 (accessed April 4, 2020). [Online]. Available: <https://www.ansys.com/en-in/products/electronics/ansys-electronics-desktop>
- [20] F. Shigeki, “Waveguide line,” *Japan Patent*, 1994, vol. 6053711.
- [21] H. Uchimura, T. Takenoshita, and M. Fujii, “Development of a” laminated waveguide”,” *IEEE Transactions on Microwave Theory and Techniques*, 1998, vol. 46, no. 12, pp. 2438–2443.
- [22] J. Hirokawa and M. Ando, “Single-layer feed waveguide consisting of posts for plane tem wave excitation in parallel plates,” *IEEE Transactions on Antennas and Propagation*, 1998, vol. 46, no. 5, pp. 625–630.
- [23] K. Wu, “Integration and interconnect techniques of planar and non-planar structures for microwave and millimeter-wave circuits-current status and future trend,” in *APMC 2001. 2001 Asia-Pacific Microwave Conference (Cat. No. 01TH8577)*, vol. 2. IEEE, 2001, pp. 411–416.
- [24] Z.-C. Hao, W. Hong, J.-X. Chen, X.-P. Chen, and K. Wu, “Compact super-wide bandpass substrate integrated waveguide (siw) filters,” *IEEE Transactions on Microwave Theory and Techniques*, 2005, vol. 53, no. 9, pp. 2968–2977.
- [25] X. Chen, W. Hong, T. Cui, J. Chen, and K. Wu, “Substrate integrated waveguide (siw) linear phase filter,” *IEEE Microwave and Wireless Components Letters*, 2005, vol. 15, no. 11, pp. 787–789.
- [26] W. Feng, W. Che, and K. Deng, “Compact planar magic-t using e-plane substrate integrated waveguide (siw) power divider and slotline transition,” *IEEE Microwave and wireless components letters*, 2010, vol. 20, no. 6, pp. 331–333.
- [27] M. Bozzi, A. Georgiadis, and K. Wu, “Review of substrate-integrated waveguide circuits and antennas,” *IET Microwaves, Antennas & Propagation*, 2011, vol. 5, no. 8, pp. 909–920.
- [28] K. Wu, D. Deslandes, and Y. Cassivi, “The substrate integrated circuits-a new concept for high-frequency electronics and optoelectronics,” in *6th International Conference on Telecommunications in Modern Satellite, Cable and Broadcasting Service, 2003. TELSIKS 2003.*, vol. 1. IEEE, 2003, pp. P–III.

-
- [29] F. Xu and K. Wu, "Guided-wave and leakage characteristics of substrate integrated waveguide," *IEEE Transactions on microwave theory and techniques*, 2005, vol. 53, no. 1, pp. 66–73.
- [30] D. Deslandes, "Design equations for tapered microstrip-to-substrate integrated waveguide transitions," in *2010 IEEE MTT-S International Microwave Symposium*. IEEE, 2010, pp. 704–707.
- [31] D. Deslandes and K. Wu, "Integrated microstrip and rectangular waveguide in planar form," *IEEE microwave and wireless components letters*, 2001, vol. 11, no. 2, pp. 68–70.
- [32] —, "Analysis and design of current probe transition from grounded coplanar to substrate integrated rectangular waveguides," *IEEE transactions on microwave theory and techniques*, 2005, vol. 53, no. 8, pp. 2487–2494.
- [33] Y. Huang and K.-L. Wu, "A broad-band ltcc integrated transition of laminated waveguide to air-filled waveguide for millimeter-wave applications," *IEEE transactions on microwave theory and techniques*, 2003, vol. 51, no. 5, pp. 1613–1617.
- [34] Y. Ding and K. Wu, "Substrate integrated waveguide-to-microstrip transition in multilayer substrate," *IEEE Transactions on Microwave Theory and Techniques*, 2007, vol. 55, no. 12, pp. 2839–2844.
- [35] A. O. Nwajana, K. S. Yeo, and A. Dainkeh, "Low cost siw chebyshev bandpass filter with new input/output connection," in *2016 16th Mediterranean Microwave Symposium (MMS)*. IEEE, 2016, pp. 1–4.
- [36] M. Bozzi, M. Pasian, and L. Perregri, "Modeling of losses in substrate integrated waveguide components," in *2014 International Conference on Numerical Electromagnetic Modeling and Optimization for RF, Microwave, and Terahertz Applications (NEMO)*. IEEE, 2014, pp. 1–4.
- [37] M. Pasian, M. Bozzi, and L. Perregri, "Radiation losses in substrate integrated waveguides: A semi-analytical approach for a quantitative determination," in *2013 IEEE MTT-S International Microwave Symposium Digest (MTT)*. IEEE, 2013, pp. 1–3.
- [38] D. Deslandes and K. Wu, "Design consideration and performance analysis of substrate integrated waveguide components," in *2002 32nd European microwave conference*. IEEE, 2002, pp. 1–4.

- [39] —, “Accurate modeling, wave mechanisms, and design considerations of a substrate integrated waveguide,” *IEEE Transactions on microwave theory and techniques*, 2006, vol. 54, no. 6, pp. 2516–2526.
- [40] Y. Cassivi, L. Perregri, P. Arcioni, M. Bressan, K. Wu, and G. Conciauro, “Dispersion characteristics of substrate integrated rectangular waveguide,” *IEEE Microwave and Wireless components letters*, 2002, vol. 12, no. 9, pp. 333–335.
- [41] G. Q. Luo, Z. F. Hu, L. X. Dong, and L. L. Sun, “Planar slot antenna backed by substrate integrated waveguide cavity,” *IEEE Antennas and Wireless Propagation Letters*, 2008, vol. 7, pp. 236–239.
- [42] J. C. Bohorquez, H. A. Forero Pedraza, I. C. H. Pinzon, J. A. Castiblanco, N. Pena, and H. F. Guarnizo, “Planar substrate integrated waveguide cavity-backed antenna,” *IEEE Antennas and Wireless Propagation Letters*, 2009, vol. 8, pp. 1139–1142.
- [43] R. C. Paryani, P. F. Wahid, and N. Behdad, “A wideband, dual-polarized, substrate-integrated cavity-backed slot antenna,” *IEEE Antennas and Wireless Propagation Letters*, 2010, vol. 9, pp. 645–648.
- [44] S. Yun, D.-Y. Kim, and S. Nam, “Bandwidth and efficiency enhancement of cavity-backed slot antenna using a substrate removal,” *IEEE Antennas and Wireless Propagation Letters*, 2012, vol. 11, pp. 1458–1461.
- [45] —, “Bandwidth enhancement of cavity-backed slot antenna using a via-hole above the slot,” *IEEE Antennas and Wireless Propagation Letters*, 2012, vol. 11, pp. 1092–1095.
- [46] G. Q. Luo, Z. F. Hu, W. J. Li, X. H. Zhang, L. L. Sun, and J. F. Zheng, “Bandwidth-enhanced low-profile cavity-backed slot antenna by using hybrid siw cavity modes,” *IEEE Transactions on Antennas and Propagation*, 2012, vol. 60, no. 4, pp. 1698–1704.
- [47] W. Yang and J. Zhou, “Wideband low-profile substrate integrated waveguide cavity-backed e-shaped patch antenna,” *IEEE Antennas and Wireless Propagation Letters*, 2013, vol. 12, pp. 143–146.
- [48] K. Fan, Z.-C. Hao, and Q. Yuan, “A low-profile wideband substrate-integrated waveguide cavity-backed e-shaped patch antenna for the q-linkpan applications,”

- IEEE Transactions on Antennas and Propagation*, 2017, vol. 65, no. 11, pp. 5667–5676.
- [49] P. N. Choubey, W. Hong, Z.-C. Hao, P. Chen, T.-V. Duong, and J. Mei, “A wideband dual-mode siw cavity-backed triangular-complimentary-split-ring-slot (tcsrs) antenna,” *IEEE Transactions on Antennas and Propagation*, 2016, vol. 64, no. 6, pp. 2541–2545.
- [50] A. Kumar and S. Raghavan, “Broadband siw cavity-backed triangular-ring-slotted antenna for ku-band applications,” *AEU - International Journal of Electronics and Communications*, 2018, vol. 87, pp. 60–64.
- [51] L. Wen, Z. Yu, and J. Zhou, “Wideband siw cavity-backed ring slot antenna for 5g applications,” in *2021 International Conference on Microwave and Millimeter Wave Technology (ICMMT)*, 2021, pp. 1–3.
- [52] A. Kumar and S. Raghavan, “Wideband slotted substrate integrated waveguide cavity-backed antenna for ku – band application,” *Microwave and Optical Technology Letters*, 2017, vol. 59, no. 7, pp. 1613–1619.
- [53] A. Kumar, “Wideband circular cavity-backed slot antenna with conical radiation patterns,” *Microwave and Optical Technology Letters*, 2020, vol. 62, no. 6, pp. 2390–2397.
- [54] T. Cheng, W. Jiang, S. Gong, and Y. Yu, “Broadband siw cavity-backed modified dumbbell-shaped slot antenna,” *IEEE Antennas and Wireless Propagation Letters*, 2019, vol. 18, no. 5, pp. 936–940.
- [55] B. Lokeshwar, D. Venkatasekhar, and J. Ravindranadh, “Development of a low-profile broadband cavity backed bow-tie shaped slot antenna in siw technology,” *Progress In Electromagnetics Research Letters*, 2021, vol. 100, pp. 9–17.
- [56] L. Bollavathi, V. Dorai, and S. Alapati, “Wideband planar substrate integrated waveguide cavity-backed amended dumbbell-shaped slot antenna,” *AEU-International Journal of Electronics and Communications*, 2020, vol. 127, p. 153489.
- [57] T. Y. Yang, W. Hong, and Y. Zhang, “Wideband millimeter-wave substrate integrated waveguide cavity-backed rectangular patch antenna,” *IEEE Antennas and Wireless Propagation Letters*, 2014, vol. 13, pp. 205–208.

- [58] Y. Shi, J. Liu, and Y. Long, "Wideband triple- and quad-resonance substrate integrated waveguide cavity-backed slot antennas with shorting vias," *IEEE Transactions on Antennas and Propagation*, 2017, vol. 65, no. 11, pp. 5768–5775.
- [59] Q. Wu, J. Yin, C. Yu, H. Wang, and W. Hong, "Broadband planar siw cavity-backed slot antennas aided by unbalanced shorting vias," *IEEE Antennas and Wireless Propagation Letters*, 2019, vol. 18, no. 2, pp. 363–367.
- [60] Q. Liu, L. Zhu, J. Wang, and W. Wu, "A wideband patch and siw cavity hybrid antenna with filtering response," *IEEE Antennas and Wireless Propagation Letters*, 2020, vol. 19, no. 5, pp. 836–840.
- [61] T. Zhang, Y. Zhang, W. Hong, and K. Wu, "Wideband millimeter-wave siw cavity backed patch antenna fed by substrate integrated coaxial line," in *2015 IEEE International Wireless Symposium (IWS 2015)*, 2015, pp. 1–4.
- [62] Q. Liu, L. Zhu, J. Wang, and W. Wu, "Wideband low-profile differential-fed patch antennas with an embedded siw cavity under dual-mode resonance," *IEEE Transactions on Antennas and Propagation*, 2019, vol. 67, no. 6, pp. 4235–4240.
- [63] L. Xiang, Y. Zhang, Y. Yu, and W. Hong, "Characterization and design of wideband penta- and hepta-resonance siw elliptical cavity-backed slot antennas," *IEEE Access*, 2020, vol. 8, pp. 111 987–111 994.
- [64] D. Chaturvedi, A. A. Althuwayb, and A. Kumar, "Bandwidth enhancement of a planar siw cavity-backed slot antenna using slot and metallic-shortening via," *Applied Physics A*, 2022, vol. 128, no. 3, pp. 1–7.
- [65] M. Kumar and V. Nath, "Introducing multiband and wideband microstrip patch antennas using fractal geometries: Development in last decade," *Wireless Personal Communications*, 2018, vol. 98, p. 2079–2105, DOI: 10.1007/s11277-017-4965-x.
- [66] S. C. Chen, Y. S. Wang, and S. J. Chung, "A decoupling technique for increasing the port isolation between two strongly coupled antennas," *IEEE Transactions on Antennas and Propagation*, 2008, vol. 56, no. 12, pp. 3650–3658, DOI: 10.1109/TAP.2008.2005469.
- [67] X. Meng, B. Chi, Y. Liu, T. Ma, and Z. Wang, "A fully integrated 150-GHz transceiver front-end in 65-nm CMOS," *IEEE Transactions on Circuits and Sys-*

- tems II: Express Briefs*, 2019, vol. 66, no. 4, pp. 602–606, DOI: 10.1109/TC-SII.2018.2870926.
- [68] M. Karlsson and S. Gong, “A frequency-triplexed inverted-F antenna system for ultra-wide multi-band systems 3.1–4.8 GHz,” *ISAST Transactions on Electronics and Signal Processing*, 2007, vol. 1, no. 1, pp. 95–100, .
- [69] P. Cheong, K.-F. Chang, W.-W. Choi, and K.-W. Tam, “A highly integrated antenna-triplexer with simultaneous three-port isolations based on multi-mode excitation,” *IEEE Transactions on Antennas and Propagation*, 2015, vol. 63, no. 1, pp. 363–368, DOI: 10.1109/TAP.2014.2364299.
- [70] D.-K. Park, R. Waterhouse, Y. Qian, and T. Itoh, “Self-diplexed integrated antenna transceiver for wireless applications,” in *IEEE Antennas and Propagation Society International Symposium. 2001 Digest. Held in conjunction with: USNC/URSI National Radio Science Meeting (Cat. No.01CH37229)*, vol. 3, 2001, pp. 444–447 vol.3, DOI: 10.1109/APS.2001.960130.
- [71] M. Kumar and V. Nath, “A circularly polarized printed elliptical wide-slot antenna with highbandwidth-dimension-ratio for wireless applications,” *Wireless Networks*, 2020, vol. 26, p. 5485–5499.
- [72] B. Strassner and K. Chang, “Wide-band low-loss high-isolation microstrip periodic-stub diplexer for multiple-frequency applications,” *IEEE Transactions on Microwave Theory and Techniques*, 2001, vol. 49, no. 10, pp. 1818–1820.
- [73] Y. Lu and Y. Lin, “A mode-based design method for dual-band and self-diplexing antennas using double T-stubs loaded aperture,” *IEEE Transactions on Antennas and Propagation*, 2012, vol. 60, no. 12, pp. 5596–5603.
- [74] H. Iwasaki, “Dual frequency multilayered circular patch antenna with self-diplexing function,” *Electronics Letters*, April 1995, vol. 31, pp. 599–601(2).
- [75] M. Yawata, H. Arai, H. Mitsumoto, T. Sato, and S. Yoshimoto, “Self-diplexing stacked patch antenna for satellite mode handset system,” in *IEEE Antennas and Propagation Society International Symposium. 1998 Digest. Antennas: Gateways to the Global Network. Held in conjunction with: USNC/URSI National Radio Science Meeting (Cat. No.98CH36)*, vol. 4, 1998, pp. 2124–2127 vol.4.

- [76] D.-K. Park, R. Waterhouse, Y. Qian, and T. Itoh, "Self-diplexed integrated antenna transceiver for wireless applications," in *IEEE Antennas and Propagation Society International Symposium. 2001 Digest. Held in conjunction with: USNC/URSI National Radio Science Meeting (Cat. No.01CH37229)*, vol. 3, 2001, pp. 444–447 vol.3.
- [77] Y. Chung, S.-S. Jeon, D. Ahn, J.-I. Choi, and T. Itoh, "High isolation dual-polarized patch antenna using integrated defected ground structure," *IEEE Microwave and Wireless Components Letters*, 2004, vol. 14, no. 1, pp. 4–6.
- [78] F. J. Herraiz-Martinez, E. Ugarte-Munoz, V. Gonzalez-Posadas, L. E. Garcia-Munoz, and D. Segovia-Vargas, "Self-diplexed patch antennas based on metamaterials for active rfid systems," *IEEE Transactions on Microwave Theory and Techniques*, 2009, vol. 57, no. 5, pp. 1330–1340.
- [79] J. Montero de Paz, E. Ugarte Muñoz, F. J. Herraiz Martínez, V. González Posadas, L. E. García Muñoz, and D. Segovia Vargas, "Multifrequency self-diplexed single patch antennas loaded with split ring resonators," *Progress In Electromagnetics Research*, 2011, vol. 113, pp. 47–66.
- [80] Y.-C. Lu and Y.-C. Lin, "A mode-based design method for dual-band and self-diplexing antennas using double t-stubs loaded aperture," *IEEE Transactions on Antennas and Propagation*, 2012, vol. 60, no. 12, pp. 5596–5603.
- [81] A. A. Khan and M. K. Mandal, "Compact self-diplexing antenna using dual-mode siw square cavity," *IEEE Antennas and Wireless Propagation Letters*, 2019, vol. 18, no. 2, pp. 343–347.
- [82] Q. Wu, J. Yin, C. Yu, H. Wang, and W. Hong, "Low-Profile Millimeter-Wave SIW Cavity-Backed Dual-Band Circularly Polarized Antenna," *IEEE Transactions on Antennas and Propagation*, 2017, vol. 65, no. 12, pp. 7310–7315.
- [83] Q. Wu, H. Wang, C. Yu, and W. Hong, "Low-profile circularly polarized cavity-backed antennas using SIW techniques," *IEEE Transactions on Antennas and Propagation*, 2016, vol. 64, no. 7, pp. 2832–2839.
- [84] P. Vasina and J. Lacik, "Circularly polarized rectangular ring-slot antenna with chamfered corners for off-body communication at 5.8 GHz ISM Band," *Radio-engineering*, 2017, vol. 26, no. 1, pp. 85–90.

- [85] T. Liang, Z. Wang, and Y. Dong, "A circularly polarized SIW slot antenna based on high-order dual-mode cavity," *IEEE Antennas and Wireless Propagation Letters*, 2020, vol. 19, no. 3, pp. 388–392.
- [86] Y. Xu, Z. Wang, and Y. Dong, "Circularly polarized slot antennas with dual-mode elliptic cavity," *IEEE Antennas and Wireless Propagation Letters*, 2020, vol. 19, no. 4, pp. 715–719.
- [87] W. Li, X. H. Tang, and Y. Yang, "A K_a -band circularly polarized substrate integrated cavity-backed antenna array," *IEEE Antennas and Wireless Propagation Letters*, 2019, vol. 18, no. 9, pp. 1882–1886.
- [88] J. Huang, F. Qiu, W. Lin, Z. Tang, D. Lei, M. Yao, Q. Chu, and Y. J. Guo, "A new compact and high gain circularly-polarized slot antenna array for K_u -band mobile satellite tv reception," *IEEE Access*, 2017, vol. 5, pp. 6707–6714.
- [89] S. Priya, K. Kumar, S. Dwari, and M. K. Mandal, "Circularly polarized self-diplexing SIW cavity backed slot antennas," *IEEE Transactions on Antennas and Propagation*, 2020, vol. 68, no. 3, pp. 2387–2392.
- [90] Y. Chung, S.-S. Jeon, D. Ahn, J.-I. Choi, and T. Itoh, "High isolation dual-polarized patch antenna using integrated defected ground structure," *IEEE Microwave and Wireless Components Letters*, 2004, vol. 14, no. 1, pp. 4–6, DOI: 10.1109/LMWC.2003.821501.
- [91] F. J. Herraiz-Martinez, E. Ugarte-Munoz, V. Gonzalez-Posadas, L. E. Garcia-Munoz, and D. Segovia-Vargas, "Self-diplexed patch antennas based on metamaterials for active RFID systems," *IEEE Transactions on Microwave Theory and Techniques*, 2009, vol. 57, no. 5, pp. 1330–1340, DOI: 10.1109/TMTT.2009.2017301.
- [92] L. Inclan-Sanchez, J.-L. Vazquez-Roy, and E. Rajo-Iglesias, "High isolation proximity coupled multilayer patch antenna for dual-frequency operation," *IEEE Transactions on Antennas and Propagation*, 2008, vol. 56, no. 4, pp. 1180–1183, DOI: 10.1109/TAP.2008.919218.
- [93] J. M. de Paz, E. Ugarte-Munoz, F. J. Herraiz-Martinez, V. Gonzalez-Posadas, L. E. Garcia-Munoz, and D. Segovia-Vargas, "Multifrequency self-diplexed single patch antennas loaded with split ring resonators," *Progress In Electromagnetics Research*, 2011, vol. 113, pp. 47–66, DOI: 10.2528/PIER10121703.

- [94] S. Fallahzadeh, H. Bahrami, A. Akbarzadeh, and M. Tayarani, "High-isolation dual-frequency operation patch antenna using spiral defected microstrip structure," *IEEE Antennas and Wireless Propagation Letters*, 2010, vol. 9, pp. 122–124, DOI: 10.1109/LAWP.2010.2043810.
- [95] Y. Rikuta and H. Arai, "A self-diplexing antenna using stacked patch antennas," in *IEEE Antennas and Propagation Society International Symposium. Transmitting Waves of Progress to the Next Millennium. 2000 Digest. Held in conjunction with: USNC/URSI National Radio Science Meeting (C)*, vol. 4, 2000, pp. 2212–2215, DOI: 10.1109/APS.2000.874933.
- [96] L. Inclan-Sanchez, J.-L. Vazquez-Roy, and E. Rajo-Iglesias, "Diplexed dual-polarization proximity coupled patch antenna," in *2007 IEEE Antennas and Propagation Society International Symposium*, 2007, pp. 2061–2064, DOI: 10.1109/APS.2007.4395930.
- [97] M. Bozzi, L. Perregrini, K. Wu, and P. Arcioni, "Current and future research trends in substrate integrated waveguide technology," *Radioengineering*, June 2009, vol. 18, no. 2, pp. 201–209.
- [98] A. Kumar, M. Kumar, and A. K. Singh, "Substrate integrated waveguide cavity backed wideband slot antenna for 5G applications," *Radioengineering*, Sept. 2021, vol. 30, no. 3, pp. 480–487, DOI: 10.13164/re.2021.0480.
- [99] N. Nguyen-Trong and C. Fumeaux, "Half-mode substrate-integrated waveguides and their applications for antenna technology: A review of the possibilities for antenna design," *IEEE Antennas and Propagation Magazine*, 2018, vol. 60, no. 6, pp. 20–31, DOI: 10.1109/MAP.2018.2870587.
- [100] K. Kumar and S. Dwari, "Substrate integrated waveguide cavity-backed self-triplexing slot antenna," *IEEE Antennas and Wireless Propagation Letters*, 2017, vol. 16, pp. 3249–3252, DOI: 10.1109/LAWP.2017.2771510.
- [101] S. Mukherjee, S. Ghosh, and A. Biswas, "Design of compact SIW cavity backed self-triplexing planar slot antenna for triple band application," in *2021 15th European Conference on Antennas and Propagation (EuCAP)*, 2021, pp. 1–5, DOI: 10.23919/EuCAP51087.2021.9411029.
- [102] D. Chaturvedi, A. Kumar, and S. Raghavan, "An integrated SIW cavity-backed slot antenna-triplexer," *IEEE Antennas and Wireless Propagation Letters*, 2018, vol. 17, no. 8, pp. 1557–1560, DOI: 10.1109/LAWP.2018.2855051.

- [103] A. Iqbal, M. A. Selmi, L. F. Abdulrazak, O. A. Saraereh, N. K. Mallat, and A. Smida, "A compact substrate integrated waveguide cavity-backed self-triplexing antenna," *IEEE Transactions on Circuits and Systems II: Express Briefs*, 2020, vol. 67, no. 11, pp. 2362–2366, DOI: 10.1109/TCSII.2020.2966527.
- [104] A. Kumar and S. Raghavan, "Design of SIW cavity-backed self-triplexing antenna," *Electronics Letters*, May 2018, vol. 54, no. 10, pp. 611–612(1), DOI: 10.1049/el.2017.4775.
- [105] A. Kumar, D. Chaturvedi, M. Saravanakumar, and S. Raghavan, "SIW cavity-backed self-triplexing antenna with T-shaped slot," in *2018 Asia-Pacific Microwave Conference (APMC)*, 2018, pp. 1588–1590, DOI: 10.23919/APMC.2018.8617526.
- [106] S. Priya and S. Dwari, "A compact self-triplexing antenna using HMSIW cavity," *IEEE Antennas and Wireless Propagation Letters*, 2020, vol. 19, no. 5, pp. 861–865, DOI: 10.1109/LAWP.2020.2982533.
- [107] S. K. K. Dash, Q. S. Cheng, R. K. Barik, N. C. Pradhan, and K. S. Subramanian, "A compact triple-fed high-isolation SIW-based self-triplexing antenna," *IEEE Antennas and Wireless Propagation Letters*, 2020, vol. 19, no. 5, pp. 766–770, DOI: 10.1109/LAWP.2020.2979488.
- [108] J. Wells, "Faster than fiber: The future of multi-g/s wireless," *IEEE microwave magazine*, 2009, vol. 10, no. 3, pp. 104–112.
- [109] T. Kim, J. Park, J.-Y. Seol, S. Jeong, J. Cho, and W. Roh, "Tens of gbps support with mmwave beamforming systems for next generation communications," in *2013 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 2013, pp. 3685–3690.
- [110] J. Zhang, X. Ge, Q. Li, M. Guizani, and Y. Zhang, "5g millimeter-wave antenna array: Design and challenges," *IEEE Wireless communications*, 2016, vol. 24, no. 2, pp. 106–112.
- [111] H. Lee, S. Kim, and J. Choi, "A 28 ghz 5g phased array antenna with air-hole slots for beam width enhancement," *Applied Sciences*, 2019, vol. 9, no. 20, p. 4204.

- [112] B. Baharom, M. T. Ali, H. Jaafar, H. Yon *et al.*, “Dual-element of high-shf pifa mimo antenna for future 5g wireless communication devices,” in *2018 International Symposium on Antennas and Propagation (ISAP)*. IEEE, 2018, pp. 1–2.
- [113] E. Al Abbas, M. Ikram, A. T. Mobashsher, and A. Abbosh, “Mimo antenna system for multi-band millimeter-wave 5g and wideband 4g mobile communications,” *IEEE Access*, 2019, vol. 7, pp. 181 916–181 923.
- [114] R. G. Vaughan and J. B. Andersen, “Antenna diversity in mobile communications,” *IEEE Transactions on vehicular technology*, 1987, vol. 36, no. 4, pp. 149–172.
- [115] S. Blanch, J. Romeu, and I. Corbella, “Exact representation of antenna system diversity performance from input parameter description,” *Electronics letters*, 2003, vol. 39, no. 9, pp. 705–707.
- [116] R. Janaswamy, “Effect of element mutual coupling on the capacity of fixed length linear arrays,” *IEEE Antennas and Wireless Propagation Letters*, 2002, vol. 1, pp. 157–160.
- [117] G. J. Foschini and M. J. Gans, “On limits of wireless communications in a fading environment when using multiple antennas,” *Wireless personal communications*, 1998, vol. 6, no. 3, pp. 311–335.
- [118] N. Hussain, M. J. Jeong, A. Abbas, and N. Kim, “Metasurface-based single-layer wideband circularly polarized MIMO Antenna for 5G millimeter-wave systems,” *IEEE Access*, 2020, vol. 8, pp. 130 293–130 304, DOI: 10.1109/ACCESS.2020.3009380.
- [119] E. Brookner, W. M. Hall, and R. H. Westlake, “Faraday loss for l-band radar and communications systems,” *IEEE Transactions on Aerospace and Electronic Systems*, 1985, vol. AES-21, no. 4, pp. 459–469, DOI: 10.1109/TAES.1985.310634.
- [120] S. Saxena, B. K. Kanaujia, S. Dwari, S. Kumar, H. C. Choi, and K. W. Kim, “Planar four-port dual circularly-polarized MIMO Antenna for Sub-6 GHz band,” *IEEE Access*, 2020, vol. 8, pp. 90 779–90 791, DOI: 10.1109/ACCESS.2020.2993897.
- [121] M. Kumar and V. Nath, “A circularly polarized printed elliptical wide-slot antenna with high bandwidth-dimension-ratio for wireless applications,” *Wireless Networks*, 2020, vol. 26, no. 7, pp. 5485–5499, DOI: 10.1007/s11276-020-02399-9.

- [122] Q. Tan and F. C. Chen, "Triband circularly polarized antenna using a single patch," *IEEE Antennas and Wireless Propagation Letters*, 2020, vol. 19, no. 12, pp. 2013–2017, DOI: 10.1109/LAWP.2020.3014961.
- [123] Z. Wani, M. P. Abegaonkar, and S. K. Koul, "A 28-ghz antenna for 5g mimo applications," *Progress In Electromagnetics Research Letters*, 2018, vol. 78, pp. 73–79, DOI: 10.2528/PIERL18070303.
- [124] M. S. Sharawi, S. K. Podilchak, M. T. Hussain, and Y. M. M. Antar, "Dielectric resonator based MIMO antenna system enabling millimetre-wave mobile devices," *IET Microwaves, Antennas & Propagation*, 2017, vol. 11, no. 2, pp. 287–293, DOI: 10.1049/iet-map.2016.0457IET.
- [125] M. M. Kamal, S. Yang, X.-c. Ren, A. Altaf, S. H. Kiani, M. R. Anjum, A. Iqbal, M. Asif, and S. I. Saeed, "Infinity shell shaped MIMO Antenna Array for mm-Wave 5G applications," *Electronics*, 2021, vol. 10, no. 2.
- [126] S. D. W. Ali, H. Medkour, and S. Lakrit, "Planar dual-band 27/39 GHz millimeter-wave MIMO antenna for 5G applications," *Microsystem Technologies*, 2021, vol. 27, p. 283–292, DOI: 10.1007/s00542-020-04951-1.
- [127] G. Zhai, Z. N. Chen, and X. Qing, "Enhanced isolation of a closely spaced four-element mimo antenna system using metamaterial mushroom," *IEEE Transactions on Antennas and Propagation*, 2015, vol. 63, no. 8, pp. 3362–3370.
- [128] Y.-X. Sun and K. W. Leung, "Substrate-integrated two-port dual-frequency antenna," *IEEE Transactions on Antennas and Propagation*, 2016, vol. 64, no. 8, pp. 3692–3697.
- [129] A. Sharma, A. Sarkar, M. Adhikary, A. Biswas, and M. Akhtar, "Siw fed mimo dra for future 5g applications," in *2017 IEEE International Symposium on Antennas and Propagation & USNC/URSI National Radio Science Meeting*. IEEE, 2017, pp. 1763–1764.
- [130] Y. Zhang, J.-Y. Deng, M.-J. Li, D. Sun, and L.-X. Guo, "A mimo dielectric resonator antenna with improved isolation for 5g mm-wave applications," *IEEE Antennas and Wireless Propagation Letters*, 2019, vol. 18, no. 4, pp. 747–751.
- [131] P. R. Girjashankar and T. Upadhyaya, "Substrate integrated waveguide fed dual band quad-elements rectangular dielectric resonator mimo antenna for millimeter

- wave 5g wireless communication systems,” *AEU-International Journal of Electronics and Communications*, 2021, vol. 137, p. 153821.
- [132] M. Lin, P. Liu, and Z. Guo, “Gain-enhanced ka-band mimo antennas based on the siw corrugated technique,” *IEEE Antennas and Wireless Propagation Letters*, 2017, vol. 16, pp. 3084–3087.
- [133] Y. Sung, “Closely spaced mimo antenna based on substrate-integrated waveguide technology,” *Microwave and Optical Technology Letters*, 2018, vol. 60, no. 7, pp. 1794–1798.
- [134] B. Yang, Z. Yu, Y. Dong, J. Zhou, and W. Hong, “Compact tapered slot antenna array for 5g millimeter-wave massive mimo systems,” *IEEE Transactions on Antennas and Propagation*, 2017, vol. 65, no. 12, pp. 6721–6727.
- [135] R. Rebbah, I. Messaoudene, M. Khelifi, B. Hammache, and T. A. Denidni, “Enhanced isolation of mimo cavity antenna using substrate integrated waveguide technology,” *Microwave and Optical Technology Letters*, 2022, vol. 64, no. 2, pp. 331–337.
- [136] M. Usman, E. Kobal, J. Nasir, Y. Zhu, C. Yu, and A. Zhu, “Compact siw fed dual-port single element annular slot mimo antenna for 5g mmwave applications,” *IEEE Access*, 2021, vol. 9, pp. 91 995–92 002.
- [137] R. C. Daniels and R. W. Heath, “60 ghz wireless communications: Emerging requirements and design recommendations,” *IEEE Vehicular technology magazine*, 2007, vol. 2, no. 3, pp. 41–50.
- [138] W. H. Chin, Z. Fan, and R. Haines, “Emerging technologies and research challenges for 5g wireless networks,” *IEEE Wireless Communications*, 2014, vol. 21, no. 2, pp. 106–112.
- [139] M. Shafi, A. F. Molisch, P. J. Smith, T. Haustein, P. Zhu, P. De Silva, F. Tufveson, A. Benjebbour, and G. Wunder, “5g: A tutorial overview of standards, trials, challenges, deployment, and practice,” *IEEE journal on selected areas in communications*, 2017, vol. 35, no. 6, pp. 1201–1221.
- [140] G. S. Ancans, A. Bobrovs, V. Ancans, and J. A. Caiko, “Analysis of characteristics and requirements for 5g mobile communication systems,” 2017.

- [141] T. S. Rappaport, Y. Xing, G. R. MacCartney, A. F. Molisch, E. Mellios, and J. Zhang, "Overview of millimeter wave communications for fifth-generation (5g) wireless networks—with a focus on propagation models," *IEEE Transactions on antennas and propagation*, 2017, vol. 65, no. 12, pp. 6213–6230.
- [142] P. Rao, V. Fusco, and R. Cahill, "Linearly polarised radial stub fed high performance wideband slot antenna," *Electronics Letters*, 2001, vol. 37, no. 6, pp. 335–337.
- [143] A. Adams, "Flush mounted rectangular cavity slot antennas—theory and design," *IEEE Transactions on Antennas and Propagation*, 1967, vol. 15, no. 3, pp. 342–351.
- [144] M. Awida and A. E. Fathy, "Design guidelines of substrate-integrated cavity backed patch antennas," *IET microwaves, antennas & propagation*, 2012, vol. 6, no. 2, pp. 151–157.
- [145] J. E. Rayas-Sanchez and V. Gutierrez-Ayala, "A general em-based design procedure for single-layer substrate integrated waveguide interconnects with microstrip transitions," in *2008 IEEE MTT-S International Microwave Symposium Digest*. IEEE, 2008, pp. 983–986.
- [146] P. N. Choubey, W. Hong, Z.-C. Hao, P. Chen, T.-V. Duong, and J. Mei, "A wideband dual-mode siw cavity-backed triangular-complimentary-split-ring-slot (tcsrs) antenna," *IEEE Transactions on Antennas and propagation*, 2016, vol. 64, no. 6, pp. 2541–2545.
- [147] K. Entesari, A. P. Saghati, V. Sekar, and M. Armendariz, "Tunable siw structures: Antennas, vcos, and filters," *IEEE Microwave Magazine*, 2015, vol. 16, no. 5, pp. 34–54, DOI: 10.1109/MMM.2015.2408273.
- [148] R. Arora, S. B. Rana, and S. Arya, "Performance analysis of wi-fi shaped siw antennas," *AEU-International Journal of Electronics and Communications*, 2018, vol. 94, pp. 168–178.
- [149] X. Liu and Z.-C. Hao, "Tolerance analysis of w-band siw slot array antenna," in *2014 IEEE International Conference on Communication Problem-solving*, 2014, pp. 464–467.
- [150] W. Han, F. Yang, J. Ouyang, and P. Yang, "Low-cost wideband and high-gain slotted cavity antenna using high-order modes for millimeter-wave application,"

- IEEE Transactions on Antennas and Propagation*, 2015, vol. 63, no. 11, pp. 4624–4631.
- [151] M. Khalid, S. Iffat Naqvi, N. Hussain, M. Rahman, S. S. Mirjavadi, M. J. Khan, Y. Amin *et al.*, “4-port mimo antenna with defected ground structure for 5g millimeter wave applications,” *Electronics*, 2020, vol. 9, no. 1, p. 71.
- [152] S. Sharma, B. K. Kanaujia, and M. K. Khandelwal, “Analysis and design of single and dual element bowtie microstrip antenna embedded with planar long wire for 5g wireless applications,” *Microwave and Optical Technology Letters*, 2020, vol. 62, no. 3, pp. 1281–1290.
- [153] S. P. Biswal, S. K. Sharma, and S. Das, “Circularly polarized 5g band mimo antenna array for future user terminals,” in *2020 International Applied Computational Electromagnetics Society Symposium (ACES)*. IEEE, 2020, pp. 1–2.
- [154] Z. Wani, M. P. Abegaonkar, and S. K. Koul, “A 28-ghz antenna for 5g mimo applications,” *Progress In Electromagnetics Research Letters*, 2018, vol. 78, pp. 73–79.
- [155] Y. Yashchyshyn, K. Derzakowski, G. Bogdan, K. Godziszewski, D. Nyzovets, C. H. Kim, and B. Park, “28 ghz switched-beam antenna based on s-pin diodes for 5g mobile communications,” *IEEE Antennas and Wireless Propagation Letters*, 2017, vol. 17, no. 2, pp. 225–228.
- [156] I. Gharbi, R. Barrak, A. Diallo, J.-M. Ribero, H. Ragad, and M. Menif, “Investigation of stacked balanced-fed patch antenna for millimeter-wave application,” *Radioengineering*, 2020, vol. 29, no. 3, pp. 452–459.
- [157] M. Kumar and V. Nath, “Microstrip-line-fed elliptical wide-slot antenna with similar parasitic patch for multiband applications,” *IET Microwaves, Antennas & Propagation*, 2018, vol. 12, no. 14, pp. 2172–2178.
- [158] K. R. Boyle, M. Udink, A. de Graauw, and L. P. Ligthart, “A dual-fed, self-diplexing pifa and rf front-end,” *IEEE transactions on antennas and propagation*, 2007, vol. 55, no. 2, pp. 373–382.
- [159] A. Kumar and S. Raghavan, “Design of siw cavity-backed self-triplexing antenna,” *Electronics Letters*, 2018, vol. 54, no. 10, pp. 611–612.

- [160] K. Entesari, A. P. Saghati, V. Sekar, and M. Armendariz, "Tunable siw structures: antennas, vcos, and filters," *IEEE Microwave Magazine*, 2015, vol. 16, no. 5, pp. 34–54.
- [161] J. G. Kretzschmar, "Wave propagation in hollow conducting elliptical waveguides," *IEEE Transactions on microwave theory and techniques*, 1970, vol. 18, no. 9, pp. 547–554.
- [162] Q. Zheng, C. Guo, H. Li, and J. Ding, "Wideband and high efficiency reflective polarization rotator based on metasurface," *Journal of ElectromagnEtic WavEs and applications*, 2018, vol. 32, no. 3, pp. 265–273.
- [163] A. Iqbal, O. A. Saraereh, A. Bouazizi, and A. Basir, "Metamaterial-based highly isolated mimo antenna for portable wireless applications," *Electronics*, 2018, vol. 7, no. 10, p. 267.
- [164] R. Barik, Q. Cheng, S. Dash, N. Pradhan, and S. Karthikeyan, "Compact high-isolation self-diplexing antenna based on siw for c-band applications," *Journal of Electromagnetic Waves and Applications*, 2020, vol. 34, no. 7, pp. 960–974.
- [165] A. Boukarkar, X. Q. Lin, Y. Jiang, and Y. Q. Yu, "A tunable dual-fed self-diplexing patch antenna," *IEEE Transactions on Antennas and Propagation*, 2017, vol. 65, no. 6, pp. 2874–2879.
- [166] S. Nandi and A. Mohan, "An siw cavity-backed self-diplexing antenna," *IEEE Antennas and Wireless Propagation Letters*, 2017, vol. 16, pp. 2708–2711.
- [167] A. A. Khan and M. K. Mandal, "Compact self-diplexing antenna using dual-mode siw square cavity," *IEEE Antennas and Wireless Propagation Letters*, 2019, vol. 18, no. 2, pp. 343–347.
- [168] A. Kumar, D. Chaturvedi, and S. Raghavan, "Design and experimental verification of dual-fed, self-diplexed cavity-backed slot antenna using hmsiw technique," *IET Microwaves, Antennas & Propagation*, 2019, vol. 13, no. 3, pp. 380–385.
- [169] A. Kumar and S. Raghavan, "Planar cavity-backed self-diplexing antenna using two-layered structure," *Progress In Electromagnetics Research Letters*, 2018, vol. 76, pp. 91–96.
- [170] S. Nandi and A. Mohan, "Siw-based cavity-backed self-diplexing antenna with plus-shaped slot," *Microwave and Optical Technology Letters*, 2018, vol. 60, no. 4, pp. 827–834.

- [171] G. Q. Luo, Z. F. Hu, Y. Liang, L. Y. Yu, and L. L. Sun, "Development of low profile cavity backed crossed slot antennas for planar integration," *IEEE transactions on Antennas and Propagation*, 2009, vol. 57, no. 10, pp. 2972–2979.
- [172] U. Schmiade, "Antenna and method of design," U.S. Patent US20040017317A1, 1 29, 2004.
- [173] A. Chand, M. Kumar, and V. Nath, "Triple band non-linear manipulated Sierpinski-Knopp fractal wide-slot microstrip antenna with inverted L-shaped strip," in *2018 2nd International Conference on Electronics, Materials Engineering Nano-Technology (IEMENTech)*, 2018, pp. 1–7, DOI: 10.1109/IEMENTECH.2018.8465193.
- [174] L. Zheng and D. N. C. Tse, "Diversity and multiplexing: A fundamental tradeoff in multiple-antenna channels," *IEEE Transactions on information theory*, 2003, vol. 49, no. 5, pp. 1073–1096.
- [175] G. Q. Luo, "Bandwidth-enhanced low-profile cavity-backed slot antenna by using hybrid SIW cavity modes," *IEEE Transactions on Antennas and Propagation*, 2012, vol. 60, no. 4, p. 1698–1704.
- [176] F. Xu and K. Wu, "Guided-wave and leakage characteristics of substrate integrated waveguide," *IEEE Transactions on Microwave Theory and Techniques*, 2005, vol. 53, no. 1, pp. 66–73.
- [177] B. J. Niu and Y. J. Cao, "Bandwidth-enhanced four-antenna MIMO system based on SIW cavity," *Electronics Letters*, 2020, vol. 56, no. 13, pp. 643–645, DOI: 10.1049/el.2020.0799.
- [178] S. Blanch, J. Romeu, and I. Corbella, "Exact representation of antenna system diversity performance from input parameter description," *Electronics Letters*, 2003, vol. 39, no. 9, pp. 705–707(2), DOI: 10.1049/el:20030495.
- [179] V. Nath and M. Kumar, "A compact flower-shaped printed monopole MIMO antenna for wideband applications," *Radio Science*, 2019, vol. 54, no. 11, pp. 963–974, DOI: 10.1029/2019RS006884.
- [180] Y. Sung, "Closely spaced MIMO antenna based on substrate-integrated waveguide technology," *Microwave and Optical Technology Letters*, 2018, vol. 60, pp. 1794–1798, DOI: 10.1002/mop.31249.

-
- [181] C. X. Mao and Q. X. Chu, "Compact coradiator UWB-MIMO antenna with dual polarization," *IEEE Transactions on Antennas and Propagation*, 2014, vol. 62, no. 9, pp. 4474–4480, DOI: 10.1109/TAP.2014.2333066.
- [182] S. J. Park and S. O. Park, "LHCP and RHCP substrate integrated waveguide antenna arrays for millimeter-wave applications," *IEEE Antennas and Wireless Propagation Letters*, 2017, vol. 16, pp. 601–604, DOI: 10.1109/LAWP.2016.2594081.
- [183] Q. Wu, J. Yin, C. Yu, H. Wang, and W. Hong, "Low-profile millimeter-wave SIW cavity-backed dual-band circularly polarized antenna," *IEEE Transactions on Antennas and Propagation*, 2017, vol. 65, no. 12, pp. 7310–7315, DOI: 10.1109/TAP.2017.2758165.
- [184] H. Chen, Y. Shao, Y. Zhang, C. Zhang, and Z. Zhang, "A millimeter-wave triple-band SIW antenna with dual-sense circular polarization," *IEEE Transactions on Antennas and Propagation*, 2020, vol. 68, no. 12, pp. 8162–8167, DOI: 10.1109/TAP.2020.2996806.
- [185] T. Liang, Z. Wang, and Y. Dong, "A circularly polarized SIW slot antenna based on high-order dual-mode cavity," *IEEE Antennas and Wireless Propagation Letters*, 2020, vol. 19, no. 3, pp. 388–392, DOI: 10.1109/LAWP.2020.2972115.
- [186] K. R. Mahmoud and A. M. Montaser, "Synthesis of multi-polarised upside conical frustum array antenna for 5G mm-Wave base station at 28/38 GHz," *IET Antennas and Propagation*, 2018, vol. 12, no. 9, pp. 1559–1569, DOI: 10.1049/iet-map.2017.1138.

LIST OF PUBLICATIONS

Refereed Journal Papers

- **A. Kumar**, M. Kumar, and A. K. Singh, "Substrate Integrated Waveguide Cavity-Backed Wideband Slot Antenna for 5G Applications," *Radioengineering*, pp. 480-487, 2021, doi: 10.13164/re.2021.0480.
- **A. Kumar**, M. Kumar, and A. K. Singh, "A Dual-band Dual-Sense Circularly Polarized Self-Diplexing SIW Cavity-Backed Antenna with Elliptical Slot for Millimeter-Wave 5G Applications," *International Journal of RF and Microwave Computer Aided Engineering*, (Accepted), 2022, doi: 10.1002/mmce.23297.
- **A. Kumar**, M. Kumar, and A. K. Singh, "On the Behavior of Self-Triplexing SIW Cavity-Backed Antenna With Non-Linear Replicated Hybrid Slot for C and X-Band Applications," *IEEE Access*, pp. 22952-22959, 2022, doi: 10.1109/ACCESS.2022.3154064.
- **A. Kumar**, M. Kumar, and A. K. Singh, "Multiple-Input Multiple-Output Dual-band Dual-Circularly Polarized SIW Cavity-Backed Slot Antenna for Satellite and 5G Systems," *International Journal of Electronics*, pp. 1-14, 2022, doi:10.1080/00207217.2022.2068671.
- **A. Kumar**, and A. K. Singh, "Design of Dual-Band and Low-Profile SIW Cavity-Backed Slot Antenna for 5G Applications," *Journal of Mobile Multimedia*, pp. 1-3, 2021, doi :10.13052/jmm1550-4646.17136.

Refereed Conference Papers

- **A. Kumar**, S. Bhaskar, and A. K. Singh, "SIW Cavity-Backed U-Shaped Slot Antenna for 5G Applications," in *2019 IEEE Asia-Pacific Microwave Conference (APMC)*, 2019, pp. 1485-1487, doi: 10.1109/APMC46564.2019.9038469.

- **A. Kumar**, S. Bhaskar, and A. K. Singh, “A Wideband Dual- Resonance SIW Cavity-Backed Slot Antenna for 5G Applications,” in *2020 URSI Regional Conference on Radio Science (URSI-RCRS)*, 2020, pp. 1-4, doi: 10.23919/URSIR-CRS49211.2020.9113569.
- **A. Kumar**, A. K. Singh, and M. Kumar, “A 28/38 GHz Substrate Integrated Waveguide based Self-Diplexing Slot Antenna for 5G Applications,” in *2021 IEEE 8th Uttar Pradesh Section International Conference on Electrical, Electronics and Computer Engineering (UPCON)*, 2021, pp. 1-5, doi:10.1109/UPCON52273.2021.9667635.
- **A. Kumar**, A. K. Singh, and M. Kumar, “A 28/38 GHz Substrate Integrated Waveguide based Self-Diplexing Slot Antenna for 5G Applications,” in *A 25/28 GHz Modified π -shaped SIW-based Self-Diplexing Antenna with Low Frequency Ratio for 5G Applications*, 2021, pp.1039-1042, doi: 10.1109/InCAP52216.2021.9726443.