

Bibliography

- [1] Bertillonage, "<http://www.nlm.nih.gov/visibleproofs/education/measure/>."
- [2] H. Faulds, "On the skin furrows of the hand," *Nature*, vol. 22, no. 605, 1880.
- [3] F. Galton, "Personal identification and description," *Nature*, vol. 38, 1888.
- [4] W. Herschel, "William herschel," *Nature*, vol. 23, no. 76, 1880.
- [5] F. Galton, *Finger Prints*. London: Macmillan and Co., 1892.
- [6] A. C. O. Bock, "Automatic fingerprint machine.," 1925.
- [7] W. W. Bledsoe, "Man-machine facial recognition: Report on a large-scale experiment.," Tech. Rep. 22, Panoramic Research, Inc., Palo Alto, California, 1966.
- [8] J. Daugman, "Biometric personal identification system based on iris analysis," 1994. US Patent 5,291,560.
- [9] N. G. Altman, "Palmprint identification system," 1971.
- [10] A. K. Jain, A. Ross, and S. Prabhakar, "An introduction to biometric recognition," *IEEE Trans. Cir. and Sys. for Video Technol.*, vol. 14, no. 1, pp. 4–20, 2004.
- [11] NIST, "Summary of nist standards for biometric accuracy, tamper resistance, and interoperability," tech. rep., NIST, November 2002.

- [12] U. I. A. of India, "Multipurpose national identity card."
- [13] A. K. Jain, K. Nandakumar, and A. Nagar, "Biometric template security," *EURASIP J. Adv. Signal Process*, vol. 2008, pp. 113:1–113:17, Jan. 2008.
- [14] C. Rathgeb and A. Uhl, "A survey on biometric cryptosystems and cancelable biometrics.," *EURASIP J. Information Security*, vol. 2011, p. 3, 2011.
- [15] A. Juels and M. Sudan, "A fuzzy vault scheme," in *Information Theory, 2002. Proceedings. 2002 IEEE International Symposium on*, pp. 408–, 2002.
- [16] A. Juels and M. Wattenberg, "A fuzzy commitment scheme," in *Proceedings of the 6th ACM Conference on Computer and Communications Security, CCS '99*, (New York, NY, USA), pp. 28–36, ACM, 1999.
- [17] E. Verbitskiy, P. Tuyls, D. Denteneer, and J. P. Linnartz, "Reliable biometric authentication with privacy protection," in *24th Benelux Symp. on Info. Theory*, pp. 125–132, 2003.
- [18] F. Hao, R. Anderson, and J. Daugman, "Combining crypto with biometrics effectively," *Computers, IEEE Transactions on*, vol. 55, pp. 1081–1088, Sept 2006.
- [19] J. Bringer, H. Chabanne, G. Cohen, B. Kindarji, and G. Zemor, "Optimal iris fuzzy sketches," in *Biometrics: Theory, Applications, and Systems, 2007. BTAS 2007. First IEEE International Conference on*, Sept 2007.
- [20] C. Rathgeb and A. Uhl, "Context-based texture analysis for secure revocable iris-biometric key generation," in *Crime Detection and Prevention (ICDP 2009), 3rd International Conference on*, pp. 1–6, Dec 2009.
- [21] C. Rathgeb and A. Uhl, "Adaptive fuzzy commitment scheme based on iris-code error analysis," in *Visual Information Processing (EUVIP), 2010 2nd European Workshop on*, pp. 41–44, July 2010.

- [22] A. B. J. Teoh and J. Kim, "Secure biometric template protection in fuzzy commitment scheme," *IEICE Electronics Express*, vol. 4, no. 23, pp. 724–730, 2007.
- [23] K. Nandakumar, "A fingerprint cryptosystem based on minutiae phase spectrum," in *Information Forensics and Security (WIFS), 2010 IEEE International Workshop on*, pp. 1–6, Dec 2010.
- [24] M. V. D. Vecn, T. Kevenaar, G. jan Schrijen, T. H. Akkermans, F. Zuo, and P. Holstlaan, "Face biometrics with renewable templates," in *Proceedings of SPIE, Volume 6072: Security, Steganography, and Watermarking of Multimedia Contents VIII, Edward J. Delp III, Ping Wah Wong, Editors, 60720J*, 2006.
- [25] H. Lu, K. Martin, F. Bui, K. Plataniotis, and D. Hatzinakos, "Face recognition with biometric encryption for privacy-enhancing self-exclusion," in *Digital Signal Processing, 2009 16th International Conference on*, pp. 1–8, July 2009.
- [26] E. Maiorana and P. Campisi, "Fuzzy commitment for function based signature template protection," *Signal Processing Letters, IEEE*, vol. 17, pp. 249–252, March 2010.
- [27] G. Zheng, W. Li, and C. Zhan, "Cryptographic key generation from biometric data using lattice mapping," in *ICPR*, pp. 513–516, IEEE Computer Society, 2006.
- [28] T. Ignatenko and F. M. J. Willems, "Information leakage in fuzzy commitment schemes," *Information Forensics and Security, IEEE Transactions on*, vol. 5, pp. 337–348, June 2010.
- [29] K. Simoens, P. Tuyls, and B. Preneel, "Privacy weaknesses in biometric sketches," in *Security and Privacy, 2009 30th IEEE Symposium on*, pp. 188–203, May 2009.

- [30] A. Stoianov, T. Kevenaar, and M. van der Veen, "Security issues of biometric encryption," in *Science and Technology for Humanity (TIC-STH), 2009 IEEE Toronto International Conference*, pp. 34–39, Sept 2009.
- [31] E. J. C. Kelkboom, J. Breebaart, T. A. M. Kevenaar, I. Buhan, and R. N. J. Veldhuis, "Preventing the decodability attack based cross-matching in a fuzzy commitment scheme," *Information Forensics and Security, IEEE Transactions on*, vol. 6, pp. 107–121, March 2011.
- [32] P. Failla, Y. Sutcu, and M. Barni, "esketch: A privacy-preserving fuzzy commitment scheme for authentication using encrypted biometrics," in *Proceedings of the 12th ACM Workshop on Multimedia and Security, MM&Sec '10*, (New York, NY, USA), pp. 241–246, ACM, 2010.
- [33] A. K. Jain, S. C. Dass, and K. Nandakumar, "Soft biometric traits for personal recognition systems.," in *ICBA* (D. Zhang and A. K. Jain, eds.), vol. 3072 of *Lecture Notes in Computer Science*, pp. 731–738, Springer, 2004.
- [34] J. Massey, "Shift-register synthesis and bch decoding," *Information Theory, IEEE Transactions on*, vol. 15, pp. 122–127, Jan 1969.
- [35] V. Guruswami and M. Sudan, "Improved decoding of reed-solomon and algebraic-geometry codes," *Information Theory, IEEE Transactions on*, vol. 45, pp. 1757–1767, Sep 1999.
- [36] T. C. Clancy, "Secure smartcard-based fingerprint authentication," in *ACM Workshop on Biometrics: Methods and Applications*, pp. 45–52, 2003.
- [37] Y. Chung, D. Moon, S. Lee, S. Jung, T. Kim, and D. Ahn, "Automatic alignment of fingerprint features for fuzzy fingerprint vault.," in *CISC* (D. Feng, D. Lin, and M. Yung, eds.), vol. 3822 of *Lecture Notes in Computer Science*, pp. 358–369, Springer, 2005.

- [38] S. Yang and I. Verbauwhede, "Automatic secure fingerprint verification system based on fuzzy vault scheme," in *Acoustics, Speech, and Signal Processing. 2005. Proceedings. (ICASSP '05). IEEE International Conference on*, vol. 5, pp. v/609-v/612 Vol. 5, March 2005.
- [39] J. Jeffers and A. Arakala, "Minutiae-based structures for a fuzzy vault," in *Biometric Consortium Conference, 2006 Biometrics Symposium: Special Session on Research at the*, pp. 1-6, Sept 2006.
- [40] P. Li, X. Yang, K. C. 0001, X. Tao, R. Wang, and J. Tian, "An alignment-free fingerprint cryptosystem based on fuzzy vault scheme.," *J. Network and Computer Applications*, vol. 33, no. 3, pp. 207-220, 2010.
- [41] J. Feng, "Combining minutiae descriptors for fingerprint matching," *Pattern Recognition*, vol. 41, no. 1, pp. 342 - 352, 2008.
- [42] A. Nagar and S. Chaudhury, "Biometrics based asymmetric cryptosystem design using modified fuzzy vault scheme.," in *ICPR (4)*, pp. 537-540, IEEE Computer Society, 2006.
- [43] U. Uludag, S. Pankanti, and A. K. Jain, "Fuzzy vault for fingerprints," in *in Proc. AVBPA, Lecture Notes in Computer Science 3546*, pp. 310-319, Springer, 2005.
- [44] K. Nandakumar, A. Nagar, and A. K. Jain, "Hardening fingerprint fuzzy vault using password," in *Proceedings of the 2007 International Conference on Advances in Biometrics, ICB'07, (Berlin, Heidelberg)*, pp. 927-937, Springer-Verlag, 2007.
- [45] U. Uludag and A. Jain, "Securing fingerprint template: Fuzzy vault with helper data," in *Computer Vision and Pattern Recognition Workshop, 2006. CVPRW '06. Conference on*, pp. 163-163, June 2006.

- [46] S. C. Dass and A. K. Jain, "Fingerprint classification using orientation field flow curves," in *In Proc. Indian Conference on Computer Vision, Graphics and Image Processing*, pp. 650–655, 2004.
- [47] A. Nagar, K. Nandakumar, and A. Jain, "Securing fingerprint template: Fuzzy vault with minutiae descriptors," in *Pattern Recognition, 2008. ICPR 2008. 19th International Conference on*, pp. 1–4, Dec 2008.
- [48] K. Nandakumar, A. Jain, and S. Pankanti, "Fingerprint-based fuzzy vault: Implementation and performance," *Information Forensics and Security, IEEE Transactions on*, vol. 2, pp. 744–757, Dec 2007.
- [49] A. Nagar, K. Nandakumar, and A. K. Jain, "A hybrid biometric cryptosystem for securing fingerprint minutiae templates," *Pattern Recogn. Lett.*, vol. 31, pp. 733–741, June 2010.
- [50] K. Moon, D. Moon, J.-H. Yoo, and H.-S. Cho, "Biometrics information protection using fuzzy vault scheme.," in *SITIS*, pp. 124–128, IEEE, 2012.
- [51] S. Yang and I. Verbauwhede, "Automatic secure fingerprint verification system based on fuzzy vault scheme," in *Acoustics, Speech, and Signal Processing, 2005. Proceedings. (ICASSP '05). IEEE International Conference on*, vol. 5, pp. v/609–v/612 Vol. 5, March 2005.
- [52] J. Merkle, H. Ihmor, U. Korte, M. Niesing, and M. Schwaiger, "Performance of the fuzzy vault for multiple fingerprints (extended version)," *CoRR*, vol. abs/1008.0807, 2010.
- [53] S. Hidano, T. Ohki, N. Komatsu, and M. Kasahara, "On biometric encryption using fingerprint and it's security evaluation," in *Control, Automation, Robotics and Vision, 2008. ICARCV 2008. 10th International Conference on*, pp. 950–956, Dec 2008.

- [54] T. Frassen, X. Zhou, and C. Busch, "Fuzzy vault for 3d face recognition systems," in *Intelligent Information Hiding and Multimedia Signal Processing, 2008. IHHMSP '08 International Conference on*, pp. 1069–1074, Aug 2008.
- [55] Y. Wang and K. N. Plataniotis, "Fuzzy vault for face based cryptographic key generation," in *in Proc. Biometrics Symposium 2007*, 2007.
- [56] Y.-J. Chang, W. Zhang, and T. Chen, "Biometrics-based cryptographic key generation," in *Multimedia and Expo, 2004. ICME '04. 2004 IEEE International Conference on*, vol. 3, pp. 2203–2206 Vol.3, June 2004.
- [57] L. Wu and S. Yuan, "A face based fuzzy vault scheme for secure online authentication," in *Data, Privacy and E-Commerce (ISDPE), 2010 Second International Symposium on*, pp. 45–49, Sept 2010.
- [58] L. Wu, P. Xiao, S. Yuan, S. Jiang, and C. W. Chen, "A fuzzy vault scheme for ordered biometrics.," *JCM*, vol. 6, no. 9, pp. 682–690, 2011.
- [59] A.-Y. Kim and S.-H. Lee, "Authentication protocol using fuzzy eigenface vault based on moc," in *Advanced Communication Technology, The 9th International Conference on*, vol. 3, pp. 1771–1775, Feb 2007.
- [60] Y. C. Feng and P. Yuen, "Protecting face biometric data on smartcard with reed-solomon code," in *Computer Vision and Pattern Recognition Workshop, 2006. CVPRW '06. Conference on*, pp. 29–29, June 2006.
- [61] V. Joshi and P. Sanghavi, "Three tier data storage security in cloud using face fuzzy vault," in *Computing, Communication and Applications (ICCCA), 2012 International Conference on*, pp. 1–6, Feb 2012.
- [62] Y. J. Lee, K. R. Park, S. J. Lee, K. Bae, and J. Kim, "A new method for generating an invariant iris private key based on the fuzzy vault system," *Trans. Sys. Man Cyber. Part B*, vol. 38, pp. 1302–1313, Oct. 2008.

- [63] Y. J. Lee, K. Bac, S. J. Lee, K. R. Park, and J. Kim, "Biometric key binding: Fuzzy vault based on iris images," in *Proceedings of the 2007 International Conference on Advances in Biometrics*, ICB'07, (Berlin, Heidelberg), pp. 800–808, Springer-Verlag, 2007.
- [64] M. Fouad, A. El-Saddik, J. Zhao, and E. Petriu, "A fuzzy vault implementation for securing revocable iris templates," in *Systems Conference (SysCon), 2011 IEEE International*, pp. 491–494, April 2011.
- [65] S. Kanade, D. Camara, E. Krichen, D. Petrovska-Delacretaz, and B. Dorizzi, "Three factor scheme for biometric-based cryptographic key regeneration using iris," in *Biometrics Symposium, 2008. BSYM '08*, pp. 59–64, Sept 2008.
- [66] X. Wu, N. Qi, K. Wang, and D. Zhang, "A novel cryptosystem based on iris key generation," in *Proceedings of the 2008 Fourth International Conference on Natural Computation - Volume 04*, ICNC '08, (Washington, DC, USA), pp. 53–56, IEEE Computer Society, 2008.
- [67] X. Wu, N. Qi, K. Wang, and D. Zhang, "An iris cryptosystem for information security," in *Intelligent Information Hiding and Multimedia Signal Processing, 2008. IHHMSP '08 International Conference on*, pp. 1533–1536, Aug 2008.
- [68] E. Reddy and I. Ramesh Babu, "Performance of iris based hard fuzzy vault," in *Computer and Information Technology Workshops, 2008. CIT Workshops 2008. IEEE 8th International Conference on*, pp. 248–253, July 2008.
- [69] V. S. Meenakshi and G. Padmavathi, "Securing iris templates using combined user and soft biometric based password hardened fuzzy vault," *CoRR*, vol. abs/1003.1449, 2010.
- [70] V. S. Meenakshi and G. Padmavathi, "Security analysis of hardened retina based fuzzy vault," in *Advances in Recent Technologies in Communication and Computing, 2009. International Conference on*, pp. 926–930, Oct 2009.

- [71] C. Vielhauer, R. Steinmetz, and A. Mayerhofer, "Evaluating biometric encryption key generation," in *International Conference on Pattern Recognition*, pp. 123–126, 2002.
- [72] C. Vielhauer, R. Steinmetz, and A. Mayerhofer, "Biometric hash based on statistical features of online signatures," in *Pattern Recognition, 2002. Proceedings. 16th International Conference on*, vol. 1, pp. 123–126 vol.1, 2002.
- [73] M. Freire-Santos, J. Fierrez-Aguilar, and J. Ortega-Garcia, "Cryptographic key generation using handwritten signature," in *Biometric Technology for Human Identification III*, SPIE, International Society for Optical Engineering, Bellingham WA, WA 98227-0010, United States, Apr. 2006.
- [74] A. Kholmatov and B. Yanikoglu, "Biometric cryptosystem using online signatures," in *Computer and Information Sciences ISCIS 2006*, pp. 981–990, 2006.
- [75] G. S. Eskander, R. Sabourin, and E. Granger, "A bio-cryptographic system based on offline signature images," *Information Sciences*, vol. 259, no. 0, pp. 170 – 191, 2014.
- [76] G. Eskander, R. Sabourin, and E. Granger, "Improving signature-based biometric cryptosystems using cascaded signature verification-fuzzy vault (sv-fv) approach," in *Frontiers in Handwriting Recognition (ICFHR), 2014 14th International Conference on*, pp. 187–192, Sept 2014.
- [77] G. S. Eskander, R. Sabourin, and E. Granger, "A dissimilarity-based approach for biometric fuzzy vaults-application to handwritten signature images.," in *ICIAP Workshops* (A. Petrosino, L. Maddalena, and P. Pala, eds.), vol. 8158 of *Lecture Notes in Computer Science*, pp. 95–102, Springer, 2013.
- [78] G. Eskander, R. Sabourin, and E. Granger, "Signature based fuzzy vaults with boosted feature selection," in *Computational Intelligence in Biometrics*

- and Identity Management (CIBIM), 2011 IEEE Workshop on*, pp. 131–138, April 2011.
- [79] G. S. Eskander, R. Sabourin, and E. Granger, “Offline signature-based fuzzy vault (OSFV: review and new results,” *CoRR*, vol. abs/1408.3985, 2014.
- [80] X. Zhang, R. Shi, and J. Ritcey, “On the implementation of modified fuzzy vault for biometric encryption,” in *Information Theory and Applications Workshop (ITA), 2012*, pp. 56–61, Feb 2012.
- [81] H. T. Poon and A. Miri, “On efficient decoding for the fuzzy vault scheme,” in *Information Science, Signal Processing and their Applications (ISSPA), 2012 11th International Conference on*, pp. 454–459, July 2012.
- [82] K. Marshall, J. Rosenthal, D. Schipani, and A. Trautmann, “Subspace fuzzy vault,” *CoRR*, vol. abs/1210.7190, 2012.
- [83] Y. Dodis, L. Reyzin, and A. Smith, “Fuzzy extractors: How to generate strong keys from biometrics and other noisy data,” in *Advances in Cryptology - EUROCRYPT 2004* (C. Cachin and J. Camenisch, eds.), vol. 3027 of *Lecture Notes in Computer Science*, pp. 523–540, Springer Berlin Heidelberg, 2004.
- [84] J. Merkle, M. Niesing, M. Schwaiger, H. Ihmor, and U. Korte, “Security capacity of the fuzzy fingerprint vault,” *International Journal on Advances in Security*, vol. 3, no. 3, 2010.
- [85] W. Scheirer and T. Boulton, “Cracking fuzzy vaults and biometric encryption,” in *Biometrics Symposium, 2007*, pp. 1–6, Sept 2007.
- [86] E.-C. Chang, R. Shen, and F. W. Teo, “Finding the original point set hidden among chaff,” in *Proceedings of the 2006 ACM Symposium on Information, Computer and Communications Security, ASIACCS '06*, (New York, NY, USA), pp. 182–188, ACM, 2006.

- [87] A. Kholmatov and B. Yanikoglu, "Realization of correlation attack against the fuzzy vault scheme," in *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series*, vol. 6819 of *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series*, March 2008.
- [88] P. Mihailescu. "The fuzzy vault for fingerprints is vulnerable to brute force attack." *CoRR*. vol. abs/0708.2974, 2007.
- [89] H. T. Poon and A. Miri, "A collusion attack on the fuzzy vault scheme," *ISeCure. The ISC International Journal of Information Security*, vol. 1, no. 1, pp. 27–34. 2009.
- [90] W.-Y. Choi, S. B. Pan, J.-M. Kim, Y. Chung, and D.-W. Hong, "Fast polynomial reconstruction attack against fuzzy fingerprint vault," in *Information Science and Service Science (NISS), 2011 5th International Conference on New Trends in*, vol. 2, pp. 299–302, Oct 2011.
- [91] S. Hong, W. Jeon, S. Kim, D. Won, and C. Park, "The vulnerabilities analysis of fuzzy vault using password," in *Future Generation Communication and Networking, 2008. FGCN '08. Second International Conference on*, vol. 3, pp. 76–83. Dec 2008.
- [92] M. Blanton and M. Aliasgari, "Analysis of reusability of secure sketches and fuzzy extractors.," *IEEE Transactions on Information Forensics and Security*. vol. 8, no. 9, pp. 1433–1445, 2013.
- [93] J. Merkle and B. Tams, "Security of the improved fuzzy vault scheme in the presence of record multiplicity (full version).," *CoRR*, vol. abs/1312.5225, 2013.
- [94] N. K. Ratha, J. H. Connell, and R. M. Bolle, "Enhancing security and privacy in biometrics-based authentication systems," *IBM Syst. J.*, vol. 40, pp. 614–634, Mar. 2001.

- [95] V. M. Patel, N. K. Ratha, and R. Chellappa, "Cancelable biometrics - a review," *IEEE Signal Processing Magazine*, vol. 32, pp. 54–65, Sept 2015.
- [96] A. T. B. Jin, D. N. C. Ling, and A. Goh, "Biohashing - two factor authentication featuring fingerprint data and tokenised random number," *Pattern Recognition*, vol. 37, no. 11, pp. 2245–2255, 2004.
- [97] A. B. J. Teoh, Y. W. Kuan, and S. Lee, "Cancellable biometrics and annotations on biohash," *Pattern Recogn.*, vol. 41, pp. 2034–2044, June 2008.
- [98] Y. Lee, Y. Chung, and K. Moon, "Inverse operation and preimage attack on biohashing," in *Computational Intelligence in Biometrics: Theory, Algorithms, and Applications, 2009. CIB 2009. IEEE Workshop on*, pp. 92–97, March 2009.
- [99] L. Nanni and A. Lumini, "Local binary patterns for a hybrid fingerprint matcher," *Pattern Recogn.*, vol. 41, pp. 3461–3466, Nov. 2008.
- [100] N. K. Ratha, S. Chikkerur, J. H. Connell, and R. M. Bolle, "Generating cancelable fingerprint templates," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 29, pp. 561–572, Apr. 2007.
- [101] F. Quan, S. Fei, C. Anni, and Z. Feifei, "Cracking cancelable fingerprint template of ratha," in *Computer Science and Computational Technology, 2008. ISCSCT '08. International Symposium on*, vol. 2, pp. 572–575, Dec 2008.
- [102] B. Yang, D. Hartung, K. Simoens, and C. Busch, "Dynamic random projection for biometric template protection," in *Biometrics: Theory Applications and Systems (BTAS), 2010 Fourth IEEE International Conference on*, pp. 1–7, Sept 2010.
- [103] R. Ang, R. Safavi-Naini, and L. McAven, "Cancelable key-based fingerprint templates," in *Proceedings of the 10th Australasian Conference on Information Security and Privacy, ACISP'05. (Berlin, Heidelberg)*, pp. 242–252, Springer-Verlag, 2005.

- [104] P. Das, K. Karthik, and B. Chandra Garai, "A robust alignment-free fingerprint hashing algorithm based on minimum distance graphs," *Pattern Recogn.*, vol. 45, pp. 3373–3388, Sept. 2012.
- [105] S. Wang and J. Hu, "Design of alignment-free cancelable fingerprint templates via curtailed circular convolution," *Pattern Recogn.*, vol. 47, pp. 1321–1329, Mar. 2014.
- [106] C. Lee, J.-Y. Choi, K.-A. Toh, and S. Lee, "Alignment-free cancelable fingerprint templates based on local minutiae information.," *IEEE Transactions on Systems, Man, and Cybernetics, Part B*, vol. 37, no. 4, pp. 980–992, 2007.
- [107] S. Tulyakov, F. Farooq, P. Mansukhani, and V. Govindaraju, "Symmetric hash functions for secure fingerprint biometric systems," *Pattern Recogn. Lett.*, vol. 28, pp. 2427–2436, Dec. 2007.
- [108] F. Farooq, R. M. Bolle, T. Y. Jea, and N. Ratha, "Anonymous and revocable fingerprint recognition," in *2007 IEEE Conference on Computer Vision and Pattern Recognition*, pp. 1–7, June 2007.
- [109] C. Lee and J. Kim, "Cancelable fingerprint templates using minutiae-based bit-strings," *Journal of Network and Computer Applications*, vol. 33, no. 3, pp. 236 – 246, 2010. Recent Advances and Future Directions in Biometrics Personal Identification.
- [110] Z. Jin, A. B. Jin Teoh, T. S. Ong, and C. Tee, "Fingerprint template protection with minutiae-based bit-string for security and privacy preserving," *Expert Syst. Appl.*, vol. 39, pp. 6157–6167, May 2012.
- [111] S. Wang and J. Hu, "Alignment-free cancelable fingerprint template design: A densely infinite-to-one mapping (ditom) approach," *Pattern Recogn.*, vol. 45, pp. 4129–4137, Dec. 2012.

- [112] M. V. Prasad and C. S. Kumar, "Fingerprint template protection using multiline neighboring relation," *Expert Systems with Applications*, vol. 41, no. 14, pp. 6114 – 6122, 2014.
- [113] W. Yang, J. Hu, S. Wang, and M. Stojmenovic, "An alignment-free fingerprint bio-cryptosystem based on modified voronoi neighbor structures," *Pattern Recogn.*, vol. 47, pp. 1309–1320, Mar. 2014.
- [114] M. Sandhya, M. V. Prasad, and R. R. Chillarige, "Generating cancellable fingerprint templates based on delaunay triangle feature set construction," *IET Biometrics*, vol. 5, pp. 131–139(8), June 2016.
- [115] Z. Jin, M.-H. Lim, A. B. J. Teoh, and B.-M. Goi, "A non-invertible randomized graph-based hamming embedding for generating cancelable fingerprint template," *Pattern Recognition Letters*, vol. 42, pp. 137 – 147, 2014.
- [116] T. Ahmad, J. Hu, and S. Wang, "Pair-polar coordinate-based cancelable fingerprint templates," *Pattern Recogn.*, vol. 44, pp. 2555–2564, Oct. 2011.
- [117] J. Hammerle, E. Pschernig, and A. Uhl, "Cancelable iris biometrics using block re-mapping and image warping," in *Proceedings of the 12th International Conference on Information Security, ISC '09*, (Berlin, Heidelberg), pp. 135–142, Springer-Verlag, 2009.
- [118] J. K. Pillai, V. M. Patel, R. Chellappa, and N. K. Ratha, "Sectorized random projections for cancelable iris biometrics.," in *ICASSP*, pp. 1838–1841, 2010.
- [119] W. B. Johnson and J. Lindenstrauss, "Extensions of lipschitz mappings into a hilbert space," *Contemporary mathematics*, vol. 26, no. 189-206, pp. 1–1, 1984.
- [120] J. K. Pillai, V. M. Patel, R. Chellappa, and N. K. Ratha, "Secure and robust iris recognition using random projections and sparse representations," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 33, pp. 1877–1893, Sept. 2011.

- [121] J. Zuo, N. K. Ratha, and J. H. Connell, "Cancelable iris biometric," in *Pattern Recognition. 2008. ICPR 2008. 19th International Conference on*, pp. 1–4, IEEE, 2008.
- [122] C. Rathgeb, F. Breiting, and C. Busch, "Alignment-free cancelable iris biometric templates based on adaptive bloom filters," in *2013 International Conference on Biometrics (ICB)*, pp. 1–8, June 2013.
- [123] B. H. Bloom, "Space/time trade-offs in hash coding with allowable errors," *Commun. ACM*, vol. 13, pp. 422–426, July 1970.
- [124] C. Rathgeb and C. Busch, "Cancelable multi-biometrics: Mixing iris-codes based on adaptive bloom filters," *Computers & Security*, vol. 42, pp. 1 – 12, 2014.
- [125] C. Rathgeb, M. Gomez-Barrero, C. Busch, J. Galbally, and J. Fierrez, "Towards cancelable multi-biometrics based on bloom filters: a case study on feature level fusion of face and iris," in *Biometrics and Forensics (IWBF), 2015 International Workshop on*, pp. 1–6, March 2015.
- [126] W. J. Herschel, *The Origin of Finger-Printing*. Humphrey Milford, Oxford University Press, 1916.
- [127] D. Maltoni, D. Maio, A. K. Jain, and S. Prabhakar, *Handbook of Fingerprint Recognition*. Springer Publishing Company, Incorporated, 2nd ed., 2009.
- [128] C. Soutar, "Biometric system performance and security," in *Auto ID*, (New Jersey). 1999.
- [129] C. Hill, "Risk of masquerade arising from the storage of biometrics," Master's thesis, Australian National University, 2001.
- [130] A. Ross, J. Shah, and A. K. Jain, "From template to image: Reconstructing fingerprints from minutiae points," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 29, pp. 544–560, April 2007.

- [131] D. Maio, A. Lumini, R. Cappelli, and D. Maltoni, "Fingerprint image reconstruction from standard templates," *IEEE Transactions on Pattern Analysis & Machine Intelligence*, vol. 29, no. undefined, pp. 1489–1503, 2007.
- [132] J. Feng and A. K. Jain, "Fingerprint reconstruction: From minutiae to phase," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 33, pp. 209–223, Feb. 2011.
- [133] U. Uludag and A. Jain, *Attacks on biometric systems: A case study in fingerprints*, vol. 5306, pp. 622–633. 2004.
- [134] M. Martinez-Diaz, J. Fierrez, J. Galbally, and J. Ortega-Garcia, "An evaluation of indirect attacks and countermeasures in fingerprint verification systems," *Pattern Recognition Letters*, vol. 32, no. 12, pp. 1643 – 1651, 2011.
- [135] "Information technology – biometric data interchange formats – part 2: Finger minutiae data," 2006.
- [136] B. Tams, "Absolute fingerprint pre-alignment in minutiae-based cryptosystems," in *BIOSIG* (A. Bromme and C. Busch, eds.), vol. 212 of *LNI*, pp. 75–86, GI, 2013.
- [137] S. Huckemann, T. Hotz, and A. Munk, "Global models for the orientation field of fingerprints: An approach based on quadratic differentials," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 30, pp. 1507–1519, Sept. 2008.
- [138] N. institute of standards and technology Institute of standards and technology, "Fips 180-2, secure hash standard, federal information processing standard (fips), publication 180-2," tech. rep., DEPARTMENT OF COMMERCE, Aug. 2002.
- [139] R. C. Merkle, *Secrecy, Authentication, and Public Key Systems*. PhD thesis, Stanford, CA, USA, 1979. AAI8001972.

- [140] H. Dobbertin, A. Bosselaers, and B. Preneel, "Ripemd-160: A strengthened version of ripemd." in *FSE* (D. Gollmann, ed.), vol. 1039 of *LNCS*, pp. 71–82, Springer, 1996.
- [141] P. S. L. M. Barreto, V. Rijmen, S. T. S. A, and C. Nv, "The whirlpool hashing function," in *First open NESSIE Workshop*, 2000.
- [142] D. Khovratovich, C. Rechberger, and A. Savelieva, *Bicliques for Preimages: Attacks on Skein-512 and the SHA-2 Family*, ch. Fast Software Encryption: 19th International Workshop, FSE 2012, Washington, DC, USA, March 19–21, 2012. Revised Selected Papers, pp. 244–263. Berlin, Heidelberg: Springer Berlin Heidelberg, 2012.
- [143] M. Lamberger and F. Mendel, "Higher-order differential attack on reduced SHA-256." *IACR Cryptology ePrint Archive*, vol. 2011, p. 37, 2011.
- [144] D. Maio, D. Maltoni, R. Cappelli, J. L. Wayman, and A. K. Jain, "Fvc2002: Second fingerprint verification competition," in *Pattern recognition, 2002. Proceedings. 16th international conference on*, vol. 3, pp. 811–814, IEEE, 2002.
- [145] D. Maio, D. Maltoni, R. Cappelli, J. L. Wayman, and A. K. Jain, "Fvc2004: third fingerprint verification competition," in *Biometric Authentication*, pp. 1–7, Springer Berlin Heidelberg, 2004.
- [146] K. W. Bowyer, K. Hollingsworth, and P. J. Flynn, "Image understanding for iris biometrics: A survey," *Comput. Vis. Image Underst.*, vol. 110, pp. 281–307, May 2008.
- [147] S. Venugopalan and M. Savvides, "How to generate spoofed irises from an iris code template," *IEEE Trans Inf Forensics Secur.*, vol. 6, no. 2, pp. 385–95, 2011.
- [148] J. Daugman, "How iris recognition works?," in *IEEE Transaction on Circuits and Systems for Video Technology*, vol. 14, pp. 21–30, 2004.

- [149] J. Hermans, B. Mennink, and R. Pecters, "When a bloom filter is a doom filter: Security assessment of a novel iris biometric template protection system," in *Biometrics Special Interest Group (BIOSIG), 2014 International Conference of the*, pp. 1–6, Sept 2014.
- [150] J. Bringer, C. Morel, and C. Rathgeb, "Security analysis of bloom filter-based iris biometric template protection," in *2015 International Conference on Biometrics (ICB)*, pp. 527–534, May 2015.
- [151] A. Uhl and P. Wild, "Weighted adaptive hough and ellipsopolar transforms for real-time iris segmentation," in *2012 5th IAPR International Conference on Biometrics (ICB)*, pp. 283–290, March 2012.
- [152] L. Masek, "Recognition of human iris patterns for biometric identification," Master's thesis, University of Western Australia, 2003.
- [153] L. Ma, T. Tan, Y. Wang, and D. Zhang, "Efficient iris recognition by characterizing key local variations," *IEEE Transactions on Image Processing*, vol. 13, pp. 739–750, June 2004.
- [154] G. Givens, J. R. Beveridge, B. Draper, and D. Bolme, "A statistical assessment of subject factors in the pca recognition of human faces," in *Computer Vision and Pattern Recognition Workshop, 2003. CVPRW '03. Conference on*, vol. 8, pp. 96–96, June 2003.
- [155] A. Dantcheva, C. Velardo, A. D'Angelo, and J.-L. Dugelay, "Bag of soft biometrics for person identification," *Multimedia Tools and Applications*, vol. 51, no. 2, pp. 739–777, 2010.
- [156] A. K. Jain, S. C. Dass, and K. Nandakumar, "Can soft biometric traits assist user recognition?," in *Proceedings of SPIE*, vol. 5404, pp. 561–572, 2004.

- [157] A. K. Jain, K. Nandakumar, X. Lu, and U. Park, "Integrating faces, fingerprints, and soft biometric traits for user recognition," in *Biometric Authentication* (D. Maltoni and A. Jain, eds.), vol. 3087 of *Lecture Notes in Computer Science*, pp. 259–269, Springer Berlin Heidelberg, 2004.
- [158] S. K. Singh, S. Tiwari, and A. Singh, "Fusion of ear and soft-biometrics for recognition of newborn," *Signal and Image Processing - An International Journal (SIPIJ)*, vol. 3, June 2012.
- [159] H. Ailisto, E. Vildjiounaite, M. Lindholm, S.-M. Mäkelä, and J. Peltola, "Soft biometrics-combining body weight and fat measurements with fingerprint biometrics," *Pattern Recogn. Lett.*, vol. 27, pp. 325–334, Apr. 2006.
- [160] G. L. Marcialis, F. Roli, and D. Muntoni, "Group-specific face verification using soft biometrics," *Journal of Visual Languages & Computing*, vol. 20, no. 2, pp. 101–109, 2009.
- [161] D. Vaquero, R. Feris, D. Tran, L. Brown, A. Hampapur, and M. Turk, "Attribute-based people search in surveillance environments," in *Applications of Computer Vision (WACV), 2009 Workshop on*, pp. 1–8, Dec 2009.
- [162] Y. Fu, G. Guo, and T. S. Huang, *Soft Biometrics for Video Surveillance*, ch. 15, pp. 407–431. CRC Press, 2009.
- [163] O. A. Arigbabu, S. M. S. Ahmad, W. A. W. Adnan, S. Yussof, V. Iranmanesh, and F. L. Malallah, "Estimating body related soft biometric traits in video frames," *The Scientific World Journal*, no. 460973, 2014.
- [164] J. Zhu, S. Liao, D. Yi, Z. Lei, and S. Li, "Multi-label cnn based pedestrian attribute learning for soft biometrics," in *Biometrics (ICB), 2015 International Conference on*, pp. 535–540, May 2015.
- [165] H. Zhang, J. R. Beveridge, B. A. Draper, and P. J. Phillips, "On the effectiveness of soft biometrics for increasing face verification rates," *Comput. Vis. Image Underst.*, vol. 137, pp. 50–62, Aug. 2015.

- [166] W. Zhao, R. Chellappa, P. J. Phillips, and A. Rosenfeld, "Face recognition: A literature survey," *ACM Comput. Surv.*, vol. 35, pp. 399–458, Dec. 2003.
- [167] P. Tome, J. Fierrez, R. Vera-Rodriguez, and M. Nixon, "Soft biometrics and their application in person recognition at a distance," *Information Forensics and Security, IEEE Transactions on*, vol. 9, pp. 464–475, March 2014.
- [168] S. Samangooei and M. S. Nixon, "Performing content-based retrieval of humans using gait biometrics," *Multimedia Tools Appl.*, vol. 49, pp. 195–212, Aug. 2010.
- [169] S. Samangooei, B. Guo, and M. Nixon, "The use of semantic human description as a soft biometric," in *Biometrics: Theory, Applications and Systems, 2008. BTAS 2008. 2nd IEEE International Conference on*, pp. 1–7, Sept 2008.
- [170] D. A. Reid and M. S. Nixon, "Imputing human descriptions in semantic biometrics," in *Proceedings of the 2Nd ACM Workshop on Multimedia in Forensics, Security and Intelligence. MiFor '10*, (New York, NY, USA), pp. 25–30, ACM, 2010.
- [171] S. Denman, A. Bialkowski, C. Fookes, and S. Sridharan, "Determining operational measures from multi-camera surveillance systems using soft biometrics," in *Advanced Video and Signal-Based Surveillance (AVSS). 2011 8th IEEE International Conference on*, pp. 462–467, Aug 2011.
- [172] K. Niinuma, U. Park, and A. Jain, "Soft biometric traits for continuous user authentication," *Information Forensics and Security, IEEE Transactions on*, vol. 5, pp. 771–780, Dec 2010.
- [173] D. Adjeroh, D. Cao, M. Piccirilli, and A. Ross, "Predictability and correlation in human metrology," in *Information Forensics and Security (WIFS). 2010 IEEE International Workshop on*, pp. 1–6, Dec 2010.

- [174] S. Idrus, S. Zulkarnain, E. Cherrier, C. Rosenberger, and P. Bours, "Soft biometrics for keystroke dynamics: Profiling individuals while typing passwords," *Comput. Secur.*, vol. 45, pp. 147–155, Sept. 2014.
- [175] A. Dantcheva, J. Dugelay, and P. Elia, "Soft biometrics systems: Reliability and asymptotic bounds," in *Biometrics: Theory Applications and Systems (BTAS), 2010 Fourth IEEE International Conference on*, pp. 1–6, Sept 2010.
- [176] A. Dantcheva, P. Elia, and A. Ross, "What else does your biometric data reveal? a survey on soft biometrics," *Information Forensics and Security, IEEE Transactions on*, vol. PP, no. 99, pp. 1–1, 2015.
- [177] T. Dalenius, "Towards a methodology for statistical disclosure control," *Statistik Tidskrift*, vol. 15, no. 429-444, pp. 2–1, 1977.
- [178] D. Rebollo-Monedero, J. Forne, and J. Domingo-Ferrer, "From t-closeness-like privacy to postrandomization via information theory," *IEEE Transactions on Knowledge and Data Engineering*, vol. 22, pp. 1623–1636, Nov 2010.
- [179] L. Sankar, S. R. Rajagopalan, and H. V. Poor, "Utility-privacy tradeoffs in databases: An information-theoretic approach," *IEEE Transactions on Information Forensics and Security*, vol. 8, pp. 838–852, June 2013.
- [180] C. Dwork, "Differential privacy," in *Proceedings of the 33rd International Conference on Automata, Languages and Programming - Volume Part II, ICALP'06*. (Berlin, Heidelberg), pp. 1–12, Springer-Verlag, 2006.
- [181] B. C. M. Fung, K. Wang, R. Chen, and P. S. Yu, "Privacy-preserving data publishing: A survey of recent developments," *ACM Comput. Surv.*, vol. 42, pp. 14:1–14:53, June 2010.
- [182] D. M. Carlisle, M. L. Rodrian, and C. L. Diamond, "California inpatient data reporting manual. medical information reporting for california (5th ed)," tech. rep., Office of Statewide Health Planning and Development, 2007.

- [183] C. Blake and C. Merz, "Uci repository of machine learning databases," tech. rep., UCI, 1998.
- [184] L. Sweeney, "Statement before the privacy and integrity advisory committee of the department of homeland security," tech. rep., Department of Homeland Security, June 2005.
- [185] I. H. C. C. Council, "Data release overview. springfield: State of illinois health care cost containment council," tech. rep., 1998.
- [186] Agency, "Healthcare cost and utilization project: Central distributor," tech. rep., Agency for Healthcare Research and Quality, April 2000.
- [187] U. Bureau, "U.s. census data 1990, database c90stf3b," tech. rep., 1990.
- [188] R. Larissa and B. Huber, "Validity of self-reported height and weight in women of reproductive age," *Maternal and Child Health Journal*, vol. 11, pp. 137–144, March 2007.
- [189] C. Fryar, Q. Gu, and C. Ogden, "Anthropometric reference data for children and adults: United states, 2007- 2010," *Vital Health Stat 11*, vol. 252, pp. 1–48. Oct 2012.
- [190] D. Morris, S. Schubert, D. Ngo, D. Rubado, and J. Douglas, "Using state-issued identification cards for obesity tracking," *Obes Res Clin Pract.*, vol. 9, pp. 87–91, Jan 2015.
- [191] G. Casella and R. L. Berger, *Statistical Inference*. Ccngage Learning, 2nd ed., June 2001.
- [192] C. Dwork, F. McSherry, K. Nissim, and A. Smith, "Calibrating noise to sensitivity in private data analysis," in *Proceedings of the Third Conference on Theory of Cryptography, TCC'06*, (Berlin, Heidelberg), pp. 265–284, Springer-Verlag, 2006.

- [193] C. Dwork, "Differential privacy: A survey of results," in *Proceedings of the 5th International Conference on Theory and Applications of Models of Computation*, TAMC'08. (Berlin, Heidelberg), pp. 1–19, Springer-Verlag, 2008.
- [194] R. Sarathy and K. Muralidhar, "Evaluating laplace noise addition to satisfy differential privacy for numeric data," *Trans. Data Privacy*, vol. 4, pp. 1–17, Apr. 2011.
- [195] K. Muralidhar and R. Sarathy, "Does differential privacy protect terry gross' privacy?," in *Proceedings of the 2010 International Conference on Privacy in Statistical Databases*. PSD'10, (Berlin, Heidelberg), pp. 200–209, Springer-Verlag, 2010.
- [196] S. R. Ganta, S. P. Kasiviswanathan, and A. Smith, "Composition attacks and auxiliary information in data privacy," in *Proceedings of the 14th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, KDD '08. (New York, NY, USA), pp. 265–273, ACM, 2008.
- [197] F. D. McSherry, "Privacy integrated queries: An extensible platform for privacy-preserving data analysis," in *Proceedings of the 2009 ACM SIGMOD International Conference on Management of Data*, SIGMOD '09, (New York, NY, USA), pp. 19–30, ACM, 2009.
- [198] A. Martinez and R. Benavente, "The ar face database," Tech. Rep. 24, CVC Technical Report, June 1998.
- [199] R. O. Duda, P. E. Hart, and D. G. Stork, *Pattern Classification, 2nd Edition*. John Wiley & Sons, November 2000.
- [200] L. Chen, Y. Xiang, Y. Chen, and X. Zhang, "Retinal image registration using bifurcation structures," in *ICIP* (B. Macq and P. Schelkens, eds.), pp. 2169–2172, IEEE, 2011.
- [201] A. B. Huang, *Hacking the Xbox: An Introduction to Reverse Engineering*. San Francisco, CA, USA: No Starch Press, 2003.

- [202] C. W. News, "Schiphol backs eye scan security," 2002.
- [203] U. Park and A. Jain, "Face matching and retrieval using soft biometrics," *Information Forensics and Security, IEEE Transactions on*, vol. 5, pp. 406-415, Sept 2010.

