

References

1. Deshpande, J.U., The effect of mechanical mold vibration on the characteristics of Aluminum alloys, Worcester Polytechnic Institute, Master of Science, Worcester, Massachusetts, United States, 2006.
2. Anderson, K., Kaufman, J.G., and Weritz, J., ASM Handbook: Volume 2B Properties and Selection of Aluminum Alloys, ASM International Materials Park, OH, United States, 2019.
3. Jiang, W., Chen X., Wang, B., Fan, Z., and Wu, H., Effects of vibration frequency on microstructure, mechanical properties, and fracture behavior of A356 aluminum alloy obtained by expendable pattern shell casting. *The International Journal of Advanced Manufacturing Technology*, 2016. **83**(1): p. 167-175.
4. Kund, N., Effect of tilted plate vibration on solidification and microstructural and mechanical properties of semisolid cast and heat-treated A356 Al alloy. *The International Journal of Advanced Manufacturing Technology*, 2018. **97**(5): p. 1617-1626.
5. Abu-Dheir, N., Khraisheh, M., Saito, K., and Male, A., Silicon morphology modification in the eutectic Al–Si alloy using mechanical mold vibration. *Materials Science and Engineering: A*, 2005. **393**(1-2): p. 109-117.
6. Kocatepe, K., Effect of low frequency vibration on porosity of LM25 and LM6 alloys. *Materials & design*, 2007. **28**(6): p. 1767-1775.
7. Andresen, W., *Die Cast Engineering: A Hydraulic, Thermal, and Mechanical Process* (Book), CRC Press, Boca Raton, Florida, United States, 2004.
8. Campbell, J., Effects of vibration during solidification. *International Metals Reviews*, 1981. **26**(1): p. 71-108.

9. Feurer, U., Wunderlin, R., and Kurz, W., Fundamentals of solidification. Trans. Tech. Publications Ltd., Aedermannsdorf, Switzerland, 1986.
10. Callister, Jr, Rethwisch, W.D. and D.G., Fundamentals of materials science and engineering, an integrated approach. John Wiley & Sons, 2020.
11. Davis, J.R., ASM Speciality Handbook, Aluminum and aluminum alloys, ASM international, Metal Park, Ohio, United States, 1993.
12. Guo, H.M., Zhang, A.S., Yang, X.J., Yan, M.M., and Ding, Y., Microstructure formation and mechanical properties of AZ31 magnesium alloy solidified with a novel mechanical vibration technique. Metallurgical and Materials Transactions A, 2014. **45**(1): p. 438-446.
13. Mohammed, M.N., Omar, M.Z., Salleh, M.S., Alhawari, K.S., and Kapranos, P. Semisolid metal processing techniques for nondendritic feedstock production. The Scientific World Journal, July, 2013.
14. Wu, S., Xie, L., Zhao, J., and Nakae, H., Formation of non-dendritic microstructure of semi-solid aluminum alloy under vibration. Scripta Materialia, 2008. **58**(7): p. 556-559.
15. Zamani, M., Al-Si Cast alloys-microstructure and mechanical properties at ambient and elevated temperatures, Doctoral dissertation, Jönköping University, School of Engineering. Sweden. 2017.
16. Chaturvedi, V. and T. Talapaneni, Effect of mechanical vibration and grain refiner on microstructure and mechanical properties of AZ91Mg alloy during solidification. Journal of Materials Engineering and Performance, 2021. **30**(5): p. 3187-3202.
17. Fredriksson, H. and Akerlind, U., Solidification and crystallization processing in metals and alloys, Book, John Wiley & Sons, Stockholm. Sweden. 2012.

18. Sjolander, E. and Seifeddine, S., The heat treatment of Al–Si–Cu–Mg casting alloys. *Journal of materials processing technology*, 2010. **210**(10): p. 1249-1259.
19. Stefanescu, D., *Science and Engineering of Casting Solidification*, Kulwer Academic, Textbook, Plenum Publishers, New York, 2002.
20. Muller, K. and Reif, W., Einfluss von Begleit-und Spurenelementen auf die Kornfeinung hochsiliziumhaltiger Al-Si-Gusslegierungen auf Reinstbasis. *Metall (Berlin, West)*, 1997. **51**(1-2): p. 25-32.
21. Granger, D.A. and Liu J., The Occurence, Effect, and Control Of Twinned Columnar Growth In Aluminum Alloys. *JOM*, 1983. **35**(6): p. 54-59.
22. Kashyap, K. and Chandrashekar, T., Effects and mechanisms of grain refinement in aluminium alloys. *Bulletin of Materials Science*, 2001. **24**(4): p. 345-353.
23. Engh, T.A., Lyng, S., Øye, H.A., & Hogskole, N.T., Refining and alloying of liquid aluminium and ferro-alloys: proceedings of the International Seminar on Refining and Alloying of Liquid Aluminium and Ferro-Alloys, the Norwegian Institute of Technology, Trondheim, August 1985.
24. Apelian, D., Sigworth, G.K., and Whaler, K., Assessment of grain refinement and modification of Al-Si foundry alloys by thermal analysis. *AFS trans*, 1984. **92**(2): p. 297-307.
25. McCartney, D.G., Grain refining of aluminium and its alloys using inoculants. *International Materials Reviews*, 1989. **34**(1): p. 247-260.
26. Volmer, M. and Weber A., Nucleus formation in supersaturated systems, 1926. **119**(1): p. 277-301.
27. Flemings, M.C., *Solidification processing. Metallurgical and Materials Transactions B*, 1974. **5**(10): p. 2121-2134.

28. Mohamed, A. and Samuel, F., A review on the heat treatment of Al-Si-Cu/Mg casting alloys, in Heat Treatment-Conventional and Novel Applications. InTech Rijeka, Croatia, 2012. p. 55-72.
29. Gruzleski, J.E., and Closset B.M., The treatment of liquid aluminum-silicon alloys, American Foundrymen's Society, Inc., Des Plaines, Illinois, USA, 1990, p. 19.
30. Dahle, A.K., Nogita, K., McDonald S.D., Dinnis C., Lu L., Eutectic modification and microstructure development in Al-Si Alloys. Materials Science and Engineering: A, 2005. **413**: p. 243-248.
31. Samuel, A., and Samuel F., Modification of iron intermetallics by magnesium and strontium in Al-Si alloys. International Journal of Cast Metals Research, 1997. **10**(3): p. 147-157.
32. Mondolfo, F., Aluminum Alloy-Structure and Properties: Book, Butter Worths. London-Boston. 1976.
33. Yi, F., Computer Simulation of Solidification and Solution Treatment of Multiphase, Multicomponent Alloys, Doctoral dissertation, University of Connecticut. 2005.
34. Meyers, C., Hinton K., and Chou J.-S., Towards the optimization of heat-treatment in aluminium alloys. in Materials Science Forum, Trans Tech Publ, (Vol. 102, pp. 75-84) 1992.
35. Caceres, C., Svensson, I.L., and Taylor, J., Strength-ductility behaviour of Al-Si-Cu-Mg casting alloys in T6 temper. International Journal of Cast Metals Research, 2003. **15**(5): p. 531-543.

36. Guo, H.-m., Yang X.-J., and Zhang, M., Microstructure characteristics and mechanical properties of rheoformed wrought aluminum alloy. Transactions of Nonferrous Metals Society of China, 2008. **18**(3): p. 555-561.
37. Chong, L.I., Wu, S.S., Zhong, G.U., Li, W.A., Ping, A.N., Effect of ultrasonic vibration on Fe-containing intermetallic compounds of hypereutectic Al–Si alloys with high Fe content. Transactions of Nonferrous Metals Society of China, 2013. **23**(5): p. 1245-1252.
38. Wu, S.S., Zhong, G., Ping, A.N., Li, W.A., and Nakae, H., Microstructural characteristics of Al–20Si–2Cu–0.4 Mg–1Ni alloy formed by rheo-squeeze casting after ultrasonic vibration treatment. Transactions of Nonferrous Metals Society of China, 2012. **22**(12): p. 2863-2870.
39. Zhong, Z., Fan, Z.T., Jiang, W.M., and Dong, X.P., Microstructural evolution of Mg₉AlZnY alloy with vibration in lost foam casting during semi-solid isothermal heat treatment. Transactions of Nonferrous Metals Society of China, 2010. **20**: p. 768-773.
40. Limmaneevichitr, C., Pongananpanya, S., and Kajornchaiyakul, J., Metallurgical structure of A356 aluminum alloy solidified under mechanical vibration: An investigation of alternative semi-solid casting routes. Materials & Design, 2009. **30**(9): p. 3925-3930.
41. Zhong, Z., Fan, Z.T., Jiang, W.M., and Dong, X.P., Solidification of horizontally continuous casting of super-thin slab in stable magnetic field and alternating current. Transactions of Nonferrous Metals Society of China, 2011. **21**(1): p. 196-201.
42. Zhang, L., Wu G.H., Wang, S.H., and Ding, W.J., Effect of cooling condition on microstructure of semi-solid AZ91 slurry produced via ultrasonic vibration

- process. Transactions of Nonferrous Metals Society of China, 2012. **22**(10): p. 2357-2363.
43. Abramov, V.O., Abramov, O.V., Sommer, F., and Orlov, D., Properties of Al-Pb base alloys applying electromagnetic forces and ultrasonic vibration during casting. Materials Letters, 1995. **23**(1-3): p. 17-20.
 44. Puga, H., Barbosa, J., Costa, S., Ribeiro S, Pinto, A.M., and Prokic, M., Influence of indirect ultrasonic vibration on the microstructure and mechanical behavior of Al–Si–Cu alloy. Materials Science and Engineering: A, 2013. **560**: p. 589-595.
 45. Zhang, Z., Le, Q., Cui, J., Cui Z., and Hou, B., Effect of electromagnetic vibration of mould core region on the solidification structure of magnesium alloy. Procedia Engineering, 2012. **27**: p. 855-862.
 46. Chirita, G., Stefanescu, I., Soares, D., and Silva, F.S., Influence of vibration on the solidification behaviour and tensile properties of an Al–18 wt% Si alloy. Materials & Design, 2009. **30**(5): p. 1575-1580.
 47. Taghavi, F., Saghafian, H., and Kharrazi, Y.H., Study on the effect of prolonged mechanical vibration on the grain refinement and density of A356 aluminum alloy. Materials & Design, 2009. **30**(5): p. 1604-1611.
 48. Taghavi, F., Saghafian, H., and Kharrazi, Y.H., Study on the ability of mechanical vibration for the production of thixotropic microstructure in A356 aluminum alloy. Materials & Design, 2009. **30**(1): p. 115-121.
 49. Wu, S., Lü, S., An, P., and Nakae, H., Microstructure and property of rheocasting aluminum-alloy made with indirect ultrasonic vibration process. Materials Letters, 2012. **73**: p. 150-153.

50. Jian, X., Xu, H., Meek, T.T., and Han, Q., Effect of power ultrasound on solidification of aluminum A356 alloy. *Materials letters*, 2005. **59**(2-3): p. 190-193.
51. Sha, M., Wu, S., and Wan, L., Combined effects of cobalt addition and ultrasonic vibration on microstructure and mechanical properties of hypereutectic Al–Si alloys with 0.7% Fe. *Materials Science and Engineering: A*, 2012. **554**: p. 142-148.
52. Guo, S., Le, Q., Zhao, Z., Wang, Z., and Cui, J., Microstructural refinement of DC cast AZ80 Mg billets by low frequency electromagnetic vibration. *Materials Science and Engineering: A*, 2005. **404**(1-2): p. 323-329.
53. Fengquan, W., Shiyu, C., Deping, H., Bingbo, W., and Guangji, S., Solidification parameters of the solid-liquid interface in crystal growth in response to vibration. *Journal of materials science*, 1994. **29**(15): p. 3997-4000.
54. Vives, C., Effects of forced electromagnetic vibrations during the solidification of aluminum alloys: Part II. solidification in the presence of colinear variable and stationary magnetic fields. *Metallurgical and Materials Transactions B*, 1996. **27**(3): p. 457-464.
55. Zhang, B., Cui, J., and Lu, G., Effects of low-frequency electromagnetic field on microstructures and macrosegregation of continuous casting 7075 aluminum alloy. *Materials Science and Engineering: A*, 2003. **355**(1-2): p. 325-330.
56. Vivès, C., Crystallization of aluminium alloys in the presence of cavitation phenomena induced by a vibrating electromagnetic pressure. *Journal of crystal growth*, 1996. **158**(1-2): p. 118-127.

57. Shukla, D., Goel, D., and Pandey, P., Influence of vibration during solidification on ingot soundness and mechanical properties of aluminum alloy test castings. in All-India Seminar on Aluminum. 1978, Oct (Vol. 1, p. 26).
58. Hua, J., Zhang, Y., and Wu, C., Grain refinement of Sn–Pb alloy under a novel combined pulsed magnetic field during solidification. *Journal of Materials Processing Technology*, 2011. **211**(3): p. 463-466.
59. Li, M., Tamura, T., and Miwa, K., Controlling microstructures of AZ31 magnesium alloys by an electromagnetic vibration technique during solidification: From experimental observation to theoretical understanding. *Acta Materialia*, 2007. **55**(14): p. 4635-4643.
60. Wang, W., Wang, K., and Lin, X., Crystal nucleation and detachment from a chilling metal surface with vibration. *Materials Chemistry and Physics*, 2009. **117**(1): p. 199-203.
61. Wannasin, J., Canyook, R., Wisutmethangoon, S., and Flemings, M.C., Grain refinement behavior of an aluminum alloy by inoculation and dynamic nucleation. *Acta Materialia*, 2013. **61**(10): p. 3897-3903.
62. Mudakappanavar, V.S. and Nanjundaswamy, H., Modification of Eutectic Silicon under the Influence of Mold Vibration during Solidification of LM6 Alloy. *Int J Res Eng Adv Technol*, 2013. **1**(4): p. 1.
63. Li, J.Q., Fan, Z.T., Dong, X.P., Liu, W., and Li, X., Microstructure and mechanical properties of lost foam casting AZ91D alloy produced with mechanical vibration. in *Advanced Materials Research*. 2011. Trans Tech Publ.
64. Tamura, T., Kamikihara, D., Omura, N, and Miwa, K., Effect of frequency of electromagnetic vibrations on glass-forming ability in Fe-Co-B-Si-Nb bulk metallic glasses. *Rev. Adv. Mater. Sci*, 2008. **18**: p. 10-13.

65. Li, G, Jiang, W, Fan, Z, Jiang, Z, Liu, X, and Liu, F., Effects of pouring temperature on microstructure, mechanical properties, and fracture behavior of Al/Mg bimetallic composites produced by lost foam casting process. *The International Journal of Advanced Manufacturing Technology*, 2017. **91**(1): p. 1355-1368.
66. Plotkowski, A.J., Refinement of the cast microstructure of hypereutectic aluminum-silicon alloys with an applied electric potential. 2012.
67. Radjai, A., Miwa, K., and Nishio, T., An investigation of the effects caused by electromagnetic vibrations in a hypereutectic Al-Si alloy melt. *Metallurgical and Materials Transactions A*, 1998. **29**(5): p. 1477-1484.
68. Mizutani, Y., Tamura, T., and Miwa, K., Effect of electromagnetic vibration frequency and temperature gradient on grain refinement of pure aluminum. *Materials transactions*, 2007. **48**(3): p. 538-543.
69. Jianbo, Y.U., Zhongming, R.E., Weili, R.E., Kang, D.E., and Zhong, Y., Solidification structure of eutectic Al-Si alloy under a high magnetic field-aid-electromagnetic vibration. *Acta Metallurgica Sinica (English Letters)*, 2009. **22**(3): p. 191-196.
70. Jia, S., and Nastac L., The influence of ultrasonic stirring on the solidification microstructure and mechanical properties of A356 alloy. *Chem. Mater. Eng*, 2013. **1**(3): p. 69.
71. Zhang, L., Eskin, D., and Katgerman, L., Influence of ultrasonic melt treatment on the formation of primary intermetallics and related grain refinement in aluminum alloys. *Journal of materials science*, 2011. **46**(15): p. 5252-5259.

72. Akhlaghi, F., and Taghani A., Development of vibrating cooling slope (VCS) method for enhancing a globular structure in aluminum A356 alloy. in Proc. of 12th Internat. Conf. on Aluminum Alloys. 2010.
73. Gibb, F.G., Supercooling and the crystallization of plagioclase from a basaltic magma. *Mineralogical Magazine*, 1974. **39**(306): p. 641-653.
74. Dai, W., Wu, S., Lü, S., and Lin, C., Effects of rheo-squeeze casting parameters on microstructure and mechanical properties of AlCuMnTi alloy. *Materials Science and Engineering: A*, 2012. **538**: p. 320-326.
75. Lei, Y., Hai, H., Ji, S.H., Fang, C.F., and Zhang, X.G., Effects of ultrasonic vibration on solidification structure and properties of Mg-8Li-3Al alloy. *Transactions of Nonferrous Metals Society of China*, 2011. **21**(6): p. 1241-1246.
76. Lin, C., Wu, S., Lü, S., An, P., and Wan, L., Effects of ultrasonic vibration and manganese on microstructure and mechanical properties of hypereutectic Al–Si alloys with 2% Fe. *Intermetallics*, 2013. **32**: p. 176-183.
77. Kissling, R. and Wallace, J., Grain refinement of copper-alloy castings. *Foundry*, 1963. **91**: p. 54-57.
78. Adegbuyi, P.A., Uhomoibhi, J.O., Adedeji, K.A., and Raji, N.A., The effect of pouring and vibration on cast quality. *The Public Journal of Science and Technology*, 2010. **11**(1): p. 45-54.
79. Knuutinen, A, Nogita, K., McDonald, S.D., and Dahle, A.K., Modification of Al–Si alloys with Ba, Ca, Y and Yb. *Journal of light metals*, 2001. **1**(4): p. 229-240.
80. Kumar, R., Mishra, S., and Kumar, A., Effect of mould vibration on microstructure and mechanical properties of casting during solidification. *International Journal of Engineering Research*, 2014. **3**(4): p. 90-92.

81. Jiang, W., Chen, X., Wang, B., Fan, Z., and Wu, H., Effects of vibration frequency on microstructure, mechanical properties, and fracture behavior of A356 aluminum alloy obtained by expendable pattern shell casting. *The International Journal of Advanced Manufacturing Technology*, 2016. **83**(1-4): p. 167-175.
82. Sayuti, M., Sulaiman, S., Baharudin, B.T., and Arifin,, M.K., Metal matrix composite products by vibration casting method. 2016.
83. Jiang, W., Fan, Z., Chen, X., Wang, B., and Wu, H., Combined effects of mechanical vibration and wall thickness on microstructure and mechanical properties of A356 aluminum alloy produced by expendable pattern shell casting. *Materials Science and Engineering: A*, 2014. **619**: p. 228-237.
84. Al-Ethari, H., Haleem, A.H., and Hassan, M.H., Effect of mold vibration on microstructure and mechanical properties of Al-Si eutectic alloy. in *IOP Conference Series: Materials Science and Engineering*, IOP Publishing, 2020.
85. Mehta, M.C., Mandal, D., and Chaudhury, S.K., Effects of amplitude of die vibration on cast structure of Al4. 5Cu alloy. *International Journal of Metalcasting*, 2019. **13**(2): p. 438-449.
86. Sinha, N.K., Choudhary, I., and Singh, J., Influence of Mold Material on the Mold Stability for Foundry Use. *Silicon*, 2022. **14**(6): p. 2895-2904.
87. Mohamed, A.M., Samuel, E., Zedan Y., Samuel, A.M., Doty H.W., and Samuel F.H., Intermetallics Formation during Solidification of Al-Si-Cu-Mg Cast Alloys. *Materials*, 2022. **15**(4): p. 1335.
88. Bayraktar, Ş. and Afyon, F., Machinability properties of Al–7Si, Al–7Si–4Zn and Al–7Si–4Zn–3Cu alloys. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, 2020. **42**(4): p. 1-12.

89. Cordero, Z.C., Knight, B.E., and Schuh, C.A., Six decades of the Hall–Petch effect—a survey of grain-size strengthening studies on pure metals. *International Materials Reviews*, 2016. **61**(8): p. 495-512.
90. Yadav, S., Tewari, S.P., Singh, J.K., and Ram, S.C. Effect of mechanical vibration on physical, metallurgical and mechanical properties of cast A308 (LM21) aluminum alloys. *International Journal of Minerals, Metallurgy and Materials*, 2022, **29**(6): p. 1206-15.
91. Pandee, P., Gourlay, C.M., Belyakov, S.A., Patakham, U., Zeng, G., and Limmaneevichitr, C., AlSi₂Sc₂ intermetallic formation in Al-7Si-0.3 Mg-xSc alloys and their effects on as-cast properties. *Journal of Alloys and Compounds*, 2018. **731**: p. 1159-1170.
92. Kumar, S. and Tewari, S.P., Effect of mold oscillation on the metallurgical characterization and mechanical properties of A319 aluminum alloy casting. *International Journal of Cast Metals Research*, 2018. **31**(1): p. 1-6.
93. Kumar, R, Ansari, M.S., Mishra, S.S., and Kumar, A., Effect of mould vibration on microstructure and mechanical properties of casting during solidification. *International Journal of Engineering Research*, 2014. **3**(4): p 90-92.
94. Nguyen, H., The effects of solidification rates on porosity formation and cast microstructure of aluminum alloy A356. School of Engineering, Grand Valley State, 2005: p. 1-6.
95. Zhao, J.W., Wu, S.S., Xie, L.Z., Ping, A.N., and Mao, Y.W., Effects of vibration and grain refiner on microstructure of semisolid slurry of hypoeutectic Al-Si alloy. *Transactions of Nonferrous metals society of china*, 2008. **18**(4): p. 842-846.

96. Abdul-Karem, W., Green N., and Al-Raheem, K.F., Vibration-assisted filling capability in thin wall investment casting. *The International Journal of Advanced Manufacturing Technology*, 2012. **61**(9-12): p. 873-887.
97. Rincon, E., Lopez H.F., Cisneros, M.M., Mancha, H., and Cisneros, M.A., Effect of temperature on the tensile properties of an as-cast aluminum alloy A319. *Materials Science and Engineering: A*, 2007. **452**: p. 682-687.
98. Varun, S. and Chavan, T.K., Influence of mould vibration on microstructural behaviour and mechanical properties of LM25 aluminium alloy using gravity die casting process. *Materials Today: Proceedings*, 2021. **46**: p. 4412-4418.

LIST OF PUBLICATIONS

1. **Yadav, S.**, Tewari, S. P., Singh, J. K., & Ram, S. C. (2022). Effects of mechanical vibration on the physical, metallurgical and mechanical properties of cast A308 (LM21) aluminum alloy. *International Journal of Minerals, Metallurgy and Materials*, 29(6), 1206-1215. SCI-E, Q-1, IF:3.850
2. **Yadav, S.**, Kumar, S., Tewari, S. P., Ram, S. C., Prasad, R., Deo, M., & Singh, J. K. (2022). Influence of High Amplitude Mould Vibration on the Morphology of Silicon in the Al-Si Alloy (A308). *Silicon*, 1-13. SCI-E, Q-2, IF:2.941
3. **Yadav, S.**, Kumar, S., Tewari, S. P., Ram, S. C., Prasad, R., Sinha, N. K., & Singh, J. K. (2022). Influence of high-intensity horizontal mould vibration on the density, grain refinement and mechanical characteristics of a die cast aluminium alloy (LM21). *Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering*, 09544089221109739. SCI, Q-2, IF:1.822