

## References

- [1] Zhao C., Lu T., Analysis of microchannel heat sinks for electronics cooling, *International Journal of Heat and Mass Transfer*, 45 (2002) 4857-4869.
- [2] Qu W., Mudawar I., Measurement and correlation of critical heat flux in two-phase micro-channel heat sinks, *International Journal of Heat and Mass Transfer*, 47 (2004) 2045-2059.
- [3] Xuan Y., Li Q., Heat transfer enhancement of nanofluids, *International Journal of Heat and Fluid Flow*, 21 (2000) 58-64.
- [4] Wen D., Lin G., Vafaei S., Zhang K., Review of nanofluids for heat transfer applications, *Particuology*, 7 (2009) 141-150.
- [5] Buongiorno J., Hu L., Apostolakis G., Hannink R., Lucas T., Chupin A., A feasibility assessment of the use of nanofluids to enhance the in-vessel retention capability in light-water reactors, *Nuclear Engineering and Design*, 239 (2009) 941-948.
- [6] Jha J.M., Ravikumar S.V., Tiara A., Sarkar I., Pal S.K., Chakraborty S., Ultrafast cooling of a hot moving steel plate by using alumina nanofluid based air atomized spray impingement, *Applied Thermal Engineering*, 75 (2015) 738-747.
- [7] Mahian O., Kianifar A., Kalogirou S.A., Pop I., Wongwises S., A review of the applications of nanofluids in solar energy, *International Journal of Heat and Mass Transfer*, 57 (2013) 582-594.
- [8] Zhang H., Mudawar I., Hasan M.M., Application of flow boiling for thermal management of electronics in microgravity and reduced-gravity space systems, *IEEE Transactions on Components and Packaging Technologies*, 32 (2009) 466-477.
- [9] Peyghambarzadeh S., Hashemabadi S., Naraki M., Vermahmoudi Y., Experimental study of overall heat transfer coefficient in the application of dilute nanofluids in the car radiator, *Applied Thermal Engineering*, 52 (2013) 8-16.
- [10] Li Q.-M., Zou J., Yang Z., Duan Y.-Y., Wang B.-X., Visualization of two-phase flows in nanofluid oscillating heat pipes, *Journal of Heat Transfer*, 133 (2011) 052901.
- [11] Rana K., Agrawal G., Mathur J., Puli U., Measurement of void fraction in flow boiling of ZnO–water nanofluids using image processing technique, *Nuclear Engineering and Design*, 270 (2014) 217-226.
- [12] Wojtan L., Ursenbacher T., Thome J.R., Investigation of flow boiling in horizontal tubes: Part I—A new diabatic two-phase flow pattern map, *International Journal of Heat and Mass Transfer*, 48 (2005) 2955-2969.
- [13] Puli U., Rajvanshi A., An image analysis technique for determination of void fraction in subcooled flow boiling of water in horizontal annulus at high pressures, *International Journal of Heat and Fluid Flow*, 38 (2012) 180-189.

- [14] Sarafraz M., Hormozi F., Scale formation and subcooled flow boiling heat transfer of CuO–water nanofluid inside the vertical annulus, *Experimental Thermal and Fluid Science*, 52 (2014) 205-214.
- [15] Sarafraz M.M., Hormozi F., Forced Convective and Nucleate Flow Boiling Heat Transfer to Alumina Nanofluids, *Periodica Polytechnica. Chemical Engineering*, 58 (2014) 37.
- [16] Xu L., Xu J., Nanofluid stabilizes and enhances convective boiling heat transfer in a single microchannel, *International Journal of Heat and Mass Transfer*, 55 (2012) 5673-5686.
- [17] Wang Y., Su G., Experimental investigation on nanofluid flow boiling heat transfer in a vertical tube under different pressure conditions, *Experimental Thermal and Fluid Science*, 77 (2016) 116-123.
- [18] Bergman T.L., Incropera F.P., DeWitt D.P., Lavine A.S., *Fundamentals of heat and mass transfer*, John Wiley & Sons, 2011.
- [19] Nukiyama S., The maximum and minimum values of the heat  $Q$  transmitted from metal to boiling water under atmospheric pressure, *International Journal of Heat and Mass Transfer*, 9 (1966) 1419-1433.
- [20] Bergles A., Rohsenow W., The determination of forced-convection surface-boiling heat transfer, *Journal of Heat Transfer*, 86 (1964) 365-372.
- [21] Rohsenow W.M., Nucleation with boiling heat transfer, *Industrial & Engineering Chemistry*, 58 (1966) 40-47.
- [22] Kutateladze S.S., Borishanskiĭ V.M., *Handbook on heat transfer*, 1962.
- [23] Katto Y., Yokoya S., Principal mechanism of boiling crisis in pool boiling, *International Journal of Heat and Mass Transfer*, 11 (1968) 993-1002.
- [24] Berenson P., Experiments on pool-boiling heat transfer, *International Journal of Heat and Mass Transfer*, 5 (1962) 985-999.
- [25] Kandlikar S.G., A general correlation for saturated two-phase flow boiling heat transfer inside horizontal and vertical tubes, *ASME J. Heat Transfer*, 112 (1990) 219-228.
- [26] Dhir V., Liaw S., Framework for a unified model for nucleate and transition pool boiling, *Journal of Heat Transfer*, 111 (1989) 739-746.
- [27] Crowe C.T., *Multiphase flow handbook*, CRC press, 2005.
- [28] Dhir V., Boiling heat transfer, *Annual review of fluid mechanics*, 30 (1998) 365-401.
- [29] Laubscher R., Dobson R.T., Theoretical and experimental modelling of a heat pipe heat exchanger for high temperature nuclear reactor technology, *Applied Thermal Engineering*, 61 (2013) 259-267.

- [30] Yuan Y., Numerical modelling of bubbly flows in nanofluids with and without heat transfer, (2017).
- [31] Martín-Callizo C., Palm B., Owhaib W., Subcooled flow boiling of R-134a in vertical channels of small diameter, *International Journal of Multiphase Flow*, 33 (2007) 822-832.
- [32] Collier J.G., Thome J.R., Convective boiling and condensation, Clarendon Press, 1994.
- [33] Kutateladze S.S., Leont'ev A.I., Spalding D.B., Turbulent boundary layers in compressible gases, Arnold, 1964.
- [34] Zuber N., Hydrodynamic aspects of boiling heat transfer (thesis), in, California Univ., Los Angeles; and Ramo-Wooldridge Corp., Los Angeles, 1959.
- [35] Haramura Y., Katto Y., A new hydrodynamic model of critical heat flux, applicable widely to both pool and forced convection boiling on submerged bodies in saturated liquids, *International Journal of Heat and Mass Transfer*, 26 (1983) 389-399.
- [36] Sadasivan P., Chappidi P., Unal C., Nelson R., Possible mechanisms of macrolayer formation, *International Communications in Heat and Mass Transfer*, 19 (1992) 801-815.
- [37] Zhao Y.-H., Masuoka T., Tsuruta T., Unified theoretical prediction of fully developed nucleate boiling and critical heat flux based on a dynamic microlayer model, *International Journal of Heat and Mass Transfer*, 45 (2002) 3189-3197.
- [38] Rohsenow W.M., Griffith P., Correlation of maximum heat flux data for boiling of saturated liquids, in, Cambridge, Mass.: Massachusetts Institute of Technology, Division of Industrial Cooperation, [1955], 1955.
- [39] Theofanous T., Dinh T.-N., Tu J., Dinh A., The boiling crisis phenomenon: Part II: dryout dynamics and burnout, *Experimental Thermal and Fluid Science*, 26 (2002) 793-810.
- [40] Das S.K., Choi S.U., Yu W., Pradeep T., *Nanofluids: science and technology*, John Wiley & Sons, 2007.
- [41] Lee C., Mudawwar I., A mechanistic critical heat flux model for subcooled flow boiling based on local bulk flow conditions, *International Journal of Multiphase Flow*, 14 (1988) 711-728.
- [42] Das S.K., Putra N., Roetzel W., Pool boiling characteristics of nano-fluids, *International Journal of Heat and Mass Transfer*, 46 (2003) 851-862.
- [43] Kim S.J., McKrell T., Buongiorno J., Hu L.-w., Subcooled flow boiling heat transfer of dilute alumina, zinc oxide, and diamond nanofluids at atmospheric pressure, *Nuclear Engineering and Design*, 240 (2010) 1186-1194.

- [44] Bang I.C., Heung Chang S., Boiling heat transfer performance and phenomena of Al<sub>2</sub>O<sub>3</sub>-water nano-fluids from a plain surface in a pool, *International Journal of Heat and Mass Transfer*, 48 (2005) 2407-2419.
- [45] Kim S., Bang I., Buongiorno J., Hu L., Effects of nanoparticle deposition on surface wettability influencing boiling heat transfer in nanofluids, *Applied Physics Letters*, 89 (2006) 153107.
- [46] Kim S.J., McKrell T., Buongiorno J., Hu L.-W., Experimental study of flow critical heat flux in alumina-water, zinc-oxide-water, and diamond-water nanofluids, *Journal of Heat Transfer*, 131 (2009) 043204.
- [47] You S., Kim J., Kim K., Effect of nanoparticles on critical heat flux of water in pool boiling heat transfer, *Applied Physics Letters*, 83 (2003) 3374-3376.
- [48] Barber J., Brutin D., Tadrist L., A review on boiling heat transfer enhancement with nanofluids, *Nanoscale research letters*, 6 (2011) 280.
- [49] Kamatchi R., Venkatachalapathy S., Parametric study of pool boiling heat transfer with nanofluids for the enhancement of critical heat flux: a review, *International journal of thermal sciences*, 87 (2015) 228-240.
- [50] Okawa T., Takamura M., Kamiya T., Boiling time effect on CHF enhancement in pool boiling of nanofluids, *International Journal of Heat and Mass Transfer*, 55 (2012) 2719-2725.
- [51] Taylor R.A., Phelan P.E., Pool boiling of nanofluids: comprehensive review of existing data and limited new data, *International Journal of Heat and Mass Transfer*, 52 (2009) 5339-5347.
- [52] Liu Z.-h., Xiong J.-g., Bao R., Boiling heat transfer characteristics of nanofluids in a flat heat pipe evaporator with micro-grooved heating surface, *International Journal of Multiphase Flow*, 33 (2007) 1284-1295.
- [53] Vassallo P., Kumar R., D'Amico S., Pool boiling heat transfer experiments in silica-water nano-fluids, *International Journal of Heat and Mass Transfer*, 47 (2004) 407-411.
- [54] Kim H., Ahn H.S., Kim M.H., On the mechanism of pool boiling critical heat flux enhancement in nanofluids, *Journal of Heat Transfer*, 132 (2010) 061501.
- [55] Wen D., Ding Y., Experimental investigation into the pool boiling heat transfer of aqueous based  $\gamma$ -alumina nanofluids, *Journal of Nanoparticle Research*, 7 (2005) 265-274.
- [56] Kim S., Bang I., Buongiorno J., Hu L., Surface wettability change during pool boiling of nanofluids and its effect on critical heat flux, *International Journal of Heat and Mass Transfer*, 50 (2007) 4105-4116.

- [57] Tu J., Dinh N., Theofanous T., An experimental study of nanofluid boiling heat transfer, in: Proceedings of 6th international symposium on heat transfer, Beijing, China, 2004.
- [58] Shi M., Shuai M., Chen Z., Li Q., Xuan Y., Study on pool boiling heat transfer of nano-particle suspensions on plate surface, *Journal of Enhanced Heat Transfer*, 14 (2007).
- [59] Truong B.H., Determination of pool boiling critical heat flux enhancement in nanofluids, in: ASME 2007 International Mechanical Engineering Congress and Exposition, American Society of Mechanical Engineers, 2007, pp. 289-299.
- [60] Coursey J.S., Kim J., Nanofluid boiling: the effect of surface wettability, *International Journal of Heat and Fluid Flow*, 29 (2008) 1577-1585.
- [61] Wen D., Corr M., Hu X., Lin G., Boiling heat transfer of nanofluids: the effect of heating surface modification, *International journal of thermal sciences*, 50 (2011) 480-485.
- [62] Milanova D., Kumar R., Role of ions in pool boiling heat transfer of pure and silica nanofluids, *Applied Physics Letters*, 87 (2005) 233107.
- [63] Kwark S.M., Kumar R., Moreno G., Yoo J., You S.M., Pool boiling characteristics of low concentration nanofluids, *International Journal of Heat and Mass Transfer*, 53 (2010) 972-981.
- [64] Zhou D., Heat transfer enhancement of copper nanofluid with acoustic cavitation, *International Journal of Heat and Mass Transfer*, 47 (2004) 3109-3117.
- [65] Trisaksri V., Wongwises S., Nucleate pool boiling heat transfer of  $\text{TiO}_2$ -R141b nanofluids, *International Journal of Heat and Mass Transfer*, 52 (2009) 1582-1588.
- [66] Chopkar M., Das A., Manna I., Das P., Pool boiling heat transfer characteristics of  $\text{ZrO}_2$ -water nanofluids from a flat surface in a pool, *Heat and Mass Transfer*, 44 (2008) 999-1004.
- [67] Kim J., Kim K., You S., Pool boiling heat transfer in saturated nanofluids, in: ASME 2004 International Mechanical Engineering Congress and Exposition, American Society of Mechanical Engineers, 2004, pp. 621-628.
- [68] Narayan G.P., Anoop K., Das S.K., Mechanism of enhancement/deterioration of boiling heat transfer using stable nanoparticle suspensions over vertical tubes, *Journal of Applied Physics*, 102 (2007) 074317.
- [69] Lee S.W., Park S.D., Kang S., Kim S.M., Seo H., Lee D.W., Bang I.C., CRITICAL HEAT FLUX ENHANCEMENT IN FLOW BOILING OF  $\text{Al}_2\text{O}_3$  AND  $\text{SiC}$  NANOFLUIDS UNDER LOW PRESSURE AND LOW FLOW CONDITIONS, *Nuclear Engineering and Technology*, 44 (2012) 429-436.

- [70] Lee S.W., Kim K.M., Bang I.C., Study on flow boiling critical heat flux enhancement of graphene oxide/water nanofluid, *International Journal of Heat and Mass Transfer*, 65 (2013) 348-356.
- [71] Abedini E., Behzadmehr A., Rajabnia H., Sarvari S., Mansouri S., Experimental investigation and comparison of subcooled flow boiling of TiO<sub>2</sub> nanofluid in a vertical and horizontal tube, *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*, 227 (2013) 1742-1753.
- [72] Ahn H.S., Kang S.H., Jo H., Kim H., Kim M.H., Visualization study of the effects of nanoparticles surface deposition on convective flow boiling CHF from a short heated wall, *International Journal of Multiphase Flow*, 37 (2011) 215-228.
- [73] Rana K., Rajvanshi A., Agrawal G., A visualization study of flow boiling heat transfer with nanofluids, *Journal of Visualization*, 16 (2013) 133-143.
- [74] Henderson K., Park Y.-G., Liu L., Jacobi A.M., Flow-boiling heat transfer of R-134a-based nanofluids in a horizontal tube, *International Journal of Heat and Mass Transfer*, 53 (2010) 944-951.
- [75] Yu L., Sur A., Liu D., Flow boiling heat transfer and two-phase flow instability of nanofluids in a minichannel, *Journal of Heat Transfer*, 137 (2015) 051502.
- [76] Edel Z., Mukherjee A., Flow Boiling Dynamics of Water and Nanofluids in a Single Microchannel at Different Heat Fluxes, *Journal of Heat Transfer*, 137 (2015) 011501.
- [77] Peng H., Ding G., Jiang W., Hu H., Gao Y., Heat transfer characteristics of refrigerant-based nanofluid flow boiling inside a horizontal smooth tube, *International journal of refrigeration*, 32 (2009) 1259-1270.
- [78] Boudouh M., Gualous H.L., De Labachellerie M., Local convective boiling heat transfer and pressure drop of nanofluid in narrow rectangular channels, *Applied Thermal Engineering*, 30 (2010) 2619-2631.
- [79] Sun B., Yang D., Flow boiling heat transfer characteristics of nano-refrigerants in a horizontal tube, *International journal of refrigeration*, 38 (2014) 206-214.
- [80] Kim S.J., McKrell T., Buongiorno J., Hu L.-W., Alumina nanoparticles enhance the flow boiling critical heat flux of water at low pressure, *Journal of Heat Transfer*, 130 (2008) 044501.
- [81] Kim T.I., Jeong Y.H., Chang S.H., An experimental study on CHF enhancement in flow boiling using Al<sub>2</sub>O<sub>3</sub> nano-fluid, *International Journal of Heat and Mass Transfer*, 53 (2010) 1015-1022.
- [82] Kim T.I., Chang W.J., Chang S.H., Flow boiling CHF enhancement using Al<sub>2</sub>O<sub>3</sub> nanofluid and an Al<sub>2</sub>O<sub>3</sub> nanoparticle deposited tube, *International Journal of Heat and Mass Transfer*, 54 (2011) 2021-2025.

- [83] Vafaei S., Wen D., Critical heat flux (CHF) of subcooled flow boiling of alumina nanofluids in a horizontal microchannel, *Journal of Heat Transfer*, 132 (2010) 102404.
- [84] Vafaei S., Wen D., Flow boiling heat transfer of alumina nanofluids in single microchannels and the roles of nanoparticles, *Journal of Nanoparticle Research*, 13 (2011) 1063-1073.
- [85] Lee T., Lee J.H., Jeong Y.H., Flow boiling critical heat flux characteristics of magnetic nanofluid at atmospheric pressure and low mass flux conditions, *International Journal of Heat and Mass Transfer*, 56 (2013) 101-106.
- [86] Lee T., Kam D.H., Lee J.H., Jeong Y.H., Effects of two-phase flow conditions on flow boiling CHF enhancement of magnetite-water nanofluids, *International Journal of Heat and Mass Transfer*, 74 (2014) 278-284.
- [87] Ahn H.S., Kim M.H., A review on critical heat flux enhancement with nanofluids and surface modification, *Journal of Heat Transfer*, 134 (2012) 024001.
- [88] Ahn H.S., Kim H., Jo H., Kang S., Chang W., Kim M.H., Experimental study of critical heat flux enhancement during forced convective flow boiling of nanofluid on a short heated surface, *International Journal of Multiphase Flow*, 36 (2010) 375-384.
- [89] Wu J., Zhao J., A review of nanofluid heat transfer and critical heat flux enhancement—research gap to engineering application, *Progress in Nuclear Energy*, 66 (2013) 13-24.
- [90] Prajapati O.S., Rohatgi N., Flow boiling heat transfer enhancement by using ZnO-Water nanofluids, *Science and Technology of Nuclear Installations*, 2014 (2014).
- [91] Wang Y., Wu J., Numerical simulation on single bubble behavior during Al<sub>2</sub>O<sub>3</sub>/H<sub>2</sub>O nanofluids flow boiling using Moving Particle Semi-implicit method, *Progress in Nuclear Energy*, 85 (2015) 130-139.
- [92] Wang G.-S., Bao R., Two-phase flow patterns of nitrogen and nanofluids in a vertically capillary tube, *International journal of thermal sciences*, 48 (2009) 2074-2079.
- [93] Park Y.S., Chang S.H., Measurement of local two-phase flow parameters of nanofluids using conductivity double-sensor probe, *Nanoscale research letters*, 6 (2011) 284.
- [94] Choi U., Enhancing thermal conductivity of fluids with nanoparticles, *Development and Applications of Non-Newtonian flows* edited by Siginer, DA and Wang, HP, EFD-Vol. 231/MD-Vol. 66, in, ASME, 1995.
- [95] Lee J.-H., Hwang K.S., Jang S.P., Lee B.H., Kim J.H., Choi S.U., Choi C.J., Effective viscosities and thermal conductivities of aqueous nanofluids containing low volume concentrations of Al<sub>2</sub>O<sub>3</sub> nanoparticles, *International Journal of Heat and Mass Transfer*, 51 (2008) 2651-2656.

- [96] Murshed S., Leong K., Yang C., Investigations of thermal conductivity and viscosity of nanofluids, *International journal of thermal sciences*, 47 (2008) 560-568.
- [97] Tajik B., Abbassi A., Saffar-Avval M., Najafabadi M.A., Ultrasonic properties of suspensions of TiO<sub>2</sub> and Al<sub>2</sub>O<sub>3</sub> nanoparticles in water, *Powder Technology*, 217 (2012) 171-176.
- [98] Emami-Meibodi M., Vafaie-Sefti M., Rashidi A.M., Amrollahi A., Tabasi M., Sid-Kalal H., A model for thermal conductivity of nanofluids, *Materials Chemistry and Physics*, 123 (2010) 639-643.
- [99] Hosseini M., Ghader S., A model for temperature and particle volume fraction effect on nanofluid viscosity, *Journal of Molecular Liquids*, 153 (2010) 139-145.
- [100] Avsec J., Oblak M., The Calculation of Viscosity and Thermal Conductivity for Nanofluids on the Basis of Statistical Nanomechanics, in: *ASME 3rd International Conference on Microchannels and Minichannels*, American Society of Mechanical Engineers, 2005, pp. 605-612.
- [101] Nagasaka Y., Nagashima A., Absolute measurement of the thermal conductivity of electrically conducting liquids by the transient hot-wire method, *Journal of Physics E: Scientific Instruments*, 14 (1981) 1435.
- [102] Putnam S.A., Cahill D.G., Braun P.V., Ge Z., Shimmin R.G., Thermal conductivity of nanoparticle suspensions, *Journal of Applied Physics*, 99 (2006) 084308.
- [103] Das S.K., Putra N., Thiesen P., Roetzel W., Temperature dependence of thermal conductivity enhancement for nanofluids, *Journal of Heat Transfer*, 125 (2003) 567-574.
- [104] Rusconi R., Rodari E., Piazza R., Optical measurements of the thermal properties of nanofluids, *Applied Physics Letters*, 89 (2006) 261916.
- [105] Wang X.-Q., Mujumdar A.S., A review on nanofluids-part II: experiments and applications, *Brazilian Journal of Chemical Engineering*, 25 (2008) 631-648.
- [106] Eastman J.A., Phillpot S., Choi S., Keblinski P., Thermal transport in nanofluids, *Annu. Rev. Mater. Res.*, 34 (2004) 219-246.
- [107] Keblinski P., Phillpot S., Choi S., Eastman J., Mechanisms of heat flow in suspensions of nano-sized particles (nanofluids), *International Journal of Heat and Mass Transfer*, 45 (2002) 855-863.
- [108] Yu W., France D.M., Routbort J.L., Choi S.U., Review and comparison of nanofluid thermal conductivity and heat transfer enhancements, *Heat transfer engineering*, 29 (2008) 432-460.
- [109] Mahbubul I., Saidur R., Amalina M., Latest developments on the viscosity of nanofluids, *International Journal of Heat and Mass Transfer*, 55 (2012) 874-885.

- [110] Brinkman H., The viscosity of concentrated suspensions and solutions, *The Journal of Chemical Physics*, 20 (1952) 571-571.
- [111] Frankel N., Acrivos A., On the viscosity of a concentrated suspension of solid spheres, *Chemical Engineering Science*, 22 (1967) 847-853.
- [112] Batchelor G., The effect of Brownian motion on the bulk stress in a suspension of spherical particles, *Journal of Fluid Mechanics*, 83 (1977) 97-117.
- [113] Graham A.L., On the viscosity of suspensions of solid spheres, *Applied Scientific Research*, 37 (1981) 275-286.
- [114] Krieger I.M., Dougherty T.J., A mechanism for non-Newtonian flow in suspensions of rigid spheres, *Transactions of The Society of Rheology (1957-1977)*, 3 (1959) 137-152.
- [115] Wang X., Xu X., S. Choi S.U., Thermal conductivity of nanoparticle-fluid mixture, *Journal of thermophysics and heat transfer*, 13 (1999) 474-480.
- [116] Einstein A., Eine neue bestimmung der moleküldimensionen, *Annalen der physik*, 324 (1906) 289-306.
- [117] Nguyen C., Desgranges F., Roy G., Galanis N., Mare T., Boucher S., Angue Mintsa H., Temperature and particle-size dependent viscosity data for water-based nanofluids–hysteresis phenomenon, *International Journal of Heat and Fluid Flow*, 28 (2007) 1492-1506.
- [118] Rea U., McKrell T., Hu L.-w., Buongiorno J., Laminar convective heat transfer and viscous pressure loss of alumina–water and zirconia–water nanofluids, *International Journal of Heat and Mass Transfer*, 52 (2009) 2042-2048.
- [119] Williams W., Buongiorno J., Hu L.-W., Experimental investigation of turbulent convective heat transfer and pressure loss of alumina/water and zirconia/water nanoparticle colloids (nanofluids) in horizontal tubes, *Journal of Heat Transfer*, 130 (2008) 042412.
- [120] Namburu P.K., Das D.K., Tanguturi K.M., Vajjha R.S., Numerical study of turbulent flow and heat transfer characteristics of nanofluids considering variable properties, *International journal of thermal sciences*, 48 (2009) 290-302.
- [121] Chen H., Ding Y., He Y., Tan C., Rheological behaviour of ethylene glycol based titania nanofluids, *Chemical Physics Letters*, 444 (2007) 333-337.
- [122] Prasher R., Song D., Wang J., Phelan P., Measurements of nanofluid viscosity and its implications for thermal applications, *Applied Physics Letters*, 89 (2006) 133108.
- [123] Masoumi N., Sohrabi N., Behzadmehr A., A new model for calculating the effective viscosity of nanofluids, *Journal of Physics D: Applied Physics*, 42 (2009) 055501.

- [124] Masuda H., Ebata A., Teramae K., Alteration of thermal conductivity and viscosity of liquid by dispersing ultra-fine particles. Dispersion of Al<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub> and TiO<sub>2</sub> ultra-fine particles, (1993).
- [125] Pak B.C., Cho Y.I., Hydrodynamic and heat transfer study of dispersed fluids with submicron metallic oxide particles, *Experimental Heat Transfer an International Journal*, 11 (1998) 151-170.
- [126] Duangthongsuk W., Wongwises S., Measurement of temperature-dependent thermal conductivity and viscosity of TiO<sub>2</sub>-water nanofluids, *Experimental Thermal and Fluid Science*, 33 (2009) 706-714.
- [127] Chen H., Ding Y., Tan C., Rheological behaviour of nanofluids, *New journal of physics*, 9 (2007) 367.
- [128] Yang Y., Zhang Z.G., Grulke E.A., Anderson W.B., Wu G., Heat transfer properties of nanoparticle-in-fluid dispersions (nanofluids) in laminar flow, *International Journal of Heat and Mass Transfer*, 48 (2005) 1107-1116.
- [129] Namburu P.K., Kulkarni D.P., Misra D., Das D.K., Viscosity of copper oxide nanoparticles dispersed in ethylene glycol and water mixture, *Experimental Thermal and Fluid Science*, 32 (2007) 397-402.
- [130] Chen H., Witharana S., Jin Y., Kim C., Ding Y., Predicting thermal conductivity of liquid suspensions of nanoparticles (nanofluids) based on rheology, *Particuology*, 7 (2009) 151-157.
- [131] Kulkarni D.P., Das D.K., Vajjha R.S., Application of nanofluids in heating buildings and reducing pollution, *Applied Energy*, 86 (2009) 2566-2573.
- [132] Zhu H., Li C., Wu D., Zhang C., Yin Y., Preparation, characterization, viscosity and thermal conductivity of CaCO<sub>3</sub> aqueous nanofluids, *Science China Technological Sciences*, 53 (2010) 360-368.
- [133] Putra N., Roetzel W., Das S.K., Natural convection of nano-fluids, *Heat and Mass Transfer*, 39 (2003) 775-784.
- [134] Alphonse P., Bleta R., Soules R., Effect of PEG on rheology and stability of nanocrystalline titania hydrosols, *Journal of colloid and interface science*, 337 (2009) 81-87.
- [135] Chandrasekar M., Suresh S., Bose A.C., Experimental investigations and theoretical determination of thermal conductivity and viscosity of Al<sub>2</sub>O<sub>3</sub>/water nanofluid, *Experimental Thermal and Fluid Science*, 34 (2010) 210-216.
- [136] Longo G.A., Zilio C., Experimental measurement of thermophysical properties of oxide-water nano-fluids down to ice-point, *Experimental Thermal and Fluid Science*, 35 (2011) 1313-1324.

- [137] Fedele L., Colla L., Bobbo S., Viscosity and thermal conductivity measurements of water-based nanofluids containing titanium oxide nanoparticles, *International journal of refrigeration*, 35 (2012) 1359-1366.
- [138] Namburu P., Kulkarni D., Dandekar A., Das D., Experimental investigation of viscosity and specific heat of silicon dioxide nanofluids, *Micro & Nano Letters*, 2 (2007) 67-71.
- [139] Holman J.P., *Experimental methods for engineers*, (1966).
- [140] Gnielinski V., New equations for heat and mass-transfer in turbulent pipe and channel flow, *International chemical engineering*, 16 (1976) 359-368.
- [141] Kim H.C., Baek W.-P., Chang S.H., Critical heat flux of water in vertical round tubes at low pressure and low flow conditions, *Nuclear Engineering and Design*, 199 (2000) 49-73.
- [142] Buongiorno J., Convective transport in nanofluids, *Journal of Heat Transfer*, 128 (2006) 240-250.
- [143] Wu X., Wu H., Cheng P., Pressure drop and heat transfer of Al<sub>2</sub>O<sub>3</sub>-H<sub>2</sub>O nanofluids through silicon microchannels, *Journal of Micromechanics and Microengineering*, 19 (2009) 105020.
- [144] Kurul N., Podowski M.Z., Multidimensional effects in forced convection subcooled boiling, in: *Proceedings of the Ninth International Heat Transfer Conference*, Hemisphere Publishing New York, 1990, pp. 19-24.
- [145] Kim S.J., Bang I.C., Buongiorno J., Hu L., Surface wettability change during pool boiling of nanofluids and its effect on critical heat flux, *International Journal of Heat and Mass Transfer*, 50 (2007) 4105-4116.
- [146] Yuan Y., Li X., Tu J., The effects of nanoparticles on the lift force and drag force on bubbles in nanofluids: A two-fluid model study, *International journal of thermal sciences*, 119 (2017) 1-8.



## LIST OF PUBLICATIONS

### Journals:

1. Nirupama Patra, Pradyumna Ghosh, R.S. Singh, Arun Nayak, "Flow visualization in dilute oxide based nanofluid boiling", *International Journal of Heat and Mass Transfer* 135 (2019) 331–344
2. Nirupama Patra, Vivek Gupta, Eswar Pradyumna, Ravi Singh, Pradyumna Ghosh, R.S. Singh, Arun Nayak, "Delay in DNB for flow boiling of diluted oxide based nanofluids", *Experimental Thermal and Fluid Science* 89 (2017) 211–218
3. Nirupama Patra, Vivek Gupta, Ravi Singh, R.S. Singh, Pradyumna Ghosh, Arun Nayak, " An experimental analysis of quenching of continuously heated vertical rod with aqueous  $\text{Al}_2\text{O}_3$  nanofluid", *Resource-Efficient Technologies* 3 (2017) 378–384
4. Vivek Gupta, Nirupama Patra, Vikash Kumar Jha, Pradyumna Ghosh & R.S. Singh, "Numerical investigation for quenching behavior of a dry heated rod using nanofluid", *Multiphase Science and Technology*, 28 (3) (2016) 227–245

### Conferences:

1. Nirupama Patra, Vivek Gupta, Ravi Singh, R.S. Singh, Pradyumna Ghosh, Arun Nayak, "An experimental analysis of quenching of continuously heated vertical rod with aqueous  $\text{Al}_2\text{O}_3$  nanofluid", *Technoscape 2016: An International Conference on Separation Technologies in Chemical, Biochemical, Petroleum and Environmental Engineering*, VIT University, Vellore