

# References

---

- [1] *World Energy Outlook 2018. Executive summary*, IEA Publications, 2018.  
Available at [www.iea.org/weo/](http://www.iea.org/weo/).
- [2] Peter Asmus, 'The Microgrid Revolution...', Renewable Energy Resilience, 2009.  
Available at <http://peterasmus.com/journal/2009/11/6/the-microgrid-revolution.html>.
- [3] A. Hirsch, Y.Parag, J.Guerrero, 'Microgrids: A review of technologies, key drivers, and outstanding issues', Renewable and Sustainable Energy Reviews, Vol. 90, pp. 402-411, 2018.
- [4] S. Hadisupadmo, A.N.Hadiputro, A.Widyotriatmo, 'A Small Signal State Space Model of Inverter-Based Microgrid Control on Single Phase AC Power Network', Internetworking Indonesia Journal, Vol.8, No. 1, pp. 71-76, 2016.
- [5] D. E. Olivares, Ali-Mehrizi-Sani, A.H. Etemadi et.al., 'Trends in Microgrid Control', IEEE Transactions on Smart Grid, Vol. 5, No. 4, pp. 1905-1919, 2014.
- [6] 'Microgrid Research at Berkeley Lab' U.S. Department of Energy. Available at <https://building-microgrid.lbl.gov/>.
- [7] K. Yu, Q. Ai, S. Wang, et al., 'Analysis and optimization of droop controller for microgrid system based on small-signal dynamic model', IEEE Trans. on Smart Grid, Vol. 7, No. 2, pp. 695-705, 2016.
- [8] L. Fortuna, G. Nunnari, A. Gallo, *Model order reduction techniques with applications in electrical engineering*, Springer: London, 1992.
- [9] S. Mishra, D. Ramasubramanian, P. C. Sekhar, 'A Seamless Control Methodology for a Grid Connected and Isolated PV-Diesel Microgrid', IEEE Transactions on Power Systems, Vol. 28, No. 4, pp. 4393-4404, 2013.

- [10] M. Rasheduzzaman, J. A. Mueller, J. W. Kimball, 'An accurate small-signal model of inverter-dominated islanded microgrids using dq reference frame', IEEE Journal of Emerging and Selected Topics in Power Electronics, Vol. 2, No. 4, pp. 1070-1080, 2014.
- [11] S. Leitner, M. Yazdanian, A.M-Sani, A. Muetze, 'Small-Signal Stability Analysis of an Inverter-Based Microgrid with Internal Model-Based Controllers', IEEE Transactions on Smart Grid, Vol. 9. No. 5, pp. 5393-5402, 2018.
- [12] N. Pogaku, M. Prodanovic, T. C. Green, 'Modeling, analysis and testing of autonomous operation of an inverter-based microgrid', IEEE Trans. Power Electronics, Vol. 22, No. 2, pp. 613-625, 2007.
- [13] M.A. Hassan, M.A. Abido, 'Optimal design of microgrids in autonomous and grid-connected modes using particle swarm optimization', IEEE Trans. Power Electronics, Vol. 26, No. 3, pp. 755-769, 2011.
- [14] A. Bidram, V. Nasirian, A. Davoudi et al., *Cooperative synchronization in distributed microgrid control*, Springer, New York, USA, pp. 7-43,2 2017.
- [15] N. Kroutikova, C.a. Hernandez-Aramburo, T.C. Green, 'State-space model of grid-connected inverters under current control mode', IET Electric Power Applications, Vol. 1, No. 3, pp. 329-338, 2007.
- [16] J. Ma, X. Wang, X. Lan, 'Small-signal stability analysis of microgrid based on perturbation theory'. Proceedings of Power and Energy Eng. conference, Asia-Pacific,China, 2012.
- [17] M. Rasheduzzaman, J.A. Mueller, J.W. Kimball, 'Reduced-order small-signal model of microgrid systems', IEEE Trans. Sustainable Energy, Vol. 6, No. 4, pp. 1292-1305, 2015.

- [18] D. Kumar, F. Zare, A. Ghosh, 'DC microgrid technology: system architectures, AC grid interfaces, grounding schemes, power quality, communication networks, applications, and standardizations aspects', *IEEE Access*, Vol. 5, pp. 12230 – 12256, 2017.
- [19] M. Gunasekaran, H.M. Ismail, B. Chokkalingam et.al., 'Energy Management Strategy for Rural Communities' DC Micro Grid Power System Structure with Maximum Penetration of Renewable Energy Resources', *Applied Sciences*, Vol.8, 585, 2018.
- [20] Y. Han, W. Chen, H. Yang et.al., 'Two-level energy management strategy for PV-Fuel cell-battery-based DC microgrid', *International Journal of Hydrogen Energy*, In Press, 2018.
- [21] R.K. Sharma, S. Mishra, 'Dynamic Power Management and control of a PV PEM Fuel-cell-Based Standalone ac/dc Microgrid Using Hybrid Energy Storage', *IEEE Transactions on Industry Applications*, Vol. 54, No. 1, pp. 526-539, 2018.
- [22] A. Trejos, D. Gonzalez, C.A.R. Paja, 'Modeling of step-up grid connected photovoltaic systems for control purposes', *Energies*, Vol. 5, pp. 1900-1926, 2012.
- [23] S.V. Puranik, A. Keyhani, F. Khorrami, 'State-space modelling of proton exchange membrane fuel cell', *IEEE Transactions on Energy Conversion*, Vol. 25, No. 3, pp. 804-813, 2010.
- [24] D. Rekioua, S. Bensmail, N. Bettar, 'Development of hybrid photovoltaic-fuel cell system for stand-alone application', *International Journal of Hydrogen Energy*, Vol. 39, No. 3, pp. 1604-1611, 2014.

- [25] D.I. Makrygiorgou, A.T. Alexandridis, 'Stability analysis of DC distribution systems with droop-based charge sharing on energy storage devices', *Energies*, Vol. 10, No. 4, 433, 2017.
- [26] N. Yang, B.N. Mobarakeh, F. Gao, P. Damien et.al., 'Modeling and stability analysis of multi-time scale DC microgrid', *Electric Power Systems Research*, Vol. 140, pp. 906-916, 2016.
- [27] X. Lu, J.M. Guerrero, K.Sun et.al., 'An improved droop control method for DC microgrids based on low bandwidth communication with DC bus voltage restoration and enhanced current sharing accuracy', *IEEE Transaction on Power Electronics*, Vol. 29, No. 4, pp. 1800-1812, 2014.
- [28] L. Meng, Q. Shafiee, G.F. Trecate et.al., 'Review on control of DC microgrids and multiple microgrid clusters', *IEEE Journal of Emerging and Selected Topics in Power Electronics*, Vol. 5, No. 3, pp. 928-948, 2017.
- [29] A. Elrayyah, Y. Sozer, M.E. Elbuluk, 'Modeling and control design of microgrid-connected PV-based sources', *IEEE Journal of Emerging and Selected Topics in Power Electronics*, Vol. 2, No. 4, pp. 907-919, 2014.
- [30] U. Bettayeb, M.Al-Saggaf, 'Practical model reduction techniques for power systems', *Electric Power Systems Research*, Vol.25, pp. 169-176, 1992.
- [31] K. Kodra, N. Zhong, Z. Gajic, 'Model order reduction of an islanded microgrid using singular perturbations', *Proceedings of American Control Conference (ACC)*, Boston, USA, pp. 3650-3655, 2016.
- [32] S. Anand, B.G.Fernandes, 'Reduced-Order Model and Stability Analysis of Low-Voltage DC Microgrid', *IEEE Transactions on Industrial Electronics*, Vol. 60, No. 11, pp. 5040-5059, 2013.

- [33] L. Luo, S.V. Dhople, 'Spatiotemporal model reduction of inverter-based islanded microgrids', *IEEE Trans. Energy Conversion*, Vol. 29, No. 4, pp. 823-832, 2014.
- [34] S. Janardhanan. *Model Order Reduction and Controller Design Techniques*, Available at [http://web.iitd.ac.in/~janas/courses/material/eel879/sp\\_topics\\_01.pdf](http://web.iitd.ac.in/~janas/courses/material/eel879/sp_topics_01.pdf).
- [35] S. Ghosh, N. Senroy, 'Balanced truncation approach to power system model order reduction. *Electrical Power Components and Systems*', Vol. 41, No. 8, pp. 747-764, 2013.
- [36] E.J. Davison, 'A method for simplifying linear dynamic systems', *IEEE Trans. on Automatic Control*, AC-11, 1, pp. 93-101, 1966.
- [37] V. Purba, S.V. Dhople, S. Jafarpour et.al, 'Reduced-order structure-preserving model for parallel-connected three-phase grid-tied inverters', *IEEE Workshop on Control and Modeling for Power Electronics*, CA, USA, 2017.
- [38] M. Calabria, W. Schumacher, 'Nonlinear reduced-order model of an AC microgrid', *IEEE Int. Conf. on Power Electr. for Distri. Gen. Sys.*, Aachen, Germany, 2015.
- [39] A. Adib, B. Mirafzal, X. Wang et al., 'On stability of voltage source inverters in weak grids', *IEEE Access*, Vol. 6, pp. 4427-4439, 2018.
- [40] S. Ghosh, N. Senroy, 'Balanced truncation approach to power system model order reduction', *Electrical Power Components and Systems*, Vol. 41, No. 8, pp. 747-764, 2013.
- [41] V.R. Saksena, J.O. Reilly, P.V. Kokotovic, 'Singular perturbations and time-scale methods in control theory: survey', *Automatica*, Vol. 20, No. 3, pp. 273-293, 1982.

- [42] A. Ramirez, A.M. Sani, D. Hussein et.al., 'Application of balanced realizations for model order reduction of dynamic power system equivalents', IEEE Transactions on Power Delivery, Vol. 31, No. 5, pp. 2304-2314, 2016.
- [43] H. Khan, M.A. Bazaz, S. Nahvi, 'Singular Perturbation based Model Reduction of Power Electronic Circuits', IET Circuits, Devices & Systems, 2019, In Press.
- [44] K. Kodra, N. Zhong, Z. Gajic, 'Model order reduction of an islanded microgrid using singular perturbations', American Control Conference (ACC), Boston, USA, pp. 3650-3655, 2016.
- [45] X. Meng, W. Qianggang, N. Zhou et.al., 'Multi-time scale model order reduction and stability consistency certification of inverter-interfaced DG system in AC microgrid', Energies, Vol. 11, No. 1, 254, 2018.
- [46] Y. Gu, N. Bottrell, T.C. Green, 'Reduced-order models for representing converters in power system studies', IEEE Transactions on Power Electronics, Vol. 33, No. 4, pp. 3644-3654, 2018.
- [47] S.H. Chen, A.J. Jakeman, Norton J.P., 'Artificial intelligence techniques: an introduction to their use for modelling environmental systems', Mathematics and Computers in Simulation, 78, pp. 379-400, 2008.
- [48] J. Kennedy, R. Eberhart, 'Particle swarm optimization', Proc. IEEE Int. Conf. on Neural Networks, Perth, Australia, pp. 1942-1948, 1995.
- [49] Q. Bai, 'Analysis of Particle Swarm Optimization Algorithm', Computer and Information Science CCSE, Vol. 3, pp. 180-184, 2010.
- [50] M. Juneja, S.K. Nagar, 'Particle swarm optimization algorithm and its parameters: a review', Proceedings of Int. conf. on Control, Computing, Comm. and Materials, Allahabad, India, 2016.

- [51] J. Robinson, S. Sinton and Y. Rahmat-Samii, 'Particle swarm genetic algorithm and their hybrids: optimization of a profiled corrugated horn antenna', Proc. IEEE Int. Symp. Antennas Propagation, Vol. 1, pp. 314-317.
- [52] R.C. Eberhart and Y. Shi, 'Comparison between genetic algorithms and particle swarm optimization' in *Evolutionary Programming VII*, Springer Berlin Heidelberg, pp.611-616, 1998.
- [53] K. E. Parsopoulos and M. N. Vrahatis, 'Particle swarm optimization method in multiobjective problems, Proc. 2002 ACM Symp. Applied Computing, pp. 603-607, 2002.
- [54] M. Juneja, S.K. Nagar, 'Comparative study of model order reduction using combination of PSO with conventional reduction techniques', Proceedings of Int. Conf. Indus. Instru. and Control, Pune, India, pp. 406-411, 2015.
- [55] D. Karaboga, 'An idea based on honey bee swarm for numerical optimization', Technical Report-TR06, Erciyes University, Engineering Faculty, Computer Engineering Department, 2005. Available at <https://pdfs.semanticscholar.org/015d/f4d97ed1f541752842c49d12e429a785460b.pdf>.
- [56] D. Karaboga, B. Akay, 'A comparative study of Artificial Bee colony algorithm', Applied Mathematics and Computation, Vol. 214, No. 1, pp. 108-132, 2009.
- [57] D. Karaboga, B. Basturk, 'A powerful and efficient algorithm for numerical function optimization: artificial bee colony(ABC) algorithm', Journal of Glob. Optim., Vol. 39, pp. 459-471, 2007.

- [58] D.A. Pelta, N. Krasnogor, D. Dumitrescu, et al. *Nature Inspired Cooperative Strategies for Optimization*(NICSO 2011), (Studies in Computational Intelligence book series, Springer, Berlin, Heidelberg, 2011) pp. 85-100, 2011.
- [59] D. Karaboga, B. Gorekemli, C. Ozturk, and N. Karaboga, ‘A comprehensive survey: artificial bee colony(ABC) algorithm and applications’, *Artificial Intelligence Review*, Vol. 42, No. 1, pp. 21-57, 2014.
- [60] D. Karaboga, and B. Basturk, ‘On the performance of artificial bee colony (ABC) algorithm’, *Applied Soft Computing*, Vol. 8, No. 1, pp. 687-697, 2008.
- [61] J.J. Kusnierek, ‘Application of mixed  $H_2/H_\infty$  optimization’, Master’s thesis; Air Force Institute of Technology, 1991.
- [62] S.J. Ho, S.Y. Ho, M.H. Hung et.al., ‘Designing structure-specified mixed  $H_2/H_\infty$  optimal controllers using an intelligent genetic algorithm IGA’. *IEEE Transactions on Control Systems Technology*, Vol. 13, No. 6, pp. 1119-1124, 2005.
- [63] R. Toscano, ‘Signal and system norms’, *Structured Controllers for Uncertain Systems A Stochastic Optimization Approach*, pp. 25-44, 2013, Springer.
- [64] S-J Ho, S-Y Ho, L-S Shu, ‘OSA: Orthogonal Simulated Annealing Algorithm and Its Application to Designing Mixed  $H_2/H_\infty$  Optimal Controllers’, *IEEE Transactions on Systems, Man and Cybernetics-Part A: Systems and Humans*, Vol. 34, No. 5, pp. 588-600, 2004.
- [65] G. Rigatos, P., Siano and C., Cecati, ‘A new non-linear H-infinity feedback control approach for three-phase voltage source converter’, *Electric Power Components and Systems*, Vol. 44, No. 3, pp.1-11, 2015.
- [66] M. Baharizadeh, H.R. Karshenas and J.M. Guerrero, ‘Control strategy of interlinking converters as the key segment of hybrid AC-DC microgrids’, *IET Generation, Transmission & Distribution*, Vol. 10, No. 7, pp. 1671-1681, 2016.

- [67] N.H. Saad, A.A. El-Sattar and A.E-A.M. Mansour, 'A novel control strategy for grid connected hybrid renewable energy systems using improved particle swarm optimization', *Ain Shams Engineering Journal*, Vol. 9, No. 4, pp. 2195-2214, 2018.
- [68] D.R. Aryani, J.S. Kim and H. Song, 'Interlink converter with Linear Quadratic Regulator based current control for hybrid AC/DC microgrid', *Energies*, Vol. 10, No. 11, 1799, 2017.
- [69] I.R. Fitri, J.S. Kim, H. Song, 'A robust suboptimal current control of an interlink converter for a hybrid AC/DC microgrid', *Energies*, Vol. 11, No. 6, 1382, 2018.
- [70] P. Yang, Y. Xia, M. Yu and Y. Peng, 'A decentralized coordination control method for parallel bidirectional power converters in a hybrid AC-DC microgrid', *IEEE Transactions on Industrial Electronics*, Vol. 65, No. 8, pp. 6217-6228, 2018.
- [71] R. Kaur and J. Ohri, 'H-infinity controller design for pneumatic servosystem: a comparative study', *International Journal of Automation and Control*, Vol. 8, No. 3, pp. 2422-259, 2014.
- [72] R.U. Amin and L. Aijun, 'Design of mixed sensitivity  $H_\infty$  control for four-rotor hover vehicle', *International Journal of Automation and Control*, Vol. 11, No. 1, pp. 89-103, 2017.
- [73] M.A. Chowdhury and S.B.A. Kashem, 'H $\infty$  loop-shaping controller design for a grid-connected single-phase photovoltaic system', *International Journal of Sustainable Engineering*, Vol. 11, No. 3, pp. 196-204, 2018.
- [74] P. Kundur, N.J. Balu, M.G. Lauby, *Power system stability and control*, McGraw-Hill: New York, NY, USA, 1994, ISBN: 007035958X.
- [75] N. Bottrell, 'Small-signal analysis of active loads and large-signal analysis of faults in inverter interfaced microgrid applications', Ph.D Thesis, Imperial College, London, 2014.

- [76] H.K. Khalil, *Nonlinear Systems*, Prentice-Hall: Upper Saddle River, NJ, USA, 2002, 3rd ed.
- [77] H.J. Bahirat, 'Electric Power Quality in Power System', Ph. D Thesis, C.U., 2009.
- [78] J. Roubal, P. Husek, J. Stecha, 'Linearization: students forget the operating point', *IEEE Trans. on Edu.*, Vol. 53, No. 3, pp. 413-418, 2010.
- [79] Y. Li, W. Gao, E. Muljadi, E. et. al., 'Novel approach for calculation and analysis of eigenvalues and eigenvectors in microgrids', *Proceedings of Power Systems conference*, Clemson University, South Carolina, 2014.
- [80] F.D. Mohammadi, H.K. Vanashi, A. Feliachi, 'State-Space Modeling, Analysis and Distributed Secondary Frequency Control of Isolated Microgrids', *IEEE Transactions on Energy Conversion*, Vol. 33, No. 1, pp. 155-165, 2018.
- [81] C. Wang, M.H. Nehrir, Shaw S.R., 'Dynamic models and model validation for PEM fuel cells using electrical circuits', *IEEE Transactions on Energy Conversion*, Vol. 20, No. 2, pp. 442-451, 2005.
- [82] M. Saadvandi, K. Meerbergen, E. Jarlebring, 'On the dominant poles and model reduction of second order time-delay systems', *Applied Numerical Mathematics*, Vol. 62, No. 1, pp. 21-34, 2012.
- [83] S. Gugercin, A.C. Antoulas, 'A survey of Model Reduction by Balanced Truncation and Some New Results', *International Journal of Control*, Vol. 77, No. 8, pp. 748-766, 2007.
- [84] Y. Shamash, 'Truncation method of reduction: a viable Alternative', *Electronics Letters*, Vol .17, Issue 2, pp. 97-99, 1981.

- [85] C. Sun, J. Hahn, 'Parameter reduction for stable dynamical systems based on Hankel singular values and sensitivity analysis', *Chemical Engineering Science*, Vol. 61, No. 16, pp. 5393-5403, 2006.
- [86] R. Poli, J. Kennedy, T. Blackwell, 'Particle Swarm Optimization An overview', *Swarm Intelligence*, Vol. 1, No. 1, pp 33-57, 2007.
- [87] A.E. Eiben, James E Smith, *Introduction to Evolutionary Computing*, Springer, 2015.
- [88] M. Juneja and S. Tiwari, 'Reduced order modeling of triple link inverted pendulum using particle swarm optimization algorithm', *International Journal of Advancements in Electronics and Electrical Engineering*, Vol. 3, Issue 3, pp. 77-82, 2014.
- [89] C. Lobry, T. Sari, 'Singular perturbations methods in control theory', *Contrle Non Linaire et Applications Cours du CIMPA Collection Travaux en Cours*, pp. 151-177, 2005.
- [90] Typhoon HIL 402 Brochure. Available at [www.typhoon-hil.com/products/hil402](http://www.typhoon-hil.com/products/hil402)
- [91] M. Gopal, *Modern Control System Theory*, Second Edition. New Age International Limited, Publishers, 1993.
- [92] C-C Tsui, *Robust Control System Design Advanced State Space Techniques*, Second Edition, Marcel Dekker, USA, USA, 2004.
- [93] R.I. Williams II, D.A. Lawrence, *Linear State Space Control Systems*, John Wileys & Sons, USA, 2007.
- [94] Wikibooks: Control Systems and control engineering. Available at [https://en.wikibooks.org/w/index.php?title=Control\\_Systems/Stability&stable=1](https://en.wikibooks.org/w/index.php?title=Control_Systems/Stability&stable=1).
- [95] E S N Raju P, T. Jain, 'Hybrid AC/DC Micro Grid: An Overview', *International Conference on Power and Energy Systems*, Kathmandu, Nepal, 2013.

- [96] X. Liu, P.C. Loh, 'A Hybrid AC/DC Micro-Grid', International Power Electronics Conference, Japan, 2010.
- [97] Y. Jin, B. Sendhoff, 'Trade-Off between Performance and Robustness: An Evolutionary Multiobjective Approach', In: Fonseca C.M., Fleming P.J., Zitzler E., Thiele L., Deb K. (eds) Evolutionary Multi-Criterion Optimization. EMO 2003. Lecture Notes in Computer Science, Vol. 2632. Springer, Berlin, Heidelberg, 2003.
- [98] O. Garpinger, T. Hagglund, K.J. Astrom, 'Performance and robustness trade-offs in PID control', Journal of Process Control, Vol. 24, No. 5, pp 568-577, 2014.
- [99] S. Sehgal and S. Tiwari, 'LQR control for stabilizing triple link inverted pendulum system', Power, Control and Embedded System (ICPCES), 2nd International Conference, pp. 1-5, 2012.
- [100] William S. Levine, *The Control Systems Handbook: Control System Advanced Methods*, Second Edition. CRC Press, 2011.
- [101] Martin J. Corless, Art Frazho, *Linear Systems and Control: An Operator Perspective*, Marcel Dekker, Inc, 2003
- [102] D.W. Gu, P. Hr. Petkov and M.M. Konstantinov, *Robust Control Design with Matlab*, Springer-Verlag, 2005.
- [103] P. Kumar, S. Chatterjee, D. Shah, U.K. Saha and S. Chatterjee, 'On comparison of tuning method of FOPID controller for controlling field controlled DC servo motor', Cogent Engineering, Vol. 4, No. 1, 1357875, 2017.
- [104] K. Glover and J.C. Doyle, 'State-space formulae for all stabilizing controllers that satisfy an  $H_\infty$ -norm bound and relations to risk sensitivity', System & Control Letters, Vol. 11, pp. 167-172, 1988.

- [105] M. Babazadeh and H. Karimi, 'A robust two-degree-of-freedom control strategy for an island microgrid', IEEE Transactions on Power Delivery, Vol.28, No. 3, pp. 1339-1347, 2013.
- [106] H. Kwakernaak, 'Mixed sensitivity design', IFAC Proceedings Volumes, Vol. 35, No. 1, pp. 61-66, 2002.
- [107] K.J. Astrom and R.M Murray, *Feedback Systems An introduction for scientists and engineers*, 1<sup>st</sup> ed., Princeton University Press, New Jersey, 2008.
- [108] M.G. Safonov and R.Y. Chiang, 'A schur method for balanced-truncation model reduction', IEEE Transactions on Automatic Control, Vol. 34, No. 7, pp. 729-733, 1989.
- [109] K. Glover, 'All Optimal Hankel Norm Approximation of Linear Multivariable Systems, and Their  $L_\infty$ - error Bounds', Int. J. Control, Vol. 39, No. 6, pp. 1145-1193, 1984.
- [110] Mathworks webpage available at <https://in.mathworks.com/help/robust/ref/schurmr.html>.