

REFERENCES

- A. A. Gitelson, Y. Gritz and M. N. Merzlyak, "Relationships between leaf chlorophyll content and spectral reflectance and algorithms for non-destructive chlorophyll assessment in higher plant leaves," *Journal of Plant Physiology*, 2003, v. 160, pp. 271–282.
- A. J. Graham and R. Harris, "Estimating crop and waveband specific water cloud model parameters using a theoretical backscatter model," *International Journal of Remote Sensing*, 2002, v. 23, n. 23, pp. 5129–5133.
- A. J. Graham and R. Harris, "Extracting Biophysical Parameters from Remotely Sensed Radar Data: A Review of the Water Cloud Model," *Progress in Physical Geography*, 2003, v. 27, n. 2, pp. 217–229.
- A. K. Fung, Z. Li and K.S. Chen, "Backscattering from a randomly rough dielectric surface," *IEEE Transactions on Geoscience and Remote Sensing*, 1992, v. 30, n. 2, pp. 356-369.
- A. L. Morvan, M. Zribi, N. Baghdadi and A. Chanzy, "Soil moisture profile effect on radar signal measurement," *Sensors*, 2008, v. 8, pp. 256–270.
- A. L. Nguy-Robertson, A. A. Gitelson, Y. Peng, A. Vina, T. J. Arkebauer and D. C. Rundquist, "Green leaf area index estimation in maize and soybean: combining vegetation indices to achieve maximal sensitivity," *Agronomy Journal*, 2012, v. 104, n. 5, pp. 1336–1347.
- A. L. Nguy-Robertson, Y. Peng, A. A. Gitelson, T. J. Arkebauer, A. Pimstein, I. Herrmann, A. Karnieli, D. C. Rundquist and D. J. Bonfil, "Estimating green LAI in four crops: Potential of determining optimal spectral bands for a universal algorithm," *Agricultural and forest meteorology*, 2014, v. 192, pp. 140-148.
- A. Kross, H. McNairn, D. Lapen, M. Sunohara and C. Champagne, "Assessment of RapidEye vegetation indices for estimation of leaf area index and biomass in corn and soybean crops," *International Journal of Applied Earth Observation and Geoinformation*, 2015, v. 34, pp. 235–248.

- A. K. Aria and H. K. Malik, “Numerical studies on wakefield excited by Gaussian-like microwave pulse in a plasma filled waveguide,” *Optics Communications*, 2009, v. 282, n. 3, pp. 423-426.
- A. Qadir and P. Mondal, “Synergistic Use of Radar and Optical Satellite Data for Improved Monsoon Cropland Mapping in India,” *Remote Sensing*, 2020, v. 12, n. 3, pp. 522.
- A. Veloso, S. Mermoz, A. Bouvet, T. Le Toan, M. Planells, J. F. Dejoux and E. Ceschia, “Understanding the temporal behavior of crops using Sentinel-1 and Sentinel-2-like data for agricultural applications,” *Remote sensing of environment*, 2017, v. 199, pp. 415-426.
- C. Atzberger, “Object-based retrieval of biophysical canopy variables using artificial neural nets and radiative transfer models,” *Remote Sensing of Environment*, 2004, v. 93, n. 1–2, pp. 53–67.
- C. Elachi and J.J. Van Zyl, *Introduction to the physics and techniques of remote sensing*: John Wiley & Sons, 2006.
- C. Liu, “Analysis of Sentinel-1 SAR data for mapping standing water in the Twente region,” PhD thesis, Faculty of Geo-Information Science and Earth observation, University of Twente, 2016.
- C. Notarnicola, M. Angiulli and F. Posa, “Use of radar and optical remotely sensed data for soil moisture retrieval over vegetated areas,” *IEEE Transactions on Geoscience and Remote Sensing*, 2006, v. 44, pp. 925–935.
- C. Tao, S. Chen, Y. Li and S. Xiao, “PolSAR land cover classification based on roll-invariant and selected hidden polarimetric features in the rotation domain,” *Remote Sensing*, 2017, v. 9, n. 7, pp. 660.
- D. Feng, M. C. Jing, P. Stephen, C. Mingzhen and P. Jan, “Algorithm for global leaf area index retrieval using satellite imagery,” *IEEE Transactions on Geoscience and Remote Sensing*, 2006, v. 44, n. 8, pp. 2219–2229.
- D. J. Mulla, “Twenty five years of remote sensing in precision agriculture: Key advances and remaining knowledge gaps,” *Biosystems engineering*, 2013, v. 114, n. 4, pp. 358-371.

- D. Mandal, V. Kumar, D. Ratha, J. M. Lopez-Sanchez, A. Bhattacharya, H. McNairn, Y. S. Rao and K. V. Ramana, "Assessment of rice growth conditions in a semi-arid region of India using the Generalized Radar Vegetation Index derived from RADARSAT-2 polarimetric SAR data," *Remote Sensing of Environment*, 2020a, v. 237, pp. 111561.
- D. Mandal, V. Kumar, D. Ratha, S. Dey, A. Bhattacharya, J. M. Lopez-Sanchez, H. McNairn and Y. S. Rao, "Dual polarimetric radar vegetation index for crop growth monitoring using sentinel-1 SAR data," *Remote Sensing of Environment*, 2020, v. 247, pp.111954.
- D. Mandal, V. Kumar, H. McNairn, A. Bhattacharya and Y. S. Rao, "Joint estimation of Plant Area Index (PAI) and wet biomass in wheat and soybean from C-band polarimetric SAR data," *International Journal of Applied Earth Observation and Geoinformation*, 2019, v. 79, pp. 24-34.
- D. Singh, "A simplistic incidence angle approach to retrieve the soil moisture and surface roughness at X-band," *IEEE transactions on geoscience and remote sensing*, 2005, v. 43, n.11, pp. 2606-2611.
- D. Uppala, V. Somepalli, R. K. Venkata and S. M. V. Rama, "Identification of optimal single date for rice crop discrimination and relationships between backscatter and biophysical parameters using RISAT-1 hybrid polarimetric SAR data," *Geocarto International*, 2019, pp.1-13.
- E. Beriaux, C. Lucau-Danila, E. Auquiere and P. Defourny, "Multiyear independent validation of the water cloud model for retrieving maize leaf area index from SAR time series," *International Journal of Remote Sensing*, 2013, v. 34, n. 12, pp. 4156–4181.
- E. Bériaux, F. Waldner, Collienne, P. Bogaert and P. Defourny, "Maize Leaf Area Index Retrieval from Synthetic Quad Pol SAR Time Series Using the Water Cloud Model," *Remote Sensing*, 2015, v. 7, n. 12, pp. 16204–16225.
- E. Ceraldi, G. Franceschetti, A. Iodice and D. Riccio, "Estimating the soil dielectric constant via scattering measurements along the specular direction," *IEEE Transactions on Geoscience and Remote Sensing*, 2005, v. 43, no. 2, pp. 295–305.

- E. Erten, G. Taşkin and J. M. Lopez-Sanchez, "Selection of PolSAR Observables for Crop Biophysical Variable Estimation With Global Sensitivity Analysis," *IEEE Geoscience and Remote Sensing Letters*, 2019, v. 16, n. 5, pp. 766-770.
- E. G. Njoku and J.A Kong, "Theory for passive microwave remote sensing of near-surface soil moisture," *Journal of Geophysical Research*, 1977, v. 82, n. 20, pp. 3108-3118.
- E. P. W. Attema and F.T. Ulaby, "Vegetation Modeled as a Water Cloud," *Radio Science*, 1978, v. 13, n. 2, pp. 357 - 364.
- F. Filipponi, "Sentinel-1 GRD Preprocessing Workflow," In *Multidisciplinary Digital Publishing Institute Proceedings*, 2019, v. 18, n. 1, pp. 11.
- F. Mattia, T. Le Toan, G. Picard, F. I. Posa, A. D'Alessio, C. Notarnicola, A. M. Gatti, M. Rinaldi, G. Satalino and G. Pasquariello, "Multitemporal C-band radar measurements on wheat fields," *IEEE transactions on Geoscience and Remote Sensing*, 2003, v. 41, n. 7, pp. 1551-1560.
- F. T. Ulaby, "Radar response to vegetation," *IEEE Transactions on Antennas and Propagation*, 1975, v. 23, n. 1, pp. 36-45.
- F. T. Ulaby, A. Aslam, and M. C. Dobson, "Effects of vegetation cover on the radar sensitivity to soil moisture," *IEEE Transactions on Geoscience and Remote Sensing*, 1982, v. 20, n. 4, pp. 476-481.
- F. T. Ulaby, C. T. Allen, G. Eger Iii and E. Kanemasu, "Relating the microwave backscattering coefficient to leaf area index," *Remote Sensing of Environment*, 1984, v. 14, n. 1-3, pp. 113-133.
- F. T. Ulaby, K. Sarabandi, K. Y. L. E. Mcdonald, M. Whitt and M. Craig Dobson, "Michigan Microwave Canopy Scattering Model," *International Journal of Remote Sensing*, 1990, v. 11, n. 7, pp. 1223–1253.
- F. T. Ulaby, R. K. Moore, and A. K. Fung, "Microwave Remote Sensing Active Passive: From Theory to Applications," *Norwood, MA, USA: Artech House*, 1986, v. 3.

- G. Cookmartin, P. Saich, S. Quegan, R. Cordey, P. Burgess-Allen and A. Sowter, "Modeling microwave interactions with crops and comparison with ERS-2 SAR observations," *IEEE Transactions on Geoscience and Remote Sensing*, 2000, v. 38, n. 2, 658-670.
- G. Gutman and A. Ignatov, "The derivation of the green vegetation fraction from NOAA/AVHRR data for use in numerical weather prediction models," *International Journal of Remote Sensing*, 1998, v. 19, n. 8, pp. 1533-1543.
- G. Macelloni, S. Paloscia, P. Pampaloni, F. Marliani and M. Gai, "The relationship between the backscattering coefficient and the biomass of narrow and broad leaf crops," *IEEE Transaction on Geoscience and Remote Sensing*, 2001, v. 39, pp. 873-884
- G. Picard, T. L. Toan and F. Mattia, "Understanding C-band radar backscatter from wheat canopy using a multiple-scattering coherent model," *IEEE Transactions on Geoscience and Remote Sensing*, 2003, v. 41, n. 7, pp. 1583-1591.
- H. Borchani, G. Varando, C. Bielza and P. Larra naga, "A survey on multi-output Regression," *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery*, 2015, v. 5, n. 5, pp. 216-233.
- H. Fang, Y. Zhang, S. Wei, W. Li, Y. Ye, T. Sun and W. Liu, "Validation of global moderate resolution leaf area index (LAI) products over croplands in northeastern China," *Remote Sensing of Environment*, 2019, v. 233, pp. 111377.
- H. Jin and L. Eklundh, "A physically based vegetation index for improved monitoring of plant phenology," *Remote Sensing of Environment*, 2014, v. 152, pp. 512-525.
- H. K. Malik, "Density bunch formation by microwave in a plasma-filled cylindrical waveguide" *Europhysics Letters*, 2014, v. 106, n. 5, pp. 55002.
- H. K. Malik, "Analytical calculations of wake field generated by microwave pulses in a plasma filled waveguide for electron acceleration," *Journal of Applied Physics*, 2008, v. 104, n. 5, pp. 053308.
- H. K. Malik, "Effect of plasma density on proton acceleration in a rectangular waveguide," *Plasma Science and Technology*, 2004, v. 6, n. 5, pp. 2456.

- H. K. Malik and A. K. Aria, "Microwave and plasma interaction in a rectangular waveguide: Effect of ponderomotive force," *Journal of Applied Physics*, 2010, v. 108, n. 1, pp. 013109.
- H. K. Malik and A. K. Aria, "Microwave breakdown for the TE₁₀ mode in a rectangular waveguide," *Physics of Plasmas*, 2013, v. 20, n. 8, pp. 082125.
- H. Lievens and N. E. Verhoest, "On the retrieval of soil moisture in wheat fields from L-band SAR based on water cloud modeling, the IEM, and effective roughness parameters," *IEEE Geoscience and Remote Sensing Letters*, 2011, v. 8, n. 4, pp. 740-744.
- H. McNairn, X. Jiao, A. Pacheco, A. Sinha, W. Tan and Y. Li, "Estimating canola phenology using synthetic aperture radar," *Remote Sensing of Environment*, 2018, v. 219, pp. 196-205.
- I. Champion, L. Prevot and G. Guyot, "Generalized semi-empirical modelling of wheat radar response," *International Journal of Remote Sensing*, 2000, v. 21, n. 9, pp. 1945–1951.
- J. Clevers, C. Buker, H. Vanleeuwen and B. Bouman, "A framework for monitoring crop growth by combining directional and spectral remote sensing information," *Remote Sensing of Environment*, 1994, v. 50, n. 2, pp. 161–170.
- J. Denize, L. Hubert-Moy, J. Betbeder, S. Corgne, J. Baudry and E. Pottier, "Evaluation of using sentinel-1 and-2 time-series to identify winter land use in agricultural landscapes," *Remote Sensing*, 2019, v. 11, n. 1, pp. 37.
- J. Du, J. S. Kimball and M. Moghaddam, "Theoretical modeling and analysis of L-and P - band radar backscatter sensitivity to soil active layer dielectric variations," *Remote Sensing*, 2015, v. 7, n. 7, pp. 9450-9472.
- J. G. Chang, M. Shoshany and Y. Oh, "Polarimetric Radar Vegetation Index for Biomass Estimation in Desert Fringe Ecosystems," *IEEE Transactions on Geoscience and Remote Sensing*, 2018, v. 56, n. 12, pp. 7102-7108.
- J. G. P. W. Clevers and H. J. C. van Leeuwen, "Combined use of optical and microwave remote sensing data for crop growth monitoring," *Remote Sensing of Environment*, 1996, v. 56, n. 1, pp. 42–51.

- J. Li and S. Wang, "Using SAR-Derived Vegetation Descriptors in a Water Cloud Model to Improve Soil Moisture Retrieval," *Remote Sensing*, 2018, v. 10, pp. 1370.
- J. M. Sabater, C. Rüdiger, J. C. Calvet, N. Fritz, L. Jarlan, and Y. Kerr, "Joint assimilation of surface soil moisture and LAI observations into a land surface model," *Agricultural and Forest Meteorology*, 2008, v. 148, n. 8–9, pp. 1362–1373.
- J. Verrelst, G. Camps-Valls, J. Muñoz-Marí, J. P. Rivera, F. Veroustraete, J. G. Clevers and J. Moreno, "Optical remote sensing and the retrieval of terrestrial vegetation bio-geophysical properties—A review," *ISPRS Journal of Photogrammetry and Remote Sensing*, 2015, v. 108, pp. 273-290.
- K. Dabrowska-Zielinska, Y. Inoue, W. Kowalik, and M. Gruszczynska, "Inferring the Effect of Plant and Soil Variables on C-and L-band SAR Backscatter over Agricultural Fields, Based on Model Analysis," *Advances in Space Research*, 2007, v. 39, n. 1, pp. 139–148.
- K. Kamal, K. S. Hari Prasad and M. K. Arora, "Estimation of water cloud model vegetation parameters using a genetic algorithm," *Hydrological Sciences Journal*, 2012, v. 57, n. 4, pp. 776-789.
- K. Kumar, H. P. Suryanarayana Rao and M. K. Arora, "Study of water cloud model vegetation descriptors in estimating soil moisture in Solani catchment," *Hydrological Processes*, 2015, v. 29, pp. 2137–2148.
- K. Kumar, K. S. Hari Prasad and M. K. Arora, "Estimation of water cloud model vegetation parameters using a genetic algorithm," *Hydrological Sciences Journal*, 2012, v. 57, n. 4, pp. 776–789.
- K. S. Chen, S. K. Yen and W. P. Huang, "A simple model for retrieving bare soil moisture from radar-scattering coefficients," *Remote Sensing of Environment*, 1995, v. 54, n. 2, pp. 121-126.
- K. Van Tricht, A. Gobin, S. Gilliams and I. Piccard, "Synergistic use of radar Sentinel-1 and optical Sentinel-2 imagery for crop mapping: a case study for Belgium," *Remote Sensing*, 2018, v. 10, n. 10, pp. 1642.

- L. Bruckler, H. Witono and P. Stengel, “Near surface soil moisture estimation from microwave measurements,” *Remote Sensing of Environment*, 1988, v. 26, n. 2, pp. 101–121.
- L. Jarlan, G. Balsamo, S. Lafont, A. Beljaars, J. C. Calvet, and E. Mougin, “Analysis of leaf area index in the ECMWF land surface model and impact on latent heat and carbon fluxes: Application to West Africa,” *Journal of Geophysical Research: Atmosphere*, 2008, v. 113, n. D24117, pp. 1–22.
- L. Li, Q. Kong, P. Wang, L. Xun, L. Wang, L. Xua and Z. Zhao, “Precise identification of maize in the North China Plain based on Sentinel-1A SAR time series data,” *International Journal of Remote Sensing*, 2018, v. 40, n. 5-6, pp. 1996–2013.
- L. Prevot, I. Champion, G. Guyot, “Estimating surface soil moisture and leaf area index of a wheat canopy using a dual-frequency (C and X bands) scatterometer,” *Remote Sensing of Environment*, 1993a, v. 46, n. 3, pp. 331-339.
- L. Zhu, J. P. Walker, L. Tsang, H. Huang, N. Ye and C. Rüdiger, “A multi-frequency framework for soil moisture retrieval from time series radar data,” *Remote Sensing of Environment*, 2019, v. 235, pp. 111433.
- M. A. Karam, F. Amar, A. K. Fung, E. Mougin, A. Lopes, D. M. Le Vine, and A. Beaudoin, “A Microwave Polarimetric Scattering Model for Forest Canopies Based on Vector Radiative Transfer Theory,” *Remote Sensing of Environment*, 1995, v. 53, n. 1, pp. 16–30
- M. Arias, M. A. Campo-Bescós and J. Álvarez-Mozos, “Crop Classification Based on Temporal Signatures of Sentinel-1 Observations over Navarre Province, Spain,” *Remote Sensing*, 2020, v. 12, n. 2, pp.278.
- M. Aubert, N. Baghdadi, M. Zribi, K. Ose, M. E. Hajj, E. Vaudour and E. González-Sosa, “Toward an Operational Bare Soil Moisture Mapping Using Terra SAR-X Data Acquired Over Agricultural Areas,” *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 2013, v. 6, n. 2, pp. 900-916.
- M. C. Dobson, F.T. Ulaby, M.T. Hallikainen, and M.A. El-Rayes, “Microwave dielectric behavior of wet soil-Part II: Dielectric mixing models,” *IEEE Transactions on Geoscience and Remote Sensing*, 1985, v. 23, n. 1, 35-46.

- M. Campos-Taberner, “Development of an Earth observation processing chain for crop biophysical parameters at local and global scale,” *Revista de Teledetección*, 2017 (50), pp.101-104.
- M. Chakraborty, K.R. Manjunath, S. Panigrahy, N. Kundu, and J.S. Parihar, “Rice crop parameter retrieval using multi-temporal, multi-incidence angle Radarsat SAR data,” *ISPRS Journal of Photogrammetry & Remote Sensing*, 2005, v. 59, no. 5, pp. 310-322.
- M. Hosseini, H. McNairn, A. Merzouki, A. Pacheco, “Estimation of leaf area index (LAI) in corn and soybeans using multi-polarization C- and L-band radar data,” *Remote Sensing of Environment*, 2015, v. 170, pp. 77-89.
- M. Hosseini and M. Heather, “Using Multi-polarization C-and L-band Synthetic Aperture Radar to Estimate Biomass and Soil Moisture of Wheat Fields,” *International Journal of Applied Earth Observation and Geoinformation*, 2017, v. 58, pp. 50–64.
- M. Kseneman, D. Gleich and Z. Cucej, “Soil moisture estimation using high-resolution spotlight TerraSAR-X data,” *IEEE Geoscience and Remote Sensing Letters*, 2011, v. 8, n. 4, pp. 686-690.
- M. Main-Knorn, B. Pflug, J. Louis, V. Debaecker, U. Müller-Wilm and F. Gascon, “Sen2Cor for sentinel-2,” In *Image and Signal Processing for Remote Sensing XXIII*, *International Society for Optics and Photonics*, 2017 October, v. 10427, pp. 1042704.
- M. O. Jones, L. A. Jones, J. S. Kimball and K. C. McDonald, “Satellite passive microwave remote sensing for monitoring global land surface phenology,” *Remote Sensing of Environment*, 2011, v. 115, n. 4, pp. 1102-1114
- M. S. Moran, A. Vidal, D. Troufleau, Y. Inoue, and T. A. Mitchell, “Ku-and C-band SAR for discriminating agricultural crop and soil conditions,” *IEEE Transactions on Geoscience and Remote Sensing*, 1998, v. 36, n. 1, pp. 265-272.
- M. Shimoni, D. Borghys, R. Heremans, C. Perneel and M. Acheroy, “Fusion of PolSAR and PolInSAR data for land cover classification,” *International Journal of Applied Earth Observation and Geoinformation*, 2009, v. 11, n. 3, pp. 169-180.

- M. Vreugdenhil, W. Wagner, B. Bauer-Marschallinger, I. Pfeil, I. Teubner, C. Rüdiger and P. Strauss, “Sensitivity of Sentinel-1 backscatter to vegetation dynamics: An Austrian case study,” *Remote Sensing*, 2018, v. 10, n. 9, pp. 1396.
- N. Baghdadi, M. Aubert and M. Zribi, “Use of TerraSAR-X Data to Retrieve Soil Moisture Over Bare Soil Agricultural Fields,” *IEEE Geoscience and Remote Sensing Letters*, 2012, v. 9, n. 3, pp. 512–516.
- N. Baghdadi, N. Boyer, P. Todoroff, M. El Hajj and A. Bégué, “Potential of SAR sensors TerraSAR-X, ASAR/ENVISAT and PALSAR/ALOS for monitoring sugarcane crops on Reunion Island,” *Remote sensing of environment*, 2009, v. 113, n. 8, pp.1724-1738.
- N. H. Broge and J. V. Mortensen, “Deriving green crop area index and canopy chlorophyll density of winter wheat from spectral reflectance data,” *Remote Sensing of Environment*, 2002, v. 81, n. 1, pp. 45-57.
- N.J.J. Breda, “Ground-based measurements of leaf area index: a review of methods, instruments and current controversies,” *Journal of experimental botany*, 2003, v. 54, n. 392, pp.2403-2417.
- N. N. Baghdadi, M. El Hajj, M. Zribi and I. Fayad, “Coupling SAR C-band and optical data for soil moisture and leaf area index retrieval over irrigated grasslands,” *IEEE Journal of Selected Topics in Applied Earth Observation and Remote Sensing*, 2016, v. 9, n. 3, pp. 1229–1124.
- N. Pahlevan, S. Sarkar, B. A. Franz, S. V. Balasubramanian and J. He, “Sentinel-2 multispectral instrument (MSI) data processing for aquatic science applications: demonstrations and validations,” *Remote Sensing of Environment*, 2017, v. 201, pp. 47–56.
- P. C. Dubois, and J. Van Zyl, “ An empirical soil moisture estimation algorithm using imaging radar,” *Proceedings of IGARSS'94-1994 IEEE International Geoscience and Remote Sensing Symposium*, 1994, v. 3, pp. 1573-1575.
- P. Dusseux, T. Corpetti, L. Hubert-Moy and S. Corgne, “Combined use of multi-temporal optical and radar satellite images for grassland monitoring,” *Remote Sensing*, 2014, v. 6, n. 7, pp. 6163–6182.

- P. Ferrazzoli, L. Guerriero, and D. Solimini, "Simulating bistatic scatter from surfaces covered with vegetation," *Journal of Electromagnetic Waves and Application*, 2000, v. 14, n. 2, pp. 233-248.
- P. Ferrazzoli, S. Paloscia, P. Pampaloni, G. Schiavon, S. Sigismondi, and D. Solimini, "The potential of multifrequency polarimetric SAR in assessing agricultural and arboreous biomass," *IEEE Transactions on Geoscience and Remote Sensing*, Jan 1997, v. 35, n. 1, pp. 5-17.
- P. Kumar, R. Prasad, A. Choudhary, D. K. Gupta, V. N. Mishra, A. K. Vishwakarma, A. K. Singh, P. K. Srivastava, "Comprehensive evaluation of soil moisture retrieval models under different crop cover types using C-band synthetic aperture radar data," *Geocarto International*, 2019, v. 34, n. 9, pp. 1022-41.
- P. Kumar, R. Prasad, D. K. Gupta, V. N. Mishra, A. K. Vishwakarma, V. P. Yadav, R. Bala, A. Choudhary and R. Avtar, "Estimation of winter wheat crop growth parameters using time series Sentinel-1A SAR data," *Geocarto International*, 2018, v. 33, n. 9, pp. 942-56.
- Q. Gao, M. Zribi, M. J. Escorihuela and N. Baghdadi, "Synergetic use of Sentinel-1 and Sentinel-2 data for soil moisture mapping at 100 m resolution," *Sensors*, 2017, v. 17, n. 9, pp. 1966.
- Q. Xie, J. Dash, A. Huete, A. Jiang, G. Yin, Y. Ding, D. Peng, C. C. Hall, L. Brown, Y. Shi and H. Ye, "Retrieval of crop biophysical parameters from Sentinel-2 remote sensing imagery," *International Journal of Applied Earth Observation and Geoinformation*, 2019, v. 80, pp. 187-195.
- R. Bala, R. Prasad and V. P. Yadav, "Disaggregation of modis land surface temperature in urban areas using improved thermal sharpening techniques," *Advances in Space Research*, 2019, v. 64, n. 3, pp. 591- 602.
- R. Barakat, "Degree of polarization and the principal idempotents of the coherency matrix," *Optics Communications*, 1977, v. 23, n. 2, pp. 147-150.
- R. Bindlish and A.P. Barros, "Multifrequency soil moisture inversion from SAR measurements with the use of IEM," *Remote Sensing of Environment*, 2000, v. 71, n. 1, pp. 67-88.

- R. Bindlish and A. P. Barros, "Parameterization of vegetation backscatter in radar-based, soil moisture estimation," *Remote Sensing of Environment*, 2001, v. 76, pp. 130 – 137.
- R. D. De Roo, D. Yang, F. T. Ulaby and M. Craig Dobson, "A Semi-empirical Backscattering Model at L-band and C-band for A Soybean Canopy with Soil Moisture Inversion." *IEEE Transactions on Geoscience and Remote Sensing*, 2001, v. 39, n. 4, pp. 864–872
- R. Fieuzal, B. Duchemin, L. Jarlan, M. Zribi, F. Baup, O. Merlin, O. Hagolle and J. Garatuza-Payan, "Combined use of optical and radar satellite data for the monitoring of irrigation and soil moisture of wheat crops," *Hydrology and Earth System Sciences*, 2011, v. 15, n. 4, pp. 1117–1129.
- R. Hosseini, N. K. Newlands, B. C. Dean and A. Takemura, "Statistical modeling of soil moisture, integrating satellite remote-sensing (SAR) and ground-based data," *Remote Sensing*, 2015, v. 7, pp. 2752–2780.
- R. Prasad, "Estimation of kidney bean crop variables using ground-based scatterometer data at 9.89 GHz," *International Journal of Remote Sensing*, 2011, v. 32, n. 1, pp.31-48.
- R. Touzi, K. Omari, B. Sleep and X. Jiao, "Scattered and received wave polarization optimization for enhanced peatland classification and fire damage assessment using polarimetric PALSAR," *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 2018, v. 11, n. 11, pp. 4452-4477.
- S. C. Steele-Dunne, H. McNairn, A. Monsivais-Huertero, J. Judge, P. Liu, and K. Papathanassiou, "Radar Remote Sensing of Agricultural Canopies: A Review." *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 2017, v. 10, n. 5, pp. 2249–2273.
- S. Gao, Z. Niu, N. Huang and X. Hou, "Estimating the leaf area index, height and biomass of maize using HJ-1 and RADARSAT-2," *International Journal of Applied Earth Observation and Geoinformation*, 2013, v. 24, pp. 1–8.
- S. Khabbazan, P. Vermunt, S. Steele-Dunne, L. Ratering Arntz, C. Marinetti, D. van der Valk, L. Iannini, R. Molijn, K. Westerdijk and C. van der Sande, "Crop monitoring using

- Sentinel-1 data: a case study from The Netherlands,” *Remote Sensing*, 2019, v. 11, n. 16, pp. 1887.
- S. Paloscia, S. Pettinato, E. Santi, C. Notarnicola, L. Pasolli and A. Reppucci, “Soil Moisture Mapping Using Sentinel-1 Images: Algorithm and Preliminary Validation,” *Remote Sensing of Environment*, 2013, v. 134, pp. 234-248.
- S. Periasamy, “Significance of dual polarimetric synthetic aperture radar in biomass retrieval: An attempt on Sentinel-1,” *Remote Sensing of Environment*, 2018, v. 217, pp. 537-549.
- S. Schaufler, B. Bauer-Marschallinger, S. Hochstöger and W. Wagner, “Modelling and correcting azimuthal anisotropy in Sentinel-1 backscatter data,” *Remote Sensing Letters*, 2018, v. 9, n. 8, pp. 799-808.
- T. Dong, J. Liu, J. Shang, B. Qian, B. Ma, J. M. Kovacs, D. Walters, X. Jiao, X. Geng and Y. Shi, "Assessment of red-edge vegetation indices for crop leaf area index estimation," *Remote sensing of environment*, 2019, v. 222, pp. 133-143.
- T. Liangliang, L. Jing, J. Jinbao and C. Xi, “Leaf area index inversion of winter wheat using modified water-cloud model,” *IEEE Geoscience and Remote Sensing Letters*, 2016, v. 13, n. 6, pp. 816–820.
- T. Manninen, H. Smolander, P. Voipio, P. Stenberg, M. Rautiainen and H. Ahola, “Boreal forest LAI retrieval using both optical and microwave data of ENVISAT,” *IGARSS 2005 IEEE International Geoscience and Remote Sensing Symposium*, 2005, v. 7, pp. 5033–5036.
- T. N. Chase, R. A. Pielke, T. G. Kittel, R. Nemani and S. W. Running, “Sensitivity of a general circulation model to global changes in leaf area index,” *Journal of Geophysical Research*, 1996, v. 101, n. D3, pp. 7393–7408.
- U. Muller-Wilm, “Sentinel-2 MSI – Level-2A prototype processor installation and user manual,” 2016 <http://step.esa.int/thirdparties/sen2cor/2.2.1/S2PADVEGA-SUM-0001-2.2.pdf>.

- V. N. Fikriyah, R. Darvishzadeh, A. Laborte, N. I. Khan and A. Nelson, “Discriminating transplanted and direct seeded rice using Sentinel-1 intensity data,” *International Journal of Applied Earth Observation and Geoinformation*, 2019, v. 76, pp. 143-153.
- V. N. Mishra, R. Prasad, P. Kumar, D. K. Gupta and P. K. Srivastava, “Dual-polarimetric C-band SAR data for land use/land cover classification by incorporating textural information,” *Environmental Earth Sciences*, 2017, v. 76, n. 1, pp. 26.
- W. H. Gardner, “Water content. *Methods of Soil Analysis: Part 1*,” *Physical and Mineralogical Methods*, 5, pp.493-544.
- W. Zhao, Y. Qu, J. Chen and Z. Yuan, “Deeply synergistic optical and SAR time series for crop dynamic monitoring,” *Remote Sensing of Environment*, 2020, v. 247, pp. 111952.
- X. Jin, G. Yang, X. Xu, H. Yang, H. Feng, Z. Li, J. Shen, C. Zhao and Y. Lan, “Combined multi-temporal optical and radar parameters for estimating LAI and biomass in winter wheat using HJ and RADARSAR-2 data,” *Remote Sensing*, 2015, v. 7, n. 10, pp. 13251–13272.
- X. Zhang, G. Yan, Q. Li, Z. L. Li, H. Wan and Z. Guo, “Evaluating the fraction of vegetation cover based on NDVI spatial scale correction model,” *International Journal of Remote Sensing*, 2006, v. 27, n. 24, pp. 5359-5372.
- Y. Bao, L. Lin, S. Wu, K. A. K. Deng and G. P. Petropoulos, “Surface soil moisture retrievals over partially vegetated areas from the synergy of Sentinel-1 and Landsat 8 data using a modified water-cloud model,” *International Journal of Applied Earth Observation and Geoinformation*, 2018, v. 72, pp. 76-85.
- Y. Du, F. T. Ulaby and M. C. Dobson, “Sensitivity to soil moisture by active and passive microwave sensors,” *IEEE Transactions on Geoscience and Remote Sensing*, 2000, v. 38, n. 1, pp. 105-114.
- Y. Inoue, E. Sakaiya, and C. Wang, “Capability of C-band backscattering coefficients from high-resolution satellite SAR sensors to assess biophysical variables in paddy rice,” *Remote Sensing of Environment*, Jan 2014, v. 140, pp. 257–266.

- Y. Inoue, T. Kurosu, H. Maeno, S. Uratsuka, T. Koizu, K. Dabrowska-Zielinska, and J. Qi, "Season-long daily measurements of multifrequency (Ka, Ku, X, C, and L) and full-polarization backscatter signatures over paddy rice field and their relationship with biological variables," *Remote Sensing of Environment*, 2002, v. 81, n. 2, 194-204.
- Y. Kim, T. Jackson, R. Bindlish, H. Lee and S. Hong, "Radar vegetation index for estimating the vegetation water content of rice and soybean," *IEEE Geoscience and Remote Sensing Letters*, 2011, v. 9, n. 4, pp. 564-568.
- Y. Oh, "Quantitative retrieval of soil moisture content and surface roughness from multipolarized radar observations of bare soil surfaces," *IEEE Transactions on Geoscience and Remote Sensing*, 2004, v. 42, n. 3, pp. 596-601.
- Y. Oh, K. Sarabandi, and F.T. Ulaby, "An empirical model and an inversion technique for radar scattering from bare soil surfaces," *IEEE Transactions on Geoscience and Remote Sensing*, 1992, v. 30, n. 2, pp. 370-381.
- Y. Xiao, W. Zhao, D. Zhou and H. Gong, "Sensitivity analysis of vegetation reflectance to biochemical and biophysical variables at leaf, canopy, and regional scales," *IEEE Transactions on Geoscience and Remote Sensing*, 2014b, v. 52, pp. 4014-4024.
- Y. Y. Zhang and Z. S. Wu, "Bistatic scattering characteristics of wheat and soybean by radiative transfer model in L band and C band," *Progress in Electromagnetic Research B*, 2016, v. 67, pp. 121-136.