

REFERENCES

- Alperovits, E., and Shamir, U. (1977). "Design of optimal water distribution systems". *Water Resour. Res.*, 13 (6), 885-900.
- Abebe, A. J., and Solomatine, D.P. (1998). "Application of Global Optimisation to the Design of Pipe Networks," *Proc. 3rd International Conference on Hydroinformatics, Balkema, Rotterdam, Copenhagen.*
- Abulnaga, B. (2002). "*Slurry Systems Handbook*". McGraw-Hill.
- Anroulakis, I. P., and Venkatasubramanian, V. (1991). "A genetic algorithm framework for process design and optimisation". *Computers and chemical engineering*, 15(4), 217-228
- Aude, T. C., Cowper, N. T., Thompson, T.L., and Wasp, E. J. (1971). "Slurry piping systems: trends, design methods and guidelines." *Chem. Engg. Progress June 28.*
- Babu, B.V., and Vivek, N. (1999). "Genetic algorithms for estimating heat transfer parameters in trickle bed reactors", proceedings of the international symposium and 52nd annual session of IChE (CHEMCON-99), Panjab University, Chandigarh, December 20-23, (<http://bvbabu.50megs.com/custom.html/#26>)
- Bhave, P. R. (2003). "*Optimal Design of Water Distribution Networks*". Narosa Publishing House, New Delhi.
- Blatch, N. S. (1906). "Discussion of Works for the Purification of the Water Supply of Washington D.C. (Hazen, A. and Hardy, E.D.)". *Transactions of the American Society of Civil Engineers* 57: 400-409.
- Bowen, L.B. (1961). "How to handle slurries", *Chem. Eng.*, August 7, 129-132.
- Broad, D. R., Dandy, G. C., and Maier, H. R. (2005). "Water distribution system optimisation using metamodels." *Journal of Water Resources Planning and Management*, 131(3), 172-180.

- Burhan, Yildiz A. Burcu, Altan-Sakarya, and A. Metin. Ger. (2014). “Optimum design of slurry pipelines by genetic algorithm”, *Civil Engineering and Environmental Systems*, 31:4, 311-330.
- Coello, C. A. C. (2000a). “Constraint-handling using an evolutionary multi objective optimisation technique.” *Civ Eng Environ Syst.* 17:319–346
- Chandramouli, S., and Malleswararao, P. (2011). “Reliability based optimal design of a water distribution network for municipal water supply”, *International journal of engineering and technology volume 3*(1), pp.13-19.
- Charles, M. E., Cheh, C. H-S, and Chu, L. H-L. (1971). “Flow of Settling Slurries in Horizontal Pipes with Internal Spiral Ribs”. *The Can. J. Chem. Engng.* 49 December.
- Cheng, D. C. H. (1975). “Pipeline design for non-Newtonian fluids, *Chem. Eng.*, September.
- Cisty, M. (2010). “Hybrid genetic algorithm and linear programming method for least-cost design of water distribution systems.” *Water Resources Management*, 24(1), 1-24.
- Cowper, Norman T., Cowper, Sr. Norman T., and Allan, D. Thomas. (2009). “Slurry Pipelines: Past, Present and Future.” *Australian Journal of Multi-Disciplinary Engineering* 7 (2): 189–195.
- Cunha, M. C., and Sousa, J. (1999). “Water distribution network design optimization: simulated annealing approach”. *Journal of Water Resources Planning and Management, ASCE*, 125(4), 215-221.
- Cunha, M. C., and Sousa, J. (2001). “Hydraulic infrastructures design using simulated annealing”. *Journal of Infrastructure Systems, ASCE*, 7(1), 32-39
- Dandy, G. C., Simpson, A. R., and Murphy, L. J. (1996). “An Improved Genetic Algorithm for Pipe Network Optimization”. *Water Resources Research*, 32(2), 449–458.
- Dandy, G. C., Wilkins, A., and Rohrlach, H. (2010). “A methodology for comparing evolutionary algorithms for optimizing water distribution systems.” *Proceedings of the 12th Water Distribution System Analysis Symposium, Tucson, Arizona*
- Davis, L. (1987). “*Genetic algorithms and simulated annealing*”. Pitman, London

- Deb, K. (2000). "An efficient constraint handling method for genetic algorithms." *Computer Methods in Applied Mechanics and Engineering*, 2(4), 311-338.
- Deb, K. (2000). "*Optimization for engineering design: Algorithm and examples*, 4th edn, Prentice Hall of India, New Delhi,
- Doron, P., Granica, D., and Barnea, D. (1987). "Slurry flow in horizontal pipes experimental and modelling". *Int. J. of Multiphase Flow*. 13, 535–547.
- Doron, P. and Barnea, D. (1993). "A three-layer model for solid-liquid flow in horizontal pipes". *Int. J. Multiphase Flow*, 19:1029–1043.
- Durand, R., and Condolios, E. (1952). "*Experimental study of the hydraulic transport of coal and solid materials in pipes.*" In Colloquial of Hydraulic Transport of Coal, pages 39–55, National Coal Board, (UK). Paper IV.
- Durand, R. (1953). "Basic Relationships of the Transportation of Solids in Pipes – Experimental Research." *Proceedings, 5th congress of international association of hydraulic research, Minneapolis, MN, USA.*
- Eiger, G., Shamir, U., and Ben-Tal, A. (1994). "Optimal Design of Water Distribution Networks." *Water Resources Research*, Vol. 30, No. 9, pp. 2637-2646.
- Eusuff, M. M., and Lansey, K. E. (2003). "Optimization of water distribution network design using the shuffled frog leaping algorithm." *Journal of Water Resources Planning and Management*, 129(3), 210-225.
- Farmani, R., Abadia, R., and Savic, D. (2007). "Optimum Design and Management of Pressurized Branched Irrigation Networks." *Journal of Irrigation and Drainage Engineering-ASCE* 133 (6): 528–537.
- Fujiwara, O., Jenchaimahakoon, B., and Edirisinghe, N. C. P. (1987). "Modified linear programming gradient method for optimal design of looped water distribution networks". *Water Resour. Res.* 23 (6) 977-982. P.
- Fujiwara, O., and Khang, D. B. (1990). "A two-phase decomposition method for optimal design of looped water distribution networks." *Water Resources Research*, 26(4), 539-549. 297.
- Gessler, J. (1985). "Pipe network optimization by enumeration". *Proc., Computer Applications for Water Resources, ASCE, New York, NY*, 572-581.

- Gillies, R.G., Shook, C.A., and Wilson, K.C. (1991). "An improved two layer model for horizontal slurry pipeline flow". *The Canadian Journal of Chemical Engineering*. 69, 173–178.
- Geem, Z. W., Kim, J. H., and Loganathan, G. V. (2002). "Harmony search optimization: application to pipe network design." *Int. J. Model. Simulat.*, 22(2), 125-133.
- Gillies, R. G., Shook, C. A., and Wilson, K. C. (1991). "An improved two-layer model for horizontal slurry pipeline flow." *Can. J. Chem. Eng.*, 69:173–178.
- Gillies, R.G. (1993). "*Pipeline Flow of Coarse Particle Slurries*", Ph.D. Thesis, University of Saskatchewan, Canada.
- Gillies, R.G., and Shook, C.A. (1994). "Concentration Distributions of Sand Slurries in Horizontal Pipe Flow", *Particulate Science and Technology*, v.12, 45-69
- Gillies, R.G., Shook, C.A. (2000). "Modelling High Concentration Settling Slurry Flows", *Can. J. Chem. Eng.*, v.78, 709-71.
- Gillies, R.G., Shook, C.A., and Xu, J. (2004a). "Modelling Heterogeneous Slurry Flows at High Velocities", *Can. J. Chem. Eng.*, v.82, 1060-1065.
- Goldberg, D., and C. H. Kuo. (1987). "Genetic Algorithms in Pipeline Design." *Journal of Computing in Civil Engineering* 1 (2): 128–141.
- Goldberg, D. E. (1989). "*Genetic algorithms in search, optimization and machine learning*." Addison-Wesley Publishing Co., Inc., Reading, Mass.
- Goldberg, D. E., and Koza, J. R (1990). "*Generic algorithms in search, optimization and machine learning*." Workshop Notes, Computer Science Department, Stanford University, August 6- 10.
- Goulter, I. C. (1992). "Systems analysis in water-distribution network design: from theory to practice." *Journal of Water Resources Planning and Management*, ASCE, 118(3), 238-248.
- Govier, G. W., and Aziz, K. (1972). "The Flow of Complex Mixtures in Pipes." *van Nostrand Reinhold Co.*
- Goldberg, D, E., and Kuo, C. H. (1987). "Genetic algorithms in pipeline optimization." *J. Computing in Civ. Engrg.*, ASCE, 1(2), 128-141.

- Grefenstette, J. J. (1987). "Incorporating problem specific knowledge into genetic algorithms." In: Davis, L. (Ed.), *Genetic Algorithms and Simulated Annealing*, Morgan Kaufmann, Los Altos, CA.
- Gupta, I., Bassin, J.K., Gupta, A. and Khanna, P. (1993). "Optimization of water distribution system". *Environmental Software* 8, 101–113.
- Haftka, R.T., Starnes, J.H. (1976). "Applications of a quadratic extended interior penalty functions for structural optimization". *AIAA J*, 14:718–724
- Haghighi, A., Samani, H., and Samani, Z. (2011). "GA-ILP method for optimization of water distribution networks." *Water Resources Management*, 25(7), 1791-1808.
- Hanks, R. W. (1986). "*Encyclopedia of Fluid Mechanics*," Houston: Gulf Publishing Co.
- Harik, G. R., and Goldberg D. E. (2000). "Linkage learning through probabilistic expression." *Computer Methods in Applied Mechanics and Engineering*, 186(2), 295-310.
- Holland, J. H. (1975). "*Adaptation in Natural and Artificial Systems*." University of Michigan Press, Ann Arbor, Mich.
- Howard, G.W. (1939). "Transportation of sand and gravel in four inch pipes." *Trans. ASCE.*, 104:1334–1348.
- Jacobs, B. (1991). "Design of Slurry Transport Systems". *Elsevier*, London, England.
- Jesse, Capecelatro, and Olivier, Desjardins. (2013). "Eulerian–Lagrangian modelling of turbulent liquid–solid slurries in horizontal pipes", *International journal of multiphase flow* 55 64– 79.
- Kaushal, D.R., Kumar, A., Tomita, Y., Kuchii, S., and Tsukamoto, H. (2013). "Flow of Mono-Disperesed Particles through Horizontal Bend." *International Journal of Multiphase Flow*, 52, 71-91.
- Kessler, A., and Shamir, U. (1989), "Analysis of the Linear Programming Gradient Method for Optimal Design of Water Supply Networks." *Water Resources Research*, Vol. 25, No. 7, pp. 1469-1480.

- Keedwell, E., and Khu, S.-T. (2006). "A novel evolutionary meta-heuristic for the multi-objective optimization of real-world water distribution networks." *Engineering Optimization*, 38(3), 319 - 333
- Krapivka, A., and Ostfeld, A. (2009). "Coupled genetic algorithm-linear programming scheme for least-cost pipe sizing of water-distribution systems." *J. Water Resources Planning and Management*, 135(4), 298-302, doi:10.1061/(ASCE)0733-9496(2009)135:4(298).
- Lansley, K. E., and Mays, L. W. (1989). "Optimization model for water distribution system design." *Journal of Hydraulic Engineering*, 115(10), 1401-1418.
- Lin, M.-D., Liu, Y.-H., Liu, G.-F., and Chu, C.-W. (2007). "Scatter search heuristic for least-cost design of water distribution networks." *Engineering Optimization*, 39(7), 857 - 876
- Lippai, I., Heaney, J. P., and Laguna, M. (1999). "Robust water system design with commercial intelligent search optimizers." *Journal of Computing in Civil Engineering*, 13(3), 135-143.298
- Loganathan, G. V., Greene, J. J., and Ahn, T. J. (1995). "Design heuristic for globally minimum cost water-distribution systems." *Journal of Water Resources Planning and Management*, 121(2), 182-192.
- Maier, H. R., Simpson, A. R., Zecchin, A. C., Foong, W. K., Phang, K. Y., Seah, H. Y., and Tan, C. L. (2003). "Ant colony optimization for design of water distribution systems." *Journal of Water Resources Planning and Management*, 129(3), 200-209.
- Martínez, J. B. (2008). "Optimization of water distribution networks using integer linear programming" *Journal of Hydraulic Engineering*, 134(7), 1023-1024
- Mays, L. W., and Tung, Y. (1992). "*Hydro systems Engineering and Management*." McGraw-Hill, Inc., Singapore.
- Mays, L. W. (2000). "*Water Distribution Systems Handbook*." McGraw Hill, New York.
- Miller, B. L., and Goldberg, D. E. (1995). "Genetic Algorithms, Tournament Selection, and the Effects of Noise," *University of Illinois at Urbana-Champaign, Urbana IL, USA, IlliGAL Report No. 95006*.

- Mohan, S., and Babu, K. S. J. (2010). "Optimal water distribution network design with honey-bee mating optimization." *Journal of Computing in Civil Engineering*, 24(1), 117-126.
- Morley, M.S., Atkinson, R.M., Savi, D.A., and Walters, G.A. (2001). "GAnet: Genetic Algorithm Platform for Pipe Network Optimization," *Advances in Engineering Software*, Vol. 32, pp. 467-475.
- Morgan, D. R., and Goulter, I. C. (1985). "Water distribution design with multiple demands," *Computer Applications in Water Resources*, (Edited by Harry C. Torno.), pp. 582-590. ASCE, New York, NY, USA. Buffalo, NY, USA.
- Morgan, D.R. and Goulter, I.C. (1985). "Optimal urban water distribution design". *Water Resour. Res.*, 21 (5), 642-652.
- Matousek, V. (1997). "*Flow Mechanism of Sand-Water Mixtures in Pipelines*", Ph.D. Thesis, Delft University, Netherlands.
- Matousek, V. (2004). "Medium-sand flow over a plane stationary bed in 150-mm pipe", *Hydro transport*, 16, Santiago, Chile, v.2, 561-569.
- Murphy, L.J., Gransbury, J., Simpson, A.R., and Dandy, G.C. (1998). "Optimisation of Large-Scale Water Distribution System Design using Genetic Algorithms," *Water TECH Conference, Proc.* (on CD-ROM), AWWA, Brisbane.
- Newitt, D. M., Richardson, J. F. Abbitt, M., and Turtle, R. B. (1955). "Hydraulic Conveying of Solids in Horizontal Pipes." *Transactions of the Institution of Chemical Engineers*. 33: 93–110.
- Nicklow, J., Reed, P., Savic, D., Dessalegne, T., Harrell, L., Chan-Hilton, A., Karamouz, M., Minsker, B., Ostfeld, A., Singh, A., and Water, R. (2010). "State of the art for genetic algorithms and beyond in water resources planning and management." *Journal of Water Resources Planning and Management*, 136(4), 412-432.
- Boulos, Paul., and Altman, Tom. (1991). "A graph-theoretic approach to explicit nonlinear pipe network optimization." *Applied math. Modeling*, volume. 15, pp. 459-466.
- Perelman, L., and Ostfeld, A. (2007). "An adaptive heuristic cross-entropy algorithm for optimal design of water distribution systems." *Engineering Optimization*, 39(4), 413 - 428.

- Quindry, G.E., Liebman, J.C., and Brill, E.D. (1981). "Optimization of looped water distribution systems." *Journal of the Environmental Engineering Division*, 107(4), 665-679.
- Reis, L.F.R., Porto, R.M., and Chaudhry, F.H. (1997). "Optimal Location of Control Valves in Pipe Networks by Genetic Algorithm." *Journal of Water Resources Planning and Management*, ASCE, Vol. 123, No. 6, pp. 317-326.
- Rigby, G.R. (1982). "Slurry pipelines for the transportation of solids." *Mechanical Engineering Transactions*, Paper M 1173, pp. 181-9, I.E. Aust.
- Richardson, J. T., Palmer, M. R., Liepins, G., and Hilliard, M. (1989). "Some guidelines for genetic algorithms with penalty functions." *Proc., 3rd Int. Conf. on Genetic Algorithms*, J. D. Schaffer, ed., M. Kaufmann Publishers, San Mateo, Calif.
- Roco, M. C. (1990). "One equation turbulence modelling of incompressible mixtures." In Cheremisinoff, N. P., editor, *Encyclopedia of Fluid Mechanics*, volume 10, chapter 1, pages 1-68. Gulf. Pub. Co., New Jersey.
- Sârbu, I., and Borza, I. (1997). "Optimal Design of Water Distribution Networks," *Journal of Hydraulic Research*, Vol. 35, No. 1, pp. 63-79.
- Samani, H.M.V., and Naeeni, S.T. (1996). "Optimization of Water Distribution Networks." *Journal of Hydraulic Research*, Vol. 34, No. 5, pp. 523-632.
- Samani, H. M. V., and Mottaghi, A. (2006). "Optimization of water distribution networks using integer linear programming." *Journal of Hydraulic Engineering*, 132(5), 501-509.
- Sanders, R.S., Sun, R., Gillies, R.G., McKibben, M.J., Litzenger, C., Shook, C.A. (2004). "Deposition velocities for particles of intermediate size in turbulent flow", *Hydro transport* 16, Santiago, Chile, v.2, 561-569.
- Sakarya, A.B.A. and Mays, L.W., (2000), "Optimal Operation of Water Distribution Pumps Considering Water Quality", *Journal of Water Resources Planning and Management*, 126(4), 210-220.
- Savic, D. A., and Walters, G. A. (1997). "Genetic Algorithms For Leastcost Design Of Water Distribution Networks." *Journal of Water Resources Planning and Management*, ASCE, 123(2), 67-77.

- Savic, D., and Cunha, M. d. C. (2008). "Discussion of "Optimization of water distribution networks using integer and linear programming" *Journal of Hydraulic Engineering*, 134(7), 1024-1025.
- Schaake, J. C., and Lai, D. (1969). "Linear Programming and Dynamic Programming Applied to Water Distribution Network Design." *MIT Hydrodynamics Lab Report* 116.
- Sharif, M., and Wardlaw, R. (2000). "Multireservoir systems optimization using genetic algorithms: Case study." *Journal of Computing in Civil Engineering*, 14(4), 255- 263.
- Shen, Q. (2010). "Analysis of the performances matched with construction equipment of cutter suction dredger". *Ship Eng.*, 32: 126-130.
- Shook, C.A., Geller, L., Gillies, R.G., Husband, W.H.W., Small, M. (1986), "Experiments With Coarse Particles in a 250mm Pipeline", *Hydro transport* 10, Innsbruck, Austria, 219-226
- Shook, C.A., Roco, M.C. (1991). "Slurry Flow: Principles and Practice," *Butterworth-Heinemann*, Boston,
- Shook, C. A., Gillies, R. G., and Sanders, R. S. (2002). "Pipeline Hydro transport with Applications in the Oil Sand Industry." *SRC Publication* No. 11508-1E02.
- Samani, H. M. V., and Mottaghi, A. (2006). "Optimization of water distribution networks using integer linear programming." *Journal of Hydraulic Engineering*, 132(5), 501-509.
- Simpson, A.R., Dandy, G.C., and Murphy, L.J. (1994). "Genetic algorithms compared to other techniques for pipe optimization." *Journal of Water Resources Planning and Management*, 120 (4), 423-443.
- Sharif, M., and Wardlaw, R. (2000). "Multireservoir Systems Optimization using Genetic Algorithms: Case Study." *Journal of Computing in Civil Engineering* 14 (4): 255–263.
- Slatier, P. T. (1994). "*Transitional and turbulent flow of non-Newtonian slurries in pipes.*" PhD thesis, University of Cape Town.
- Smith, A.E., and Coit, D.W. (1997). "*Constraint handling techniques penalty functions*". Handbook of evolutionary computation. Oxford University Press,

- Stephenson, D. (1984). "Pipe flow analysis: optimum design of branched pipe networks by linear programming." *Developments in Water Science, Elsevier* 55-69.
- Stepnoaff, A. J. (1969). "*Gravity flow of solids and Transportation of solids in suspension*". John Wiley & Sons, New York.
- Storn, R., and Price, K. (1995). "Differential evolution-a simple and efficient adaptive scheme for global optimization over continuous space." *Technical Report, International Computer Science Institute, Berkeley, CA*.
- Suribabu, C. R., and Neelakantan T. R. (2006). "Design of water distribution networks using particle swarm optimization." *Urban Water J.*, 3(2), 111- 120.
- Suribabu, C. R. (2010). "Differential evolution algorithm for optimal design of water distribution networks." *Journal of Hydro informatics*, 12(1), 66-82.
- Swamee, P.K. and Ojha, C.S.P. (1991). "Drag coefficient and fall velocity of non-spherical particles". *J. Hydraul. Eng.*, 117(5), 660–667.
- Swamee, P.K. (1993). "Design of a submarine oil pipeline". *J. Transp. Eng.*, 119(1), 159–170.
- Swamee, P.K. (2004). "Improving design guidelines for class-I circular sedimentation tanks". *Urban Water Journal* 1(4). 309–314.
- Tayal, M. C., Fu Y., Diwekar, U. M. (1999). "Optimal Design of Heat Exchangers: A Genetic Algorithm Framework," *Industrial and Engineering Chemistry Research*, Vol. 38, pp. 456-67.
- Thomas, A.D., Wilson, K.C., (1987). "New analysis of non-Newtonian turbulent flow and yield-power-law fluids." *Can. J. Chem. Eng.* 65 (2), 335–338.
- Torrance. B. M. (1963). "Friction factors for turbulent non-Newtonian flow in circular pipes," *S. A. Mechanical Engineer*, v.13.
- Tolson, B. A., Asadzadeh, M., Maier, H. R., and Zecchin, A. (2009). "Hybrid discrete dynamically dimensioned search (HD-DDS) algorithm for water distribution system design optimization." *Water Resources Research*, 45(12), W12416.
- Tolson, B.A., Asadzadeh, M., Maier, H.R. and Zecchin, A. (2009). "Hybrid discrete dynamically dimensioned search (HD-DDS) algorithm for water distribution system design optimization." *Water Resour. Res.*, 45 (12), W12416.

United Nations Human Settlements Programme (UN Hbitat) (2012) “*State of the World’s Cities Report 2012/2013: Prosperity of Cities.*”

<http://www.zaragoza.es/ciudad/medioambiente/onu/en/detallePer_Onu?id=507
Dec 14, 2012>

Upreiti, S.R., and Deb, K. (1997). “Optimal design of an ammonia synthesis reactor using genetic algorithms,” *Computers and Chemical engineering*, 21(9), 87-92.

Vairavamoorthy, K., and Ali, M. (2000). “Optimal design of water distribution systems using genetic algorithms”. *Computer-Aided Civil and Infrastructure Engineering*, 15 (5), 374-382.

Vairavamoorthy, K., and Ali, M. (2005). “Pipe index vector: A method to improve genetic-algorithm-based pipe optimization.” *Journal of Hydraulic Engineering*, 131(12), 1117-1125.

Vasan, A., and Simonovic, S. P. (2010). “Optimization of water distribution network design using differential evolution.” *Journal of Water Resources Planning and Management*, 136(2), 279-287.

Venkatasubramanian, V., Chan, K., and Caruthers, J.M. (1994). “Computer-aided molecular design using genetic algorithms,” *Computers and Chemical engineering*, 18(9), 833-844

Walski, T. M. (1985). “State-of-the-art pipe network optimisation in Computer Applications in Water Resources,” *ASCE*, 559-568.

Wasp, E. J., Kenny, J. P., and Gandhi, R. L. (1977). “*Solid-Liquid Flow Slurry Pipeline Transportation.*” Rock port, Mass.: Trans Tech. publications.

Wilson, K. C., and Thomas, A. D. (1985). “A new analysis of the turbulent flow of non-Newtonian fluids.” *Can. J. Chem. Eng.*, 63, 539-546.

Wilson, W. E. (1942). “Mechanics of flow with non-colloidal, inert solids”. *Trans. ASCE.*, 107:1576–1594.

Wilson, K., Addie, G., Sellgren, A., and Cliff, R. (2006). “*Slurry Transport Using Centrifugal Pumps.*” Berlin: Springer.

Wu, Z.Y., and Simpson, A.R., (2002). "A Self-Adaptive Boundary Search Genetic Algorithm and its Application to Water Distribution Systems," *Journal of Hydraulic Research*, Vol. 40, No. 2, , pp. 191-203.

Yücel, Ö., A. S. Sevük, A. M. Ger, M. Z. Doğan, and M. Doruk. (1978). “Hasançelebi-İskenderun Arasında Boru Hattı ile Demir Cevheri Taşınması Teknik ve Mali Fizibilite Etüdü-Sonuç Raporu, ODTÜ Hidrolik Lab.” *Ulaştırma Bakanlığı UKI 5.129*, Ankara (in Turkish).

Yang, S., Hsu, N., Louie, P.W. F., and Yeh, W.W. (1996). “Water distribution network reliability: Connectivity analysis.” *Journal of Infrastructure Systems*, 2(2):54–64.

Yates, D. F., Templeman, A. B., and Boffey, T. B. (1984). “Computational complexity of the problem of determining least capital cost designs for water supply networks.” *Eng. Optimiz.* 7 (2) 143-155.

Zheng, F., Simpson, A. R., and Zecchin, A. C. (2011d). “Optimal rehabilitation for large water distribution systems using genetic algorithms.” *Proc., Australia Water Association (AWA) OzWater*, Adelaide, SA, Australia.

Zheng, F., Simpson, A. R., and Zecchin, A. C. (2011e). “Parametric analysis of differential evolution algorithm applied to water distribution system optimisation.” *Proc., 11th International Conference on Computing and Control for the Water Industry (CCWI 2011)*, Exeter, UK.

BUREAU OF INDIAN STANDARD CODES

Some useful codes for pipe network designs are given below.

IS: 962-1967, Code of practice for architectural and building drawings.

IS: 1172-1983, Code of basic requirements for water supply, drainage and sanitation (third revision)

IS: 2065-1983, Code of practice for water supply in buildings (second revision).

IS: 2951, Recommendation for estimation of flow of liquids in closed conduits

IS: 2951 (Part I)-1965, Head loss in straight pipes due to frictional resistance

IS: 295 I (Part 2)-1965, Head loss in valves and fitting.

IS: 600-1970, Specification for sewage and drainage pumps.

IS 2379: Colour Code for Identification of Pipelines

IS 3114: Code of Practice for laying pipes

SP 35: 1987, Handbook on water supply and drainage (with special emphasis on plumbing)

SP 7: 1983, National Building Code of India: part-IX, Plumbing services. Oxford.