

Appendix A

List of Publications

- Sneha Mishra, Shashank Sheshar Singh, Shivansh Mishra, and Bhaskar Biswas, "TCD2: Tree-based community detection in dynamic social networks", in Expert Systems with Applications, Elsevier, vol. 169, pp. 114493, 2021, ISSN: 0957-4174. [SCI, IF 8.5]
- Sneha Mishra, Shashank Sheshar Singh, Shivansh Mishra, and Bhaskar Biswas, "Multi-objective based unbiased community identification in dynamic social networks", in Computer Communications, Elsevier, vol. 214, pp. 18-32, 2024, ISSN: 0140-3664. [SCI, IF 6]
- Sneha Mishra and Bhaskar Biswas, "MDCD: Membership based disjoint community detection in dynamic networks", in Knowledge and Information Systems, Springer. (Under revision) [SCI, IF 2.7]

Bibliography

- [1] Zaer Abo-Hammour, Omar Abu Arqub, Shaher Momani, Nabil Shawagfeh, et al. Optimization solution of troesch's and bratu's problems of ordinary type using novel continuous genetic algorithm. *Discrete Dynamics in Nature and Society*, 2014, 2014.
- [2] Omar Abu Arqub, Jagdev Singh, and Mohammed Alhodaly. Adaptation of kernel functions-based approach with atangana–baleanu–caputo distributed order derivative for solutions of fuzzy fractional volterra and fredholm integrodifferential equations. *Mathematical Methods in the Applied Sciences*, 46(7):7807–7834, 2023.
- [3] Omar Abu Arqub, Jagdev Singh, Banan Maayah, and Mohammed Alhodaly. Reproducing kernel approach for numerical solutions of fuzzy fractional initial value problems under the mittag–leffler kernel differential operator. *Mathematical Methods in the Applied Sciences*, 46(7):7965–7986, 2023.
- [4] Lada A Adamic and Eytan Adar. Friends and neighbors on the web. *Social networks*, 25(3):211–230, 2003.
- [5] Gediminas Adomavicius and Alexander Tuzhilin. Toward the next generation of recommender systems: A survey of the state-of-the-art and possible extensions. *IEEE transactions on knowledge and data engineering*, 17(6):734–749, 2005.
- [6] Kirti Aggarwal and Anuja Arora. Detecting community structure in financial markets using the bat optimization algorithm. *International Journal of Information Technology Project Management (IJITPM)*, 13(3):1–21, 2022.
- [7] Noha Alduaiji, Amitava Datta, and Jianxin Li. Influence propagation model for clique-based community detection in social networks. *IEEE Transactions on Computational Social Systems*, 5(2):563–575, 2018.

-
- [8] Omar Abu Arqub and Zaer Abo-Hammour. Numerical solution of systems of second-order boundary value problems using continuous genetic algorithm. *Information sciences*, 279:396–415, 2014.
- [9] Dzmitry Bahdanau, Kyunghyun Cho, and Yoshua Bengio. Neural machine translation by jointly learning to align and translate. *arXiv preprint arXiv:1409.0473*, 2014.
- [10] Brian Baingana and Georgios B Giannakis. Joint community and anomaly tracking in dynamic networks. *IEEE Transactions on Signal Processing*, 64(8):2013–2025, 2015.
- [11] Partha Basuchowdhuri, Riya Roy, Siddhartha Anand, Diksha Roy Srivastava, Subhashis Majumder, and Sanjoy Kumar Saha. Spanning tree-based fast community detection methods in social networks. *Innovations in Systems and Software Engineering*, 11(3):177–186, 2015.
- [12] Federico Battiston, Jacopo Iacovacci, Vincenzo Nicosia, Ginestra Bianconi, and Vito Latora. Emergence of multiplex communities in collaboration networks. *PLoS one*, 11(1):e0147451, 2016.
- [13] Alexis Baudin, Lionel Tabourier, and Clémence Magnien. Lscpm: communities in massive real-world link streams by clique percolation method. *arXiv preprint arXiv:2308.10801*, 2023.
- [14] Joel J Bechtel, William A Kelley, Teresa A Coons, M Gerry Klein, Daniel D Slagel, and Thomas L Petty. Lung cancer detection in patients with airflow obstruction identified in a primary care outpatient practice. *Chest*, 127(4):1140–1145, 2005.
- [15] Ranjan Kumar Behera, SK Rath, and Monalisa Jena. Spanning tree based community detection using min-max modularity. *Procedia Computer Science*, 93:1070–1076, 2016.
- [16] Ghazaleh Beigi, Mahdi Jalili, Hamidreza Alvari, and Gita Sukthankar. Leveraging community detection for accurate trust prediction. 2014.
- [17] Gema Bello-Organ, Sancho Salcedo-Sanz, and David Camacho. A multi-objective genetic algorithm for overlapping community detection based on edge encoding. *Information Sciences*, 462:290–314, 2018.

-
- [18] Kamal Berahmand, Asgarali Bouyer, and Mahdi Vasighi. Community detection in complex networks by detecting and expanding core nodes through extended local similarity of nodes. *IEEE Transactions on Computational Social Systems*, 5(4):1021–1033, 2018.
- [19] Anupam Biswas and Bhaskar Biswas. Investigating community structure in perspective of ego network. *Expert Systems with Applications*, 42(20):6913–6934, 2015.
- [20] Vincent D Blondel, Jean-Loup Guillaume, Renaud Lambiotte, and Etienne Lefebvre. Fast unfolding of communities in large networks. *Journal of statistical mechanics: theory and experiment*, 2008(10):P10008, 2008.
- [21] Souâad Boudebza, Rémy Cazabet, Faiçal Azouaou, and Omar Nouali. Olcpm: An online framework for detecting overlapping communities in dynamic social networks. *Computer Communications*, 123:36–51, 2018.
- [22] Ulrik Brandes, Marco Gaertler, and Dorothea Wagner. Experiments on graph clustering algorithms. In *European Symposium on Algorithms*, pages 568–579. Springer, 2003.
- [23] David F Burke, Patrick Bryant, Inigo Barrio-Hernandez, Danish Memon, Gabriele Pozzati, Aditi Shenoy, Wensi Zhu, Alistair S Dunham, Pascal Albanese, Andrew Keller, et al. Towards a structurally resolved human protein interaction network. *Nature Structural & Molecular Biology*, 30(2):216–225, 2023.
- [24] Augustin Chaintreau, Pan Hui, Jon Crowcroft, Christophe Diot, Richard Gass, and James Scott. Impact of human mobility on opportunistic forwarding algorithms. *IEEE Transactions on Mobile Computing*, 6(6):606–620, 2007.
- [25] Tanmoy Chakraborty and Abhijnan Chakraborty. Overcite: Finding overlapping communities in citation network. In *Proceedings of the 2013 IEEE/ACM international conference on advances in social networks analysis and mining*, pages 1124–1131, 2013.
- [26] Debao Chen, Feng Zou, Renquan Lu, Lei Yu, Zheng Li, and Jiangtao Wang. Multi-objective optimization of community detection using discrete teaching–learning–based optimization with decomposition. *Information Sciences*, 369:402–418, 2016.

- [27] Jianguo Chen, Kenli Li, Kashif Bilal, Ahmed A Metwally, Keqin Li, and Philip Yu. Parallel protein community detection in large-scale ppi networks based on multi-source learning. *IEEE/ACM transactions on computational biology and bioinformatics*, 2018.
- [28] Jianrui Chen, Danwei Liu, Fei Hao, and Hua Wang. Community detection in dynamic signed network: an intimacy evolutionary clustering algorithm. *Journal of Ambient Intelligence and Humanized Computing*, 11(2):891–900, 2020.
- [29] Jinyin Chen, Xueke Wang, and Xuanheng Xu. Gc-lstm: Graph convolution embedded lstm for dynamic network link prediction. *Applied Intelligence*, pages 1–16, 2022.
- [30] Kyunghyun Cho, Bart Van Merriënboer, Caglar Gulcehre, Dzmitry Bahdanau, Fethi Bougares, Holger Schwenk, and Yoshua Bengio. Learning phrase representations using rnn encoder-decoder for statistical machine translation. *arXiv preprint arXiv:1406.1078*, 2014.
- [31] Nicholas A Christakis and James H Fowler. *Connected: The surprising power of our social networks and how they shape our lives*. Little, Brown Spark, 2009.
- [32] Aaron Clauset, Mark EJ Newman, and Cristopher Moore. Finding community structure in very large networks. *Physical review E*, 70(6):066111, 2004.
- [33] Mário Cordeiro, Rui Portocarrero Sarmiento, and Joao Gama. Dynamic community detection in evolving networks using locality modularity optimization. *Social Network Analysis and Mining*, 6:1–20, 2016.
- [34] Thomas M Cover and Joy A Thomas. *Elements of information theory*. John Wiley & Sons, 2012.
- [35] Miguel Ramos de Araújo. *Communities and Anomaly Detection in Large Edge-Labeled Graphs*. PhD thesis, Universidade do Porto (Portugal), 2017.
- [36] Nicholas A Diakopoulos and David A Shamma. Characterizing debate performance via aggregated twitter sentiment. In *Proceedings of the SIGCHI conference on human factors in computing systems*, pages 1195–1198, 2010.

- [37] Saharnaz Dilmaghani, Matthias R Brust, Carlos HC Ribeiro, Emmanuel Kieffer, Grégoire Danoy, and Pascal Bouvry. From communities to protein complexes: a local community detection algorithm on ppi networks. *Plos one*, 17(1):e0260484, 2022.
- [38] Chris Ding, Xiaofeng He, and Horst D Simon. On the equivalence of nonnegative matrix factorization and spectral clustering. In *Proceedings of the 2005 SIAM international conference on data mining*, pages 606–610. SIAM, 2005.
- [39] Nicole B Ellison, Charles Steinfield, and Cliff Lampe. The benefits of facebook “friends:” social capital and college students’ use of online social network sites. *Journal of computer-mediated communication*, 12(4):1143–1168, 2007.
- [40] Farnaz Zamani Esfahlani, Maxwell A Bertolero, Danielle S Bassett, and Richard F Betzel. Space-independent community and hub structure of functional brain networks. *NeuroImage*, 211:116612, 2020.
- [41] Illés Farkas, Dániel Ábel, Gergely Palla, and Tamás Vicsek. Weighted network modules. *New Journal of Physics*, 9(6):180, 2007.
- [42] Emilio Ferrara. Community structure discovery in facebook. *International Journal of Social Network Mining*, 1(1):67–90, 2012.
- [43] Carlos Henrique Gomes Ferreira, Fabricio Murai Ferreira, Breno de Sousa Matos, and Jussara Marques de Almeida. Modeling dynamic ideological behavior in political networks. *The Journal of Web Science*, 7, 2019.
- [44] Francesco Folino and Clara Pizzuti. Multiobjective evolutionary community detection for dynamic networks. In *Proceedings of the 12th annual conference on Genetic and evolutionary computation*, pages 535–536, 2010.
- [45] Francesco Folino and Clara Pizzuti. An evolutionary multiobjective approach for community discovery in dynamic networks. *IEEE Transactions on Knowledge and Data Engineering*, 26(8):1838–1852, 2013.
- [46] Philippe Fournier-Viger, Wensheng Gan, Youxi Wu, Mourad Nouioua, Wei Song, Tin Truong, and Hai Duong. Pattern mining: Current challenges and opportunities. In *International Conference on Database Systems for Advanced Applications*, pages 34–49. Springer, 2022.

-
- [47] Javier O Garcia, Arian Ashourvan, Sarah Muldoon, Jean M Vettel, and Danielle S Bassett. Applications of community detection techniques to brain graphs: Algorithmic considerations and implications for neural function. *Proceedings of the IEEE*, 106(5):846–867, 2018.
- [48] Michelle Girvan and Mark EJ Newman. Community structure in social and biological networks. *Proceedings of the national academy of sciences*, 99(12):7821–7826, 2002.
- [49] Maoguo Gong, Lijia Ma, Qingfu Zhang, and Licheng Jiao. Community detection in networks by using multiobjective evolutionary algorithm with decomposition. *Physica A: Statistical Mechanics and its Applications*, 391(15):4050–4060, 2012.
- [50] Ian Goodfellow, Jean Pouget-Abadie, Mehdi Mirza, Bing Xu, David Warde-Farley, Sherjil Ozair, Aaron Courville, and Yoshua Bengio. Generative adversarial nets. *Advances in neural information processing systems*, 27, 2014.
- [51] Derek Greene, Donal Doyle, and Pdraig Cunningham. Tracking the evolution of communities in dynamic social networks. In *2010 international conference on advances in social networks analysis and mining*, pages 176–183. IEEE, 2010.
- [52] Steve Gregory. An algorithm to find overlapping community structure in networks. In *European conference on principles of data mining and knowledge discovery*, pages 91–102. Springer, 2007.
- [53] Steve Gregory. Finding overlapping communities in networks by label propagation. *New journal of Physics*, 12(10):103018, 2010.
- [54] Oleksandr Grygorash, Yan Zhou, and Zach Jorgensen. Minimum spanning tree based clustering algorithms. In *2006 18th IEEE International Conference on Tools with Artificial Intelligence (ICTAI'06)*, pages 73–81. IEEE, 2006.
- [55] Xiangquan Gui, Li Li, Jie Cao, and Lian Li. Dynamic communities in stock market. In *Abstract and Applied Analysis*, volume 2014, page 723482. Wiley Online Library, 2014.
- [56] Will Hamilton, Zhitao Ying, and Jure Leskovec. Inductive representation learning on large graphs. *Advances in neural information processing systems*, 30, 2017.

- [57] Jihui Han, Wei Li, Longfeng Zhao, Zhu Su, Yijiang Zou, and Weibing Deng. Community detection in dynamic networks via adaptive label propagation. *PloS one*, 12(11):e0188655, 2017.
- [58] Nandinee Haq and Z Jane Wang. Community detection from genomic datasets across human cancers. In *2016 IEEE Global Conference on Signal and Information Processing (GlobalSIP)*, pages 1147–1150. IEEE, 2016.
- [59] Itai Himelboim, Marc A Smith, Lee Rainie, Ben Shneiderman, and Camila Espina. Classifying twitter topic-networks using social network analysis. *Social media+ society*, 3(1):2056305117691545, 2017.
- [60] Sepp Hochreiter and Jürgen Schmidhuber. Long short-term memory. *Neural computation*, 9(8):1735–1780, 1997.
- [61] Victoria Hodge and Jim Austin. A survey of outlier detection methodologies. *Artificial intelligence review*, 22:85–126, 2004.
- [62] Allan Horwitz. Family, kin, and friend networks in psychiatric help-seeking. *Social Science & Medicine. Part A: Medical Psychology & Medical Sociology*, 12:297–304, 1978.
- [63] Maryam Hosseini-Pozveh, Kamran Zamanifar, and Ahmad Reza Naghsh-Nilchi. A community-based approach to identify the most influential nodes in social networks. *Journal of Information Science*, 43(2):204–220, 2017.
- [64] Lawrence Hubert and Phipps Arabie. Comparing partitions. *Journal of classification*, 2(1):193–218, 1985.
- [65] Barry D Hughes. *Random walks and random environments*. Oxford University Press, 1996.
- [66] Pan Hui, Jon Crowcroft, and Eiko Yoneki. Bubble rap: social-based forwarding in delay tolerant networks. In *Proceedings of the 9th ACM international symposium on Mobile ad hoc networking and computing*, pages 241–250, 2008.
- [67] Mahdi Jalili, Yasin Orouskhani, Milad Asgari, Nazanin Alipourfard, and Matjaž Perc. Link prediction in multiplex online social networks. *Royal Society open science*, 4(2):160863, 2017.

- [68] Pengfei Jiao, Wenjun Wang, and Di Jin. Constrained common cluster based model for community detection in temporal and multiplex networks. *Neurocomputing*, 275:768–780, 2018.
- [69] Di Jin, Dayou Liu, Bo Yang, and Jie Liu. Fast complex network clustering algorithm using agents. In *2009 Eighth IEEE International Conference on Dependable, Autonomic and Secure Computing*, pages 615–619. IEEE, 2009.
- [70] Rushed Kanawati. Licod: Leaders identification for community detection in complex networks. In *2011 IEEE third international conference on privacy, security, risk and trust and 2011 IEEE third international conference on social computing*, pages 577–582. IEEE, 2011.
- [71] Diederik P Kingma and Max Welling. Auto-encoding variational bayes. *arXiv preprint arXiv:1312.6114*, 2013.
- [72] Thomas N Kipf and Max Welling. Semi-supervised classification with graph convolutional networks. *arXiv preprint arXiv:1609.02907*, 2016.
- [73] Thomas N Kipf and Max Welling. Variational graph auto-encoders. *arXiv preprint arXiv:1611.07308*, 2016.
- [74] P Krishna Reddy, Masaru Kitsuregawa, P Sreekanth, and S Srinivasa Rao. A graph based approach to extract a neighborhood customer community for collaborative filtering. In *Databases in Networked Information Systems: Second International Workshop, DNIS 2002 Aizu, Japan, December 16–18, 2002 Proceedings 2*, pages 188–200. Springer, 2002.
- [75] Da Kuang, Chris Ding, and Haesun Park. Symmetric nonnegative matrix factorization for graph clustering. In *Proceedings of the 2012 SIAM international conference on data mining*, pages 106–117. SIAM, 2012.
- [76] Ajay Kumar, Shashank Sheshar Singh, Kuldeep Singh, and Bhaskar Biswas. Level-2 node clustering coefficient-based link prediction. *Applied Intelligence*, 49(7):2762–2779, 2019.
- [77] Mukesh Kumar, Shivansh Mishra, Shashank Sheshar Singh, and Bhaskar Biswas. Community-enhanced link prediction in dynamic networks. *ACM Transactions on the Web*, 18(2):1–32, 2024.

-
- [78] Jussi M Kumpula, Mikko Kivelä, Kimmo Kaski, and Jari Saramäki. Sequential algorithm for fast clique percolation. *Physical review E*, 78(2):026109, 2008.
- [79] Alexander Lachmann, Federico M Giorgi, Gonzalo Lopez, and Andrea Califano. Aracne-ap: gene network reverse engineering through adaptive partitioning inference of mutual information. *Bioinformatics*, 32(14):2233–2235, 2016.
- [80] Amir Lakizadeh and Saeed Jalili. Bicamwi: a genetic-based biclustering algorithm for detecting dynamic protein complexes. *PloS one*, 11(7):e0159923, 2016.
- [81] Andrea Lancichinetti, Santo Fortunato, and Filippo Radicchi. Benchmark graphs for testing community detection algorithms. *Physical review E*, 78(4):046110, 2008.
- [82] Andrea Lancichinetti, Filippo Radicchi, José J Ramasco, and Santo Fortunato. Finding statistically significant communities in networks. *PloS one*, 6(4):e18961, 2011.
- [83] Daniel D Lee and H Sebastian Seung. Learning the parts of objects by non-negative matrix factorization. *Nature*, 401(6755):788–791, 1999.
- [84] Jure Leskovec, Daniel Huttenlocher, and Jon Kleinberg. Predicting positive and negative links in online social networks. In *Proceedings of the 19th international conference on World wide web*, pages 641–650, 2010.
- [85] Jure Leskovec, Jon Kleinberg, and Christos Faloutsos. Graph evolution: Densification and shrinking diameters. *ACM transactions on Knowledge Discovery from Data (TKDD)*, 1(1):2–es, 2007.
- [86] Jure Leskovec and Andrej Krevl. Snap datasets: Stanford large network dataset collection, 2014.
- [87] Dongyuan Li, Qiang Lin, and Xiaoke Ma. Identification of dynamic community in temporal network via joint learning graph representation and nonnegative matrix factorization. *Neurocomputing*, 435:77–90, 2021.
- [88] Jundong Li, Harsh Dani, Xia Hu, Jiliang Tang, Yi Chang, and Huan Liu. Attributed network embedding for learning in a dynamic environment. In *Proceedings of the 2017 ACM on Conference on Information and Knowledge Management*, pages 387–396, 2017.

- [89] Pei-Zhen Li, Ling Huang, Chang-Dong Wang, and Jian-Huang Lai. Edmot: An edge enhancement approach for motif-aware community detection. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, pages 479–487, 2019.
- [90] Tianpeng Li, Wenjun Wang, Xunxun Wu, Huaming Wu, Pengfei Jiao, and Yandong Yu. Exploring the transition behavior of nodes in temporal networks based on dynamic community detection. *Future Generation Computer Systems*, 107:458–468, 2020.
- [91] Weimin Li, Xiaokang Zhou, Chao Yang, Yuting Fan, Zhao Wang, and Yanxia Liu. Multi-objective optimization algorithm based on characteristics fusion of dynamic social networks for community discovery. *Information Fusion*, 79:110–123, 2022.
- [92] Yujia Li, Daniel Tarlow, Marc Brockschmidt, and Richard Zemel. Gated graph sequence neural networks. *arXiv preprint arXiv:1511.05493*, 2015.
- [93] Brandon Lieberthal, Aiman Soliman, Shaowen Wang, Sandra De Urioste-Stone, and Allison M Gardner. Epidemic spread on patch networks with community structure. *Mathematical Biosciences*, 359:108996, 2023.
- [94] Yu-Ru Lin, Yun Chi, Shenghuo Zhu, Hari Sundaram, and Belle L Tseng. Facetnet: a framework for analyzing communities and their evolutions in dynamic networks. In *Proceedings of the 17th international conference on World Wide Web*, pages 685–694, 2008.
- [95] Yu-Ru Lin, Yun Chi, Shenghuo Zhu, Hari Sundaram, and Belle L Tseng. Analyzing communities and their evolutions in dynamic social networks. *ACM Transactions on Knowledge Discovery from Data (TKDD)*, 3(2):1–31, 2009.
- [96] Ting Liu, Charles Rosenberg, and Henry A Rowley. Clustering billions of images with large scale nearest neighbor search. In *2007 IEEE workshop on applications of computer vision (WACV'07)*, pages 28–28. IEEE, 2007.
- [97] Wei Liu and Ling Chen. Community detection in disease-gene network based on principal component analysis. *Tsinghua Science and Technology*, 18(5):454–461, 2013.

- [98] Xiaoyang Liu, Xiang Li, Giacomo Fiumara, and Pasquale De Meo. Link prediction approach combined graph neural network with capsule network. *Expert Systems with Applications*, 212:118737, 2023.
- [99] David Lusseau, Karsten Schneider, Oliver J Boisseau, Patti Haase, Elisabeth Slooten, and Steve M Dawson. The bottlenose dolphin community of doubtful sound features a large proportion of long-lasting associations. *Behavioral Ecology and Sociobiology*, 54(4):396–405, 2003.
- [100] Robert Luzsa and Susanne Mayr. Links between users’ online social network homogeneity, ambiguity tolerance, and estimated public support for own opinions. *Cyberpsychology, Behavior, and Social Networking*, 22(5):325–329, 2019.
- [101] Xiaoke Ma and Di Dong. Evolutionary nonnegative matrix factorization algorithms for community detection in dynamic networks. *IEEE transactions on knowledge and data engineering*, 29(5):1045–1058, 2017.
- [102] Xiaoke Ma, Dongyuan Li, Shiyin Tan, and Zhihao Huang. Detecting evolving communities in dynamic networks using graph regularized evolutionary nonnegative matrix factorization. *Physica A: Statistical Mechanics and its Applications*, 530:121279, 2019.
- [103] Xiaoke Ma, Benhui Zhang, Changzhou Ma, and Zhiyu Ma. Co-regularized nonnegative matrix factorization for evolving community detection in dynamic networks. *Information Sciences*, 528:265–279, 2020.
- [104] Sumana Maity and Santanu Kumar Rath. Extended clique percolation method to detect overlapping community structure. In *2014 International Conference on Advances in Computing, Communications and Informatics (ICACCI)*, pages 31–37. IEEE, 2014.
- [105] Christopher D Manning, Prabhakar Raghavan, and Hinrich Schütze. *Introduction to information retrieval*. Cambridge university press, 2008.
- [106] Renny Márquez, Richard Weber, and André CPLF De Carvalho. A non-negative matrix factorization approach to update communities in temporal networks using node features. In *Proceedings of the 2019 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining*, pages 728–732, 2019.

-
- [107] Víctor Martínez, Fernando Berzal, and Juan-Carlos Cubero. A survey of link prediction in complex networks. *ACM computing surveys (CSUR)*, 49(4):1–33, 2016.
- [108] Miller McPherson, Lynn Smith-Lovin, and James M Cook. Birds of a feather: Homophily in social networks. *Annual review of sociology*, 27(1):415–444, 2001.
- [109] Lei Meng, Guiqiong Xu, Pingle Yang, and Dengqin Tu. A novel potential edge weight method for identifying influential nodes in complex networks based on neighborhood and position. *Journal of Computational Science*, 60:101591, 2022.
- [110] Imane Messaoudi and Nadjat Kamel. A multi-objective bat algorithm for community detection on dynamic social networks. *Applied Intelligence*, 49(6):2119–2136, 2019.
- [111] Judd H Michael. Labor dispute reconciliation in a forest products manufacturing facility. *Forest products journal*, 47(11/12):41, 1997.
- [112] Sneha Mishra, Shashank Sheshar Singh, Shivansh Mishra, and Bhaskar Biswas. Tcd2: Tree-based community detection in dynamic social networks. *Expert Systems with Applications*, 169:114493, 2021.
- [113] Apurva Narayan and Peter HO’N Roe. Learning graph dynamics using deep neural networks. *Ifac-Papersonline*, 51(2):433–438, 2018.
- [114] Mark EJ Newman. The structure of scientific collaboration networks. *Proceedings of the national academy of sciences*, 98(2):404–409, 2001.
- [115] Mark EJ Newman and Michelle Girvan. Finding and evaluating community structure in networks. *Physical review E*, 69(2):026113, 2004.
- [116] Nam P Nguyen, Thang N Dinh, Yilin Shen, and My T Thai. Dynamic social community detection and its applications. *PloS one*, 9(4):e91431, 2014.
- [117] Nam P Nguyen, Thang N Dinh, Ying Xuan, and My T Thai. Adaptive algorithms for detecting community structure in dynamic social networks. In *2011 Proceedings IEEE INFOCOM*, pages 2282–2290. IEEE, 2011.
- [118] Vincenzo Nicosia, Giuseppe Mangioni, Vincenza Carchiolo, and Michele Malgeri. Extending the definition of modularity to directed graphs with overlapping

- communities. *Journal of Statistical Mechanics: Theory and Experiment*, 2009(03):P03024, 2009.
- [119] Xinzhen Niu, Weiyu Si, and Chase Q Wu. A label-based evolutionary computing approach to dynamic community detection. *Computer Communications*, 108:110–122, 2017.
- [120] Mariam Orabi, Djedjiga Mouheb, Zaher Al Aghbari, and Ibrahim Kamel. Detection of bots in social media: a systematic review. *Information Processing & Management*, 57(4):102250, 2020.
- [121] Mert Ozer, Nyunsu Kim, and Hasan Davulcu. Community detection in political twitter networks using nonnegative matrix factorization methods. In *2016 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining (ASONAM)*, pages 81–88. IEEE, 2016.
- [122] Gergely Palla, Albert-László Barabási, and Tamás Vicsek. Quantifying social group evolution. *Nature*, 446(7136):664–667, 2007.
- [123] Gergely Palla, Imre Derényi, Illés Farkas, and Tamás Vicsek. Uncovering the overlapping community structure of complex networks in nature and society. *nature*, 435(7043):814–818, 2005.
- [124] Symeon Papadopoulos, Christos Zigkolis, Giorgos Tolia, Yannis Kalantidis, Phivos Mylonas, Yiannis Kompatsiaris, and Athena Vakali. Image clustering through community detection on hybrid image similarity graphs. In *2010 IEEE International Conference on Image Processing*, pages 2353–2356. IEEE, 2010.
- [125] Aldo Pareja, Giacomo Domeniconi, Jie Chen, Tengfei Ma, Toyotaro Suzumura, Hiroki Kanezashi, Tim Kaler, Tao Schardl, and Charles Leiserson. Evolvegen: Evolving graph convolutional networks for dynamic graphs. In *Proceedings of the AAAI conference on artificial intelligence*, volume 34, pages 5363–5370, 2020.
- [126] Leto Peel, Daniel B Larremore, and Aaron Clauset. The ground truth about metadata and community detection in networks. *Science advances*, 3(5):e1602548, 2017.
- [127] Donald Petrey, Haiqing Zhao, Stephen J Trudeau, Diana Murray, and Barry Honig. Preppi: A structure informed proteome-wide database of protein–protein interactions. *Journal of Molecular Biology*, page 168052, 2023.

-
- [128] Ilse L Pit, Harm Veling, and Johan C Karremans. Does passive facebook use promote feelings of social connectedness? *Media and Communication*, 10(2):119–129, 2022.
- [129] Clara Pizzuti. Ga-net: A genetic algorithm for community detection in social networks. In *International conference on parallel problem solving from nature*, pages 1081–1090. Springer, 2008.
- [130] Pascal Pons and Matthieu Latapy. Computing communities in large networks using random walks. *J. Graph Algorithms Appl.*, 10(2):191–218, 2006.
- [131] David Martin Powers. Evaluation: from precision, recall and f-measure to roc, informedness, markedness and correlation. 2011.
- [132] Arnau Prat-Pérez, David Dominguez-Sal, and Josep-Lluís Larriba-Pey. High quality, scalable and parallel community detection for large real graphs. In *Proceedings of the 23rd international conference on World wide web*, pages 225–236, 2014.
- [133] Ioannis Psorakis, Stephen Roberts, Mark Ebdon, and Ben Sheldon. Overlapping community detection using bayesian non-negative matrix factorization. *Physical Review E*, 83(6):066114, 2011.
- [134] Usha Nandini Raghavan, Réka Albert, and Soundar Kumara. Near linear time algorithm to detect community structures in large-scale networks. *Physical review E*, 76(3):036106, 2007.
- [135] William M Rand. Objective criteria for the evaluation of clustering methods. *Journal of the American Statistical association*, 66(336):846–850, 1971.
- [136] Sebastián A Ríos and Ivan F Videla-Cavieres. Generating groups of products using graph mining techniques. *Procedia Computer Science*, 35:730–738, 2014.
- [137] Giulio Rossetti and Rémy Cazabet. Community discovery in dynamic networks: a survey. *ACM computing surveys (CSUR)*, 51(2):1–37, 2018.
- [138] Giulio Rossetti, Luca Pappalardo, Dino Pedreschi, and Fosca Giannotti. Tiles: an online algorithm for community discovery in dynamic social networks. *Machine Learning*, 106(8):1213–1241, 2017.

- [139] Emanuele Rossi, Ben Chamberlain, Fabrizio Frasca, Davide Eynard, Federico Monti, and Michael Bronstein. Temporal graph networks for deep learning on dynamic graphs. *arXiv preprint arXiv:2006.10637*, 2020.
- [140] Ryan A Rossi, Brian Gallagher, Jennifer Neville, and Keith Henderson. Modeling dynamic behavior in large evolving graphs. In *Proceedings of the sixth ACM international conference on Web search and data mining*, pages 667–676, 2013.
- [141] Martin Rosvall and Carl T Bergstrom. Maps of random walks on complex networks reveal community structure. *Proceedings of the national academy of sciences*, 105(4):1118–1123, 2008.
- [142] Benedek Rozemberczki, Ryan Davies, Rik Sarkar, and Charles Sutton. Gemsec: Graph embedding with self clustering. In *Proceedings of the 2019 IEEE/ACM international conference on advances in social networks analysis and mining*, pages 65–72, 2019.
- [143] Marcel Salathé and James H Jones. Dynamics and control of diseases in networks with community structure. *PLoS computational biology*, 6(4):e1000736, 2010.
- [144] Mohammad Sattari and Kamran Zamanifar. A spreading activation-based label propagation algorithm for overlapping community detection in dynamic social networks. *Data & Knowledge Engineering*, 113:155–170, 2018.
- [145] Franco Scarselli, Marco Gori, Ah Chung Tsoi, Markus Hagenbuchner, and Gabriele Monfardini. The graph neural network model. *IEEE transactions on neural networks*, 20(1):61–80, 2008.
- [146] Devavrat Shah and Tauhid Zaman. Community detection in networks: The leader-follower algorithm. *Sort*, 1050:2, 2010.
- [147] Claude E Shannon. A mathematical theory of communication. *Bell system technical journal*, 27(3):379–423, 1948.
- [148] Xin Shen, Xiangjuan Yao, Huijie Tu, and Dunwei Gong. Parallel multi-objective evolutionary optimization based dynamic community detection in software ecosystem. *Knowledge-Based Systems*, 252:109404, 2022.

- [149] Shashank Sheshar Singh, Ajay Kumar, Kuldeep Singh, and Bhaskar Biswas. C2im: Community based context-aware influence maximization in social networks. *Physica a: Statistical mechanics and its applications*, 514:796–818, 2019.
- [150] Shashank Sheshar Singh, Shivansh Mishra, Ajay Kumar, and Bhaskar Biswas. Clp-id: Community-based link prediction using information diffusion. *Information Sciences*, 514:402–433, 2020.
- [151] Sara Saad Soliman, Maged F El-Sayed, and Yasser F Hassan. Semantic clustering of search engine results. *The Scientific World Journal*, 2015(1):931258, 2015.
- [152] Karsten Steinhaeuser and Nitesh V Chawla. Identifying and evaluating community structure in complex networks. *Pattern Recognition Letters*, 31(5):413–421, 2010.
- [153] Ulrich Stelzl, Uwe Worm, Maciej Lalowski, Christian Haenig, Felix H Brembeck, Heike Goehler, Martin Stroedicke, Martina Zenkner, Anke Schoenherr, Susanne Koeppen, et al. A human protein-protein interaction network: a resource for annotating the proteome. *Cell*, 122(6):957–968, 2005.
- [154] Gilbert W Stewart and Ji-guang Sun. Matrix perturbation theory. (*No Title*), 1990.
- [155] Alexander Strehl and Joydeep Ghosh. Cluster ensembles—a knowledge reuse framework for combining multiple partitions. *Journal of machine learning research*, 3(Dec):583–617, 2002.
- [156] Bing-Jie Sun, Huawei Shen, Jinhua Gao, Wentao Ouyang, and Xueqi Cheng. A non-negative symmetric encoder-decoder approach for community detection. In *Proceedings of the 2017 ACM on Conference on Information and Knowledge Management*, pages 597–606, 2017.
- [157] Yifei Sun, Xin Sun, Zhuo Liu, Yifei Cao, and Jie Yang. Core node knowledge based multi-objective particle swarm optimization for dynamic community detection. *Computers and Industrial Engineering*, page 108843, 2022.
- [158] Kyong Sik Sung, Chen-Wei Tao, and Lisa Slevitch. Do strategy and content matter? restaurant firms’ corporate social responsibility communication on twitter: a social network theory perspective. *Tourism and Hospitality Research*, 23(2):200–212, 2023.

- [159] Sharifah Fatimah Syed-Ahmad and Jamie Murphy. Social networking as a marketing tool: the case of a small australian company. *Journal of Hospitality Marketing & Management*, 19(7):700–716, 2010.
- [160] Petar Veličković, Guillem Cucurull, Arantxa Casanova, Adriana Romero, Pietro Lio, and Yoshua Bengio. Graph attention networks. *arXiv preprint arXiv:1710.10903*, 2017.
- [161] A. R. J. Vigneswari. Probabilistic b-tree based clustering algorithm for vanet with data aggregation. 2019.
- [162] Hongwei Wang, Jia Wang, Jialin Wang, Miao Zhao, Weinan Zhang, Fuzheng Zhang, Xing Xie, and Minyi Guo. Graphgan: Graph representation learning with generative adversarial nets. In *Proceedings of the AAAI conference on artificial intelligence*, volume 32, 2018.
- [163] Shuaihui Wang, Guopeng Li, Guyu Hu, Hao Wei, Yu Pan, and Zhisong Pan. Community detection in dynamic networks using constraint non-negative matrix factorization. *Intelligent Data Analysis*, 24(1):119–139, 2020.
- [164] Wenjun Wang, Pengfei Jiao, Dongxiao He, Di Jin, Lin Pan, and Bogdan Gabrys. Autonomous overlapping community detection in temporal networks: A dynamic bayesian nonnegative matrix factorization approach. *Knowledge-Based Systems*, 110:121–134, 2016.
- [165] Xiao Wang, Peng Cui, Jing Wang, Jian Pei, Wenwu Zhu, and Shiqiang Yang. Community preserving network embedding. In *Thirty-first AAAI conference on artificial intelligence*, 2017.
- [166] Sen Wu, Mengjiao Tuo, and Deying Xiong. Community structure detection of shanghai stock market based on complex networks. In *LISS 2014: Proceedings of 4th International Conference on Logistics, Informatics and Service Science*, pages 1661–1666. Springer, 2015.
- [167] Jierui Xie, Mingming Chen, and Boleslaw K Szymanski. Labelrank: Incremental community detection in dynamic networks via label propagation. In *Proceedings of the workshop on dynamic networks management and mining*, pages 25–32, 2013.

- [168] Jierui Xie and Boleslaw K Szymanski. Towards linear time overlapping community detection in social networks. In *Advances in Knowledge Discovery and Data Mining: 16th Pacific-Asia Conference, PAKDD 2012, Kuala Lumpur, Malaysia, May 29–June 1, 2012, Proceedings, Part II 16*, pages 25–36. Springer, 2012.
- [169] Jierui Xie, Boleslaw K Szymanski, and Xiaoming Liu. Slpa: Uncovering overlapping communities in social networks via a speaker-listener interaction dynamic process. In *2011 IEEE 11th International Conference on Data Mining Workshops*, pages 344–349. IEEE, 2011.
- [170] Liu Xin, Haihong E, Junde Song, Meina Song, and Junjie Tong. Book recommendation based on community detection. In *Pervasive Computing and the Networked World: Joint International Conference, ICPCA/SWS 2013, Vina del Mar, Chile, December 5-7, 2013. Revised Selected Papers*, pages 364–373. Springer, 2014.
- [171] Yu Xin, Zhi-Qiang Xie, and Jing Yang. An adaptive random walk sampling method on dynamic community detection. *Expert Systems with Applications*, 58:10–19, 2016.
- [172] Fanghua Ye, Chuan Chen, and Zibin Zheng. Deep autoencoder-like nonnegative matrix factorization for community detection. In *Proceedings of the 27th ACM international conference on information and knowledge management*, pages 1393–1402, 2018.
- [173] Ying Yin, Yuhai Zhao, He Li, and Xiangjun Dong. Multi-objective evolutionary clustering for large-scale dynamic community detection. *Information Sciences*, 549:269–287, 2021.
- [174] Wei Yu, Wenjun Wang, Pengfei Jiao, and Xuewei Li. Evolutionary clustering via graph regularized nonnegative matrix factorization for exploring temporal networks. *Knowledge-Based Systems*, 167:1–10, 2019.
- [175] Wei Yu, Wenjun Wang, Pengfei Jiao, Huaming Wu, Yueheng Sun, and Minghu Tang. Modeling the local and global evolution pattern of community structures for dynamic networks analysis. *IEEE Access*, 7:71350–71360, 2019.

- [176] Wenchao Yu, Charu C Aggarwal, and Wei Wang. Temporally factorized network modeling for evolutionary network analysis. In *Proceedings of the Tenth ACM International conference on web search and data mining*, pages 455–464, 2017.
- [177] Wayne W Zachary. An information flow model for conflict and fission in small groups. *Journal of anthropological research*, 33(4):452–473, 1977.
- [178] Massimiliano Zanin, Pedro Cano, Javier M Buldú, and Oscar Celma. Complex networks in recommendation systems. In *Proc. 2nd WSEAS Int. Conf. on Computer Engineering and Applications, World Scientific Advanced Series In Electrical And Computer Engineering. Acapulco, Mexico: World Scientific Advanced Series In Electrical And Computer Engineering*, 2008.
- [179] Luke Zappia and Alicia Oshlack. Clustering trees: a visualization for evaluating clusterings at multiple resolutions. *Gigascience*, 7(7):giy083, 2018.
- [180] Xiangxiang Zeng, Wen Wang, Cong Chen, and Gary G Yen. A consensus community-based particle swarm optimization for dynamic community detection. *IEEE transactions on cybernetics*, 50(6):2502–2513, 2019.
- [181] Xian-Kun Zhang, Xue Tian, Ya-Nan Li, and Chen Song. Label propagation algorithm based on edge clustering coefficient for community detection in complex networks. *International Journal of Modern Physics B*, 28(30):1450216, 2014.
- [182] Xuanming Zhang, Jianxing Yu, Miaopei Lin, Shiqi Wang, Wei Liu, and Jian Yin. Community detection in temporal biological metabolic networks based on semi-nmf method with node similarity fusion. In *International Conference on Advanced Data Mining and Applications*, pages 418–432. Springer, 2023.
- [183] Ziwei Zhang, Peng Cui, Jian Pei, Xiao Wang, and Wenwu Zhu. Timers: Error-bounded svd restart on dynamic networks. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 32, 2018.
- [184] Jie Zhao, Xiujuan Lei, Fang-Xiang Wu, et al. Predicting protein complexes in weighted dynamic ppi networks based on icsc. *Complexity*, 2017, 2017.
- [185] Ying Zhao and George Karypis. Empirical and theoretical comparisons of selected criterion functions for document clustering. *Machine Learning*, 55(3):311–331, 2004.

-
- [186] Haijun Zhou. Distance, dissimilarity index, and network community structure. *Physical review e*, 67(6):061901, 2003.
- [187] Haijun Zhou and Reinhard Lipowsky. Network brownian motion: A new method to measure vertex-vertex proximity and to identify communities and subcommunities. In *Computational Science-ICCS 2004: 4th International Conference, Kraków, Poland, June 6-9, 2004, Proceedings, Part III 4*, pages 1062–1069. Springer, 2004.
- [188] Xu Zhou, Yanheng Liu, Bin Li, and Geng Sun. Multiobjective biogeography based optimization algorithm with decomposition for community detection in dynamic networks. *Physica A: Statistical Mechanics and its Applications*, 436:430–442, 2015.
- [189] Xu Zhou, Xiaohui Zhao, and Yanheng Liu. A multiobjective discrete bat algorithm for community detection in dynamic networks. *Applied Intelligence*, 48(9):3081–3093, 2018.
- [190] Yalan Zhou, Jiahai Wang, Ningbo Luo, and Zizhen Zhang. Multiobjective local search for community detection in networks. *Soft Computing*, 20(8):3273–3282, 2016.
- [191] Linhong Zhu, Dong Guo, Junming Yin, Greg Ver Steeg, and Aram Galstyan. Scalable temporal latent space inference for link prediction in dynamic social networks. *IEEE Transactions on Knowledge and Data Engineering*, 28(10):2765–2777, 2016.